



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH60 5300MHz - L																																																																									
1	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RW1-1000.000kHz VBW:3000.000kHz Mode : 211916-01 SN : #19 G8E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5108.95</td> <td>52.11</td> <td>-21.89</td> <td>74.00</td> <td>38.72</td> <td>33.93</td> <td>18.82</td> <td>38.56</td> <td>114</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5108.95	52.11	-21.89	74.00	38.72	33.93	18.82	38.56	114	171 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RW1-1000.000kHz VBW:3000.000kHz Mode : 211916-01 SN : #19 G8E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>182.39</td> <td>34.09</td> <td>68.38</td> <td>88.49</td> <td>34.28</td> <td>18.21</td> <td>38.51</td> <td>114</td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>5300.00</td> <td>95.16</td> <td>.....</td> <td>81.26</td> <td>34.28</td> <td>18.21</td> <td>38.51</td> <td>114</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	182.39	34.09	68.38	88.49	34.28	18.21	38.51	114	171 Peak	2	5300.00	95.16	81.26	34.28	18.21	38.51	114	171 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5108.95	52.11	-21.89	74.00	38.72	33.93	18.82	38.56	114	171 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5300.00	182.39	34.09	68.38	88.49	34.28	18.21	38.51	114	171 Peak																																																																
2	5300.00	95.16	81.26	34.28	18.21	38.51	114	171 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL Project : RW1-1000.000kHz VBW:1.000kHz Mode : 211916-01 SN : #19 G8E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.98</td> <td>42.65</td> <td>-11.35</td> <td>54.00</td> <td>29.22</td> <td>35.97</td> <td>18.88</td> <td>38.68</td> <td>114</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5138.98	42.65	-11.35	54.00	29.22	35.97	18.88	38.68	114	171 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5138.98	42.65	-11.35	54.00	29.22	35.97	18.88	38.68	114	171 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT20 CH60 5300MHz - R	
1	Horizontal	Vertical
Peak		Left blank
Avg.		Left blank



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH60 5300MHz - L																																																																									
1	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : RW1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 SN : #19 G8E2Z7012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>107.35</td> <td>52.04</td> <td>-21.06</td> <td>74.00</td> <td>39.64</td> <td>33.87</td> <td>18.82</td> <td>30.59</td> <td>174</td> <td>196 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	107.35	52.04	-21.06	74.00	39.64	33.87	18.82	30.59	174	196 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : RW1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 SN : #19 G8E2Z7012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>100.79</td> <td>32.49</td> <td>68.30</td> <td>86.89</td> <td>34.28</td> <td>18.21</td> <td>30.51</td> <td>174</td> <td>196 Peak</td> </tr> <tr> <td>2</td> <td>5300.00</td> <td>93.16</td> <td>.....</td> <td>79.26</td> <td>34.28</td> <td>10.21</td> <td>30.51</td> <td>174</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	100.79	32.49	68.30	86.89	34.28	18.21	30.51	174	196 Peak	2	5300.00	93.16	79.26	34.28	10.21	30.51	174	196 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	107.35	52.04	-21.06	74.00	39.64	33.87	18.82	30.59	174	196 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5300.00	100.79	32.49	68.30	86.89	34.28	18.21	30.51	174	196 Peak																																																																
2	5300.00	93.16	79.26	34.28	10.21	30.51	174	196 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL Project : RW1 1000.000kHz VBW 1.000kHz Mode : 211916-01 SN : #19 G8E2Z7012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>106.85</td> <td>42.58</td> <td>-11.42</td> <td>54.00</td> <td>29.39</td> <td>35.83</td> <td>9.99</td> <td>30.63</td> <td>174</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	106.85	42.58	-11.42	54.00	29.39	35.83	9.99	30.63	174	196 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	106.85	42.58	-11.42	54.00	29.39	35.83	9.99	30.63	174	196 Average																																																																






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT20 CH60 5300MHz - R	
1	Vertical	Fundamental
Peak	<p> Date: 9 Date: 2022-05-26 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 14 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark dB dBuV/m dB dBuV/m dB/m dB ce deg 1 5419.68 49.91 -24.89 74.00 35.00 34.20 10.34 30.53 174 196 Peak </p>	Left blank
Avg.	<p> Date: 10 Date: 2022-05-26 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 14 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark dB dBuV/m dB dBuV/m dB/m dB ce deg 1 5598.32 41.85 -12.17 54.00 27.85 34.20 10.36 30.52 174 196 Average </p>	Left blank



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11n HT20 CH64 5320MHz																																																																							
1	Horizontal	Fundamental																																																																						
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 15 SN : #19-GB227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5396.32</td> <td>51.21</td> <td>-22.79</td> <td>74.00</td> <td>37.20</td> <td>34.20</td> <td>18.34</td> <td>30.53</td> <td>139</td> <td>186 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5396.32	51.21	-22.79	74.00	37.20	34.20	18.34	30.53	139	186 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 15 SN : #19-GB227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>180.58</td> <td>32.20</td> <td>68.30</td> <td>86.55</td> <td>34.20</td> <td>19.26</td> <td>30.51</td> <td>139</td> <td>186 Peak</td> </tr> <tr> <td>2 5320.00</td> <td>93.18</td> <td>.....</td> <td>79.23</td> <td>34.20</td> <td>10.25</td> <td>30.51</td> <td>139</td> <td>186</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	180.58	32.20	68.30	86.55	34.20	19.26	30.51	139	186 Peak	2 5320.00	93.18	79.23	34.20	10.25	30.51	139	186	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5396.32	51.21	-22.79	74.00	37.20	34.20	18.34	30.53	139	186 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5320.00	180.58	32.20	68.30	86.55	34.20	19.26	30.51	139	186 Peak																																																															
2 5320.00	93.18	79.23	34.20	10.25	30.51	139	186	Average																																																															
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 15 SN : #19-GB227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5396.48</td> <td>42.58</td> <td>-11.58</td> <td>54.00</td> <td>28.52</td> <td>34.20</td> <td>18.36</td> <td>30.52</td> <td>139</td> <td>186 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5396.48	42.58	-11.58	54.00	28.52	34.20	18.36	30.52	139	186 Average	Left blank																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5396.48	42.58	-11.58	54.00	28.52	34.20	18.36	30.52	139	186 Average																																																															



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH64 5320MHz																																																																									
1	Vertical	Fundamental																																																																								
Peak	 <p>Date: 5 Level (dBuV/m) Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 15 Site : #19-GB227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5368.96</td> <td>52.20</td> <td>-11.88</td> <td>74.00</td> <td>38.22</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>166</td> <td>183 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5368.96	52.20	-11.88	74.00	38.22	34.28	18.38	38.52	166	183 Peak	 <p>Date: 4 Level (dBuV/m) Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 15 Site : #19-GB227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>181.28</td> <td>32.90</td> <td>68.38</td> <td>87.25</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>166</td> <td>183 Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>94.85</td> <td>.....</td> <td>88.18</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>166</td> <td>183 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	181.28	32.90	68.38	87.25	34.28	18.26	38.51	166	183 Peak	2	5320.00	94.85	88.18	34.28	18.26	38.51	166	183 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5368.96	52.20	-11.88	74.00	38.22	34.28	18.38	38.52	166	183 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5320.00	181.28	32.90	68.38	87.25	34.28	18.26	38.51	166	183 Peak																																																																
2	5320.00	94.85	88.18	34.28	18.26	38.51	166	183 Average																																																																	
Avg.	 <p>Date: 6 Level (dBuV/m) Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 15 Site : #19-GB227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.88</td> <td>42.59</td> <td>-11.41</td> <td>54.00</td> <td>28.61</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>166</td> <td>183 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.88	42.59	-11.41	54.00	28.61	34.28	18.38	38.52	166	183 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5358.88	42.59	-11.41	54.00	28.61	34.28	18.38	38.52	166	183 Average																																																																



UNII-2A 5250~5350MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																												
ANT	802.11n HT40 CH54 5270 - L																																																																																												
1	Horizontal	Fundamental																																																																																											
Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PA#RT 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz Mode : #19 GBB227012194000K SN : Z with Accessory Plane : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>100.55</td> <td>53.24</td> <td>-28.76</td> <td>74.00</td> <td>49.85</td> <td>33.83</td> <td>9.59</td> <td>30.63</td> <td>111</td> <td>171</td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	100.55	53.24	-28.76	74.00	49.85	33.83	9.59	30.63	111	171		Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PA#RT 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz Mode : #19 GBB227012194000K SN : Z with Accessory Plane : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>98.27</td> <td>29.97</td> <td>68.30</td> <td>84.59</td> <td>34.11</td> <td>10.17</td> <td>30.62</td> <td>111</td> <td>171</td> <td></td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>98.36</td> <td>.....</td> <td>78.27</td> <td>34.13</td> <td>10.17</td> <td>30.62</td> <td>111</td> <td>171</td> <td></td> <td></td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5270.00	98.27	29.97	68.30	84.59	34.11	10.17	30.62	111	171		Peak	2	5270.00	98.36	78.27	34.13	10.17	30.62	111	171			Average
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	100.55	53.24	-28.76	74.00	49.85	33.83	9.59	30.63	111	171		Peak																																																																																	
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	5270.00	98.27	29.97	68.30	84.59	34.11	10.17	30.62	111	171		Peak																																																																																	
2	5270.00	98.36	78.27	34.13	10.17	30.62	111	171			Average																																																																																	
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PA#RT 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3.000kHz Mode : #19 GBB227012194000K SN : Z with Accessory Plane : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.95</td> <td>42.45</td> <td>-11.55</td> <td>54.00</td> <td>29.89</td> <td>33.90</td> <td>10.82</td> <td>30.56</td> <td>111</td> <td>171</td> <td></td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5896.95	42.45	-11.55	54.00	29.89	33.90	10.82	30.56	111	171		Average	Left blank																																																				
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	5896.95	42.45	-11.55	54.00	29.89	33.90	10.82	30.56	111	171		Average																																																																																	



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11n HT40 CH54 5270 - R																																
1	Horizontal	Fundamental																															
<p>Peak</p>	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 21 Site : #19 030227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.04</td> <td>52.35</td> <td>-21.65</td> <td>74.00</td> <td>38.33</td> <td>34.28</td> <td>38.38</td> <td>38.56</td> <td>111</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5457.04	52.35	-21.65	74.00	38.33	34.28	38.38	38.56	111	171 Peak	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5457.04	52.35	-21.65	74.00	38.33	34.28	38.38	38.56	111	171 Peak																							
<p>Avg.</p>	<p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 21 Site : #19 030227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5551.52</td> <td>41.59</td> <td>-12.41</td> <td>54.00</td> <td>27.61</td> <td>34.28</td> <td>38.38</td> <td>38.52</td> <td>111</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5551.52	41.59	-12.41	54.00	27.61	34.28	38.38	38.52	111	171 Average	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5551.52	41.59	-12.41	54.00	27.61	34.28	38.38	38.52	111	171 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																										
ANT	802.11n HT40 CH54 5270 - L																																																																										
1	Vertical	Vertical																																																																									
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 21 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>52.07</td> <td>-11.93</td> <td>74.00</td> <td>38.68</td> <td>33.93</td> <td>18.86</td> <td>30.60</td> <td>200</td> <td>190 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5270.00	52.07	-11.93	74.00	38.68	33.93	18.86	30.60	200	190 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 21 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>96.82</td> <td>28.52</td> <td>68.30</td> <td>83.14</td> <td>34.13</td> <td>19.17</td> <td>39.62</td> <td>200</td> <td>190 Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>89.95</td> <td>.....</td> <td>76.27</td> <td>34.13</td> <td>10.17</td> <td>39.62</td> <td>200</td> <td>190</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5270.00	96.82	28.52	68.30	83.14	34.13	19.17	39.62	200	190 Peak	2	5270.00	89.95	76.27	34.13	10.17	39.62	200	190	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																		
1	5270.00	52.07	-11.93	74.00	38.68	33.93	18.86	30.60	200	190 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																		
1	5270.00	96.82	28.52	68.30	83.14	34.13	19.17	39.62	200	190 Peak																																																																	
2	5270.00	89.95	76.27	34.13	10.17	39.62	200	190	Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 21 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>42.86</td> <td>-11.14</td> <td>54.00</td> <td>29.43</td> <td>35.93</td> <td>18.86</td> <td>30.56</td> <td>200</td> <td>190 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5270.00	42.86	-11.14	54.00	29.43	35.93	18.86	30.56	200	190 Average	Left blank																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																		
1	5270.00	42.86	-11.14	54.00	29.43	35.93	18.86	30.56	200	190 Average																																																																	



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11n HT40 CH54 5270 - R																																
1	Vertical	Vertical																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 21 SW : #19 030227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5368.08</td> <td>51.66</td> <td>-22.34</td> <td>74.00</td> <td>37.68</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>200</td> <td>190 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg		1	5368.08	51.66	-22.34	74.00	37.68	34.28	18.38	38.52	200	190 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg																									
1	5368.08	51.66	-22.34	74.00	37.68	34.28	18.38	38.52	200	190 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 21 SW : #19 030227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5598.56</td> <td>41.65</td> <td>-12.35</td> <td>54.00</td> <td>27.67</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>200</td> <td>190 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg		1	5598.56	41.65	-12.35	54.00	27.67	34.28	18.38	38.52	200	190 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg																									
1	5598.56	41.65	-12.35	54.00	27.67	34.28	18.38	38.52	200	190 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT40 CH62 5310 - L																																																																									
1	Horizontal	Fundamental																																																																								
Peak	<p>Date: 1 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 22 SN : #19 06B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5994.85</td> <td>52.47</td> <td>-11.53</td> <td>74.00</td> <td>39.11</td> <td>33.90</td> <td>18.82</td> <td>38.56</td> <td>129</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5994.85	52.47	-11.53	74.00	39.11	33.90	18.82	38.56	129	171 Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 22 SN : #19 06B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>88.71</td> <td>38.41</td> <td>68.30</td> <td>84.76</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>129</td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>5310.00</td> <td>91.21</td> <td>.....</td> <td>77.26</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>129</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5310.00	88.71	38.41	68.30	84.76	34.28	18.26	38.51	129	171 Peak	2	5310.00	91.21	77.26	34.28	18.26	38.51	129	171 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																		
1	5994.85	52.47	-11.53	74.00	39.11	33.90	18.82	38.56	129	171 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																		
1	5310.00	88.71	38.41	68.30	84.76	34.28	18.26	38.51	129	171 Peak																																																																
2	5310.00	91.21	77.26	34.28	18.26	38.51	129	171 Average																																																																	
Avg.	<p>Date: 2 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 22 SN : #19 06B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5893.18</td> <td>42.69</td> <td>-11.31</td> <td>54.00</td> <td>29.33</td> <td>35.90</td> <td>18.82</td> <td>38.56</td> <td>129</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5893.18	42.69	-11.31	54.00	29.33	35.90	18.82	38.56	129	171 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																		
1	5893.18	42.69	-11.31	54.00	29.33	35.90	18.82	38.56	129	171 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11n HT40 CH62 5310 - R																																
1	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 22 SW : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.24</td> <td>52.26</td> <td>-11.74</td> <td>74.00</td> <td>38.28</td> <td>34.28</td> <td>38.38</td> <td>38.52</td> <td>129</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5352.24	52.26	-11.74	74.00	38.28	34.28	38.38	38.52	129	171 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5352.24	52.26	-11.74	74.00	38.28	34.28	38.38	38.52	129	171 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 22 SW : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.32</td> <td>42.65</td> <td>-11.35</td> <td>54.00</td> <td>28.67</td> <td>34.28</td> <td>38.38</td> <td>38.52</td> <td>129</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5350.32	42.65	-11.35	54.00	28.67	34.28	38.38	38.52	129	171 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5350.32	42.65	-11.35	54.00	28.67	34.28	38.38	38.52	129	171 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT40 CH62 5310 - L																																																																									
1	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 22 SN : #19 068227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.15</td> <td>52.12</td> <td>-11.88</td> <td>74.00</td> <td>38.73</td> <td>33.93</td> <td>18.86</td> <td>30.60</td> <td>204</td> <td>106 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.15	52.12	-11.88	74.00	38.73	33.93	18.86	30.60	204	106 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 22 SN : #19 068227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.99</td> <td>28.69</td> <td>68.30</td> <td>83.04</td> <td>34.28</td> <td>19.26</td> <td>30.51</td> <td>204</td> <td>186 Peak</td> </tr> <tr> <td>2</td> <td>5310.00</td> <td>90.10</td> <td>.....</td> <td>76.23</td> <td>34.28</td> <td>10.25</td> <td>30.51</td> <td>204</td> <td>186 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.99	28.69	68.30	83.04	34.28	19.26	30.51	204	186 Peak	2	5310.00	90.10	76.23	34.28	10.25	30.51	204	186 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5310.15	52.12	-11.88	74.00	38.73	33.93	18.86	30.60	204	106 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5310.00	96.99	28.69	68.30	83.04	34.28	19.26	30.51	204	186 Peak																																																																
2	5310.00	90.10	76.23	34.28	10.25	30.51	204	186 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 22 SN : #19 068227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.95</td> <td>42.66</td> <td>-11.34</td> <td>54.00</td> <td>29.43</td> <td>35.83</td> <td>9.99</td> <td>30.59</td> <td>204</td> <td>106 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.95	42.66	-11.34	54.00	29.43	35.83	9.99	30.59	204	106 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5310.95	42.66	-11.34	54.00	29.43	35.83	9.99	30.59	204	106 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT40 CH62 5310 - R	
1	Vertical	Fundamental
Peak	<p> Date: 9 Date: 2022-05-26 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 22 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark : dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg 1 5437.92 52.43 -11.57 74.00 38.48 34.28 18.38 38.55 204 186 Peak </p>	Left blank
Avg.	<p> Date: 10 Date: 2022-05-26 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 22 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark : dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg 1 5598.32 42.78 -11.22 54.00 28.88 34.28 18.38 38.52 204 186 Average </p>	Left blank



UNII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																					
ANT	802.11ac VHT80 CH58 5290MHz - L																																																																					
1	Horizontal	Fundamental																																																																				
Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL Project : 211916-01 Mode : Mode 27 SN : #19 G8B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5335.18</td> <td>53.49</td> <td>-20.51</td> <td>74.00</td> <td>49.86</td> <td>33.97</td> <td>18.86</td> <td>30.60</td> <td>100</td> <td>189 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5335.18	53.49	-20.51	74.00	49.86	33.97	18.86	30.60	100	189 Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL Project : 211916-01 Mode : Mode 27 SN : #19 G8B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>94.42</td> <td>26.12</td> <td>68.30</td> <td>89.63</td> <td>34.13</td> <td>10.21</td> <td>38.57</td> <td>100</td> <td>189 Peak</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>87.88</td> <td>.....</td> <td>73.27</td> <td>24.12</td> <td>10.21</td> <td>38.57</td> <td>100</td> <td>189 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5290.00	94.42	26.12	68.30	89.63	34.13	10.21	38.57	100	189 Peak	2	5290.00	87.88	73.27	24.12	10.21	38.57	100	189 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	5335.18	53.49	-20.51	74.00	49.86	33.97	18.86	30.60	100	189 Peak																																																												
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	5290.00	94.42	26.12	68.30	89.63	34.13	10.21	38.57	100	189 Peak																																																												
2	5290.00	87.88	73.27	24.12	10.21	38.57	100	189 Average																																																													
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HP ANT 3117 0107 HORIZONTAL Project : 211916-01 Mode : Mode 27 SN : #19 G8B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5096.95</td> <td>42.54</td> <td>-11.46</td> <td>54.00</td> <td>29.18</td> <td>33.90</td> <td>18.82</td> <td>30.56</td> <td>100</td> <td>189 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5096.95	42.54	-11.46	54.00	29.18	33.90	18.82	30.56	100	189 Average	Left blank																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	5096.95	42.54	-11.46	54.00	29.18	33.90	18.82	30.56	100	189 Average																																																												



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11ac VHT80 CH58 5290MHz - R																																
1	Horizontal	Fundamental																															
Peak	<p>Date: 4 Date: 2022-05-26</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : 27 Site : #19 03E227012194000K Plane : V with Accessory setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.68</td> <td>51.97</td> <td>-22.83</td> <td>74.00</td> <td>37.99</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>100</td> <td>109 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5365.68	51.97	-22.83	74.00	37.99	34.20	10.30	30.52	100	109 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5365.68	51.97	-22.83	74.00	37.99	34.20	10.30	30.52	100	109 Peak																							
Avg.	<p>Date: 5 Date: 2022-05-26</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : 27 Site : #19 03E227012194000K Plane : V with Accessory setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.68</td> <td>45.68</td> <td>-10.32</td> <td>54.00</td> <td>29.70</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>100</td> <td>109 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5365.68	45.68	-10.32	54.00	29.70	34.20	10.30	30.52	100	109 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5365.68	45.68	-10.32	54.00	29.70	34.20	10.30	30.52	100	109 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11ac VHT80 CH58 5290MHz - L																																																																									
1	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 27 SN : #19 028227012194000K Plane : Y with Accessory setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.78</td> <td>53.21</td> <td>-28.79</td> <td>74.00</td> <td>39.78</td> <td>33.97</td> <td>18.86</td> <td>38.68</td> <td>211</td> <td>175 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.78	53.21	-28.79	74.00	39.78	33.97	18.86	38.68	211	175 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 27 SN : #19 028227012194000K Plane : Y with Accessory setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>82.95</td> <td>24.65</td> <td>68.38</td> <td>79.14</td> <td>34.17</td> <td>18.21</td> <td>38.57</td> <td>211</td> <td>175 Peak</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>86.17</td> <td>.....</td> <td>72.36</td> <td>34.17</td> <td>18.21</td> <td>38.57</td> <td>211</td> <td>175 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	82.95	24.65	68.38	79.14	34.17	18.21	38.57	211	175 Peak	2	5290.00	86.17	72.36	34.17	18.21	38.57	211	175 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5290.78	53.21	-28.79	74.00	39.78	33.97	18.86	38.68	211	175 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5290.00	82.95	24.65	68.38	79.14	34.17	18.21	38.57	211	175 Peak																																																																
2	5290.00	86.17	72.36	34.17	18.21	38.57	211	175 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 27 SN : #19 028227012194000K Plane : Y with Accessory setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>42.76</td> <td>-11.24</td> <td>54.00</td> <td>29.37</td> <td>35.93</td> <td>18.82</td> <td>38.56</td> <td>211</td> <td>175 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	42.76	-11.24	54.00	29.37	35.93	18.82	38.56	211	175 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5290.00	42.76	-11.24	54.00	29.37	35.93	18.82	38.56	211	175 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																														
ANT	802.11ac VHT80 CH58 5290MHz - R																														
1	Vertical	Fundamental																													
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 27 Site : #19 03E227012194000K Plane : V with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.28</td> <td>52.23</td> <td>-21.77</td> <td>74.00</td> <td>38.22</td> <td>34.28</td> <td>38.34</td> <td>38.53</td> <td>211</td> <td>175 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg		1	5399.28	52.23	-21.77	74.00	38.22	34.28	38.34	38.53	211	175 Peak	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg																								
1	5399.28	52.23	-21.77	74.00	38.22	34.28	38.34	38.53	211	175 Peak																					
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 27 Site : #19 03E227012194000K Plane : V with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5598.88</td> <td>45.11</td> <td>-18.89</td> <td>54.00</td> <td>29.13</td> <td>34.28</td> <td>38.36</td> <td>38.52</td> <td>211</td> <td>175 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg		1	5598.88	45.11	-18.89	54.00	29.13	34.28	38.36	38.52	211	175 Average	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg																								
1	5598.88	45.11	-18.89	54.00	29.13	34.28	38.36	38.52	211	175 Average																					



UNII-2A - 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																							
ANT	802.11a CH52 5260MHz																																																																																							
1	Horizontal	Vertical																																																																																						
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 4 SN : #19 G08227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18928.00</td> <td>47.89</td> <td>-21.21</td> <td>68.38</td> <td>58.64</td> <td>37.32</td> <td>11.65</td> <td>60.32</td> <td>...</td> </tr> <tr> <td>2</td> <td>15700.00</td> <td>49.18</td> <td>-24.82</td> <td>74.00</td> <td>53.03</td> <td>48.32</td> <td>14.78</td> <td>59.85</td> <td>...</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	18928.00	47.89	-21.21	68.38	58.64	37.32	11.65	60.32	...	2	15700.00	49.18	-24.82	74.00	53.03	48.32	14.78	59.85	...	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 4 SN : #19 G08227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18928.00</td> <td>48.71</td> <td>-19.57</td> <td>68.38</td> <td>68.00</td> <td>37.32</td> <td>11.65</td> <td>60.32</td> <td>...</td> </tr> <tr> <td>2</td> <td>15700.00</td> <td>52.41</td> <td>-21.59</td> <td>74.00</td> <td>56.36</td> <td>48.32</td> <td>14.78</td> <td>59.85</td> <td>248 Peak</td> </tr> <tr> <td>3</td> <td>15700.00</td> <td>45.68</td> <td>-8.32</td> <td>54.00</td> <td>49.63</td> <td>48.32</td> <td>14.78</td> <td>59.85</td> <td>100 248 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	18928.00	48.71	-19.57	68.38	68.00	37.32	11.65	60.32	...	2	15700.00	52.41	-21.59	74.00	56.36	48.32	14.78	59.85	248 Peak	3	15700.00	45.68	-8.32	54.00	49.63	48.32	14.78	59.85	100 248 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	18928.00	47.89	-21.21	68.38	58.64	37.32	11.65	60.32	...																																																																															
2	15700.00	49.18	-24.82	74.00	53.03	48.32	14.78	59.85	...																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	18928.00	48.71	-19.57	68.38	68.00	37.32	11.65	60.32	...																																																																															
2	15700.00	52.41	-21.59	74.00	56.36	48.32	14.78	59.85	248 Peak																																																																															
3	15700.00	45.68	-8.32	54.00	49.63	48.32	14.78	59.85	100 248 Average																																																																															



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																											
ANT	802.11a CH60 5300MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>52.71</td> <td>-11.29</td> <td>74.00</td> <td>63.37</td> <td>37.42</td> <td>11.85</td> <td>59.94</td> <td>100</td> <td>168 Peak</td> </tr> <tr> <td>2</td> <td>18000.00</td> <td>42.79</td> <td>-11.21</td> <td>54.00</td> <td>53.45</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>100</td> <td>168 Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>49.36</td> <td>-14.04</td> <td>74.00</td> <td>53.97</td> <td>48.42</td> <td>15.00</td> <td>59.29</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	18000.00	52.71	-11.29	74.00	63.37	37.42	11.85	59.94	100	168 Peak	2	18000.00	42.79	-11.21	54.00	53.45	37.42	11.86	59.94	100	168 Average	3	15900.00	49.36	-14.04	74.00	53.97	48.42	15.00	59.29	---	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>52.54</td> <td>-11.45</td> <td>74.00</td> <td>63.21</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>124</td> <td>165 Peak</td> </tr> <tr> <td>2</td> <td>18000.00</td> <td>43.57</td> <td>-18.43</td> <td>54.00</td> <td>54.23</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>124</td> <td>165 Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>56.91</td> <td>-15.09</td> <td>74.00</td> <td>54.92</td> <td>48.42</td> <td>14.00</td> <td>59.29</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	18000.00	52.54	-11.45	74.00	63.21	37.42	11.86	59.94	124	165 Peak	2	18000.00	43.57	-18.43	54.00	54.23	37.42	11.86	59.94	124	165 Average	3	15900.00	56.91	-15.09	74.00	54.92	48.42	14.00	59.29	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																																			
1	18000.00	52.71	-11.29	74.00	63.37	37.42	11.85	59.94	100	168 Peak																																																																																																		
2	18000.00	42.79	-11.21	54.00	53.45	37.42	11.86	59.94	100	168 Average																																																																																																		
3	15900.00	49.36	-14.04	74.00	53.97	48.42	15.00	59.29	---	Peak																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																																			
1	18000.00	52.54	-11.45	74.00	63.21	37.42	11.86	59.94	124	165 Peak																																																																																																		
2	18000.00	43.57	-18.43	54.00	54.23	37.42	11.86	59.94	124	165 Average																																																																																																		
3	15900.00	56.91	-15.09	74.00	54.92	48.42	14.00	59.29	---	Peak																																																																																																		

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																											
ANT	802.11a CH64 5320MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18048.00</td> <td>47.54</td> <td>-26.46</td> <td>74.00</td> <td>58.83</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>52.70</td> <td>-11.21</td> <td>74.00</td> <td>56.36</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>215 Peak</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>47.13</td> <td>-6.87</td> <td>54.00</td> <td>51.26</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>215 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	18048.00	47.54	-26.46	74.00	58.83	37.47	11.83	59.79	---	Peak	2	15900.00	52.70	-11.21	74.00	56.36	48.47	14.89	59.43	100	215 Peak	3	15900.00	47.13	-6.87	54.00	51.26	48.47	14.89	59.43	100	215 Average	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18048.00</td> <td>48.72</td> <td>-15.28</td> <td>74.00</td> <td>59.21</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>52.71</td> <td>-11.20</td> <td>74.00</td> <td>56.78</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>215 Peak</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>47.29</td> <td>-6.71</td> <td>54.00</td> <td>51.36</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>215 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	18048.00	48.72	-15.28	74.00	59.21	37.47	11.83	59.79	---	Peak	2	15900.00	52.71	-11.20	74.00	56.78	48.47	14.89	59.43	100	215 Peak	3	15900.00	47.29	-6.71	54.00	51.36	48.47	14.89	59.43	100	215 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																																			
1	18048.00	47.54	-26.46	74.00	58.83	37.47	11.83	59.79	---	Peak																																																																																																		
2	15900.00	52.70	-11.21	74.00	56.36	48.47	14.89	59.43	100	215 Peak																																																																																																		
3	15900.00	47.13	-6.87	54.00	51.26	48.47	14.89	59.43	100	215 Average																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																																			
1	18048.00	48.72	-15.28	74.00	59.21	37.47	11.83	59.79	---	Peak																																																																																																		
2	15900.00	52.71	-11.20	74.00	56.78	48.47	14.89	59.43	100	215 Peak																																																																																																		
3	15900.00	47.29	-6.71	54.00	51.36	48.47	14.89	59.43	100	215 Average																																																																																																		



UNII-2A 5250~5350MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH52 5260MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 13 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 18520.00</td> <td>47.18</td> <td>-21.12</td> <td>68.30</td> <td>58.53</td> <td>37.32</td> <td>11.65</td> <td>68.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15700.00</td> <td>50.83</td> <td>-23.97</td> <td>74.00</td> <td>53.88</td> <td>40.32</td> <td>14.78</td> <td>59.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dB	dB	dB	dB	dB	dB	dB	1 18520.00	47.18	-21.12	68.30	58.53	37.32	11.65	68.32	---	---	Peak	2 15700.00	50.83	-23.97	74.00	53.88	40.32	14.78	59.85	---	---	Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 13 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 18520.00</td> <td>47.90</td> <td>-20.40</td> <td>68.30</td> <td>59.25</td> <td>37.32</td> <td>11.65</td> <td>68.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15700.00</td> <td>50.56</td> <td>-23.44</td> <td>74.00</td> <td>54.51</td> <td>40.32</td> <td>14.78</td> <td>59.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dB	dB	dB	dB	dB	dB	dB	1 18520.00	47.90	-20.40	68.30	59.25	37.32	11.65	68.32	---	---	Peak	2 15700.00	50.56	-23.44	74.00	54.51	40.32	14.78	59.85	---	---	Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBm	dBm	dB	dB	dB	dB	dB	dB	dB	dB																																																																																
1 18520.00	47.18	-21.12	68.30	58.53	37.32	11.65	68.32	---	---	Peak																																																																																
2 15700.00	50.83	-23.97	74.00	53.88	40.32	14.78	59.85	---	---	Peak																																																																																
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBm	dBm	dB	dB	dB	dB	dB	dB	dB	dB																																																																																
1 18520.00	47.90	-20.40	68.30	59.25	37.32	11.65	68.32	---	---	Peak																																																																																
2 15700.00	50.56	-23.44	74.00	54.51	40.32	14.78	59.85	---	---	Peak																																																																																

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																															
ANT	802.11n HT20 CH60 5300MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 14 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 18000.00</td> <td>51.18</td> <td>-22.00</td> <td>74.00</td> <td>61.82</td> <td>37.42</td> <td>11.88</td> <td>59.94</td> <td>100</td> <td>170</td> <td>Peak</td> </tr> <tr> <td>2 18000.00</td> <td>42.44</td> <td>-11.58</td> <td>54.00</td> <td>53.10</td> <td>37.42</td> <td>11.88</td> <td>59.94</td> <td>100</td> <td>170</td> <td>Average</td> </tr> <tr> <td>3 15900.00</td> <td>51.17</td> <td>-22.03</td> <td>74.00</td> <td>55.18</td> <td>40.42</td> <td>14.86</td> <td>59.29</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dB	dB	dB	dB	dB	dB	dB	1 18000.00	51.18	-22.00	74.00	61.82	37.42	11.88	59.94	100	170	Peak	2 18000.00	42.44	-11.58	54.00	53.10	37.42	11.88	59.94	100	170	Average	3 15900.00	51.17	-22.03	74.00	55.18	40.42	14.86	59.29	---	---	Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 14 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 18000.00</td> <td>42.89</td> <td>-12.11</td> <td>54.00</td> <td>63.55</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>103</td> <td>156</td> <td>Peak</td> </tr> <tr> <td>2 18000.00</td> <td>44.22</td> <td>-9.79</td> <td>54.00</td> <td>54.85</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>103</td> <td>156</td> <td>Average</td> </tr> <tr> <td>3 15900.00</td> <td>49.94</td> <td>-24.16</td> <td>74.00</td> <td>53.85</td> <td>40.42</td> <td>14.86</td> <td>59.29</td> <td>150</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dB	dB	dB	dB	dB	dB	dB	1 18000.00	42.89	-12.11	54.00	63.55	37.42	11.86	59.94	103	156	Peak	2 18000.00	44.22	-9.79	54.00	54.85	37.42	11.86	59.94	103	156	Average	3 15900.00	49.94	-24.16	74.00	53.85	40.42	14.86	59.29	150	0	Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBm	dBm	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																						
1 18000.00	51.18	-22.00	74.00	61.82	37.42	11.88	59.94	100	170	Peak																																																																																																						
2 18000.00	42.44	-11.58	54.00	53.10	37.42	11.88	59.94	100	170	Average																																																																																																						
3 15900.00	51.17	-22.03	74.00	55.18	40.42	14.86	59.29	---	---	Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBm	dBm	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																						
1 18000.00	42.89	-12.11	54.00	63.55	37.42	11.86	59.94	103	156	Peak																																																																																																						
2 18000.00	44.22	-9.79	54.00	54.85	37.42	11.86	59.94	103	156	Average																																																																																																						
3 15900.00	49.94	-24.16	74.00	53.85	40.42	14.86	59.29	150	0	Peak																																																																																																						



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																											
ANT	802.11n HT20 CH64 5320MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Date: 17</p> <p>Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 15 SN : #19 GBE227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18640.00</td> <td>48.00</td> <td>-25.92</td> <td>74.00</td> <td>58.57</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>51.00</td> <td>-21.48</td> <td>74.00</td> <td>55.67</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>52 Peak</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>46.19</td> <td>-7.61</td> <td>54.00</td> <td>50.26</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>52 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	18640.00	48.00	-25.92	74.00	58.57	37.47	11.83	59.79	---	Peak	2	15960.00	51.00	-21.48	74.00	55.67	48.47	14.89	59.43	100	52 Peak	3	15900.00	46.19	-7.61	54.00	50.26	48.47	14.89	59.43	100	52 Average	<p>Date: 18</p> <p>Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 15 SN : #19 GBE227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18640.00</td> <td>47.12</td> <td>-26.88</td> <td>74.00</td> <td>57.63</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>52.12</td> <td>-21.88</td> <td>74.00</td> <td>56.19</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>214 Peak</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>46.97</td> <td>-7.83</td> <td>54.00</td> <td>51.04</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>214 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	18640.00	47.12	-26.88	74.00	57.63	37.47	11.83	59.79	---	Peak	2	15960.00	52.12	-21.88	74.00	56.19	48.47	14.89	59.43	100	214 Peak	3	15900.00	46.97	-7.83	54.00	51.04	48.47	14.89	59.43	100	214 Average
	Freq	Level	Over	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																				
1	18640.00	48.00	-25.92	74.00	58.57	37.47	11.83	59.79	---	Peak																																																																																																		
2	15960.00	51.00	-21.48	74.00	55.67	48.47	14.89	59.43	100	52 Peak																																																																																																		
3	15900.00	46.19	-7.61	54.00	50.26	48.47	14.89	59.43	100	52 Average																																																																																																		
Freq	Level	Over	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																				
1	18640.00	47.12	-26.88	74.00	57.63	37.47	11.83	59.79	---	Peak																																																																																																		
2	15960.00	52.12	-21.88	74.00	56.19	48.47	14.89	59.43	100	214 Peak																																																																																																		
3	15900.00	46.97	-7.83	54.00	51.04	48.47	14.89	59.43	100	214 Average																																																																																																		



UNII-2A 5250~5350MHz
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																															
ANT	802.11n HT40 CH54 5270																																																																															
1	Horizontal	Vertical																																																																														
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 21 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18548.00</td> <td>46.89</td> <td>-21.41</td> <td>68.30</td> <td>58.11</td> <td>37.34</td> <td>11.69</td> <td>68.25</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15528.00</td> <td>58.18</td> <td>-23.72</td> <td>74.00</td> <td>54.24</td> <td>48.35</td> <td>14.83</td> <td>59.12</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1 18548.00	46.89	-21.41	68.30	58.11	37.34	11.69	68.25	---	Peak	2 15528.00	58.18	-23.72	74.00	54.24	48.35	14.83	59.12	---	Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 21 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18548.00</td> <td>47.86</td> <td>-21.24</td> <td>68.30</td> <td>58.28</td> <td>37.34</td> <td>11.69</td> <td>68.25</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15528.00</td> <td>49.37</td> <td>-24.63</td> <td>74.00</td> <td>53.33</td> <td>48.35</td> <td>14.83</td> <td>59.12</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1 18548.00	47.86	-21.24	68.30	58.28	37.34	11.69	68.25	---	Peak	2 15528.00	49.37	-24.63	74.00	53.33	48.35	14.83	59.12	---	Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																							
1 18548.00	46.89	-21.41	68.30	58.11	37.34	11.69	68.25	---	Peak																																																																							
2 15528.00	58.18	-23.72	74.00	54.24	48.35	14.83	59.12	---	Peak																																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																							
1 18548.00	47.86	-21.24	68.30	58.28	37.34	11.69	68.25	---	Peak																																																																							
2 15528.00	49.37	-24.63	74.00	53.33	48.35	14.83	59.12	---	Peak																																																																							

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																															
ANT	802.11n HT40 CH62 5310																																																																															
1	Horizontal	Vertical																																																																														
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 22 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18628.00</td> <td>45.88</td> <td>-20.15</td> <td>74.00</td> <td>58.47</td> <td>37.44</td> <td>11.88</td> <td>59.87</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15938.00</td> <td>48.68</td> <td>-25.48</td> <td>74.00</td> <td>52.64</td> <td>48.44</td> <td>14.83</td> <td>59.36</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1 18628.00	45.88	-20.15	74.00	58.47	37.44	11.88	59.87	---	Peak	2 15938.00	48.68	-25.48	74.00	52.64	48.44	14.83	59.36	---	Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 22 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18628.00</td> <td>46.58</td> <td>-20.85</td> <td>74.00</td> <td>56.53</td> <td>37.44</td> <td>11.88</td> <td>59.87</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15938.00</td> <td>48.88</td> <td>-25.84</td> <td>74.00</td> <td>52.38</td> <td>48.44</td> <td>14.83</td> <td>59.36</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1 18628.00	46.58	-20.85	74.00	56.53	37.44	11.88	59.87	---	Peak	2 15938.00	48.88	-25.84	74.00	52.38	48.44	14.83	59.36	---	Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																							
1 18628.00	45.88	-20.15	74.00	58.47	37.44	11.88	59.87	---	Peak																																																																							
2 15938.00	48.68	-25.48	74.00	52.64	48.44	14.83	59.36	---	Peak																																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																							
1 18628.00	46.58	-20.85	74.00	56.53	37.44	11.88	59.87	---	Peak																																																																							
2 15938.00	48.88	-25.84	74.00	52.38	48.44	14.83	59.36	---	Peak																																																																							






UNII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11ac VHT80 CH58 5290MHz	
1	Horizontal	Vertical
Peak		
Avg.		



UNII-2C - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH100 5500MHz																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz Mode : Mode 7 SN : #19 GB227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.28</td> <td>51.89</td> <td>-22.11</td> <td>74.00</td> <td>37.87</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>123</td> <td>198 Peak</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>53.33</td> <td>-14.97</td> <td>68.38</td> <td>39.31</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>123</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5451.28	51.89	-22.11	74.00	37.87	34.20	18.38	30.56	123	198 Peak	2	5468.72	53.33	-14.97	68.38	39.31	34.20	18.38	30.56	123	198 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz Mode : Mode 7 SN : #19 GB227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>181.38</td> <td>33.08</td> <td>68.38</td> <td>87.33</td> <td>34.20</td> <td>19.43</td> <td>30.58</td> <td>123</td> <td>198 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>93.81</td> <td>-----</td> <td>78.96</td> <td>34.20</td> <td>19.43</td> <td>30.58</td> <td>123</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	181.38	33.08	68.38	87.33	34.20	19.43	30.58	123	198 Peak	2	5500.00	93.81	-----	78.96	34.20	19.43	30.58	123	198 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5451.28	51.89	-22.11	74.00	37.87	34.20	18.38	30.56	123	198 Peak																																																																											
2	5468.72	53.33	-14.97	68.38	39.31	34.20	18.38	30.56	123	198 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5500.00	181.38	33.08	68.38	87.33	34.20	19.43	30.58	123	198 Peak																																																																											
2	5500.00	93.81	-----	78.96	34.20	19.43	30.58	123	198 Average																																																																												
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL Project : RBW 1000.000kHz VBW 1.000kHz Mode : Mode 7 SN : #19 GB227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>43.25</td> <td>-18.75</td> <td>54.00</td> <td>29.23</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>123</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	43.25	-18.75	54.00	29.23	34.20	18.38	30.56	123	198 Average	<p>Left blank</p>																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5458.48	43.25	-18.75	54.00	29.23	34.20	18.38	30.56	123	198 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH100 5500MHz																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 7 Site : #19 GB227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5495.44</td> <td>52.93</td> <td>-21.87</td> <td>74.00</td> <td>38.98</td> <td>34.28</td> <td>18.38</td> <td>30.55</td> <td>146</td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>5499.68</td> <td>53.28</td> <td>-15.82</td> <td>68.38</td> <td>39.21</td> <td>34.28</td> <td>18.43</td> <td>30.56</td> <td>146</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5495.44	52.93	-21.87	74.00	38.98	34.28	18.38	30.55	146	171 Peak	2	5499.68	53.28	-15.82	68.38	39.21	34.28	18.43	30.56	146	171 Peak	<p>Date: 6 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 7 Site : #19 GB227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.04</td> <td>33.74</td> <td>68.38</td> <td>87.99</td> <td>34.28</td> <td>18.43</td> <td>30.58</td> <td>146</td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>94.18</td> <td>.....</td> <td>88.13</td> <td>34.28</td> <td>18.43</td> <td>30.58</td> <td>146</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5500.00	102.04	33.74	68.38	87.99	34.28	18.43	30.58	146	171 Peak	2	5500.00	94.18	88.13	34.28	18.43	30.58	146	171 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5495.44	52.93	-21.87	74.00	38.98	34.28	18.38	30.55	146	171 Peak																																																																											
2	5499.68	53.28	-15.82	68.38	39.21	34.28	18.43	30.56	146	171 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5500.00	102.04	33.74	68.38	87.99	34.28	18.43	30.58	146	171 Peak																																																																											
2	5500.00	94.18	88.13	34.28	18.43	30.58	146	171 Average																																																																												
Avg.	<p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 7 Site : #19 GB227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5495.92</td> <td>43.58</td> <td>-18.58</td> <td>54.00</td> <td>29.48</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>146</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5495.92	43.58	-18.58	54.00	29.48	34.28	18.38	30.56	146	171 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5495.92	43.58	-18.58	54.00	29.48	34.28	18.38	30.56	146	171 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH116 5580MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	<p>Date: 1 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RISW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode B Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.08</td> <td>59.15</td> <td>-23.85</td> <td>74.00</td> <td>36.13</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>125</td> <td>196 Peak</td> </tr> <tr> <td>2</td> <td>5461.84</td> <td>59.28</td> <td>-18.92</td> <td>69.39</td> <td>36.26</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>125</td> <td>196 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.08	59.15	-23.85	74.00	36.13	34.20	18.38	30.56	125	196 Peak	2	5461.84	59.28	-18.92	69.39	36.26	34.20	18.38	30.56	125	196 Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RISW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode B Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>100.54</td> <td>32.24</td> <td>68.30</td> <td>86.14</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>125</td> <td>196 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>92.80</td> <td>.....</td> <td>78.40</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>125</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	100.54	32.24	68.30	86.14	34.23	19.52	30.35	125	196 Peak	2	5580.00	92.80	78.40	34.23	19.52	30.35	125	196 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5456.08	59.15	-23.85	74.00	36.13	34.20	18.38	30.56	125	196 Peak																																																																											
2	5461.84	59.28	-18.92	69.39	36.26	34.20	18.38	30.56	125	196 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5580.00	100.54	32.24	68.30	86.14	34.23	19.52	30.35	125	196 Peak																																																																											
2	5580.00	92.80	78.40	34.23	19.52	30.35	125	196 Average																																																																												
Avg.	<p>Date: 2 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RISW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode B Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.32</td> <td>42.55</td> <td>-11.45</td> <td>54.00</td> <td>28.53</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>125</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.32	42.55	-11.45	54.00	28.53	34.20	18.38	30.56	125	196 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5456.32	42.55	-11.45	54.00	28.53	34.20	18.38	30.56	125	196 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																												
ANT	802.11a CH116 5580MHz - R																												
1	Horizontal	Fundamental																											
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL Project : 820W 1000.000kHz VDVW 3000.000kHz Mode : 211916-01 SH : #19 08B227012194000K Plane : Z with Accessory setting : 50 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5749.43</td> <td>52.14</td> <td>-16.16</td> <td>68.30</td> <td>37.36</td> <td>34.60</td> <td>38.62</td> <td>30.44</td> <td>125 196 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg		1 5749.43	52.14	-16.16	68.30	37.36	34.60	38.62	30.44	125 196 Peak	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																						
1 5749.43	52.14	-16.16	68.30	37.36	34.60	38.62	30.44	125 196 Peak																					



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH116 5580MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode B SN : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.48</td> <td>59.02</td> <td>-23.88</td> <td>74.00</td> <td>36.89</td> <td>34.20</td> <td>18.38</td> <td>30.55</td> <td>130</td> <td>168 Peak</td> </tr> <tr> <td>2</td> <td>5463.84</td> <td>59.57</td> <td>-17.73</td> <td>68.38</td> <td>36.55</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>130</td> <td>168 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5430.48	59.02	-23.88	74.00	36.89	34.20	18.38	30.55	130	168 Peak	2	5463.84	59.57	-17.73	68.38	36.55	34.20	18.38	30.56	130	168 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode B SN : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>102.48</td> <td>34.18</td> <td>68.38</td> <td>88.88</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>130</td> <td>168 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>95.43</td> <td>.....</td> <td>81.83</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>130</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5580.00	102.48	34.18	68.38	88.88	34.23	19.52	30.35	130	168 Peak	2	5580.00	95.43	81.83	34.23	19.52	30.35	130	168 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																													
1	5430.48	59.02	-23.88	74.00	36.89	34.20	18.38	30.55	130	168 Peak																																																																											
2	5463.84	59.57	-17.73	68.38	36.55	34.20	18.38	30.56	130	168 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																													
1	5580.00	102.48	34.18	68.38	88.88	34.23	19.52	30.35	130	168 Peak																																																																											
2	5580.00	95.43	81.83	34.23	19.52	30.35	130	168 Average																																																																												
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode B SN : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>42.58</td> <td>-11.58</td> <td>54.80</td> <td>28.48</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>130</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5455.12	42.58	-11.58	54.80	28.48	34.20	18.38	30.56	130	168 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																													
1	5455.12	42.58	-11.58	54.80	28.48	34.20	18.38	30.56	130	168 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																
ANT	802.11a CH116 5580MHz - R																																
1	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : RSNW 1000 000kHz VEW 3000 000kHz Mode : Mode 9 SN : #19 08B227012194000K Plane : Z with Accessory setting : EM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5748.62</td> <td>55.72</td> <td>-14.58</td> <td>68.38</td> <td>38.94</td> <td>34.68</td> <td>38.62</td> <td>38.44</td> <td>130</td> <td>108 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5748.62	55.72	-14.58	68.38	38.94	34.68	38.62	38.44	130	108 Peak	Left blank
Freq	Level	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																									
1	5748.62	55.72	-14.58	68.38	38.94	34.68	38.62	38.44	130	108 Peak																							

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11a CH140 5700MHz																																																																									
1	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RSNW 1000 000kHz VEW 3000 000kHz Mode : Mode 9 SN : #19 08B227012194000K Plane : Z with Accessory setting : EM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5743.88</td> <td>54.34</td> <td>-13.96</td> <td>68.38</td> <td>39.56</td> <td>34.68</td> <td>38.62</td> <td>38.44</td> <td>281</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5743.88	54.34	-13.96	68.38	39.56	34.68	38.62	38.44	281	171 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RSNW 1000 000kHz VEW 3000 000kHz Mode : Mode 9 SN : #19 08B227012194000K Plane : Z with Accessory setting : EM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>59.94</td> <td>33.64</td> <td>68.38</td> <td>85.36</td> <td>34.58</td> <td>38.61</td> <td>38.53</td> <td>281</td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>93.84</td> <td>.....</td> <td>79.26</td> <td>34.58</td> <td>38.61</td> <td>38.53</td> <td>281</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5700.00	59.94	33.64	68.38	85.36	34.58	38.61	38.53	281	171 Peak	2	5700.00	93.84	79.26	34.58	38.61	38.53	281	171 Average
Freq	Level	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																		
1	5743.88	54.34	-13.96	68.38	39.56	34.68	38.62	38.44	281	171 Peak																																																																
Freq	Level	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																		
1	5700.00	59.94	33.64	68.38	85.36	34.58	38.61	38.53	281	171 Peak																																																																
2	5700.00	93.84	79.26	34.58	38.61	38.53	281	171 Average																																																																	



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																										
ANT	802.11a CH140 5700MHz																																																																										
1	Vertical	Fundamental																																																																									
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W 1000.000kHz VSW 3000.000kHz Mode : 211916-01 SN : #19 08B227012194000K Plane : Z with Accessory setting : EM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.88</td> <td>56.27</td> <td>-12.83</td> <td>68.38</td> <td>41.58</td> <td>34.57</td> <td>18.63</td> <td>38.49</td> <td>200</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dB	dBV/m	dB	dB	dB	dB	dB	dB	deg	1	5727.88	56.27	-12.83	68.38	41.58	34.57	18.63	38.49	200	171 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W 1000.000kHz VSW 3000.000kHz Mode : 211916-01 SN : #19 08B227012194000K Plane : Z with Accessory setting : EM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>182.23</td> <td>33.93</td> <td>68.38</td> <td>87.65</td> <td>34.58</td> <td>18.61</td> <td>38.53</td> <td>200</td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>96.18</td> <td>.....</td> <td>81.69</td> <td>34.58</td> <td>18.61</td> <td>38.53</td> <td>200</td> <td>171</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dB	dBV/m	dB	dB	dB	dB	dB	dB	deg	1	5700.00	182.23	33.93	68.38	87.65	34.58	18.61	38.53	200	171 Peak	2	5700.00	96.18	81.69	34.58	18.61	38.53	200	171	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dB	dBV/m	dB	dB	dB	dB	dB	dB	deg																																																																		
1	5727.88	56.27	-12.83	68.38	41.58	34.57	18.63	38.49	200	171 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dB	dBV/m	dB	dB	dB	dB	dB	dB	deg																																																																		
1	5700.00	182.23	33.93	68.38	87.65	34.58	18.61	38.53	200	171 Peak																																																																	
2	5700.00	96.18	81.69	34.58	18.61	38.53	200	171	Average																																																																	



UNII-2C 5470~5725MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																									
ANT	802.11n HT20 CH100 5500MHz																																																																																																									
1	Horizontal	Fundamental																																																																																																								
Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : 211916-01 Mode : Mode 16 SN : #19 GBB227012194000K Plane : Z with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.44</td> <td>51.37</td> <td>-22.43</td> <td>74.00</td> <td>37.35</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>146</td> <td></td> <td></td> <td>184 Peak</td> </tr> <tr> <td>2</td> <td>5469.28</td> <td>51.08</td> <td>-16.35</td> <td>60.30</td> <td>37.91</td> <td>34.20</td> <td>10.43</td> <td>30.56</td> <td>146</td> <td></td> <td></td> <td>184 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5455.44	51.37	-22.43	74.00	37.35	34.20	10.38	30.56	146			184 Peak	2	5469.28	51.08	-16.35	60.30	37.91	34.20	10.43	30.56	146			184 Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : 211916-01 Mode : Mode 16 SN : #19 GBB227012194000K Plane : Z with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>98.99</td> <td>30.69</td> <td>68.30</td> <td>84.94</td> <td>34.20</td> <td>10.43</td> <td>30.58</td> <td>146</td> <td></td> <td></td> <td>184 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>93.41</td> <td>.....</td> <td>77.36</td> <td>34.20</td> <td>10.43</td> <td>30.58</td> <td>146</td> <td></td> <td></td> <td></td> <td>184 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5500.00	98.99	30.69	68.30	84.94	34.20	10.43	30.58	146			184 Peak	2	5500.00	93.41	77.36	34.20	10.43	30.58	146				184 Average
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5455.44	51.37	-22.43	74.00	37.35	34.20	10.38	30.56	146			184 Peak																																																																																														
2	5469.28	51.08	-16.35	60.30	37.91	34.20	10.43	30.56	146			184 Peak																																																																																														
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5500.00	98.99	30.69	68.30	84.94	34.20	10.43	30.58	146			184 Peak																																																																																														
2	5500.00	93.41	77.36	34.20	10.43	30.58	146				184 Average																																																																																														
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 1.000kHz Project : 211916-01 Mode : Mode 16 SN : #19 GBB227012194000K Plane : Z with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>42.62</td> <td>-11.38</td> <td>54.00</td> <td>28.68</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>146</td> <td></td> <td></td> <td>184 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5468.00	42.62	-11.38	54.00	28.68	34.20	10.38	30.56	146			184 Average	Left blank																																																																	
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5468.00	42.62	-11.38	54.00	28.68	34.20	10.38	30.56	146			184 Average																																																																																														




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																			
ANT	802.11n HT20 CH100 5500MHz																																																																																			
1	Vertical	Fundamental																																																																																		
Peak	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 16 Site : #19-GRE227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5419.92</td> <td>52.17</td> <td>-21.83</td> <td>74.00</td> <td>38.16</td> <td>34.28</td> <td>18.34</td> <td>38.53</td> <td>152</td> <td>152 Peak</td> </tr> <tr> <td>2</td> <td>5462.48</td> <td>58.41</td> <td>-17.89</td> <td>68.38</td> <td>36.39</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>152</td> <td>152 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5419.92	52.17	-21.83	74.00	38.16	34.28	18.34	38.53	152	152 Peak	2	5462.48	58.41	-17.89	68.38	36.39	34.28	18.38	38.56	152	152 Peak	<p>Date: 6 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 16 Site : #19-GRE227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.35</td> <td>34.05</td> <td>68.38</td> <td>34.28</td> <td>18.43</td> <td>38.58</td> <td>152</td> <td>152 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>93.95</td> <td>.....</td> <td>79.98</td> <td>34.28</td> <td>18.43</td> <td>38.58</td> <td>152</td> <td>152 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.35	34.05	68.38	34.28	18.43	38.58	152	152 Peak	2	5500.00	93.95	79.98	34.28	18.43	38.58	152	152 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5419.92	52.17	-21.83	74.00	38.16	34.28	18.34	38.53	152	152 Peak																																																																										
2	5462.48	58.41	-17.89	68.38	36.39	34.28	18.38	38.56	152	152 Peak																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5500.00	102.35	34.05	68.38	34.28	18.43	38.58	152	152 Peak																																																																											
2	5500.00	93.95	79.98	34.28	18.43	38.58	152	152 Average																																																																											
Avg.	<p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 16 Site : #19-GRE227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>43.85</td> <td>-18.95</td> <td>54.00</td> <td>29.83</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>152</td> <td>152 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5468.00	43.85	-18.95	54.00	29.83	34.28	18.38	38.56	152	152 Average	Left blank																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5468.00	43.85	-18.95	54.00	29.83	34.28	18.38	38.56	152	152 Average																																																																										






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH116 5580MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 17 SN : #19-08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5418.48</td> <td>51.01</td> <td>-22.99</td> <td>74.00</td> <td>37.00</td> <td>34.28</td> <td>18.34</td> <td>30.53</td> <td>133</td> <td>173 Peak</td> </tr> <tr> <td>2</td> <td>5466.64</td> <td>49.50</td> <td>-18.89</td> <td>68.38</td> <td>35.43</td> <td>34.28</td> <td>18.43</td> <td>30.56</td> <td>133</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	1	5418.48	51.01	-22.99	74.00	37.00	34.28	18.34	30.53	133	173 Peak	2	5466.64	49.50	-18.89	68.38	35.43	34.28	18.43	30.56	133	173 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 17 SN : #19-08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>87.94</td> <td>29.64</td> <td>68.38</td> <td>83.54</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>133</td> <td>173 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>98.66</td> <td>.....</td> <td>76.26</td> <td>34.23</td> <td>10.52</td> <td>30.35</td> <td>133</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	1	5580.00	87.94	29.64	68.38	83.54	34.23	19.52	30.35	133	173 Peak	2	5580.00	98.66	76.26	34.23	10.52	30.35	133	173 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																												
1	5418.48	51.01	-22.99	74.00	37.00	34.28	18.34	30.53	133	173 Peak																																																																											
2	5466.64	49.50	-18.89	68.38	35.43	34.28	18.43	30.56	133	173 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																												
1	5580.00	87.94	29.64	68.38	83.54	34.23	19.52	30.35	133	173 Peak																																																																											
2	5580.00	98.66	76.26	34.23	10.52	30.35	133	173 Average																																																																												
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 17 SN : #19-08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>41.91</td> <td>-12.89</td> <td>54.00</td> <td>27.89</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>133</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	1	5459.28	41.91	-12.89	54.00	27.89	34.28	18.38	30.56	133	173 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																												
1	5459.28	41.91	-12.89	54.00	27.89	34.28	18.38	30.56	133	173 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11n HT20 CH116 5580MHz - R																														
1	Horizontal	Fundamental																													
Peak	 <p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL Frequency Range : 5450.0000MHz VBW 3000.0000MHz Project : 211916-01 Mode : IT SI : #19 G08227012194000K Plane : Z with Accessory setting : MICS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5754.29</td> <td>52.89</td> <td>-16.21</td> <td>66.38</td> <td>37.28</td> <td>34.43</td> <td>38.62</td> <td>38.44</td> <td>133</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	1	5754.29	52.89	-16.21	66.38	37.28	34.43	38.62	38.44	133	173 Peak	Left blank
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB																							
1	5754.29	52.89	-16.21	66.38	37.28	34.43	38.62	38.44	133	173 Peak																					



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH116 5580MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	 <p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 17 SN : #19-G0B227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5391.28</td> <td>59.15</td> <td>-23.85</td> <td>74.00</td> <td>36.14</td> <td>34.28</td> <td>18.34</td> <td>30.53</td> <td>202</td> <td>200 Peak</td> </tr> <tr> <td>2</td> <td>5464.48</td> <td>49.95</td> <td>-18.35</td> <td>68.38</td> <td>35.93</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>202</td> <td>200 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5391.28	59.15	-23.85	74.00	36.14	34.28	18.34	30.53	202	200 Peak	2	5464.48	49.95	-18.35	68.38	35.93	34.28	18.38	30.56	202	200 Peak	 <p>Date: 7 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 17 SN : #19-G0B227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>101.44</td> <td>33.14</td> <td>68.38</td> <td>87.04</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>202</td> <td>200 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>94.67</td> <td>.....</td> <td>80.27</td> <td>34.23</td> <td>10.52</td> <td>30.35</td> <td>202</td> <td>200 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5580.00	101.44	33.14	68.38	87.04	34.23	19.52	30.35	202	200 Peak	2	5580.00	94.67	80.27	34.23	10.52	30.35	202	200 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																													
1	5391.28	59.15	-23.85	74.00	36.14	34.28	18.34	30.53	202	200 Peak																																																																											
2	5464.48	49.95	-18.35	68.38	35.93	34.28	18.38	30.56	202	200 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																													
1	5580.00	101.44	33.14	68.38	87.04	34.23	19.52	30.35	202	200 Peak																																																																											
2	5580.00	94.67	80.27	34.23	10.52	30.35	202	200 Average																																																																												
Avg.	 <p>Date: 6 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 17 SN : #19-G0B227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>41.89</td> <td>-12.11</td> <td>54.00</td> <td>27.87</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>202</td> <td>200 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5458.48	41.89	-12.11	54.00	27.87	34.28	18.38	30.56	202	200 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																													
1	5458.48	41.89	-12.11	54.00	27.87	34.28	18.38	30.56	202	200 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																															
ANT	802.11n HT20 CH116 5580MHz - R																															
1	Vertical	Fundamental																														
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VEW 3000 000kHz Mode : Mode 17 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5745.79</td> <td>52.25</td> <td>-16.85</td> <td>68.38</td> <td>37.47</td> <td>34.68</td> <td>38.62</td> <td>38.44</td> <td>282</td> <td>208 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	ce	deg		1 5745.79	52.25	-16.85	68.38	37.47	34.68	38.62	38.44	282	208 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBm	dB	dBm	dBm	dB	dB	ce	deg																								
1 5745.79	52.25	-16.85	68.38	37.47	34.68	38.62	38.44	282	208 Peak																							




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																							
ANT	802.11n HT20 CH140 5700MHz																																																																							
1	Horizontal	Fundamental																																																																						
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW 1000 000kHz VEW 3000 000kHz Mode : Mode 18 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5735.24</td> <td>53.18</td> <td>-15.12</td> <td>68.30</td> <td>38.41</td> <td>34.68</td> <td>38.63</td> <td>38.44</td> <td>199</td> <td>153 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	ce	deg		1 5735.24	53.18	-15.12	68.30	38.41	34.68	38.63	38.44	199	153 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW 1000 000kHz VEW 3000 000kHz Mode : Mode 18 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5700.00</td> <td>181.87</td> <td>32.77</td> <td>68.30</td> <td>86.49</td> <td>34.58</td> <td>38.61</td> <td>38.53</td> <td>199</td> <td>153 Peak</td> </tr> <tr> <td>2 5700.00</td> <td>93.84</td> <td>.....</td> <td>79.26</td> <td>34.58</td> <td>38.61</td> <td>38.53</td> <td>199</td> <td>153</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	ce	deg		1 * 5700.00	181.87	32.77	68.30	86.49	34.58	38.61	38.53	199	153 Peak	2 5700.00	93.84	79.26	34.58	38.61	38.53	199	153	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	ce	deg																																																																
1 5735.24	53.18	-15.12	68.30	38.41	34.68	38.63	38.44	199	153 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	ce	deg																																																																
1 * 5700.00	181.87	32.77	68.30	86.49	34.58	38.61	38.53	199	153 Peak																																																															
2 5700.00	93.84	79.26	34.58	38.61	38.53	199	153	Average																																																															




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																						
ANT	802.11n HT20 CH140 5700MHz																																																																						
1	Vertical	Fundamental																																																																					
Peak.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W 1000.000kHz VSW 3000.000kHz Mode : 211916-01 SN : #19-08227012194000K Plane : Z with Accessory setting : MCS20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.08</td> <td>57.86</td> <td>-18.44</td> <td>68.30</td> <td>43.17</td> <td>34.57</td> <td>18.63</td> <td>30.49</td> <td>206</td> <td>157 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dB	dB	dB	dB	deg	1	5727.08	57.86	-18.44	68.30	43.17	34.57	18.63	30.49	206	157 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W 1000.000kHz VSW 3000.000kHz Mode : 211916-01 SN : #19-08227012194000K Plane : Z with Accessory setting : MCS20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>82.39</td> <td>34.09</td> <td>68.30</td> <td>87.81</td> <td>34.58</td> <td>19.61</td> <td>30.53</td> <td>206</td> <td>157 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>95.86</td> <td>.....</td> <td>.....</td> <td>89.48</td> <td>34.58</td> <td>19.61</td> <td>30.53</td> <td>206</td> <td>157 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dB	dB	dB	dB	deg	1	5700.00	82.39	34.09	68.30	87.81	34.58	19.61	30.53	206	157 Peak	2	5700.00	95.86	89.48	34.58	19.61	30.53	206	157 Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBV/m	dB	dBV/m	dB	dB	dB	dB	deg																																																															
1	5727.08	57.86	-18.44	68.30	43.17	34.57	18.63	30.49	206	157 Peak																																																													
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBV/m	dB	dBV/m	dB	dB	dB	dB	deg																																																															
1	5700.00	82.39	34.09	68.30	87.81	34.58	19.61	30.53	206	157 Peak																																																													
2	5700.00	95.86	89.48	34.58	19.61	30.53	206	157 Average																																																													



UNII-2C 5470~5725MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11n HT40 CH102 5510MHz - L																																																																																																	
1	Horizontal	Fundamental																																																																																																
Peak	 <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 23 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5388.16</td> <td>59.75</td> <td>-23.25</td> <td>74.00</td> <td>36.74</td> <td>34.20</td> <td>18.34</td> <td>30.53</td> <td>120</td> <td>198</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5465.68</td> <td>51.31</td> <td>-17.69</td> <td>69.00</td> <td>37.14</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>120</td> <td>198</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5388.16	59.75	-23.25	74.00	36.74	34.20	18.34	30.53	120	198	Peak	2	5465.68	51.31	-17.69	69.00	37.14	34.20	18.43	30.56	120	198	Peak	 <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 23 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5518.00</td> <td>96.91</td> <td>22.65</td> <td>68.30</td> <td>82.80</td> <td>34.20</td> <td>18.47</td> <td>30.52</td> <td>120</td> <td>198</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5538.00</td> <td>89.43</td> <td>.....</td> <td>75.26</td> <td>34.20</td> <td>18.47</td> <td>30.52</td> <td>120</td> <td>198</td> <td>198</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5518.00	96.91	22.65	68.30	82.80	34.20	18.47	30.52	120	198	Peak	2	5538.00	89.43	75.26	34.20	18.47	30.52	120	198	198	Average
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5388.16	59.75	-23.25	74.00	36.74	34.20	18.34	30.53	120	198	Peak																																																																																							
2	5465.68	51.31	-17.69	69.00	37.14	34.20	18.43	30.56	120	198	Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5518.00	96.91	22.65	68.30	82.80	34.20	18.47	30.52	120	198	Peak																																																																																							
2	5538.00	89.43	75.26	34.20	18.47	30.52	120	198	198	Average																																																																																							
Avg.	 <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 23 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.68</td> <td>42.63</td> <td>-11.37</td> <td>54.00</td> <td>28.61</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>120</td> <td>198</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.68	42.63	-11.37	54.00	28.61	34.20	18.38	30.56	120	198	Average	Left blank																																																												
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5459.68	42.63	-11.37	54.00	28.61	34.20	18.38	30.56	120	198	Average																																																																																							




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																											
ANT	802.11n HT40 CH102 5510MHz - R																																											
1	Horizontal	Fundamental																																										
Peak	 <p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL : 820M 1000.000kHz VSW 3000.000kHz Project : 211916-01 Mode : Mode 23 SW : #19 088227012194000K Plane : Z with Accessory setting : MIC20 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5748.31</td> <td>52.32</td> <td>-15.98</td> <td>66.30</td> <td>37.54</td> <td>34.60</td> <td>38.62</td> <td>30.44</td> <td>120</td> <td>198</td> <td></td> <td></td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	ca	deg					1	5748.31	52.32	-15.98	66.30	37.54	34.60	38.62	30.44	120	198			198 Peak	Left blank
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	ca	deg																																			
1	5748.31	52.32	-15.98	66.30	37.54	34.60	38.62	30.44	120	198			198 Peak																															



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																						
ANT	802.11n HT40 CH102 5510MHz - L																																																																																						
1	Vertical	Fundamental																																																																																					
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 23 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.68</td> <td>51.52</td> <td>-22.48</td> <td>74.00</td> <td>37.50</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>201</td> <td>100 Peak</td> </tr> <tr> <td>2</td> <td>5459.92</td> <td>50.00</td> <td>-23.20</td> <td>74.00</td> <td>36.78</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>201</td> <td>100 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	51.52	-22.48	74.00	37.50	34.20	18.38	30.56	201	100 Peak	2	5459.92	50.00	-23.20	74.00	36.78	34.20	18.38	30.56	201	100 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 23 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>98.82</td> <td>-22.72</td> <td>68.38</td> <td>83.87</td> <td>34.20</td> <td>19.47</td> <td>30.52</td> <td>201</td> <td>100 Peak</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>98.40</td> <td>-</td> <td>-</td> <td>-</td> <td>76.25</td> <td>34.20</td> <td>19.47</td> <td>30.52</td> <td>201</td> <td>100 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.82	-22.72	68.38	83.87	34.20	19.47	30.52	201	100 Peak	2	5510.00	98.40	-	-	-	76.25	34.20	19.47	30.52	201	100 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5459.68	51.52	-22.48	74.00	37.50	34.20	18.38	30.56	201	100 Peak																																																																													
2	5459.92	50.00	-23.20	74.00	36.78	34.20	18.38	30.56	201	100 Peak																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5510.00	98.82	-22.72	68.38	83.87	34.20	19.47	30.52	201	100 Peak																																																																													
2	5510.00	98.40	-	-	-	76.25	34.20	19.47	30.52	201	100 Average																																																																												
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 23 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.62</td> <td>-11.38</td> <td>54.00</td> <td>28.08</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>201</td> <td>100 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.62	-11.38	54.00	28.08	34.20	18.38	30.56	201	100 Average	Left blank																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5459.92	42.62	-11.38	54.00	28.08	34.20	18.38	30.56	201	100 Average																																																																													



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																															
ANT	802.11n HT40 CH102 5510MHz - R																															
1	Vertical	Fundamental																														
Peak	 <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL : 820M 1000.0000kHz VSW 3000.0000kHz Project : 211916-01 Mode : Mode 23 SW : #19 088227012194000K Plane : Z with Accessory setting : MIC20 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level1</th> <th>LIRES</th> <th>LISe</th> <th>Level1</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5739.08</td> <td>52.74</td> <td>-15.56</td> <td>68.30</td> <td>37.06</td> <td>34.60</td> <td>38.62</td> <td>30.44</td> <td>201</td> <td>100</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level1	LIRES	LISe	Level1	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	1	5739.08	52.74	-15.56	68.30	37.06	34.60	38.62	30.44	201	100	Peak	Left blank
Freq	Level1	LIRES	LISe	Level1	Factor	Loss	Factor	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB																								
1	5739.08	52.74	-15.56	68.30	37.06	34.60	38.62	30.44	201	100	Peak																					






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT40 CH110 5550MHz - L																																																																																	
1	Horizontal	Fundamental																																																																																
Peak	<p>Date: 1 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 24 SN : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5447.20</td> <td>51.55</td> <td>-22.45</td> <td>74.00</td> <td>37.52</td> <td>34.20</td> <td>18.38</td> <td>30.55</td> <td>129</td> <td>196 Peak</td> </tr> <tr> <td>2 5468.89</td> <td>50.02</td> <td>-18.28</td> <td>68.30</td> <td>35.95</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>129</td> <td>196 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1 5447.20	51.55	-22.45	74.00	37.52	34.20	18.38	30.55	129	196 Peak	2 5468.89	50.02	-18.28	68.30	35.95	34.20	18.43	30.56	129	196 Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 24 SN : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5550.00</td> <td>96.24</td> <td>27.94</td> <td>68.30</td> <td>81.99</td> <td>34.20</td> <td>19.52</td> <td>30.47</td> <td>129</td> <td>196 Peak</td> </tr> <tr> <td>2 5550.00</td> <td>88.50</td> <td>.....</td> <td>74.25</td> <td>34.20</td> <td>10.52</td> <td>30.47</td> <td>129</td> <td>196 Average</td> <td></td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1 * 5550.00	96.24	27.94	68.30	81.99	34.20	19.52	30.47	129	196 Peak	2 5550.00	88.50	74.25	34.20	10.52	30.47	129	196 Average	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																										
1 5447.20	51.55	-22.45	74.00	37.52	34.20	18.38	30.55	129	196 Peak																																																																									
2 5468.89	50.02	-18.28	68.30	35.95	34.20	18.43	30.56	129	196 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																										
1 * 5550.00	96.24	27.94	68.30	81.99	34.20	19.52	30.47	129	196 Peak																																																																									
2 5550.00	88.50	74.25	34.20	10.52	30.47	129	196 Average																																																																										
Avg.	<p>Date: 2 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 24 SN : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.92</td> <td>42.04</td> <td>-11.96</td> <td>54.00</td> <td>28.02</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>129</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1 5459.92	42.04	-11.96	54.00	28.02	34.20	18.38	30.56	129	196 Average	Left blank																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																										
1 5459.92	42.04	-11.96	54.00	28.02	34.20	18.38	30.56	129	196 Average																																																																									




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH110 5550MHz - R	
1	Horizontal	Fundamental
Peak		Left blank



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH110 5550MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	 <p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 24 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.44</td> <td>59.04</td> <td>-23.86</td> <td>74.00</td> <td>36.91</td> <td>34.28</td> <td>18.38</td> <td>30.55</td> <td>128</td> <td>168 Peak</td> </tr> <tr> <td>2</td> <td>5465.68</td> <td>59.37</td> <td>-17.93</td> <td>68.38</td> <td>36.38</td> <td>34.28</td> <td>18.43</td> <td>30.56</td> <td>128</td> <td>168 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5447.44	59.04	-23.86	74.00	36.91	34.28	18.38	30.55	128	168 Peak	2	5465.68	59.37	-17.93	68.38	36.38	34.28	18.43	30.56	128	168 Peak	 <p>Date: 7 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 24 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>98.41</td> <td>30.11</td> <td>68.38</td> <td>84.16</td> <td>34.28</td> <td>19.52</td> <td>30.47</td> <td>128</td> <td>168 Peak</td> </tr> <tr> <td>2</td> <td>5550.00</td> <td>98.50</td> <td>.....</td> <td>76.25</td> <td>34.28</td> <td>19.52</td> <td>30.47</td> <td>128</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	98.41	30.11	68.38	84.16	34.28	19.52	30.47	128	168 Peak	2	5550.00	98.50	76.25	34.28	19.52	30.47	128	168 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5447.44	59.04	-23.86	74.00	36.91	34.28	18.38	30.55	128	168 Peak																																																																											
2	5465.68	59.37	-17.93	68.38	36.38	34.28	18.43	30.56	128	168 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5550.00	98.41	30.11	68.38	84.16	34.28	19.52	30.47	128	168 Peak																																																																											
2	5550.00	98.50	76.25	34.28	19.52	30.47	128	168 Average																																																																												
Avg.	 <p>Date: 6 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 24 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>41.92</td> <td>-12.88</td> <td>54.00</td> <td>27.98</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>128</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.92	-12.88	54.00	27.98	34.28	18.38	30.56	128	168 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	41.92	-12.88	54.00	27.98	34.28	18.38	30.56	128	168 Average																																																																											




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH110 5550MHz - R	
1	Vertical	Fundamental
Peak	 <p style="font-size: small;"> Date: 2022-05-26 Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 VERTICAL Project : 820W 1000 0000kHz VDV 3000.000kHz Mode : 211916-01 Mode : Mode 24 SH : #19 00227012194000K Plane : Z with Accessory setting : MAC20 power setting 15 Preset Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Freq Level1 Level2 Level3 Level4 Level5 Level6 Level7 Level8 Level9 Level10 Level11 Level12 Level13 Level14 Level15 Level16 Level17 Level18 Level19 Level20 1 5726.57 51.19 -17.11 66.30 36.58 34.57 38.63 30.49 128 160 Peak </p>	Left blank



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH134 5670MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	<p>Date: 1 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 25 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5429.45</td> <td>59.84</td> <td>-23.16</td> <td>74.00</td> <td>36.81</td> <td>34.20</td> <td>18.38</td> <td>30.55</td> <td>100</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5462.35</td> <td>59.25</td> <td>-18.95</td> <td>68.38</td> <td>36.23</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>182 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5429.45	59.84	-23.16	74.00	36.81	34.20	18.38	30.55	100	182 Peak	2	5462.35	59.25	-18.95	68.38	36.23	34.20	18.38	30.56	100	182 Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 25 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>87.96</td> <td>29.66</td> <td>68.38</td> <td>83.46</td> <td>34.48</td> <td>19.59</td> <td>30.49</td> <td>100</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>90.72</td> <td>.....</td> <td>76.22</td> <td>34.48</td> <td>19.59</td> <td>30.49</td> <td>100</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5670.00	87.96	29.66	68.38	83.46	34.48	19.59	30.49	100	182 Peak	2	5670.00	90.72	76.22	34.48	19.59	30.49	100	182 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5429.45	59.84	-23.16	74.00	36.81	34.20	18.38	30.55	100	182 Peak																																																																											
2	5462.35	59.25	-18.95	68.38	36.23	34.20	18.38	30.56	100	182 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5670.00	87.96	29.66	68.38	83.46	34.48	19.59	30.49	100	182 Peak																																																																											
2	5670.00	90.72	76.22	34.48	19.59	30.49	100	182 Average																																																																												
Avg.	<p>Date: 2 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 25 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>41.61</td> <td>-12.39</td> <td>54.00</td> <td>27.59</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5459.98	41.61	-12.39	54.00	27.59	34.20	18.38	30.56	100	182 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5459.98	41.61	-12.39	54.00	27.59	34.20	18.38	30.56	100	182 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m															
ANT	802.11n HT40 CH134 5670MHz - R															
1	Horizontal	Fundamental														
Peak	 <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL Project : 211916-01 Mode : SW : #19 C8B227012194000K Plane : Z with Accessory setting : MAC20 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.48</td> <td>53.97</td> <td>-14.33</td> <td>66.30</td> <td>39.28</td> <td>34.57 38.63 30.49 100 102 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark	1	5729.48	53.97	-14.33	66.30	39.28	34.57 38.63 30.49 100 102 Peak	Left blank
Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark										
1	5729.48	53.97	-14.33	66.30	39.28	34.57 38.63 30.49 100 102 Peak										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																							
ANT	802.11n HT40 CH134 5670MHz - L																																																							
1	Vertical	Fundamental																																																						
Peak	<p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 25 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>ca deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5427.35</td> <td>59.68</td> <td>-23.32</td> <td>74.00</td> <td>36.65</td> <td>34.20 18.38 30.55 126 159 Peak</td> </tr> <tr> <td>2</td> <td>5469.35</td> <td>49.82</td> <td>-18.48</td> <td>68.30</td> <td>35.75</td> <td>34.20 18.43 30.56 126 159 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	ca deg	1	5427.35	59.68	-23.32	74.00	36.65	34.20 18.38 30.55 126 159 Peak	2	5469.35	49.82	-18.48	68.30	35.75	34.20 18.43 30.56 126 159 Peak	<p>Date: 7 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 25 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>ca deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>98.84</td> <td>30.54</td> <td>68.30</td> <td>84.34 34.48 19.59 30.49 126 159 Peak</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>98.75</td> <td>.....</td> <td>76.25</td> <td>34.48 19.59 30.49 126 159 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	ca deg	1	5670.00	98.84	30.54	68.30	84.34 34.48 19.59 30.49 126 159 Peak	2	5670.00	98.75	76.25	34.48 19.59 30.49 126 159 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	ca deg																																																		
1	5427.35	59.68	-23.32	74.00	36.65	34.20 18.38 30.55 126 159 Peak																																																		
2	5469.35	49.82	-18.48	68.30	35.75	34.20 18.43 30.56 126 159 Peak																																																		
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	ca deg																																																		
1	5670.00	98.84	30.54	68.30	84.34 34.48 19.59 30.49 126 159 Peak																																																			
2	5670.00	98.75	76.25	34.48 19.59 30.49 126 159 Average																																																			
Avg.	<p>Date: 6 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 25 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>ca deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5499.55</td> <td>41.47</td> <td>-12.53</td> <td>54.00</td> <td>27.45</td> <td>34.20 18.38 30.56 126 159 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	ca deg	1	5499.55	41.47	-12.53	54.00	27.45	34.20 18.38 30.56 126 159 Average	Left blank																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	ca deg																																																		
1	5499.55	41.47	-12.53	54.00	27.45	34.20 18.38 30.56 126 159 Average																																																		



**UNII-2C 5470~5725MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	<p>Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 28 SN : #19 GB227012194000K Plane : Y with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.92</td> <td>53.47</td> <td>-29.53</td> <td>74.00</td> <td>39.45</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>200</td> <td>161 Peak</td> </tr> <tr> <td>2</td> <td>5475.48</td> <td>55.12</td> <td>-33.18</td> <td>60.39</td> <td>41.87</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>200</td> <td>161 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5497.92	53.47	-29.53	74.00	39.45	34.20	18.38	30.56	200	161 Peak	2	5475.48	55.12	-33.18	60.39	41.87	34.20	18.43	30.56	200	161 Peak	<p>Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 28 SN : #19 GB227012194000K Plane : Y with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>92.54</td> <td>24.24</td> <td>68.30</td> <td>78.34</td> <td>34.20</td> <td>18.47</td> <td>30.47</td> <td>200</td> <td>161 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>86.87</td> <td>.....</td> <td>79.47</td> <td>34.20</td> <td>18.47</td> <td>30.47</td> <td>200</td> <td>161 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5530.00	92.54	24.24	68.30	78.34	34.20	18.47	30.47	200	161 Peak	2	5530.00	86.87	79.47	34.20	18.47	30.47	200	161 Average
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																												
1	5497.92	53.47	-29.53	74.00	39.45	34.20	18.38	30.56	200	161 Peak																																																																											
2	5475.48	55.12	-33.18	60.39	41.87	34.20	18.43	30.56	200	161 Peak																																																																											
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																												
1	5530.00	92.54	24.24	68.30	78.34	34.20	18.47	30.47	200	161 Peak																																																																											
2	5530.00	86.87	79.47	34.20	18.47	30.47	200	161 Average																																																																												
Avg.	<p>Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HP_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 28 SN : #19 GB227012194000K Plane : Y with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.76</td> <td>43.25</td> <td>-19.75</td> <td>54.00</td> <td>29.23</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>200</td> <td>161 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5497.76	43.25	-19.75	54.00	29.23	34.20	18.38	30.56	200	161 Average	Left blank																																																				
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																												
1	5497.76	43.25	-19.75	54.00	29.23	34.20	18.38	30.56	200	161 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ac VHT80 CH106 5530MHz - R																						
1	Horizontal	Fundamental																					
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : 820W 1000 0000kHz VDV 3000.0000kHz Mode : 211916-01 SH : #19 080227012194000K Plane : Y with Accessory setting : MACSS power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca - deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.75</td> <td>53.24</td> <td>-15.86</td> <td>69.30</td> <td>38.46</td> <td>34.60 38.62 38.44 200 161 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	ca - deg	1	5497.75	53.24	-15.86	69.30	38.46	34.60 38.62 38.44 200 161 Peak	Left blank
Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	ca - deg																	
1	5497.75	53.24	-15.86	69.30	38.46	34.60 38.62 38.44 200 161 Peak																	



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RfW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 28 Site : #19 08227012194000K Plane : Y with Accessory setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.76</td> <td>52.56</td> <td>-11.44</td> <td>74.00</td> <td>38.54</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>137</td> <td>178 Peak</td> </tr> <tr> <td>2</td> <td>5464.48</td> <td>53.88</td> <td>-14.42</td> <td>68.38</td> <td>39.66</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>137</td> <td>178 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	dB	deg	1	5457.76	52.56	-11.44	74.00	38.54	34.28	18.38	38.56	137	178 Peak	2	5464.48	53.88	-14.42	68.38	39.66	34.28	18.38	38.56	137	178 Peak	<p>Date: 7 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RfW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 28 Site : #19 08227012194000K Plane : Y with Accessory setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.68</td> <td>25.38</td> <td>68.38</td> <td>79.48</td> <td>34.28</td> <td>18.47</td> <td>38.47</td> <td>137</td> <td>178 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>85.54</td> <td>.....</td> <td>71.34</td> <td>34.28</td> <td>18.47</td> <td>38.47</td> <td>137</td> <td>178 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	dB	deg	1	5530.00	93.68	25.38	68.38	79.48	34.28	18.47	38.47	137	178 Peak	2	5530.00	85.54	71.34	34.28	18.47	38.47	137	178 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	dB	dB	deg																																																																												
1	5457.76	52.56	-11.44	74.00	38.54	34.28	18.38	38.56	137	178 Peak																																																																											
2	5464.48	53.88	-14.42	68.38	39.66	34.28	18.38	38.56	137	178 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	dB	dB	deg																																																																												
1	5530.00	93.68	25.38	68.38	79.48	34.28	18.47	38.47	137	178 Peak																																																																											
2	5530.00	85.54	71.34	34.28	18.47	38.47	137	178 Average																																																																												
Avg.	<p>Date: 6 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RfW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 28 Site : #19 08227012194000K Plane : Y with Accessory setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.24</td> <td>43.86</td> <td>-18.14</td> <td>54.00</td> <td>29.84</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>137</td> <td>178 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	dB	deg	1	5458.24	43.86	-18.14	54.00	29.84	34.28	18.38	38.56	137	178 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	dB	dB	deg																																																																												
1	5458.24	43.86	-18.14	54.00	29.84	34.28	18.38	38.56	137	178 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																					
1	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 1 Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RfBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 29 Site : #19-08B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.96</td> <td>51.61</td> <td>-22.39</td> <td>74.00</td> <td>37.59</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>184</td> <td>191 Peak</td> </tr> <tr> <td>2</td> <td>5466.64</td> <td>51.98</td> <td>-16.48</td> <td>68.38</td> <td>37.83</td> <td>34.28</td> <td>18.43</td> <td>38.56</td> <td>184</td> <td>191 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	51.61	-22.39	74.00	37.59	34.28	18.38	38.56	184	191 Peak	2	5466.64	51.98	-16.48	68.38	37.83	34.28	18.43	38.56	184	191 Peak	<p>Date: 3 Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RfBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 29 Site : #19-08B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>82.18</td> <td>23.80</td> <td>68.38</td> <td>77.64</td> <td>34.38</td> <td>18.56</td> <td>38.48</td> <td>104</td> <td>191 Peak</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>85.88</td> <td>.....</td> <td>.....</td> <td>78.62</td> <td>34.38</td> <td>18.56</td> <td>38.48</td> <td>104</td> <td>191 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	82.18	23.80	68.38	77.64	34.38	18.56	38.48	104	191 Peak	2	5610.00	85.88	78.62	34.38	18.56	38.48	104	191 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5458.96	51.61	-22.39	74.00	37.59	34.28	18.38	38.56	184	191 Peak																																																																												
2	5466.64	51.98	-16.48	68.38	37.83	34.28	18.43	38.56	184	191 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5610.00	82.18	23.80	68.38	77.64	34.38	18.56	38.48	104	191 Peak																																																																												
2	5610.00	85.88	78.62	34.38	18.56	38.48	104	191 Average																																																																												
Avg.	<p>Date: 2 Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RfBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 29 Site : #19-08B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.68</td> <td>41.69</td> <td>-12.31</td> <td>54.00</td> <td>27.67</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>184</td> <td>191 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	41.69	-12.31	54.00	27.67	34.28	18.38	38.56	184	191 Average	Left blank																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5459.68	41.69	-12.31	54.00	27.67	34.28	18.38	38.56	184	191 Average																																																																												



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH122 5610MHz - R	
1	Horizontal	Fundamental
Peak	<p> Date: 4 Date: 2022-05-25 Level (dBm) vs Frequency (MHz) 140, 122.5, 105.0, 87.5, 70.0, 52.5, 35.0, 17.5 5580, 5625, 5660, 5695, 5730, 5765 Frequency (MHz) Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : 820M 1000.0000kHz VSW 3000.0000kHz Project : 211916-01 Mode : Mode 29 SW : #19 008227012194000K Plane : Y with Accessory setting : MCS29 power setting 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Freq Level1 LI1dB LI3dB Level1 Factor Loss Factor --- 1 5752.93 53.47 -14.63 66.30 38.86 34.43 38.62 30.44 184 191 Peak </p>	Left blank



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 29 Site : #19 08B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.88</td> <td>51.56</td> <td>-22.44</td> <td>74.00</td> <td>37.53</td> <td>34.20</td> <td>10.30</td> <td>30.55</td> <td>182</td> <td>154 Peak</td> </tr> <tr> <td>2</td> <td>5462.56</td> <td>51.53</td> <td>-16.77</td> <td>68.30</td> <td>37.51</td> <td>34.20</td> <td>10.30</td> <td>30.56</td> <td>182</td> <td>154 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5442.88	51.56	-22.44	74.00	37.53	34.20	10.30	30.55	182	154 Peak	2	5462.56	51.53	-16.77	68.30	37.51	34.20	10.30	30.56	182	154 Peak	<p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 29 Site : #19 08B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>81.56</td> <td>25.26</td> <td>68.30</td> <td>79.10</td> <td>34.30</td> <td>10.56</td> <td>30.40</td> <td>182</td> <td>154 Peak</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>86.80</td> <td>.....</td> <td>71.57</td> <td>34.30</td> <td>10.56</td> <td>30.40</td> <td>182</td> <td>154 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5610.00	81.56	25.26	68.30	79.10	34.30	10.56	30.40	182	154 Peak	2	5610.00	86.80	71.57	34.30	10.56	30.40	182	154 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																													
1	5442.88	51.56	-22.44	74.00	37.53	34.20	10.30	30.55	182	154 Peak																																																																											
2	5462.56	51.53	-16.77	68.30	37.51	34.20	10.30	30.56	182	154 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																													
1	5610.00	81.56	25.26	68.30	79.10	34.30	10.56	30.40	182	154 Peak																																																																											
2	5610.00	86.80	71.57	34.30	10.56	30.40	182	154 Average																																																																												
Avg.	<p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 29 Site : #19 08B227012194000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.72</td> <td>41.60</td> <td>-12.40</td> <td>54.00</td> <td>27.58</td> <td>34.20</td> <td>10.30</td> <td>30.56</td> <td>182</td> <td>154 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5458.72	41.60	-12.40	54.00	27.58	34.20	10.30	30.56	182	154 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																													
1	5458.72	41.60	-12.40	54.00	27.58	34.20	10.30	30.56	182	154 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH122 5610MHz - R	
1	Vertical	Fundamental
Peak	<p> Date: 8 Date: 2022-05-25 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5590 5625 5660 5695 5730 5765 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : 820W 1000.0000kHz VSW 3000.0000kHz Project : 211916-01 Mode : Mode 29 SW : #19_008227012194000K Plane : V with Accessory setting : MCS29 power setting 14 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level1 LI181 LI181 Level1 Factor Loss Factor --- Freq dBuV/m dB dBuV/m dBuV/m dB dB dB CA deg 1 5754.59 52.79 -15.51 66.39 37.98 34.43 38.62 39.44 182 154 Peak </p>	Left blank



UNII-2C - 5470~5725MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH100 5500MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 7 SN : #19 G08227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.81</td> <td>-20.19</td> <td>74.00</td> <td>58.18</td> <td>37.89</td> <td>12.81</td> <td>58.28</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10500.00</td> <td>58.16</td> <td>-17.84</td> <td>68.38</td> <td>51.62</td> <td>41.17</td> <td>15.27</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	47.81	-20.19	74.00	58.18	37.89	12.81	58.28	...	Peak	2	10500.00	58.16	-17.84	68.38	51.62	41.17	15.27	57.98	...	Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 7 SN : #19 G08227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>49.80</td> <td>-24.14</td> <td>74.00</td> <td>58.15</td> <td>37.90</td> <td>12.81</td> <td>58.28</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10500.00</td> <td>58.16</td> <td>-17.79</td> <td>68.38</td> <td>51.17</td> <td>41.17</td> <td>15.27</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	49.80	-24.14	74.00	58.15	37.90	12.81	58.28	...	Peak	2	10500.00	58.16	-17.79	68.38	51.17	41.17	15.27	57.98	...	Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11000.00	47.81	-20.19	74.00	58.18	37.89	12.81	58.28	...	Peak																																																																																
2	10500.00	58.16	-17.84	68.38	51.62	41.17	15.27	57.98	...	Peak																																																																																
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11000.00	49.80	-24.14	74.00	58.15	37.90	12.81	58.28	...	Peak																																																																																
2	10500.00	58.16	-17.79	68.38	51.17	41.17	15.27	57.98	...	Peak																																																																																



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																															
ANT	802.11a CH116 5580MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 9 Site : #19 G80227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>54.64</td> <td>-19.30</td> <td>74.00</td> <td>62.50</td> <td>38.05</td> <td>12.10</td> <td>58.10</td> <td>193</td> <td>158 Peak</td> </tr> <tr> <td>2 11100.00</td> <td>45.51</td> <td>-18.49</td> <td>54.00</td> <td>53.46</td> <td>38.85</td> <td>12.10</td> <td>58.10</td> <td>193</td> <td>158 Average</td> </tr> <tr> <td>3 16740.00</td> <td>52.34</td> <td>-16.16</td> <td>68.30</td> <td>51.79</td> <td>42.87</td> <td>15.43</td> <td>57.07</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4 16873.00</td> <td>51.89</td> <td>-16.43</td> <td>68.30</td> <td>19.25</td> <td>42.35</td> <td>21.53</td> <td>31.24</td> <td>150</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	54.64	-19.30	74.00	62.50	38.05	12.10	58.10	193	158 Peak	2 11100.00	45.51	-18.49	54.00	53.46	38.85	12.10	58.10	193	158 Average	3 16740.00	52.34	-16.16	68.30	51.79	42.87	15.43	57.07	---	Peak	4 16873.00	51.89	-16.43	68.30	19.25	42.35	21.53	31.24	150	0 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 9 Site : #19 G80227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>55.29</td> <td>-18.71</td> <td>74.00</td> <td>63.24</td> <td>38.05</td> <td>12.10</td> <td>58.10</td> <td>193</td> <td>218 Peak</td> </tr> <tr> <td>2 11100.00</td> <td>46.31</td> <td>-17.69</td> <td>54.00</td> <td>54.26</td> <td>38.85</td> <td>12.10</td> <td>58.10</td> <td>193</td> <td>218 Average</td> </tr> <tr> <td>3 16740.00</td> <td>51.23</td> <td>-16.87</td> <td>68.30</td> <td>51.32</td> <td>42.87</td> <td>15.43</td> <td>57.07</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	55.29	-18.71	74.00	63.24	38.05	12.10	58.10	193	218 Peak	2 11100.00	46.31	-17.69	54.00	54.26	38.85	12.10	58.10	193	218 Average	3 16740.00	51.23	-16.87	68.30	51.32	42.87	15.43	57.07	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11100.00	54.64	-19.30	74.00	62.50	38.05	12.10	58.10	193	158 Peak																																																																																																							
2 11100.00	45.51	-18.49	54.00	53.46	38.85	12.10	58.10	193	158 Average																																																																																																							
3 16740.00	52.34	-16.16	68.30	51.79	42.87	15.43	57.07	---	Peak																																																																																																							
4 16873.00	51.89	-16.43	68.30	19.25	42.35	21.53	31.24	150	0 Peak																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11100.00	55.29	-18.71	74.00	63.24	38.05	12.10	58.10	193	218 Peak																																																																																																							
2 11100.00	46.31	-17.69	54.00	54.26	38.85	12.10	58.10	193	218 Average																																																																																																							
3 16740.00	51.23	-16.87	68.30	51.32	42.87	15.43	57.07	---	Peak																																																																																																							

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																	
ANT	802.11a CH140 5700MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 9 Site : #19 G80227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>48.35</td> <td>-25.15</td> <td>74.00</td> <td>56.35</td> <td>38.27</td> <td>12.10</td> <td>57.96</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 17100.00</td> <td>56.18</td> <td>-13.26</td> <td>68.30</td> <td>48.89</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	48.35	-25.15	74.00	56.35	38.27	12.10	57.96	---	Peak	2 17100.00	56.18	-13.26	68.30	48.89	42.46	15.45	56.78	---	Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 9 Site : #19 G80227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>49.58</td> <td>-24.42</td> <td>74.00</td> <td>57.88</td> <td>38.27</td> <td>12.10</td> <td>57.96</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 17100.00</td> <td>56.29</td> <td>-16.01</td> <td>68.30</td> <td>49.88</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	49.58	-24.42	74.00	57.88	38.27	12.10	57.96	---	Peak	2 17100.00	56.29	-16.01	68.30	49.88	42.46	15.45	56.78	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11400.00	48.35	-25.15	74.00	56.35	38.27	12.10	57.96	---	Peak																																																																									
2 17100.00	56.18	-13.26	68.30	48.89	42.46	15.45	56.78	---	Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11400.00	49.58	-24.42	74.00	57.88	38.27	12.10	57.96	---	Peak																																																																									
2 17100.00	56.29	-16.01	68.30	49.88	42.46	15.45	56.78	---	Peak																																																																									



**UNII-2C 5470~5725MHz
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																											
ANT	802.11n HT20 CH100 5500MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Date: 15 Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 16 SN : #19 GB227012194000K Plane : Z with Accessory Plane setting : MCS90 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11800.00</td> <td>52.95</td> <td>-21.85</td> <td>74.00</td> <td>61.24</td> <td>37.90</td> <td>12.01</td> <td>58.28</td> <td>201</td> <td>212 Peak</td> </tr> <tr> <td>2</td> <td>11800.00</td> <td>41.95</td> <td>-21.85</td> <td>54.00</td> <td>58.24</td> <td>37.90</td> <td>12.01</td> <td>58.28</td> <td>100</td> <td>213 Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>58.58</td> <td>-17.72</td> <td>68.30</td> <td>51.24</td> <td>41.57</td> <td>15.27</td> <td>57.58</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11800.00	52.95	-21.85	74.00	61.24	37.90	12.01	58.28	201	212 Peak	2	11800.00	41.95	-21.85	54.00	58.24	37.90	12.01	58.28	100	213 Average	3	16500.00	58.58	-17.72	68.30	51.24	41.57	15.27	57.58	---	--- Peak	<p>Date: 16 Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 16 SN : #19 GB227012194000K Plane : Z with Accessory Plane setting : MCS90 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11800.00</td> <td>52.85</td> <td>-21.95</td> <td>74.00</td> <td>60.34</td> <td>37.90</td> <td>12.01</td> <td>58.28</td> <td>100</td> <td>213 Peak</td> </tr> <tr> <td>2</td> <td>11800.00</td> <td>42.95</td> <td>-21.95</td> <td>54.00</td> <td>51.21</td> <td>37.90</td> <td>12.01</td> <td>58.28</td> <td>100</td> <td>213 Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>58.97</td> <td>-17.13</td> <td>68.30</td> <td>51.63</td> <td>41.57</td> <td>15.27</td> <td>57.58</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11800.00	52.85	-21.95	74.00	60.34	37.90	12.01	58.28	100	213 Peak	2	11800.00	42.95	-21.95	54.00	51.21	37.90	12.01	58.28	100	213 Average	3	16500.00	58.97	-17.13	68.30	51.63	41.57	15.27	57.58	---	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11800.00	52.95	-21.85	74.00	61.24	37.90	12.01	58.28	201	212 Peak																																																																																																		
2	11800.00	41.95	-21.85	54.00	58.24	37.90	12.01	58.28	100	213 Average																																																																																																		
3	16500.00	58.58	-17.72	68.30	51.24	41.57	15.27	57.58	---	--- Peak																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11800.00	52.85	-21.95	74.00	60.34	37.90	12.01	58.28	100	213 Peak																																																																																																		
2	11800.00	42.95	-21.95	54.00	51.21	37.90	12.01	58.28	100	213 Average																																																																																																		
3	16500.00	58.97	-17.13	68.30	51.63	41.57	15.27	57.58	---	--- Peak																																																																																																		

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																											
ANT	802.11n HT20 CH116 5580MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Date: 17 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 17 SN : #19 GB227012194000K Plane : Z with Accessory Plane setting : MCS90 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>54.19</td> <td>-19.61</td> <td>74.00</td> <td>62.34</td> <td>38.05</td> <td>12.10</td> <td>58.18</td> <td>100</td> <td>204 Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>45.11</td> <td>-19.61</td> <td>54.00</td> <td>53.60</td> <td>38.05</td> <td>12.10</td> <td>58.18</td> <td>100</td> <td>204 Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>58.63</td> <td>-17.67</td> <td>68.30</td> <td>58.22</td> <td>42.87</td> <td>15.41</td> <td>57.87</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	54.19	-19.61	74.00	62.34	38.05	12.10	58.18	100	204 Peak	2	11160.00	45.11	-19.61	54.00	53.60	38.05	12.10	58.18	100	204 Average	3	16740.00	58.63	-17.67	68.30	58.22	42.87	15.41	57.87	---	--- Peak	<p>Date: 18 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 17 SN : #19 GB227012194000K Plane : Z with Accessory Plane setting : MCS90 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>54.30</td> <td>-19.64</td> <td>74.00</td> <td>62.31</td> <td>38.05</td> <td>12.10</td> <td>58.18</td> <td>100</td> <td>197 Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>44.60</td> <td>-19.11</td> <td>54.00</td> <td>52.64</td> <td>38.05</td> <td>12.10</td> <td>58.18</td> <td>100</td> <td>197 Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>58.86</td> <td>-17.44</td> <td>68.30</td> <td>58.45</td> <td>42.87</td> <td>15.41</td> <td>57.87</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	54.30	-19.64	74.00	62.31	38.05	12.10	58.18	100	197 Peak	2	11160.00	44.60	-19.11	54.00	52.64	38.05	12.10	58.18	100	197 Average	3	16740.00	58.86	-17.44	68.30	58.45	42.87	15.41	57.87	---	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11160.00	54.19	-19.61	74.00	62.34	38.05	12.10	58.18	100	204 Peak																																																																																																		
2	11160.00	45.11	-19.61	54.00	53.60	38.05	12.10	58.18	100	204 Average																																																																																																		
3	16740.00	58.63	-17.67	68.30	58.22	42.87	15.41	57.87	---	--- Peak																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11160.00	54.30	-19.64	74.00	62.31	38.05	12.10	58.18	100	197 Peak																																																																																																		
2	11160.00	44.60	-19.11	54.00	52.64	38.05	12.10	58.18	100	197 Average																																																																																																		
3	16740.00	58.86	-17.44	68.30	58.45	42.87	15.41	57.87	---	--- Peak																																																																																																		



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																													
ANT	802.11n HT20 CH140 5700MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	<p>Date: 15 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 18 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.04</td> <td>-25.96</td> <td>74.00</td> <td>55.54</td> <td>38.27</td> <td>11.19</td> <td>57.96</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>17300.00</td> <td>58.25</td> <td>-17.75</td> <td>68.38</td> <td>49.74</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	11400.00	48.04	-25.96	74.00	55.54	38.27	11.19	57.96	... Peak	2	17300.00	58.25	-17.75	68.38	49.74	42.46	15.45	56.78	... Peak	<p>Date: 16 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 18 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.67</td> <td>-25.33</td> <td>74.00</td> <td>56.37</td> <td>38.27</td> <td>11.19</td> <td>57.96</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>17300.00</td> <td>58.25</td> <td>-17.75</td> <td>68.38</td> <td>49.81</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	11400.00	48.67	-25.33	74.00	56.37	38.27	11.19	57.96	... Peak	2	17300.00	58.25	-17.75	68.38	49.81	42.46	15.45	56.78	... Peak
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1	11400.00	48.04	-25.96	74.00	55.54	38.27	11.19	57.96	... Peak																																																																					
2	17300.00	58.25	-17.75	68.38	49.74	42.46	15.45	56.78	... Peak																																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1	11400.00	48.67	-25.33	74.00	56.37	38.27	11.19	57.96	... Peak																																																																					
2	17300.00	58.25	-17.75	68.38	49.81	42.46	15.45	56.78	... Peak																																																																					



**UNII-2C 5470~5725MHz
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																	
ANT	802.11n HT40 CH102 5510MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Site : 02CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 03 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>RadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11820.00</td> <td>46.79</td> <td>-27.21</td> <td>74.00</td> <td>55.82</td> <td>37.92</td> <td>12.04</td> <td>58.19</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>49.56</td> <td>-18.64</td> <td>68.30</td> <td>58.28</td> <td>41.64</td> <td>15.26</td> <td>57.44</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11820.00	46.79	-27.21	74.00	55.82	37.92	12.04	58.19	Peak	2	16530.00	49.56	-18.64	68.30	58.28	41.64	15.26	57.44	Peak	<p>Site : 02CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 03 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>RadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11820.00</td> <td>46.69</td> <td>-27.31</td> <td>74.00</td> <td>54.92</td> <td>37.92</td> <td>12.04</td> <td>58.19</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>50.32</td> <td>-17.98</td> <td>68.30</td> <td>58.36</td> <td>41.64</td> <td>15.26</td> <td>57.44</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11820.00	46.69	-27.31	74.00	54.92	37.92	12.04	58.19	Peak	2	16530.00	50.32	-17.98	68.30	58.36	41.64	15.26	57.44	Peak
Peak	Freq	Level	Limit	Line	Level Factor	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11820.00	46.79	-27.21	74.00	55.82	37.92	12.04	58.19	Peak																																																																																							
2	16530.00	49.56	-18.64	68.30	58.28	41.64	15.26	57.44	Peak																																																																																							
Peak	Freq	Level	Limit	Line	Level Factor	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11820.00	46.69	-27.31	74.00	54.92	37.92	12.04	58.19	Peak																																																																																							
2	16530.00	50.32	-17.98	68.30	58.36	41.64	15.26	57.44	Peak																																																																																							
WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																	
ANT	802.11n HT40 CH110 5550MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Site : 02CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 04 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>RadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11180.00</td> <td>46.37</td> <td>-27.63</td> <td>74.00</td> <td>54.35</td> <td>37.99</td> <td>12.17</td> <td>58.14</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16650.00</td> <td>50.32</td> <td>-18.18</td> <td>68.30</td> <td>58.17</td> <td>41.89</td> <td>15.26</td> <td>57.22</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11180.00	46.37	-27.63	74.00	54.35	37.99	12.17	58.14	Peak	2	16650.00	50.32	-18.18	68.30	58.17	41.89	15.26	57.22	Peak	<p>Site : 02CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 04 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>RadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11180.00</td> <td>47.29</td> <td>-26.71</td> <td>74.00</td> <td>55.27</td> <td>37.99</td> <td>12.17</td> <td>58.14</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16650.00</td> <td>50.36</td> <td>-17.94</td> <td>68.30</td> <td>58.41</td> <td>41.99</td> <td>15.26</td> <td>57.22</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11180.00	47.29	-26.71	74.00	55.27	37.99	12.17	58.14	Peak	2	16650.00	50.36	-17.94	68.30	58.41	41.99	15.26	57.22	Peak
Peak	Freq	Level	Limit	Line	Level Factor	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11180.00	46.37	-27.63	74.00	54.35	37.99	12.17	58.14	Peak																																																																																							
2	16650.00	50.32	-18.18	68.30	58.17	41.89	15.26	57.22	Peak																																																																																							
Peak	Freq	Level	Limit	Line	Level Factor	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11180.00	47.29	-26.71	74.00	55.27	37.99	12.17	58.14	Peak																																																																																							
2	16650.00	50.36	-17.94	68.30	58.41	41.99	15.26	57.22	Peak																																																																																							



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT40 CH134 5670MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 17 Level (dBuV/m)</p> <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 25 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>48.20</td> <td>-25.00</td> <td>74.00</td> <td>55.65</td> <td>38.21</td> <td>11.34</td> <td>58.00</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17830.00</td> <td>59.71</td> <td>-27.50</td> <td>60.38</td> <td>49.16</td> <td>42.58</td> <td>15.50</td> <td>56.62</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	48.20	-25.00	74.00	55.65	38.21	11.34	58.00	...	Peak	2	17830.00	59.71	-27.50	60.38	49.16	42.58	15.50	56.62	...	Peak	<p>Date: 18 Level (dBuV/m)</p> <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 25 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>47.20</td> <td>-25.61</td> <td>74.00</td> <td>54.84</td> <td>38.21</td> <td>11.34</td> <td>58.00</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17830.00</td> <td>58.75</td> <td>-27.50</td> <td>60.38</td> <td>49.20</td> <td>42.58</td> <td>15.50</td> <td>56.62</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	47.20	-25.61	74.00	54.84	38.21	11.34	58.00	...	Peak	2	17830.00	58.75	-27.50	60.38	49.20	42.58	15.50	56.62	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11340.00	48.20	-25.00	74.00	55.65	38.21	11.34	58.00	...	Peak																																																																																
2	17830.00	59.71	-27.50	60.38	49.16	42.58	15.50	56.62	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11340.00	47.20	-25.61	74.00	54.84	38.21	11.34	58.00	...	Peak																																																																																
2	17830.00	58.75	-27.50	60.38	49.20	42.58	15.50	56.62	...	Peak																																																																																



UNII-2C 5470~5725MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																													
ANT	802.11ac VHT80 CH106 5530MHz																																																																																																													
1	Horizontal	Vertical																																																																																																												
Peak Avg.	<table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>SN</th> <th>Plane</th> <th>setting</th> </tr> </thead> <tbody> <tr> <td>: 03CH02-S2</td> <td>: PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL</td> <td>: 211916-01</td> <td>: Mode 29</td> <td>: #19 G08227012194000K</td> <td>: Y with Accessory</td> <td>: MCS9 power setting 14</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11800.00</td> <td>48.21</td> <td>-25.79</td> <td>74.00</td> <td>56.29</td> <td>37.96</td> <td>12.12</td> <td>58.16</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>50.36</td> <td>-17.94</td> <td>68.30</td> <td>50.70</td> <td>41.75</td> <td>15.25</td> <td>57.34</td> <td>... Peak</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	SN	Plane	setting	: 03CH02-S2	: PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL	: 211916-01	: Mode 29	: #19 G08227012194000K	: Y with Accessory	: MCS9 power setting 14	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11800.00	48.21	-25.79	74.00	56.29	37.96	12.12	58.16	... Peak	2	16590.00	50.36	-17.94	68.30	50.70	41.75	15.25	57.34	... Peak	<table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>SN</th> <th>Plane</th> <th>setting</th> </tr> </thead> <tbody> <tr> <td>: 03CH02-S2</td> <td>: PART 15.407 3m HF_ANT_3117_0107 VERTICAL</td> <td>: 211916-01</td> <td>: Mode 29</td> <td>: #19 G08227012194000K</td> <td>: Y with Accessory</td> <td>: MCS9 power setting 14</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11800.00</td> <td>48.11</td> <td>-25.89</td> <td>74.00</td> <td>56.19</td> <td>37.96</td> <td>12.12</td> <td>58.16</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>50.99</td> <td>-17.31</td> <td>68.30</td> <td>51.39</td> <td>41.75</td> <td>15.25</td> <td>57.34</td> <td>... Peak</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	SN	Plane	setting	: 03CH02-S2	: PART 15.407 3m HF_ANT_3117_0107 VERTICAL	: 211916-01	: Mode 29	: #19 G08227012194000K	: Y with Accessory	: MCS9 power setting 14	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11800.00	48.11	-25.89	74.00	56.19	37.96	12.12	58.16	... Peak	2	16590.00	50.99	-17.31	68.30	51.39	41.75	15.25	57.34	... Peak
Site	Condition	Project	Mode	SN	Plane	setting																																																																																																								
: 03CH02-S2	: PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL	: 211916-01	: Mode 29	: #19 G08227012194000K	: Y with Accessory	: MCS9 power setting 14																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11800.00	48.21	-25.79	74.00	56.29	37.96	12.12	58.16	... Peak																																																																																																					
2	16590.00	50.36	-17.94	68.30	50.70	41.75	15.25	57.34	... Peak																																																																																																					
Site	Condition	Project	Mode	SN	Plane	setting																																																																																																								
: 03CH02-S2	: PART 15.407 3m HF_ANT_3117_0107 VERTICAL	: 211916-01	: Mode 29	: #19 G08227012194000K	: Y with Accessory	: MCS9 power setting 14																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11800.00	48.11	-25.89	74.00	56.19	37.96	12.12	58.16	... Peak																																																																																																					
2	16590.00	50.99	-17.31	68.30	51.39	41.75	15.25	57.34	... Peak																																																																																																					

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																													
ANT	802.11ac VHT80 CH122 5610MHz																																																																																																													
1	Horizontal	Vertical																																																																																																												
Peak Avg.	<table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>SN</th> <th>Plane</th> <th>setting</th> </tr> </thead> <tbody> <tr> <td>: 03CH02-S2</td> <td>: PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL</td> <td>: 211916-01</td> <td>: Mode 29</td> <td>: #19 G08227012194000K</td> <td>: Y with Accessory</td> <td>: MCS9 power setting 14</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>49.14</td> <td>-24.85</td> <td>74.00</td> <td>56.99</td> <td>38.10</td> <td>11.12</td> <td>58.07</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>50.47</td> <td>-17.85</td> <td>68.30</td> <td>49.63</td> <td>42.24</td> <td>15.53</td> <td>56.91</td> <td>... Peak</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	SN	Plane	setting	: 03CH02-S2	: PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL	: 211916-01	: Mode 29	: #19 G08227012194000K	: Y with Accessory	: MCS9 power setting 14	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	49.14	-24.85	74.00	56.99	38.10	11.12	58.07	... Peak	2	16830.00	50.47	-17.85	68.30	49.63	42.24	15.53	56.91	... Peak	<table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>SN</th> <th>Plane</th> <th>setting</th> </tr> </thead> <tbody> <tr> <td>: 03CH02-S2</td> <td>: PART 15.407 3m HF_ANT_3117_0107 VERTICAL</td> <td>: 211916-01</td> <td>: Mode 29</td> <td>: #19 G08227012194000K</td> <td>: Y with Accessory</td> <td>: MCS9 power setting 14</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>48.84</td> <td>-25.16</td> <td>74.00</td> <td>56.69</td> <td>38.10</td> <td>11.12</td> <td>58.07</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>50.05</td> <td>-18.28</td> <td>68.30</td> <td>49.18</td> <td>42.24</td> <td>15.53</td> <td>56.91</td> <td>... Peak</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	SN	Plane	setting	: 03CH02-S2	: PART 15.407 3m HF_ANT_3117_0107 VERTICAL	: 211916-01	: Mode 29	: #19 G08227012194000K	: Y with Accessory	: MCS9 power setting 14	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	48.84	-25.16	74.00	56.69	38.10	11.12	58.07	... Peak	2	16830.00	50.05	-18.28	68.30	49.18	42.24	15.53	56.91	... Peak
Site	Condition	Project	Mode	SN	Plane	setting																																																																																																								
: 03CH02-S2	: PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL	: 211916-01	: Mode 29	: #19 G08227012194000K	: Y with Accessory	: MCS9 power setting 14																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11220.00	49.14	-24.85	74.00	56.99	38.10	11.12	58.07	... Peak																																																																																																					
2	16830.00	50.47	-17.85	68.30	49.63	42.24	15.53	56.91	... Peak																																																																																																					
Site	Condition	Project	Mode	SN	Plane	setting																																																																																																								
: 03CH02-S2	: PART 15.407 3m HF_ANT_3117_0107 VERTICAL	: 211916-01	: Mode 29	: #19 G08227012194000K	: Y with Accessory	: MCS9 power setting 14																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11220.00	48.84	-25.16	74.00	56.69	38.10	11.12	58.07	... Peak																																																																																																					
2	16830.00	50.05	-18.28	68.30	49.18	42.24	15.53	56.91	... Peak																																																																																																					



UNII-2C - Straddle Channel
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11a CH144 5720MHz																																																																									
1	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : UNII-2C AND U-NII-3 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 39 SN : #19 G08227012194000K Site : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5448.38</td> <td>56.88</td> <td>-23.28</td> <td>78.48</td> <td>34.77</td> <td>34.28</td> <td>38.38</td> <td>38.55</td> <td>142</td> <td>191</td> <td>191</td> <td>Peak</td> </tr> <tr> <td>5463.85</td> <td>48.64</td> <td>-19.66</td> <td>68.38</td> <td>34.62</td> <td>34.28</td> <td>38.38</td> <td>38.56</td> <td>142</td> <td>191</td> <td>191</td> <td>Peak</td> </tr> <tr> <td>5728.88</td> <td>96.81</td> <td>.....</td> <td>84.22</td> <td>34.37</td> <td>38.63</td> <td>38.49</td> <td>142</td> <td>191</td> <td>191</td> <td>191</td> <td>Peak</td> </tr> <tr> <td>5898.58</td> <td>52.32</td> <td>-15.98</td> <td>68.38</td> <td>37.22</td> <td>34.90</td> <td>38.68</td> <td>38.48</td> <td>142</td> <td>191</td> <td>191</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg		5448.38	56.88	-23.28	78.48	34.77	34.28	38.38	38.55	142	191	191	Peak	5463.85	48.64	-19.66	68.38	34.62	34.28	38.38	38.56	142	191	191	Peak	5728.88	96.81	84.22	34.37	38.63	38.49	142	191	191	191	Peak	5898.58	52.32	-15.98	68.38	37.22	34.90	38.68	38.48	142	191	191	Peak	Left blank
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																
5448.38	56.88	-23.28	78.48	34.77	34.28	38.38	38.55	142	191	191	Peak																																																															
5463.85	48.64	-19.66	68.38	34.62	34.28	38.38	38.56	142	191	191	Peak																																																															
5728.88	96.81	84.22	34.37	38.63	38.49	142	191	191	191	Peak																																																															
5898.58	52.32	-15.98	68.38	37.22	34.90	38.68	38.48	142	191	191	Peak																																																															
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 39 SN : #19 G08227012194000K Site : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5455.85</td> <td>41.39</td> <td>-22.61</td> <td>54.88</td> <td>27.37</td> <td>34.28</td> <td>38.38</td> <td>38.56</td> <td>142</td> <td>191</td> <td>191</td> <td>Average</td> </tr> <tr> <td>5728.88</td> <td>92.83</td> <td>.....</td> <td>78.14</td> <td>34.37</td> <td>38.63</td> <td>38.49</td> <td>142</td> <td>191</td> <td>191</td> <td>191</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg		5455.85	41.39	-22.61	54.88	27.37	34.28	38.38	38.56	142	191	191	Average	5728.88	92.83	78.14	34.37	38.63	38.49	142	191	191	191	Average	Left blank																								
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																
5455.85	41.39	-22.61	54.88	27.37	34.28	38.38	38.56	142	191	191	Average																																																															
5728.88	92.83	78.14	34.37	38.63	38.49	142	191	191	191	Average																																																															



WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																					
ANT	802.11a CH144 5720MHz																																																																																					
1	Vertical	Fundamental																																																																																				
Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 39 SN : #19 G0B227012154000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.35</td> <td>51.50</td> <td>-22.50</td> <td>74.00</td> <td>37.48</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>128</td> <td></td> <td></td> <td></td> <td>158 Peak</td> </tr> <tr> <td>2</td> <td>5463.39</td> <td>48.84</td> <td>-15.44</td> <td>69.39</td> <td>34.82</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>128</td> <td></td> <td></td> <td></td> <td>158 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>101.18</td> <td>.....</td> <td>86.49</td> <td>34.57</td> <td>18.61</td> <td>30.49</td> <td>128</td> <td></td> <td></td> <td></td> <td></td> <td>158 Peak</td> </tr> <tr> <td>4</td> <td>5871.95</td> <td>51.73</td> <td>-15.57</td> <td>69.39</td> <td>37.58</td> <td>34.57</td> <td>18.71</td> <td>30.51</td> <td>128</td> <td></td> <td></td> <td></td> <td>158 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	ce	deg		1	5458.35	51.50	-22.50	74.00	37.48	34.20	18.38	30.56	128				158 Peak	2	5463.39	48.84	-15.44	69.39	34.82	34.20	18.38	30.56	128				158 Peak	3	5720.00	101.18	86.49	34.57	18.61	30.49	128					158 Peak	4	5871.95	51.73	-15.57	69.39	37.58	34.57	18.71	30.51	128				158 Peak	Left blank
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	ce	deg																																																																										
1	5458.35	51.50	-22.50	74.00	37.48	34.20	18.38	30.56	128				158 Peak																																																																									
2	5463.39	48.84	-15.44	69.39	34.82	34.20	18.38	30.56	128				158 Peak																																																																									
3	5720.00	101.18	86.49	34.57	18.61	30.49	128					158 Peak																																																																									
4	5871.95	51.73	-15.57	69.39	37.58	34.57	18.71	30.51	128				158 Peak																																																																									
Avg.	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : SNAPE 15 407 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 39 SN : #19 G0B227012154000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>41.43</td> <td>-12.57</td> <td>54.00</td> <td>27.41</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>128</td> <td></td> <td></td> <td></td> <td>158 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>95.26</td> <td>.....</td> <td>80.57</td> <td>34.57</td> <td>18.61</td> <td>30.49</td> <td>128</td> <td></td> <td></td> <td></td> <td></td> <td>158 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	ce	deg		1	5460.00	41.43	-12.57	54.00	27.41	34.20	18.38	30.56	128				158 Average	2	5720.00	95.26	80.57	34.57	18.61	30.49	128					158 Average	Left blank																												
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	ce	deg																																																																										
1	5460.00	41.43	-12.57	54.00	27.41	34.20	18.38	30.56	128				158 Average																																																																									
2	5720.00	95.26	80.57	34.57	18.61	30.49	128					158 Average																																																																									



UNII-2C – Straddle Channel
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																															
ANT	802.11n CH144 5720MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : UNII-2C-AND U-NR-3 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 40 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.70</td> <td>51.65</td> <td>-22.35</td> <td>74.00</td> <td>37.63</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5469.00</td> <td>49.72</td> <td>-18.58</td> <td>68.30</td> <td>35.65</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>100</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>100.01</td> <td>.....</td> <td>85.32</td> <td>34.37</td> <td>18.63</td> <td>30.49</td> <td>100</td> <td>Peak</td> <td></td> </tr> <tr> <td>4</td> <td>5668.48</td> <td>52.11</td> <td>-16.19</td> <td>68.30</td> <td>37.69</td> <td>34.93</td> <td>18.71</td> <td>30.53</td> <td>100</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Level	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark	1	dBuV/m	dB	dBuV/m	dBuV	dB	dB	ce	deg	1	5456.70	51.65	-22.35	74.00	37.63	34.20	18.38	30.56	100	Peak	2	5469.00	49.72	-18.58	68.30	35.65	34.20	18.43	30.56	100	Peak	3	5720.00	100.01	85.32	34.37	18.63	30.49	100	Peak		4	5668.48	52.11	-16.19	68.30	37.69	34.93	18.71	30.53	100	Peak	Left blank
Peak	Level	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark																																																								
1	dBuV/m	dB	dBuV/m	dBuV	dB	dB	ce	deg																																																								
1	5456.70	51.65	-22.35	74.00	37.63	34.20	18.38	30.56	100	Peak																																																						
2	5469.00	49.72	-18.58	68.30	35.65	34.20	18.43	30.56	100	Peak																																																						
3	5720.00	100.01	85.32	34.37	18.63	30.49	100	Peak																																																							
4	5668.48	52.11	-16.19	68.30	37.69	34.93	18.71	30.53	100	Peak																																																						
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15 407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 40 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5463.85</td> <td>41.35</td> <td>-12.45</td> <td>54.00</td> <td>27.53</td> <td>34.08</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>84.34</td> <td>.....</td> <td>79.65</td> <td>34.37</td> <td>18.63</td> <td>30.49</td> <td>100</td> <td>Average</td> <td></td> </tr> </tbody> </table>	Peak	Level	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark	1	dBuV/m	dB	dBuV/m	dBuV	dB	dB	ce	deg	1	5463.85	41.35	-12.45	54.00	27.53	34.08	18.38	30.56	100	Average	2	5720.00	84.34	79.65	34.37	18.63	30.49	100	Average		Left blank																						
Peak	Level	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark																																																								
1	dBuV/m	dB	dBuV/m	dBuV	dB	dB	ce	deg																																																								
1	5463.85	41.35	-12.45	54.00	27.53	34.08	18.38	30.56	100	Average																																																						
2	5720.00	84.34	79.65	34.37	18.63	30.49	100	Average																																																							



WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11n CH144 5720MHz																																																																									
1	Vertical	Fundamental																																																																								
Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 40 SN : #19 G8B227012154000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.76</td> <td>59.75</td> <td>-23.24</td> <td>74.00</td> <td>36.75</td> <td>34.20</td> <td>18.34</td> <td>30.53</td> <td>119</td> <td>174</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5469.35</td> <td>59.81</td> <td>-21.45</td> <td>69.39</td> <td>35.14</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>119</td> <td>174</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>101.00</td> <td>.....</td> <td>86.37</td> <td>34.57</td> <td>18.61</td> <td>18.61</td> <td>30.49</td> <td>119</td> <td>174</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5935.45</td> <td>51.09</td> <td>-16.11</td> <td>69.28</td> <td>36.96</td> <td>34.53</td> <td>18.68</td> <td>30.48</td> <td>119</td> <td>174</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Factor	Loss	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	deg	1	5442.76	59.75	-23.24	74.00	36.75	34.20	18.34	30.53	119	174	Peak	2	5469.35	59.81	-21.45	69.39	35.14	34.20	18.43	30.56	119	174	Peak	3	5720.00	101.00	86.37	34.57	18.61	18.61	30.49	119	174	Peak	4	5935.45	51.09	-16.11	69.28	36.96	34.53	18.68	30.48	119	174	Peak	Left blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Level	Factor	Loss	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	deg																																																																			
1	5442.76	59.75	-23.24	74.00	36.75	34.20	18.34	30.53	119	174	Peak																																																															
2	5469.35	59.81	-21.45	69.39	35.14	34.20	18.43	30.56	119	174	Peak																																																															
3	5720.00	101.00	86.37	34.57	18.61	18.61	30.49	119	174	Peak																																																															
4	5935.45	51.09	-16.11	69.28	36.96	34.53	18.68	30.48	119	174	Peak																																																															
Avg.	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : SNAPE 15-607 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 40 SN : #19 G8B227012154000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>41.46</td> <td>-12.54</td> <td>54.00</td> <td>27.44</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>119</td> <td>174</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>95.33</td> <td>.....</td> <td>80.04</td> <td>34.57</td> <td>18.61</td> <td>18.61</td> <td>30.49</td> <td>119</td> <td>174</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Factor	Loss	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	deg	1	5458.00	41.46	-12.54	54.00	27.44	34.20	18.38	30.56	119	174	Average	2	5720.00	95.33	80.04	34.57	18.61	18.61	30.49	119	174	Average	Left blank																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Level	Factor	Loss	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	deg																																																																			
1	5458.00	41.46	-12.54	54.00	27.44	34.20	18.38	30.56	119	174	Average																																																															
2	5720.00	95.33	80.04	34.57	18.61	18.61	30.49	119	174	Average																																																															



**UNII-2C – Straddle Channel
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																															
ANT	802.11n CH142 5710MHz																																																																															
1	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : UNII-2C-AND U-NR-3 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 41 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.25</td> <td>52.52</td> <td>-21.48</td> <td>74.00</td> <td>38.50</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>140</td> <td></td> <td></td> <td>157 Peak</td> </tr> <tr> <td>2</td> <td>5488.00</td> <td>49.28</td> <td>-19.92</td> <td>69.30</td> <td>35.21</td> <td>34.20</td> <td>18.43</td> <td>38.56</td> <td>140</td> <td></td> <td></td> <td>157 Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>90.49</td> <td>.....</td> <td>75.84</td> <td>34.53</td> <td>18.63</td> <td>38.49</td> <td>140</td> <td></td> <td></td> <td></td> <td>157 Peak</td> </tr> <tr> <td>4</td> <td>5886.00</td> <td>52.86</td> <td>-15.42</td> <td>68.30</td> <td>37.79</td> <td>34.97</td> <td>18.71</td> <td>38.59</td> <td>140</td> <td></td> <td></td> <td>157 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5497.25	52.52	-21.48	74.00	38.50	34.20	18.38	38.56	140			157 Peak	2	5488.00	49.28	-19.92	69.30	35.21	34.20	18.43	38.56	140			157 Peak	3	5710.00	90.49	75.84	34.53	18.63	38.49	140				157 Peak	4	5886.00	52.86	-15.42	68.30	37.79	34.97	18.71	38.59	140			157 Peak	Left blank
Peak	Freq	Level	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																					
1	5497.25	52.52	-21.48	74.00	38.50	34.20	18.38	38.56	140			157 Peak																																																																				
2	5488.00	49.28	-19.92	69.30	35.21	34.20	18.43	38.56	140			157 Peak																																																																				
3	5710.00	90.49	75.84	34.53	18.63	38.49	140				157 Peak																																																																				
4	5886.00	52.86	-15.42	68.30	37.79	34.97	18.71	38.59	140			157 Peak																																																																				
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15 407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 41 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5488.00</td> <td>41.39</td> <td>-22.61</td> <td>54.00</td> <td>22.37</td> <td>34.00</td> <td>18.38</td> <td>38.56</td> <td>140</td> <td></td> <td></td> <td>157 Average</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>84.48</td> <td>.....</td> <td>69.83</td> <td>34.53</td> <td>18.63</td> <td>38.49</td> <td>140</td> <td></td> <td></td> <td></td> <td>157 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5488.00	41.39	-22.61	54.00	22.37	34.00	18.38	38.56	140			157 Average	2	5710.00	84.48	69.83	34.53	18.63	38.49	140				157 Average	Left blank																										
Peak	Freq	Level	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																					
1	5488.00	41.39	-22.61	54.00	22.37	34.00	18.38	38.56	140			157 Average																																																																				
2	5710.00	84.48	69.83	34.53	18.63	38.49	140				157 Average																																																																				



WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																
ANT	802.11n CH142 5710MHz																																																																
1	Vertical	Fundamental																																																															
Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 41 SN : #19 G8B227012154000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.70</td> <td>52.99</td> <td>-11.91</td> <td>74.00</td> <td>38.89</td> <td>34.20</td> <td>18.34</td> <td>30.53</td> <td>134</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5465.99</td> <td>49.49</td> <td>-18.81</td> <td>69.39</td> <td>35.47</td> <td>34.20</td> <td>18.38</td> <td>30.66</td> <td>134</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>97.24</td> <td>.....</td> <td>82.59</td> <td>34.53</td> <td>18.61</td> <td>30.49</td> <td>134</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5860.23</td> <td>53.06</td> <td>-14.66</td> <td>68.38</td> <td>38.37</td> <td>34.37</td> <td>18.71</td> <td>30.95</td> <td>134</td> <td>172</td> <td>Peak</td> </tr> </tbody> </table>	Over	Level	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	Freq	dBuV/m	dB	dBuV/m	dBuV/m	dB	deg		1	5423.70	52.99	-11.91	74.00	38.89	34.20	18.34	30.53	134	172	Peak	2	5465.99	49.49	-18.81	69.39	35.47	34.20	18.38	30.66	134	172	Peak	3	5710.00	97.24	82.59	34.53	18.61	30.49	134	172	Peak	4	5860.23	53.06	-14.66	68.38	38.37	34.37	18.71	30.95	134	172	Peak	Left blank
Over	Level	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																										
Freq	dBuV/m	dB	dBuV/m	dBuV/m	dB	deg																																																											
1	5423.70	52.99	-11.91	74.00	38.89	34.20	18.34	30.53	134	172	Peak																																																						
2	5465.99	49.49	-18.81	69.39	35.47	34.20	18.38	30.66	134	172	Peak																																																						
3	5710.00	97.24	82.59	34.53	18.61	30.49	134	172	Peak																																																							
4	5860.23	53.06	-14.66	68.38	38.37	34.37	18.71	30.95	134	172	Peak																																																						
Avg.	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : SNAPE 15 407 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 41 SN : #19 G8B227012154000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.35</td> <td>41.49</td> <td>-12.51</td> <td>54.08</td> <td>27.47</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>134</td> <td>172</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>91.45</td> <td>.....</td> <td>76.89</td> <td>34.53</td> <td>18.61</td> <td>30.49</td> <td>134</td> <td>172</td> <td>Average</td> </tr> </tbody> </table>	Over	Level	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	Freq	dBuV/m	dB	dBuV/m	dBuV/m	dB	deg		1	5458.35	41.49	-12.51	54.08	27.47	34.20	18.38	30.56	134	172	Average	2	5710.00	91.45	76.89	34.53	18.61	30.49	134	172	Average	Left blank																								
Over	Level	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																										
Freq	dBuV/m	dB	dBuV/m	dBuV/m	dB	deg																																																											
1	5458.35	41.49	-12.51	54.08	27.47	34.20	18.38	30.56	134	172	Average																																																						
2	5710.00	91.45	76.89	34.53	18.61	30.49	134	172	Average																																																							



UNII-2C – Straddle Channel
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																	
ANT	802.11ac CH138 5690MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	<p>Site : 03CH02-SZ Condition : UNII-2C-AND U-NR-3 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 42 SN : #19 G8B227012194000K Plane : Y with Accessory setting : MCS9 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.25</td> <td>50.67</td> <td>-23.33</td> <td>74.00</td> <td>36.65</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>110</td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5463.30</td> <td>50.19</td> <td>-18.11</td> <td>69.30</td> <td>36.17</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>110</td> <td>174 Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>80.82</td> <td>.....</td> <td>76.26</td> <td>34.30</td> <td>18.59</td> <td>38.53</td> <td></td> <td>110</td> <td>174 Peak</td> </tr> <tr> <td>4</td> <td>5874.78</td> <td>52.15</td> <td>-16.15</td> <td>68.30</td> <td>37.09</td> <td>34.97</td> <td>18.71</td> <td>50.53</td> <td>110</td> <td>174 Peak</td> </tr> </tbody> </table>	Peak	Level	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5497.25	50.67	-23.33	74.00	36.65	34.20	18.38	38.56	110	174 Peak	2	5463.30	50.19	-18.11	69.30	36.17	34.20	18.38	38.56	110	174 Peak	3	5690.00	80.82	76.26	34.30	18.59	38.53		110	174 Peak	4	5874.78	52.15	-16.15	68.30	37.09	34.97	18.71	50.53	110	174 Peak	Left blank
Peak	Level	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
1	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	5497.25	50.67	-23.33	74.00	36.65	34.20	18.38	38.56	110	174 Peak																																																								
2	5463.30	50.19	-18.11	69.30	36.17	34.20	18.38	38.56	110	174 Peak																																																								
3	5690.00	80.82	76.26	34.30	18.59	38.53		110	174 Peak																																																								
4	5874.78	52.15	-16.15	68.30	37.09	34.97	18.71	50.53	110	174 Peak																																																								
Avg.	<p>Site : 03CH02-SZ Condition : PART 15 407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 42 SN : #19 G8B227012194000K Plane : Y with Accessory setting : MCS9 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>41.59</td> <td>-12.41</td> <td>54.00</td> <td>22.97</td> <td>34.00</td> <td>18.38</td> <td>38.56</td> <td>110</td> <td>174 Average</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>84.32</td> <td>.....</td> <td>69.76</td> <td>34.30</td> <td>18.59</td> <td>38.53</td> <td></td> <td>110</td> <td>174 Average</td> </tr> </tbody> </table>	Peak	Level	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5468.00	41.59	-12.41	54.00	22.97	34.00	18.38	38.56	110	174 Average	2	5698.00	84.32	69.76	34.30	18.59	38.53		110	174 Average	Left blank																						
Peak	Level	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
1	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	5468.00	41.59	-12.41	54.00	22.97	34.00	18.38	38.56	110	174 Average																																																								
2	5698.00	84.32	69.76	34.30	18.59	38.53		110	174 Average																																																								



WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																					
ANT	802.11ac CH138 5690MHZ																																																																																					
1	Vertical	Fundamental																																																																																				
Peak	<p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 42 SN# : #19 GB227012154000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.18</td> <td>51.18</td> <td>-22.98</td> <td>74.00</td> <td>37.12</td> <td>34.20</td> <td>18.38</td> <td>38.52</td> <td>172</td> <td>167</td> <td>167</td> <td>167</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5469.55</td> <td>51.76</td> <td>-16.54</td> <td>68.28</td> <td>37.74</td> <td>34.20</td> <td>18.38</td> <td>38.66</td> <td>172</td> <td>167</td> <td>167</td> <td>167</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>93.56</td> <td>.....</td> <td>79.88</td> <td>34.58</td> <td>34.58</td> <td>18.59</td> <td>38.53</td> <td>172</td> <td>167</td> <td>167</td> <td>167</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5901.58</td> <td>51.07</td> <td>-16.50</td> <td>68.28</td> <td>36.45</td> <td>34.53</td> <td>18.73</td> <td>38.53</td> <td>172</td> <td>167</td> <td>167</td> <td>167</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ce	deg	deg		1	5351.18	51.18	-22.98	74.00	37.12	34.20	18.38	38.52	172	167	167	167	Peak	2	5469.55	51.76	-16.54	68.28	37.74	34.20	18.38	38.66	172	167	167	167	Peak	3	5690.00	93.56	79.88	34.58	34.58	18.59	38.53	172	167	167	167	Peak	4	5901.58	51.07	-16.50	68.28	36.45	34.53	18.73	38.53	172	167	167	167	Peak	Left blank
Peak	Freq	Level	Over	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ce	deg	deg																																																																										
1	5351.18	51.18	-22.98	74.00	37.12	34.20	18.38	38.52	172	167	167	167	Peak																																																																									
2	5469.55	51.76	-16.54	68.28	37.74	34.20	18.38	38.66	172	167	167	167	Peak																																																																									
3	5690.00	93.56	79.88	34.58	34.58	18.59	38.53	172	167	167	167	Peak																																																																									
4	5901.58	51.07	-16.50	68.28	36.45	34.53	18.73	38.53	172	167	167	167	Peak																																																																									
Avg.	<p>Site : 03CH02-SZ Condition : SNAPE 15 487 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 42 SN# : #19 GB227012154000K Plane : Y with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.88</td> <td>41.89</td> <td>-12.31</td> <td>54.08</td> <td>27.67</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>172</td> <td>167</td> <td>167</td> <td>167</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>87.11</td> <td>.....</td> <td>72.55</td> <td>34.58</td> <td>34.58</td> <td>18.59</td> <td>38.53</td> <td>172</td> <td>167</td> <td>167</td> <td>167</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ce	deg	deg		1	5457.88	41.89	-12.31	54.08	27.67	34.20	18.38	38.56	172	167	167	167	Average	2	5690.00	87.11	72.55	34.58	34.58	18.59	38.53	172	167	167	167	Average	Left blank																												
Peak	Freq	Level	Over	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ce	deg	deg																																																																										
1	5457.88	41.89	-12.31	54.08	27.67	34.20	18.38	38.56	172	167	167	167	Average																																																																									
2	5690.00	87.11	72.55	34.58	34.58	18.59	38.53	172	167	167	167	Average																																																																									



UNII-2C - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																																															
ANT	802.11a CH144 5720MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 39 SN : #19 G0E227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>52.94</td> <td>-21.89</td> <td>74.80</td> <td>68.34</td> <td>58.30</td> <td>12.24</td> <td>57.94</td> <td>219</td> <td>286 Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>43.52</td> <td>-30.38</td> <td>54.00</td> <td>51.82</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>219</td> <td>286 Average</td> </tr> <tr> <td>3</td> <td>17160.00</td> <td>50.93</td> <td>-17.37</td> <td>68.30</td> <td>49.76</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	11440.00	52.94	-21.89	74.80	68.34	58.30	12.24	57.94	219	286 Peak	2	11440.00	43.52	-30.38	54.00	51.82	38.30	12.24	57.94	219	286 Average	3	17160.00	50.93	-17.37	68.30	49.76	42.36	15.58	56.77	---	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 39 SN : #19 G0E227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>52.91</td> <td>-21.89</td> <td>74.80</td> <td>68.33</td> <td>58.30</td> <td>12.24</td> <td>57.94</td> <td>180</td> <td>188 Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>43.08</td> <td>-30.14</td> <td>54.00</td> <td>51.36</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>180</td> <td>188 Average</td> </tr> <tr> <td>3</td> <td>17160.00</td> <td>50.90</td> <td>-17.40</td> <td>68.30</td> <td>49.73</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	11440.00	52.91	-21.89	74.80	68.33	58.30	12.24	57.94	180	188 Peak	2	11440.00	43.08	-30.14	54.00	51.36	38.30	12.24	57.94	180	188 Average	3	17160.00	50.90	-17.40	68.30	49.73	42.36	15.58	56.77	---	--- Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	11440.00	52.94	-21.89	74.80	68.34	58.30	12.24	57.94	219	286 Peak																																																																																																						
2	11440.00	43.52	-30.38	54.00	51.82	38.30	12.24	57.94	219	286 Average																																																																																																						
3	17160.00	50.93	-17.37	68.30	49.76	42.36	15.58	56.77	---	--- Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	11440.00	52.91	-21.89	74.80	68.33	58.30	12.24	57.94	180	188 Peak																																																																																																						
2	11440.00	43.08	-30.14	54.00	51.36	38.30	12.24	57.94	180	188 Average																																																																																																						
3	17160.00	50.90	-17.40	68.30	49.73	42.36	15.58	56.77	---	--- Peak																																																																																																						



UNII-2C – Straddle Channel
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																																					
ANT	802.11n HT20 CH144 5720MHz																																																																																																					
1	Horizontal	Vertical																																																																																																				
<p>Peak</p> <p>Avg.</p>	<p>Date: 17</p> <p>Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : FNAET 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 07 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>52.81</td> <td>-21.19</td> <td>74.00</td> <td>69.21</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>201</td> <td>231 Peak</td> </tr> <tr> <td>2 11440.00</td> <td>43.83</td> <td>-18.17</td> <td>54.00</td> <td>51.23</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>201</td> <td>231 Average</td> </tr> <tr> <td>3 17500.00</td> <td>59.03</td> <td>-13.77</td> <td>69.20</td> <td>48.86</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1 11440.00	52.81	-21.19	74.00	69.21	38.30	12.24	57.94	201	231 Peak	2 11440.00	43.83	-18.17	54.00	51.23	38.30	12.24	57.94	201	231 Average	3 17500.00	59.03	-13.77	69.20	48.86	42.36	15.58	56.77	---	Peak	<p>Date: 18</p> <p>Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : FNAET 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 07 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>53.84</td> <td>-20.16</td> <td>74.00</td> <td>61.24</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>187 Peak</td> </tr> <tr> <td>2 11440.00</td> <td>43.83</td> <td>-18.17</td> <td>54.00</td> <td>51.20</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>187 Average</td> </tr> <tr> <td>3 17500.00</td> <td>59.01</td> <td>-13.79</td> <td>69.20</td> <td>48.84</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1 11440.00	53.84	-20.16	74.00	61.24	38.30	12.24	57.94	100	187 Peak	2 11440.00	43.83	-18.17	54.00	51.20	38.30	12.24	57.94	100	187 Average	3 17500.00	59.01	-13.79	69.20	48.84	42.36	15.58	56.77	---	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																														
1 11440.00	52.81	-21.19	74.00	69.21	38.30	12.24	57.94	201	231 Peak																																																																																													
2 11440.00	43.83	-18.17	54.00	51.23	38.30	12.24	57.94	201	231 Average																																																																																													
3 17500.00	59.03	-13.77	69.20	48.86	42.36	15.58	56.77	---	Peak																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																														
1 11440.00	53.84	-20.16	74.00	61.24	38.30	12.24	57.94	100	187 Peak																																																																																													
2 11440.00	43.83	-18.17	54.00	51.20	38.30	12.24	57.94	100	187 Average																																																																																													
3 17500.00	59.01	-13.79	69.20	48.84	42.36	15.58	56.77	---	Peak																																																																																													



UNII-2C – Straddle Channel
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																	
ANT	802.11n HT40 CH142 5710MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 17 Level (dBuV/m)</p> <p>Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode #1 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS9 power splng 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>48.41</td> <td>-25.59</td> <td>74.00</td> <td>55.86</td> <td>38.28</td> <td>12.22</td> <td>57.95</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 17130.00</td> <td>50.57</td> <td>-27.73</td> <td>68.30</td> <td>49.38</td> <td>42.41</td> <td>15.51</td> <td>56.73</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1 11420.00	48.41	-25.59	74.00	55.86	38.28	12.22	57.95	---	--- Peak	2 17130.00	50.57	-27.73	68.30	49.38	42.41	15.51	56.73	---	--- Peak	<p>Date: 18 Level (dBuV/m)</p> <p>Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode #1 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS9 power splng 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>47.90</td> <td>-26.10</td> <td>74.00</td> <td>55.35</td> <td>38.28</td> <td>12.22</td> <td>57.95</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 17130.00</td> <td>50.88</td> <td>-27.42</td> <td>68.30</td> <td>49.69</td> <td>42.41</td> <td>15.51</td> <td>56.73</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1 11420.00	47.90	-26.10	74.00	55.35	38.28	12.22	57.95	---	--- Peak	2 17130.00	50.88	-27.42	68.30	49.69	42.41	15.51	56.73	---	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																										
1 11420.00	48.41	-25.59	74.00	55.86	38.28	12.22	57.95	---	--- Peak																																																																									
2 17130.00	50.57	-27.73	68.30	49.38	42.41	15.51	56.73	---	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																										
1 11420.00	47.90	-26.10	74.00	55.35	38.28	12.22	57.95	---	--- Peak																																																																									
2 17130.00	50.88	-27.42	68.30	49.69	42.41	15.51	56.73	---	--- Peak																																																																									



UNII-2C – Straddle Channel
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																	
ANT	802.11ac VHT80 CH138 5690MHZ																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 19 Level (dBuV/m)</p> <p>Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 42 SN : #19 GB227012194000K Plane : Y with Accessory setting : MCS9 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>47.76</td> <td>-26.24</td> <td>74.00</td> <td>55.25</td> <td>38.25</td> <td>12.23</td> <td>57.97</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 17876.00</td> <td>58.85</td> <td>-18.23</td> <td>68.38</td> <td>48.78</td> <td>42.51</td> <td>15.51</td> <td>56.67</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	47.76	-26.24	74.00	55.25	38.25	12.23	57.97	---	--- Peak	2 17876.00	58.85	-18.23	68.38	48.78	42.51	15.51	56.67	---	--- Peak	<p>Date: 20 Level (dBuV/m)</p> <p>Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 42 SN : #19 GB227012194000K Plane : Y with Accessory setting : MCS9 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>48.23</td> <td>-25.77</td> <td>74.00</td> <td>55.72</td> <td>38.25</td> <td>12.23</td> <td>57.97</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 17876.00</td> <td>58.78</td> <td>-17.68</td> <td>68.38</td> <td>49.35</td> <td>42.51</td> <td>15.51</td> <td>56.67</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	48.23	-25.77	74.00	55.72	38.25	12.23	57.97	---	--- Peak	2 17876.00	58.78	-17.68	68.38	49.35	42.51	15.51	56.67	---	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11380.00	47.76	-26.24	74.00	55.25	38.25	12.23	57.97	---	--- Peak																																																																									
2 17876.00	58.85	-18.23	68.38	48.78	42.51	15.51	56.67	---	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11380.00	48.23	-25.77	74.00	55.72	38.25	12.23	57.97	---	--- Peak																																																																									
2 17876.00	58.78	-17.68	68.38	49.35	42.51	15.51	56.67	---	--- Peak																																																																									



UNII-2C - Straddle Channel

Emission below 1GHz
5GHz WIFI 802.11ac VHT80 (LF)

WIFI	5GHz WIFI																																																																																																																																																																																
ANT	802.11ac VHT80 LF																																																																																																																																																																																
1	Horizontal	Vertical																																																																																																																																																																															
QP / Peak	<p>Date: 1 Level (dBuV/m) Date: 2022-06-08</p>	<p>Date: 2 Level (dBuV/m) Date: 2022-06-08</p>																																																																																																																																																																															
	<p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m VULB9168-01001 HORIZONTAL Project : 211916-01 Mode : Mode 26 MEI : #19 G0E227012194000K Plane : Z with Accessory MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>47.46</td> <td>22.75</td> <td>-17.25</td> <td>40.00</td> <td>36.85</td> <td>28.27</td> <td>0.78</td> <td>35.87</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>99.17</td> <td>24.84</td> <td>-15.16</td> <td>43.50</td> <td>44.20</td> <td>14.84</td> <td>0.38</td> <td>35.18</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>191.99</td> <td>28.33</td> <td>-11.67</td> <td>43.50</td> <td>45.24</td> <td>18.76</td> <td>1.43</td> <td>35.10</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>325.80</td> <td>32.80</td> <td>-10.20</td> <td>46.00</td> <td>39.62</td> <td>20.20</td> <td>1.08</td> <td>34.08</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>822.49</td> <td>26.51</td> <td>-19.49</td> <td>46.00</td> <td>29.27</td> <td>28.39</td> <td>3.15</td> <td>34.38</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>974.78</td> <td>29.51</td> <td>-16.49</td> <td>50.00</td> <td>29.85</td> <td>29.39</td> <td>3.43</td> <td>34.15</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	47.46	22.75	-17.25	40.00	36.85	28.27	0.78	35.87	---	Peak	2	99.17	24.84	-15.16	43.50	44.20	14.84	0.38	35.18	---	Peak	3	191.99	28.33	-11.67	43.50	45.24	18.76	1.43	35.10	---	Peak	4	325.80	32.80	-10.20	46.00	39.62	20.20	1.08	34.08	---	Peak	5	822.49	26.51	-19.49	46.00	29.27	28.39	3.15	34.38	---	Peak	6	974.78	29.51	-16.49	50.00	29.85	29.39	3.43	34.15	---	Peak	<p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m VULB9168-01001 VERTICAL Project : 211916-01 Mode : Mode 26 MEI : #19 G0E227012194000K Plane : Z with Accessory MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>39.78</td> <td>29.65</td> <td>-10.35</td> <td>40.00</td> <td>44.27</td> <td>19.73</td> <td>0.65</td> <td>35.88</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>39.78</td> <td>29.65</td> <td>-10.35</td> <td>40.00</td> <td>44.27</td> <td>19.73</td> <td>0.65</td> <td>35.88</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>173.56</td> <td>28.83</td> <td>-14.17</td> <td>43.50</td> <td>43.64</td> <td>18.74</td> <td>1.35</td> <td>35.18</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>336.84</td> <td>38.85</td> <td>-11.15</td> <td>43.50</td> <td>47.15</td> <td>16.53</td> <td>1.43</td> <td>35.18</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>283.54</td> <td>27.49</td> <td>-18.51</td> <td>46.00</td> <td>49.74</td> <td>19.82</td> <td>1.83</td> <td>34.98</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>489.27</td> <td>27.35</td> <td>-18.65</td> <td>46.00</td> <td>33.32</td> <td>25.82</td> <td>2.69</td> <td>34.98</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	39.78	29.65	-10.35	40.00	44.27	19.73	0.65	35.88	---	Peak	2	39.78	29.65	-10.35	40.00	44.27	19.73	0.65	35.88	---	Peak	3	173.56	28.83	-14.17	43.50	43.64	18.74	1.35	35.18	---	Peak	4	336.84	38.85	-11.15	43.50	47.15	16.53	1.43	35.18	---	Peak	5	283.54	27.49	-18.51	46.00	49.74	19.82	1.83	34.98	---	Peak	6	489.27	27.35	-18.65	46.00	33.32	25.82	2.69	34.98	---
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	47.46	22.75	-17.25	40.00	36.85	28.27	0.78	35.87	---	Peak																																																																																																																																																																							
2	99.17	24.84	-15.16	43.50	44.20	14.84	0.38	35.18	---	Peak																																																																																																																																																																							
3	191.99	28.33	-11.67	43.50	45.24	18.76	1.43	35.10	---	Peak																																																																																																																																																																							
4	325.80	32.80	-10.20	46.00	39.62	20.20	1.08	34.08	---	Peak																																																																																																																																																																							
5	822.49	26.51	-19.49	46.00	29.27	28.39	3.15	34.38	---	Peak																																																																																																																																																																							
6	974.78	29.51	-16.49	50.00	29.85	29.39	3.43	34.15	---	Peak																																																																																																																																																																							
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	39.78	29.65	-10.35	40.00	44.27	19.73	0.65	35.88	---	Peak																																																																																																																																																																							
2	39.78	29.65	-10.35	40.00	44.27	19.73	0.65	35.88	---	Peak																																																																																																																																																																							
3	173.56	28.83	-14.17	43.50	43.64	18.74	1.35	35.18	---	Peak																																																																																																																																																																							
4	336.84	38.85	-11.15	43.50	47.15	16.53	1.43	35.18	---	Peak																																																																																																																																																																							
5	283.54	27.49	-18.51	46.00	49.74	19.82	1.83	34.98	---	Peak																																																																																																																																																																							
6	489.27	27.35	-18.65	46.00	33.32	25.82	2.69	34.98	---	Peak																																																																																																																																																																							



<Ant 2>

UNII-1 - 5150~5250MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11a CH36 5180MHz																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RWY 1000 000kHz VBW 3000 000kHz Mode : 211916-01 Site : #19 000227012194000K Plane : Z with Accessory setting : 0M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5182.44</td> <td>53.48</td> <td>-38.68</td> <td>74.08</td> <td>48.84</td> <td>53.90</td> <td>18.82</td> <td>38.56</td> <td>120</td> <td>166 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5182.44	53.48	-38.68	74.08	48.84	53.90	18.82	38.56	120	166 Peak	<p>Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RWY 1000 000kHz VBW 3000 000kHz Mode : 211916-01 Site : #19 000227012194000K Plane : Z with Accessory setting : 0M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>182.81</td> <td>34.51</td> <td>68.58</td> <td>89.41</td> <td>34.00</td> <td>18.89</td> <td>38.69</td> <td>120</td> <td>166 Peak</td> </tr> <tr> <td>2</td> <td>5180.00</td> <td>94.71</td> <td>.....</td> <td>81.31</td> <td>34.00</td> <td>18.89</td> <td>38.69</td> <td>120</td> <td>166 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	182.81	34.51	68.58	89.41	34.00	18.89	38.69	120	166 Peak	2	5180.00	94.71	81.31	34.00	18.89	38.69	120	166 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5182.44	53.48	-38.68	74.08	48.84	53.90	18.82	38.56	120	166 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5180.00	182.81	34.51	68.58	89.41	34.00	18.89	38.69	120	166 Peak																																																																
2	5180.00	94.71	81.31	34.00	18.89	38.69	120	166 Average																																																																	
Avg.	<p>Site : 03CH02-S2 Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : RWY 1000 000kHz VBW 1 000kHz Mode : 211916-01 Site : #19 000227012194000K Plane : Z with Accessory setting : 0M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.58</td> <td>44.80</td> <td>-18.88</td> <td>54.00</td> <td>38.59</td> <td>54.00</td> <td>18.88</td> <td>38.65</td> <td>120</td> <td>166 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.58	44.80	-18.88	54.00	38.59	54.00	18.88	38.65	120	166 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5149.58	44.80	-18.88	54.00	38.59	54.00	18.88	38.65	120	166 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11a CH36 5180MHz																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 44 Site : #19 08E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1147.42</td> <td>54.21</td> <td>-19.79</td> <td>74.00</td> <td>49.00</td> <td>34.00</td> <td>18.86</td> <td>30.65</td> <td>134</td> <td>195 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1147.42	54.21	-19.79	74.00	49.00	34.00	18.86	30.65	134	195 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 44 Site : #19 08E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>185.84</td> <td>36.74</td> <td>68.38</td> <td>91.64</td> <td>34.00</td> <td>19.89</td> <td>30.69</td> <td>134</td> <td>195 Peak</td> </tr> <tr> <td>2</td> <td>5180.00</td> <td>98.21</td> <td>.....</td> <td>84.81</td> <td>34.00</td> <td>10.89</td> <td>30.69</td> <td>134</td> <td>195 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	185.84	36.74	68.38	91.64	34.00	19.89	30.69	134	195 Peak	2	5180.00	98.21	84.81	34.00	10.89	30.69	134	195 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	1147.42	54.21	-19.79	74.00	49.00	34.00	18.86	30.65	134	195 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5180.00	185.84	36.74	68.38	91.64	34.00	19.89	30.69	134	195 Peak																																																																
2	5180.00	98.21	84.81	34.00	10.89	30.69	134	195 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.64</td> <td>41.54</td> <td>-12.46</td> <td>54.00</td> <td>27.52</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>118</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5450.64	41.54	-12.46	54.00	27.52	34.20	18.38	30.56	118	168 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5450.64	41.54	-12.46	54.00	27.52	34.20	18.38	30.56	118	168 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11a CH44 5220MHz - L																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Date: 1 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5036.92</td> <td>52.64</td> <td>-21.36</td> <td>74.00</td> <td>39.52</td> <td>33.00</td> <td>9.99</td> <td>30.67</td> <td>118</td> <td>168 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5036.92	52.64	-21.36	74.00	39.52	33.00	9.99	30.67	118	168 Peak	<p>Date: 3 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>143.53</td> <td>35.23</td> <td>68.30</td> <td>90.10</td> <td>34.83</td> <td>10.13</td> <td>30.73</td> <td>118</td> <td>168 Peak</td> </tr> <tr> <td>2</td> <td>5220.00</td> <td>95.13</td> <td>.....</td> <td>81.70</td> <td>34.83</td> <td>10.13</td> <td>30.73</td> <td>118</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	143.53	35.23	68.30	90.10	34.83	10.13	30.73	118	168 Peak	2	5220.00	95.13	81.70	34.83	10.13	30.73	118	168 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5036.92	52.64	-21.36	74.00	39.52	33.00	9.99	30.67	118	168 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5220.00	143.53	35.23	68.30	90.10	34.83	10.13	30.73	118	168 Peak																																																																
2	5220.00	95.13	81.70	34.83	10.13	30.73	118	168 Average																																																																	
Avg.	<p>Date: 2 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5156.76</td> <td>42.90</td> <td>-11.82</td> <td>54.00</td> <td>29.55</td> <td>35.97</td> <td>10.00</td> <td>30.00</td> <td>118</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5156.76	42.90	-11.82	54.00	29.55	35.97	10.00	30.00	118	168 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5156.76	42.90	-11.82	54.00	29.55	35.97	10.00	30.00	118	168 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11a CH44 5220MHz - R																																
2	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5499.69</td> <td>51.79</td> <td>-22.21</td> <td>74.00</td> <td>37.78</td> <td>34.20</td> <td>18.34</td> <td>30.53</td> <td>118</td> <td>168 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg		1	5499.69	51.79	-22.21	74.00	37.78	34.20	18.34	30.53	118	168 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg																									
1	5499.69	51.79	-22.21	74.00	37.78	34.20	18.34	30.53	118	168 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5498.64</td> <td>41.34</td> <td>-12.46</td> <td>54.00</td> <td>27.52</td> <td>34.20</td> <td>18.35</td> <td>30.56</td> <td>118</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg		1	5498.64	41.34	-12.46	54.00	27.52	34.20	18.35	30.56	118	168 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg																									
1	5498.64	41.34	-12.46	54.00	27.52	34.20	18.35	30.56	118	168 Average																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11a CH44 5220MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5192.18</td> <td>53.37</td> <td>-26.63</td> <td>74.00</td> <td>49.01</td> <td>33.90</td> <td>18.82</td> <td>30.56</td> <td>126</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5192.18	53.37	-26.63	74.00	49.01	33.90	18.82	30.56	126	198 Peak	<p>Date: 8 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>145.58</td> <td>37.20</td> <td>68.38</td> <td>92.87</td> <td>34.83</td> <td>19.13</td> <td>30.73</td> <td>126</td> <td>198 Peak</td> </tr> <tr> <td>2</td> <td>5228.00</td> <td>97.73</td> <td>.....</td> <td>84.38</td> <td>34.83</td> <td>10.13</td> <td>30.73</td> <td>126</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	145.58	37.20	68.38	92.87	34.83	19.13	30.73	126	198 Peak	2	5228.00	97.73	84.38	34.83	10.13	30.73	126	198 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5192.18	53.37	-26.63	74.00	49.01	33.90	18.82	30.56	126	198 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5220.00	145.58	37.20	68.38	92.87	34.83	19.13	30.73	126	198 Peak																																																																
2	5228.00	97.73	84.38	34.83	10.13	30.73	126	198 Average																																																																	
Avg.	<p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>43.52</td> <td>-18.48</td> <td>54.00</td> <td>38.11</td> <td>34.00</td> <td>18.06</td> <td>30.05</td> <td>126</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	43.52	-18.48	54.00	38.11	34.00	18.06	30.05	126	198 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5150.00	43.52	-18.48	54.00	38.11	34.00	18.06	30.05	126	198 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11a CH44 5220MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Date: 9 Date: 2022-05-27</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5385.84</td> <td>52.13</td> <td>-21.87</td> <td>74.00</td> <td>38.16</td> <td>34.28</td> <td>38.38</td> <td>38.53</td> <td>126</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5385.84	52.13	-21.87	74.00	38.16	34.28	38.38	38.53	126	198 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																									
1	5385.84	52.13	-21.87	74.00	38.16	34.28	38.38	38.53	126	198 Peak																							
Avg.	<p>Date: 10 Date: 2022-05-27</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 45 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5385.88</td> <td>42.12</td> <td>-11.88</td> <td>54.00</td> <td>28.14</td> <td>34.28</td> <td>38.38</td> <td>38.52</td> <td>126</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5385.88	42.12	-11.88	54.00	28.14	34.28	38.38	38.52	126	198 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																									
1	5385.88	42.12	-11.88	54.00	28.14	34.28	38.38	38.52	126	198 Average																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11a CH48 5240MHz - L																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.52</td> <td>53.22</td> <td>-20.78</td> <td>74.00</td> <td>49.17</td> <td>33.00</td> <td>9.95</td> <td>30.70</td> <td>114</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.52	53.22	-20.78	74.00	49.17	33.00	9.95	30.70	114	173 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>102.78</td> <td>34.48</td> <td>68.30</td> <td>89.21</td> <td>34.87</td> <td>10.17</td> <td>30.67</td> <td>114</td> <td>173 Peak</td> </tr> <tr> <td>2</td> <td>5240.00</td> <td>95.80</td> <td>.....</td> <td>81.51</td> <td>34.87</td> <td>10.17</td> <td>30.67</td> <td>114</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	102.78	34.48	68.30	89.21	34.87	10.17	30.67	114	173 Peak	2	5240.00	95.80	81.51	34.87	10.17	30.67	114	173 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5913.52	53.22	-20.78	74.00	49.17	33.00	9.95	30.70	114	173 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5240.00	102.78	34.48	68.30	89.21	34.87	10.17	30.67	114	173 Peak																																																																
2	5240.00	95.80	81.51	34.87	10.17	30.67	114	173 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5195.98</td> <td>42.65</td> <td>-11.35</td> <td>54.00</td> <td>29.22</td> <td>35.97</td> <td>10.00</td> <td>30.00</td> <td>114</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5195.98	42.65	-11.35	54.00	29.22	35.97	10.00	30.00	114	173 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5195.98	42.65	-11.35	54.00	29.22	35.97	10.00	30.00	114	173 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11a CH48 5240MHz - R																																
2	Horizontal	Fundamental																															
Peak	<p>Date: 4 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.24</td> <td>51.58</td> <td>-22.42</td> <td>74.00</td> <td>37.68</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>114</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5358.24	51.58	-22.42	74.00	37.68	34.28	18.38	38.52	114	173 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																									
1	5358.24	51.58	-22.42	74.00	37.68	34.28	18.38	38.52	114	173 Peak																							
Avg.	<p>Date: 5 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5552.08</td> <td>41.57</td> <td>-12.43</td> <td>54.00</td> <td>27.59</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>114</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5552.08	41.57	-12.43	54.00	27.59	34.28	18.38	38.52	114	173 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																									
1	5552.08	41.57	-12.43	54.00	27.59	34.28	18.38	38.52	114	173 Average																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11a CH48 5240MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Date: 6 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R2W: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.48</td> <td>53.43</td> <td>-20.57</td> <td>74.00</td> <td>40.00</td> <td>33.97</td> <td>10.86</td> <td>30.60</td> <td>134</td> <td>202 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5129.48	53.43	-20.57	74.00	40.00	33.97	10.86	30.60	134	202 Peak	<p>Date: 8 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R2W: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>185.91</td> <td>37.61</td> <td>68.30</td> <td>92.34</td> <td>34.87</td> <td>10.17</td> <td>30.67</td> <td>134</td> <td>202 Peak</td> </tr> <tr> <td>2</td> <td>5240.00</td> <td>98.26</td> <td>.....</td> <td>64.69</td> <td>34.87</td> <td>10.17</td> <td>30.67</td> <td>134</td> <td>202 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	185.91	37.61	68.30	92.34	34.87	10.17	30.67	134	202 Peak	2	5240.00	98.26	64.69	34.87	10.17	30.67	134	202 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5129.48	53.43	-20.57	74.00	40.00	33.97	10.86	30.60	134	202 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5240.00	185.91	37.61	68.30	92.34	34.87	10.17	30.67	134	202 Peak																																																																
2	5240.00	98.26	64.69	34.87	10.17	30.67	134	202 Average																																																																	
Avg.	<p>Date: 7 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R2W: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.46</td> <td>43.15</td> <td>-10.87</td> <td>54.00</td> <td>29.72</td> <td>34.00</td> <td>10.86</td> <td>30.65</td> <td>134</td> <td>202 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.46	43.15	-10.87	54.00	29.72	34.00	10.86	30.65	134	202 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5148.46	43.15	-10.87	54.00	29.72	34.00	10.86	30.65	134	202 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11a CH48 5240MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5492.88</td> <td>51.84</td> <td>-22.16</td> <td>74.00</td> <td>37.83</td> <td>34.20</td> <td>18.34</td> <td>30.53</td> <td>134</td> <td>202 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg		1	5492.88	51.84	-22.16	74.00	37.83	34.20	18.34	30.53	134	202 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg																									
1	5492.88	51.84	-22.16	74.00	37.83	34.20	18.34	30.53	134	202 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5598.88</td> <td>42.25</td> <td>-11.75</td> <td>54.00</td> <td>28.27</td> <td>34.20</td> <td>18.34</td> <td>30.52</td> <td>134</td> <td>202 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg		1	5598.88	42.25	-11.75	54.00	28.27	34.20	18.34	30.52	134	202 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg																									
1	5598.88	42.25	-11.75	54.00	28.27	34.20	18.34	30.52	134	202 Average																							



UNII-1 5150~5250MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																					
ANT	802.11n HT20 CH36 5180MHz																																																																																					
2	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz Mode : 211916-01 Mode : Mode S3 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.16</td> <td>57.14</td> <td>-16.86</td> <td>74.00</td> <td>43.73</td> <td>34.00</td> <td>18.86</td> <td>38.65</td> <td>119</td> <td></td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg		1	5147.16	57.14	-16.86	74.00	43.73	34.00	18.86	38.65	119		171 Peak	<p>Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz Mode : 211916-01 Mode : Mode S3 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>58.37</td> <td>-35.87</td> <td>68.38</td> <td>89.97</td> <td>34.00</td> <td>18.89</td> <td>38.69</td> <td>119</td> <td></td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>5180.00</td> <td>196.65</td> <td>.....</td> <td>63.21</td> <td>34.00</td> <td>18.89</td> <td>38.69</td> <td>119</td> <td></td> <td></td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg		1	5180.00	58.37	-35.87	68.38	89.97	34.00	18.89	38.69	119		171 Peak	2	5180.00	196.65	63.21	34.00	18.89	38.69	119			171 Average
Freq	Level	Limit	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																											
MHz	dBm	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																																												
1	5147.16	57.14	-16.86	74.00	43.73	34.00	18.86	38.65	119		171 Peak																																																																											
Freq	Level	Limit	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																											
MHz	dBm	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																																												
1	5180.00	58.37	-35.87	68.38	89.97	34.00	18.89	38.69	119		171 Peak																																																																											
2	5180.00	196.65	63.21	34.00	18.89	38.69	119			171 Average																																																																											
Avg.	<p>Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 1.000kHz Mode : 211916-01 Mode : Mode S3 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>44.17</td> <td>-9.83</td> <td>54.00</td> <td>38.76</td> <td>34.00</td> <td>18.86</td> <td>38.65</td> <td>119</td> <td></td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg		1	5150.00	44.17	-9.83	54.00	38.76	34.00	18.86	38.65	119		171 Average	Left blank																																																
Freq	Level	Limit	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																											
MHz	dBm	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																																												
1	5150.00	44.17	-9.83	54.00	38.76	34.00	18.86	38.65	119		171 Average																																																																											



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																							
ANT	802.11n HT20 CH36 5180MHz																																																																							
2	Vertical	Fundamental																																																																						
Peak	<p>Date: 4 Date: 2022-05-27</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode S3 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>57.19</td> <td>-16.81</td> <td>74.00</td> <td>43.78</td> <td>34.00</td> <td>18.86</td> <td>30.65</td> <td>135 202 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5149.76	57.19	-16.81	74.00	43.78	34.00	18.86	30.65	135 202 Peak	<p>Date: 6 Date: 2022-05-27</p> <p>Site Condition : 03CH02-SZ : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode S3 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>185.16</td> <td>36.86</td> <td>68.30</td> <td>91.76</td> <td>34.00</td> <td>18.89</td> <td>30.69</td> <td>135 202 Peak</td> </tr> <tr> <td>2</td> <td>5180.00</td> <td>97.10</td> <td>-</td> <td>-</td> <td>83.70</td> <td>34.00</td> <td>10.89</td> <td>30.69</td> <td>135 202 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5180.00	185.16	36.86	68.30	91.76	34.00	18.89	30.69	135 202 Peak	2	5180.00	97.10	-	-	83.70	34.00	10.89	30.69	135 202 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																
1	5149.76	57.19	-16.81	74.00	43.78	34.00	18.86	30.65	135 202 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																
1	5180.00	185.16	36.86	68.30	91.76	34.00	18.89	30.69	135 202 Peak																																																															
2	5180.00	97.10	-	-	83.70	34.00	10.89	30.69	135 202 Average																																																															
Avg.	<p>Date: 5 Date: 2022-05-27</p> <p>Site Condition : 03CH02-SZ : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode S3 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>45.29</td> <td>-8.71</td> <td>54.00</td> <td>31.88</td> <td>34.00</td> <td>18.86</td> <td>30.65</td> <td>135 202 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5150.00	45.29	-8.71	54.00	31.88	34.00	18.86	30.65	135 202 Average	Left blank																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																
1	5150.00	45.29	-8.71	54.00	31.88	34.00	18.86	30.65	135 202 Average																																																															



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																							
ANT	802.11n HT20 CH44 5220MHz - L																																																																							
2	Horizontal	Fundamental																																																																						
Peak	<p>Date: 1 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode S4 SN : #19 G8E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5222.98</td> <td>-21.38</td> <td>74.00</td> <td>39.27</td> <td>33.97</td> <td>18.86</td> <td>30.60</td> <td>127</td> <td>170 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5222.98	-21.38	74.00	39.27	33.97	18.86	30.60	127	170 Peak	<p>Date: 3 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode S4 SN : #19 G8E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>182.58</td> <td>34.20</td> <td>68.30</td> <td>89.87</td> <td>34.83</td> <td>10.13</td> <td>30.73</td> <td>127 170 Peak</td> </tr> <tr> <td>2</td> <td>5220.00</td> <td>93.83</td> <td>.....</td> <td>.....</td> <td>80.40</td> <td>34.83</td> <td>10.13</td> <td>30.73</td> <td>127 170 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5220.00	182.58	34.20	68.30	89.87	34.83	10.13	30.73	127 170 Peak	2	5220.00	93.83	80.40	34.83	10.13	30.73	127 170 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																
1	5222.98	-21.38	74.00	39.27	33.97	18.86	30.60	127	170 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																
1	5220.00	182.58	34.20	68.30	89.87	34.83	10.13	30.73	127 170 Peak																																																															
2	5220.00	93.83	80.40	34.83	10.13	30.73	127 170 Average																																																															
Avg.	<p>Date: 2 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode S4 SN : #19 G8E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5195.98</td> <td>42.82</td> <td>-11.18</td> <td>54.00</td> <td>29.39</td> <td>35.97</td> <td>18.86</td> <td>30.60</td> <td>127 170 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5195.98	42.82	-11.18	54.00	29.39	35.97	18.86	30.60	127 170 Average	Left blank																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																
1	5195.98	42.82	-11.18	54.00	29.39	35.97	18.86	30.60	127 170 Average																																																															



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11n HT20 CH44 5220MHz - R	
2	Horizontal	Fundamental
Peak	<p> Date: 4 Date: 2022-05-27 Level (dBuV/m) Frequency (MHz) PART 15.407 Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 04 Site : #19 03E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark dB dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg 1 5361.04 59.06 -23.82 74.00 37.00 34.20 10.30 30.52 127 170 Peak </p>	Left blank
Avg.	<p> Date: 5 Date: 2022-05-27 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 04 Site : #19 03E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark dB dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg 1 5361.00 41.50 -12.50 54.00 27.52 34.20 10.30 30.52 127 170 Average </p>	Left blank



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH44 5220MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 04 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5222.46</td> <td>53.76</td> <td>-20.24</td> <td>74.00</td> <td>49.37</td> <td>33.93</td> <td>18.86</td> <td>30.60</td> <td>132</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5222.46	53.76	-20.24	74.00	49.37	33.93	18.86	30.60	132	205 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 04 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>145.74</td> <td>37.44</td> <td>68.30</td> <td>92.31</td> <td>34.83</td> <td>19.13</td> <td>30.73</td> <td>132</td> <td>205 Peak</td> </tr> <tr> <td>2</td> <td>5220.00</td> <td>97.23</td> <td>.....</td> <td>83.00</td> <td>34.83</td> <td>10.13</td> <td>30.73</td> <td>132</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	145.74	37.44	68.30	92.31	34.83	19.13	30.73	132	205 Peak	2	5220.00	97.23	83.00	34.83	10.13	30.73	132	205 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5222.46	53.76	-20.24	74.00	49.37	33.93	18.86	30.60	132	205 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5220.00	145.74	37.44	68.30	92.31	34.83	19.13	30.73	132	205 Peak																																																																
2	5220.00	97.23	83.00	34.83	10.13	30.73	132	205 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 04 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.98</td> <td>43.23</td> <td>-10.77</td> <td>54.00</td> <td>29.82</td> <td>34.00</td> <td>18.86</td> <td>30.65</td> <td>132</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5146.98	43.23	-10.77	54.00	29.82	34.00	18.86	30.65	132	205 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5146.98	43.23	-10.77	54.00	29.82	34.00	18.86	30.65	132	205 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH44 5220MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 04 SW : #19 G8E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5376.96</td> <td>53.18</td> <td>-20.82</td> <td>74.00</td> <td>39.21</td> <td>34.20</td> <td>10.30</td> <td>30.53</td> <td>132</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5376.96	53.18	-20.82	74.00	39.21	34.20	10.30	30.53	132	205 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5376.96	53.18	-20.82	74.00	39.21	34.20	10.30	30.53	132	205 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 04 SW : #19 G8E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.04</td> <td>42.00</td> <td>-11.92</td> <td>54.00</td> <td>28.10</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>132</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5351.04	42.00	-11.92	54.00	28.10	34.20	10.30	30.52	132	205 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5351.04	42.00	-11.92	54.00	28.10	34.20	10.30	30.52	132	205 Average																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH48 5240MHz - L																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Date: 1 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 05 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1073.06</td> <td>53.04</td> <td>-20.96</td> <td>74.00</td> <td>39.77</td> <td>33.87</td> <td>9.99</td> <td>30.59</td> <td>133</td> <td>169 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1073.06	53.04	-20.96	74.00	39.77	33.87	9.99	30.59	133	169 Peak	<p>Date: 3 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 05 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>102.66</td> <td>34.36</td> <td>68.30</td> <td>89.89</td> <td>34.87</td> <td>10.17</td> <td>30.67</td> <td>133</td> <td>169 Peak</td> </tr> <tr> <td>2</td> <td>5240.00</td> <td>93.45</td> <td>.....</td> <td>79.88</td> <td>34.87</td> <td>10.17</td> <td>30.67</td> <td>133</td> <td>169 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	102.66	34.36	68.30	89.89	34.87	10.17	30.67	133	169 Peak	2	5240.00	93.45	79.88	34.87	10.17	30.67	133	169 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	1073.06	53.04	-20.96	74.00	39.77	33.87	9.99	30.59	133	169 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5240.00	102.66	34.36	68.30	89.89	34.87	10.17	30.67	133	169 Peak																																																																
2	5240.00	93.45	79.88	34.87	10.17	30.67	133	169 Average																																																																	
Avg.	<p>Date: 2 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 05 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5151.56</td> <td>42.56</td> <td>-11.42</td> <td>54.00</td> <td>29.15</td> <td>55.97</td> <td>10.00</td> <td>30.00</td> <td>135</td> <td>169 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5151.56	42.56	-11.42	54.00	29.15	55.97	10.00	30.00	135	169 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5151.56	42.56	-11.42	54.00	29.15	55.97	10.00	30.00	135	169 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH48 5240MHz - R																																
2	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 55 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5441.76</td> <td>59.96</td> <td>-23.84</td> <td>74.00</td> <td>36.93</td> <td>34.20</td> <td>18.38</td> <td>30.55</td> <td>133</td> <td>169 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5441.76	59.96	-23.84	74.00	36.93	34.20	18.38	30.55	133	169 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5441.76	59.96	-23.84	74.00	36.93	34.20	18.38	30.55	133	169 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 55 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.04</td> <td>41.34</td> <td>-12.46</td> <td>54.00</td> <td>27.52</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>133</td> <td>169 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5459.04	41.34	-12.46	54.00	27.52	34.20	18.38	30.56	133	169 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5459.04	41.34	-12.46	54.00	27.52	34.20	18.38	30.56	133	169 Average																							






WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH48 5240MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Date: 6 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 05 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>54.41</td> <td>-19.59</td> <td>74.00</td> <td>49.95</td> <td>34.00</td> <td>18.86</td> <td>30.60</td> <td>132</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5149.92	54.41	-19.59	74.00	49.95	34.00	18.86	30.60	132	205 Peak	<p>Date: 8 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 05 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>104.99</td> <td>36.69</td> <td>68.30</td> <td>91.42</td> <td>34.87</td> <td>19.17</td> <td>39.67</td> <td>132</td> <td>205 Peak</td> </tr> <tr> <td>2</td> <td>5240.00</td> <td>96.66</td> <td>.....</td> <td>83.89</td> <td>34.87</td> <td>10.17</td> <td>39.67</td> <td>132</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5240.00	104.99	36.69	68.30	91.42	34.87	19.17	39.67	132	205 Peak	2	5240.00	96.66	83.89	34.87	10.17	39.67	132	205 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																		
1	5149.92	54.41	-19.59	74.00	49.95	34.00	18.86	30.60	132	205 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																		
1	5240.00	104.99	36.69	68.30	91.42	34.87	19.17	39.67	132	205 Peak																																																																
2	5240.00	96.66	83.89	34.87	10.17	39.67	132	205 Average																																																																	
Avg.	<p>Date: 7 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 05 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5153.98</td> <td>42.89</td> <td>-11.11</td> <td>54.00</td> <td>29.46</td> <td>55.97</td> <td>18.86</td> <td>30.60</td> <td>132</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	5153.98	42.89	-11.11	54.00	29.46	55.97	18.86	30.60	132	205 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																		
1	5153.98	42.89	-11.11	54.00	29.46	55.97	18.86	30.60	132	205 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH48 5240MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 55 SN : #19 G8E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.76</td> <td>51.65</td> <td>-22.35</td> <td>74.00</td> <td>37.67</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>132</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	ca	deg		1	5351.76	51.65	-22.35	74.00	37.67	34.20	10.30	30.52	132	205 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	ca	deg																									
1	5351.76	51.65	-22.35	74.00	37.67	34.20	10.30	30.52	132	205 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 55 SN : #19 G8E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5592.00</td> <td>42.31</td> <td>-11.69</td> <td>54.00</td> <td>28.33</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>132</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	ca	deg		1	5592.00	42.31	-11.69	54.00	28.33	34.20	10.30	30.52	132	205 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	ca	deg																									
1	5592.00	42.31	-11.69	54.00	28.33	34.20	10.30	30.52	132	205 Average																							



UNII-1 5150~5250MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																					
ANT	802.11n HT40 CH38 5190MHz - L																																																																																					
2	Horizontal	Fundamental																																																																																				
Peak	 <p>Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : RWV 1000.000KHz VEW 3000.000KHz Mode : 211916-01 Mode : Mode 62 SN : #19 GBB227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1078.78</td> <td>54.02</td> <td>-19.98</td> <td>74.00</td> <td>49.72</td> <td>33.87</td> <td>18.82</td> <td>30.59</td> <td>106</td> <td></td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	1078.78	54.02	-19.98	74.00	49.72	33.87	18.82	30.59	106		173 Peak	 <p>Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : RWV 1000.000KHz VEW 3000.000KHz Mode : 211916-01 Mode : Mode 62 SN : #19 GBB227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>99.23</td> <td>30.93</td> <td>68.30</td> <td>85.83</td> <td>34.00</td> <td>10.89</td> <td>30.69</td> <td>106</td> <td></td> <td>173 Peak</td> </tr> <tr> <td>2</td> <td>5190.00</td> <td>191.06</td> <td>.....</td> <td>77.64</td> <td>34.00</td> <td>10.89</td> <td>30.69</td> <td>106</td> <td></td> <td></td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5190.00	99.23	30.93	68.30	85.83	34.00	10.89	30.69	106		173 Peak	2	5190.00	191.06	77.64	34.00	10.89	30.69	106			173 Average
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	1078.78	54.02	-19.98	74.00	49.72	33.87	18.82	30.59	106		173 Peak																																																																											
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5190.00	99.23	30.93	68.30	85.83	34.00	10.89	30.69	106		173 Peak																																																																											
2	5190.00	191.06	77.64	34.00	10.89	30.69	106			173 Average																																																																											
Avg.	 <p>Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL Project : RWV 1000.000KHz VEW 3000.000KHz Mode : 211916-01 Mode : Mode 62 SN : #19 GBB227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>43.48</td> <td>-18.52</td> <td>54.00</td> <td>38.07</td> <td>34.00</td> <td>10.86</td> <td>30.65</td> <td>106</td> <td></td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5150.00	43.48	-18.52	54.00	38.07	34.00	10.86	30.65	106		173 Average	Left blank																																																
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5150.00	43.48	-18.52	54.00	38.07	34.00	10.86	30.65	106		173 Average																																																																											



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11n HT40 CH38 5190MHz - R	
2	Horizontal	Fundamental
Peak	<p> Date: 4 Date: 2022-05-27 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5180 5236 5292 5348 5404 5460 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 02 Site : #19 03E227012194000K Plane : Z with Accessory setting : MCSO power setting 15 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m 1 5428.92 59.00 -23.18 74.00 36.87 34.28 18.38 38.55 186 173 Peak </p>	Left blank
Avg.	<p> Date: 5 Date: 2022-05-27 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5180 5236 5292 5348 5404 5460 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 02 Site : #19 03E227012194000K Plane : Z with Accessory setting : MCSO power setting 15 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Line Level Factor Loss Factor dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m 1 5459.44 41.55 -12.47 54.00 27.51 34.28 18.38 38.56 186 173 Average </p>	Left blank



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																									
ANT	802.11n HT40 CH38 5190MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000 000kHz VBW 3000 000kHz Mode : 211916-01 Mode : Mode 02 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.94</td> <td>56.16</td> <td>-17.84</td> <td>74.00</td> <td>42.73</td> <td>33.97</td> <td>18.86</td> <td>30.60</td> <td>128</td> <td>201 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5138.94	56.16	-17.84	74.00	42.73	33.97	18.86	30.60	128	201 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000 000kHz VBW 3000 000kHz Mode : 211916-01 Mode : Mode 02 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>183.86</td> <td>34.76</td> <td>68.30</td> <td>89.66</td> <td>34.00</td> <td>19.89</td> <td>30.69</td> <td>128</td> <td>201 Peak</td> </tr> <tr> <td>2</td> <td>5190.00</td> <td>95.81</td> <td>.....</td> <td>81.61</td> <td>34.00</td> <td>10.89</td> <td>30.69</td> <td>128</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	183.86	34.76	68.30	89.66	34.00	19.89	30.69	128	201 Peak	2	5190.00	95.81	81.61	34.00	10.89	30.69	128	201 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5138.94	56.16	-17.84	74.00	42.73	33.97	18.86	30.60	128	201 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5190.00	183.86	34.76	68.30	89.66	34.00	19.89	30.69	128	201 Peak																																																																
2	5190.00	95.81	81.61	34.00	10.89	30.69	128	201 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000 000kHz VBW 3000 000kHz Mode : 211916-01 Mode : Mode 02 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.58</td> <td>45.11</td> <td>-8.89</td> <td>54.00</td> <td>31.78</td> <td>34.00</td> <td>18.86</td> <td>30.65</td> <td>128</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.58	45.11	-8.89	54.00	31.78	34.00	18.86	30.65	128	201 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5149.58	45.11	-8.89	54.00	31.78	34.00	18.86	30.65	128	201 Average																																																																



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11n HT40 CH38 5190MHz - R																																
2	Vertical	Fundamental																															
Peak	<p> Date: 9 Date: 2022-05-27 140 Level (dBuV/m) 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5180 5236 5292 5348 5404 5460 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 02 Site : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 15 </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5466.28</td> <td>52.10</td> <td>-21.98</td> <td>74.00</td> <td>38.07</td> <td>34.28</td> <td>18.38</td> <td>38.55</td> <td>128</td> <td>201 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5466.28	52.10	-21.98	74.00	38.07	34.28	18.38	38.55	128	201 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5466.28	52.10	-21.98	74.00	38.07	34.28	18.38	38.55	128	201 Peak																							
Avg.	<p> Date: 10 Date: 2022-05-27 140 Level (dBuV/m) 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5180 5236 5292 5348 5404 5460 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 02 Site : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 15 </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5466.52</td> <td>42.22</td> <td>-11.78</td> <td>54.00</td> <td>28.24</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>128</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5466.52	42.22	-11.78	54.00	28.24	34.28	18.38	38.52	128	201 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5466.52	42.22	-11.78	54.00	28.24	34.28	18.38	38.52	128	201 Average																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																										
ANT	802.11n HT40 CH46 5230MHz - L																																																																										
2	Horizontal	Fundamental																																																																									
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RW1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5198.88</td> <td>52.75</td> <td>-11.25</td> <td>74.00</td> <td>39.39</td> <td>33.90</td> <td>18.82</td> <td>30.56</td> <td>186</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5198.88	52.75	-11.25	74.00	39.39	33.90	18.82	30.56	186	173 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RW1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>99.58</td> <td>31.20</td> <td>68.38</td> <td>85.97</td> <td>34.87</td> <td>19.13</td> <td>39.67</td> <td>106</td> <td>173 Peak</td> </tr> <tr> <td>2</td> <td>5230.00</td> <td>98.94</td> <td>.....</td> <td>77.41</td> <td>34.87</td> <td>10.13</td> <td>39.67</td> <td>106</td> <td>173</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	99.58	31.20	68.38	85.97	34.87	19.13	39.67	106	173 Peak	2	5230.00	98.94	77.41	34.87	10.13	39.67	106	173	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5198.88	52.75	-11.25	74.00	39.39	33.90	18.82	30.56	186	173 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5230.00	99.58	31.20	68.38	85.97	34.87	19.13	39.67	106	173 Peak																																																																	
2	5230.00	98.94	77.41	34.87	10.13	39.67	106	173	Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL Project : RW1 1000.000kHz VBW 3.000kHz Mode : 211916-01 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.66</td> <td>42.59</td> <td>-11.41</td> <td>54.00</td> <td>29.16</td> <td>35.97</td> <td>18.86</td> <td>30.00</td> <td>186</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5127.66	42.59	-11.41	54.00	29.16	35.97	18.86	30.00	186	173 Average	Left blank																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5127.66	42.59	-11.41	54.00	29.16	35.97	18.86	30.00	186	173 Average																																																																	



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11n HT40 CH46 5230MHz - R																																
2	Horizontal	Fundamental																															
Peak	<p> Date: 4 Date: 2022-05-27 Level (dBuV/m) Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 03 Site : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 15 </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5499.44</td> <td>51.73</td> <td>-22.27</td> <td>74.00</td> <td>37.70</td> <td>34.20</td> <td>10.38</td> <td>30.55</td> <td>186</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5499.44	51.73	-22.27	74.00	37.70	34.20	10.38	30.55	186	173 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5499.44	51.73	-22.27	74.00	37.70	34.20	10.38	30.55	186	173 Peak																							
Avg.	<p> Date: 5 Date: 2022-05-27 Level (dBuV/m) Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 03 Site : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 15 </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5499.28</td> <td>41.49</td> <td>-12.51</td> <td>54.00</td> <td>27.47</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>186</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5499.28	41.49	-12.51	54.00	27.47	34.20	10.38	30.56	186	173 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5499.28	41.49	-12.51	54.00	27.47	34.20	10.38	30.56	186	173 Average																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																										
ANT	802.11n HT40 CH46 5230MHz - L																																																																										
2	Vertical	Fundamental																																																																									
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 63 Site : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1972.08</td> <td>52.93</td> <td>-11.87</td> <td>74.00</td> <td>39.66</td> <td>33.87</td> <td>9.99</td> <td>30.59</td> <td>127</td> <td>197 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1972.08	52.93	-11.87	74.00	39.66	33.87	9.99	30.59	127	197 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 63 Site : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>182.66</td> <td>34.36</td> <td>68.38</td> <td>89.13</td> <td>34.87</td> <td>10.13</td> <td>30.67</td> <td>127</td> <td>197 Peak</td> </tr> <tr> <td>2</td> <td>5230.00</td> <td>95.22</td> <td>.....</td> <td>81.69</td> <td>34.87</td> <td>10.13</td> <td>30.67</td> <td>127</td> <td>197</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	182.66	34.36	68.38	89.13	34.87	10.13	30.67	127	197 Peak	2	5230.00	95.22	81.69	34.87	10.13	30.67	127	197	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	1972.08	52.93	-11.87	74.00	39.66	33.87	9.99	30.59	127	197 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5230.00	182.66	34.36	68.38	89.13	34.87	10.13	30.67	127	197 Peak																																																																	
2	5230.00	95.22	81.69	34.87	10.13	30.67	127	197	Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 63 Site : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5140.66</td> <td>43.82</td> <td>-18.98</td> <td>54.00</td> <td>29.56</td> <td>34.00</td> <td>10.00</td> <td>30.00</td> <td>127</td> <td>197 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5140.66	43.82	-18.98	54.00	29.56	34.00	10.00	30.00	127	197 Average	Left blank																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5140.66	43.82	-18.98	54.00	29.56	34.00	10.00	30.00	127	197 Average																																																																	



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																															
ANT	802.11n HT40 CH46 5230MHz - R																															
2	Vertical	Fundamental																														
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : E3 SW : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.56</td> <td>-21.84</td> <td>74.00</td> <td>38.18</td> <td>34.28</td> <td>38.38</td> <td>38.52</td> <td>127</td> <td>197 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5398.56	-21.84	74.00	38.18	34.28	38.38	38.52	127	197 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																								
1	5398.56	-21.84	74.00	38.18	34.28	38.38	38.52	127	197 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : E3 SW : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.88</td> <td>-11.94</td> <td>54.00</td> <td>28.88</td> <td>34.28</td> <td>38.38</td> <td>38.52</td> <td>127</td> <td>197 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5398.88	-11.94	54.00	28.88	34.28	38.38	38.52	127	197 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																								
1	5398.88	-11.94	54.00	28.88	34.28	38.38	38.52	127	197 Average																							



**UNII-1 5150~5250MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																					
ANT	802.11ac VHT80 CH42 5210MHz - L																																																																					
2	Horizontal	Fundamental																																																																				
Peak	<p>Date: 1 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode 69 SN : #19 G8B227012194000K Plane : Z with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1084.76</td> <td>53.22</td> <td>-20.78</td> <td>74.00</td> <td>39.92</td> <td>33.87</td> <td>18.82</td> <td>30.59</td> <td>209</td> <td>186 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	1084.76	53.22	-20.78	74.00	39.92	33.87	18.82	30.59	209	186 Peak	<p>Date: 3 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode 69 SN : #19 G8B227012194000K Plane : Z with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>94.46</td> <td>26.16</td> <td>68.30</td> <td>81.83</td> <td>34.83</td> <td>10.13</td> <td>30.73</td> <td>209</td> <td>186 Peak</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>87.15</td> <td>.....</td> <td>74.12</td> <td>26.80</td> <td>10.13</td> <td>30.73</td> <td>209</td> <td>186 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5210.00	94.46	26.16	68.30	81.83	34.83	10.13	30.73	209	186 Peak	2	5210.00	87.15	74.12	26.80	10.13	30.73	209	186 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	1084.76	53.22	-20.78	74.00	39.92	33.87	18.82	30.59	209	186 Peak																																																												
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	5210.00	94.46	26.16	68.30	81.83	34.83	10.13	30.73	209	186 Peak																																																												
2	5210.00	87.15	74.12	26.80	10.13	30.73	209	186 Average																																																													
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode 69 SN : #19 G8B227012194000K Plane : Z with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>43.52</td> <td>-10.48</td> <td>54.00</td> <td>38.11</td> <td>34.00</td> <td>10.86</td> <td>30.65</td> <td>209</td> <td>186 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5149.76	43.52	-10.48	54.00	38.11	34.00	10.86	30.65	209	186 Average	Left blank																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	5149.76	43.52	-10.48	54.00	38.11	34.00	10.86	30.65	209	186 Average																																																												



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11ac VHT80 CH42 5210MHz - R																																
2	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 09 SW : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5414.16</td> <td>52.24</td> <td>-21.76</td> <td>74.00</td> <td>38.23</td> <td>34.28</td> <td>18.34</td> <td>38.53</td> <td>289</td> <td>166 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5414.16	52.24	-21.76	74.00	38.23	34.28	18.34	38.53	289	166 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5414.16	52.24	-21.76	74.00	38.23	34.28	18.34	38.53	289	166 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 09 SW : #19 03E027012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>41.39</td> <td>-12.61</td> <td>54.00</td> <td>27.37</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>289</td> <td>186 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5459.28	41.39	-12.61	54.00	27.37	34.28	18.38	38.56	289	186 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5459.28	41.39	-12.61	54.00	27.37	34.28	18.38	38.56	289	186 Average																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																										
ANT	802.11ac VHT80 CH42 5210MHz - L																																																																										
2	Vertical	Fundamental																																																																									
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 09 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.62</td> <td>54.41</td> <td>-19.59</td> <td>74.00</td> <td>49.95</td> <td>34.00</td> <td>18.86</td> <td>30.00</td> <td>159</td> <td>206 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5139.62	54.41	-19.59	74.00	49.95	34.00	18.86	30.00	159	206 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 09 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>96.61</td> <td>28.31</td> <td>68.30</td> <td>83.18</td> <td>34.83</td> <td>19.13</td> <td>30.73</td> <td>159</td> <td>206 Peak</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>89.86</td> <td>.....</td> <td>.....</td> <td>75.63</td> <td>34.83</td> <td>10.13</td> <td>30.73</td> <td>159</td> <td>206 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.61	28.31	68.30	83.18	34.83	19.13	30.73	159	206 Peak	2	5210.00	89.86	75.63	34.83	10.13	30.73	159	206 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5139.62	54.41	-19.59	74.00	49.95	34.00	18.86	30.00	159	206 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5210.00	96.61	28.31	68.30	83.18	34.83	19.13	30.73	159	206 Peak																																																																	
2	5210.00	89.86	75.63	34.83	10.13	30.73	159	206 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 09 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>44.12</td> <td>-9.88</td> <td>54.00</td> <td>38.71</td> <td>34.00</td> <td>18.86</td> <td>30.00</td> <td>159</td> <td>206 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	44.12	-9.88	54.00	38.71	34.00	18.86	30.00	159	206 Average	Left blank																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5150.00	44.12	-9.88	54.00	38.71	34.00	18.86	30.00	159	206 Average																																																																	



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																
ANT	802.11ac VHT80 CH42 5210MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Date: 9 Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 09 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5406.72</td> <td>51.04</td> <td>-22.06</td> <td>74.00</td> <td>37.93</td> <td>34.20</td> <td>10.34</td> <td>30.53</td> <td>159</td> <td>206 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg		1	5406.72	51.04	-22.06	74.00	37.93	34.20	10.34	30.53	159	206 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg																									
1	5406.72	51.04	-22.06	74.00	37.93	34.20	10.34	30.53	159	206 Peak																							
Avg.	<p>Date: 10 Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 09 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5551.76</td> <td>41.47</td> <td>-12.53</td> <td>54.00</td> <td>27.49</td> <td>34.20</td> <td>10.36</td> <td>30.52</td> <td>159</td> <td>206 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg		1	5551.76	41.47	-12.53	54.00	27.49	34.20	10.36	30.52	159	206 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg																									
1	5551.76	41.47	-12.53	54.00	27.49	34.20	10.36	30.52	159	206 Average																							



UNII-1 - 5150~5250MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH36 5180MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 44 SN : #19 G0E227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/MHz</th> <th>dB</th> <th>dBm/MHz</th> <th>dBm/MHz</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>105.00</td> <td>46.07</td> <td>-22.23</td> <td>68.38</td> <td>57.64</td> <td>37.22</td> <td>11.56</td> <td>60.35</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>154.00</td> <td>58.00</td> <td>-23.98</td> <td>74.00</td> <td>53.76</td> <td>40.13</td> <td>14.74</td> <td>58.57</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBm/MHz	dB	dBm/MHz	dBm/MHz	dB/m	dB	dB	cm	deg		1	105.00	46.07	-22.23	68.38	57.64	37.22	11.56	60.35	...	Peak	2	154.00	58.00	-23.98	74.00	53.76	40.13	14.74	58.57	...	Peak	<p>Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 44 SN : #19 G0E227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/MHz</th> <th>dB</th> <th>dBm/MHz</th> <th>dBm/MHz</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>105.00</td> <td>46.07</td> <td>-22.23</td> <td>68.38</td> <td>57.64</td> <td>37.22</td> <td>11.56</td> <td>60.35</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>154.00</td> <td>58.00</td> <td>-23.98</td> <td>74.00</td> <td>53.76</td> <td>40.13</td> <td>14.74</td> <td>58.57</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBm/MHz	dB	dBm/MHz	dBm/MHz	dB/m	dB	dB	cm	deg		1	105.00	46.07	-22.23	68.38	57.64	37.22	11.56	60.35	...	Peak	2	154.00	58.00	-23.98	74.00	53.76	40.13	14.74	58.57	...	Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																
MHz	dBm/MHz	dB	dBm/MHz	dBm/MHz	dB/m	dB	dB	cm	deg																																																																																	
1	105.00	46.07	-22.23	68.38	57.64	37.22	11.56	60.35	...	Peak																																																																																
2	154.00	58.00	-23.98	74.00	53.76	40.13	14.74	58.57	...	Peak																																																																																
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																
MHz	dBm/MHz	dB	dBm/MHz	dBm/MHz	dB/m	dB	dB	cm	deg																																																																																	
1	105.00	46.07	-22.23	68.38	57.64	37.22	11.56	60.35	...	Peak																																																																																
2	154.00	58.00	-23.98	74.00	53.76	40.13	14.74	58.57	...	Peak																																																																																



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11a CH44 5220MHz	
2	Horizontal	Vertical
Peak Avg.		

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11a CH48 5240MHz	
2	Horizontal	Vertical
Peak Avg.		



UNII-1 5150~5250MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH36 5180MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode S3 SN : #19 G8E227012194000K Plane : Z with Accessory Setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10560.00</td> <td>50.34</td> <td>-17.98</td> <td>68.30</td> <td>61.91</td> <td>37.22</td> <td>11.56</td> <td>60.35</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>13560.00</td> <td>49.34</td> <td>-24.16</td> <td>74.00</td> <td>53.54</td> <td>40.13</td> <td>14.74</td> <td>58.57</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10560.00	50.34	-17.98	68.30	61.91	37.22	11.56	60.35	--- Peak	2	13560.00	49.34	-24.16	74.00	53.54	40.13	14.74	58.57	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode S3 SN : #19 G8E227012194000K Plane : Z with Accessory Setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10560.00</td> <td>55.68</td> <td>-12.70</td> <td>68.30</td> <td>67.17</td> <td>37.22</td> <td>11.56</td> <td>60.35</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>13560.00</td> <td>49.68</td> <td>-24.12</td> <td>74.00</td> <td>53.38</td> <td>40.13</td> <td>14.74</td> <td>58.57</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10560.00	55.68	-12.70	68.30	67.17	37.22	11.56	60.35	--- Peak	2	13560.00	49.68	-24.12	74.00	53.38	40.13	14.74	58.57	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	10560.00	50.34	-17.98	68.30	61.91	37.22	11.56	60.35	--- Peak																																																																									
2	13560.00	49.34	-24.16	74.00	53.54	40.13	14.74	58.57	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	10560.00	55.68	-12.70	68.30	67.17	37.22	11.56	60.35	--- Peak																																																																									
2	13560.00	49.68	-24.12	74.00	53.38	40.13	14.74	58.57	--- Peak																																																																									

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH44 5220MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode S4 SN : #19 G8E227012194000K Plane : Z with Accessory Setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>46.39</td> <td>-21.91</td> <td>68.30</td> <td>57.89</td> <td>37.26</td> <td>11.63</td> <td>60.37</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>50.17</td> <td>-23.83</td> <td>74.00</td> <td>53.98</td> <td>40.22</td> <td>14.78</td> <td>58.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.39	-21.91	68.30	57.89	37.26	11.63	60.37	--- Peak	2	15660.00	50.17	-23.83	74.00	53.98	40.22	14.78	58.81	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode S4 SN : #19 G8E227012194000K Plane : Z with Accessory Setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>54.20</td> <td>-14.10</td> <td>68.30</td> <td>65.70</td> <td>37.26</td> <td>11.61</td> <td>60.37</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>50.41</td> <td>-23.59</td> <td>74.00</td> <td>54.22</td> <td>40.22</td> <td>14.78</td> <td>58.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	54.20	-14.10	68.30	65.70	37.26	11.61	60.37	--- Peak	2	15660.00	50.41	-23.59	74.00	54.22	40.22	14.78	58.81	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	10440.00	46.39	-21.91	68.30	57.89	37.26	11.63	60.37	--- Peak																																																																									
2	15660.00	50.17	-23.83	74.00	53.98	40.22	14.78	58.81	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	10440.00	54.20	-14.10	68.30	65.70	37.26	11.61	60.37	--- Peak																																																																									
2	15660.00	50.41	-23.59	74.00	54.22	40.22	14.78	58.81	--- Peak																																																																									



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH48 5240MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 19</p> <p>Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 55 SN : #19 GBZ27012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>51.48</td> <td>-16.82</td> <td>68.30</td> <td>62.97</td> <td>37.29</td> <td>11.61</td> <td>60.39</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13720.00</td> <td>49.13</td> <td>-16.87</td> <td>74.00</td> <td>53.86</td> <td>40.28</td> <td>14.74</td> <td>58.95</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	51.48	-16.82	68.30	62.97	37.29	11.61	60.39	...	Peak	2	13720.00	49.13	-16.87	74.00	53.86	40.28	14.74	58.95	...	Peak	<p>Date: 20</p> <p>Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 55 SN : #19 GBZ27012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>58.72</td> <td>-17.58</td> <td>68.30</td> <td>62.21</td> <td>37.29</td> <td>11.61</td> <td>60.39</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13720.00</td> <td>48.75</td> <td>-16.12</td> <td>74.00</td> <td>52.48</td> <td>40.28</td> <td>14.74</td> <td>58.95</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	58.72	-17.58	68.30	62.21	37.29	11.61	60.39	...	Peak	2	13720.00	48.75	-16.12	74.00	52.48	40.28	14.74	58.95	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10480.00	51.48	-16.82	68.30	62.97	37.29	11.61	60.39	...	Peak																																																																																
2	13720.00	49.13	-16.87	74.00	53.86	40.28	14.74	58.95	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10480.00	58.72	-17.58	68.30	62.21	37.29	11.61	60.39	...	Peak																																																																																
2	13720.00	48.75	-16.12	74.00	52.48	40.28	14.74	58.95	...	Peak																																																																																



UNII-1 5150~5250MHz
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT40 CH38 5190MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode S2 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>49.34</td> <td>-18.38</td> <td>68.30</td> <td>61.47</td> <td>37.23</td> <td>11.59</td> <td>60.35</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>49.35</td> <td>-14.85</td> <td>74.00</td> <td>53.64</td> <td>40.16</td> <td>14.79</td> <td>58.64</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	49.34	-18.38	68.30	61.47	37.23	11.59	60.35	--- Peak	2	15570.00	49.35	-14.85	74.00	53.64	40.16	14.79	58.64	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode S2 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>49.69</td> <td>-18.61</td> <td>68.30</td> <td>61.22</td> <td>37.23</td> <td>11.59</td> <td>60.35</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>49.62</td> <td>-14.38</td> <td>74.00</td> <td>53.31</td> <td>40.16</td> <td>14.79</td> <td>58.64</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	49.69	-18.61	68.30	61.22	37.23	11.59	60.35	--- Peak	2	15570.00	49.62	-14.38	74.00	53.31	40.16	14.79	58.64	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	10380.00	49.34	-18.38	68.30	61.47	37.23	11.59	60.35	--- Peak																																																																									
2	15570.00	49.35	-14.85	74.00	53.64	40.16	14.79	58.64	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	10380.00	49.69	-18.61	68.30	61.22	37.23	11.59	60.35	--- Peak																																																																									
2	15570.00	49.62	-14.38	74.00	53.31	40.16	14.79	58.64	--- Peak																																																																									

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT40 CH46 5230MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode E3 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13660.00</td> <td>56.52</td> <td>-12.78</td> <td>68.30</td> <td>62.80</td> <td>37.27</td> <td>11.63</td> <td>60.38</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>49.34</td> <td>-14.16</td> <td>74.00</td> <td>53.73</td> <td>40.25</td> <td>14.74</td> <td>58.88</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13660.00	56.52	-12.78	68.30	62.80	37.27	11.63	60.38	--- Peak	2	15690.00	49.34	-14.16	74.00	53.73	40.25	14.74	58.88	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode E3 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13660.00</td> <td>56.88</td> <td>-18.25</td> <td>68.30</td> <td>61.93</td> <td>37.27</td> <td>11.63</td> <td>60.38</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>58.65</td> <td>-13.35</td> <td>74.00</td> <td>54.34</td> <td>40.25</td> <td>14.74</td> <td>58.88</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13660.00	56.88	-18.25	68.30	61.93	37.27	11.63	60.38	--- Peak	2	15690.00	58.65	-13.35	74.00	54.34	40.25	14.74	58.88	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	13660.00	56.52	-12.78	68.30	62.80	37.27	11.63	60.38	--- Peak																																																																									
2	15690.00	49.34	-14.16	74.00	53.73	40.25	14.74	58.88	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	13660.00	56.88	-18.25	68.30	61.93	37.27	11.63	60.38	--- Peak																																																																									
2	15690.00	58.65	-13.35	74.00	54.34	40.25	14.74	58.88	--- Peak																																																																									



UNII-1 5150~5250MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																													
ANT	802.11ac VHT80 CH42 5210MHz																																																																													
2	Horizontal	Vertical																																																																												
Peak Avg.	<p>Site : GC3402-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 02 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poss</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>46.29</td> <td>-22.81</td> <td>68.30</td> <td>57.00</td> <td>37.25</td> <td>11.61</td> <td>60.37</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>50.41</td> <td>-23.50</td> <td>74.00</td> <td>54.19</td> <td>40.21</td> <td>14.00</td> <td>50.70</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	10420.00	46.29	-22.81	68.30	57.00	37.25	11.61	60.37	--- Peak	2	15630.00	50.41	-23.50	74.00	54.19	40.21	14.00	50.70	--- Peak	<p>Site : GC3402-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 02 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poss</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>45.91</td> <td>-22.39</td> <td>68.30</td> <td>57.42</td> <td>37.25</td> <td>11.61</td> <td>60.37</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>49.67</td> <td>-24.33</td> <td>74.00</td> <td>53.44</td> <td>40.21</td> <td>14.00</td> <td>50.70</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	10420.00	45.91	-22.39	68.30	57.42	37.25	11.61	60.37	--- Peak	2	15630.00	49.67	-24.33	74.00	53.44	40.21	14.00	50.70	--- Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	10420.00	46.29	-22.81	68.30	57.00	37.25	11.61	60.37	--- Peak																																																																					
2	15630.00	50.41	-23.50	74.00	54.19	40.21	14.00	50.70	--- Peak																																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	10420.00	45.91	-22.39	68.30	57.42	37.25	11.61	60.37	--- Peak																																																																					
2	15630.00	49.67	-24.33	74.00	53.44	40.21	14.00	50.70	--- Peak																																																																					



UNII-1 - 5150~5250MHz

UNII-2A - 5250~5350MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11a CH52 5260MHz - L																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz Mode : 47 SN : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5843.94</td> <td>52.01</td> <td>-21.99</td> <td>74.00</td> <td>38.85</td> <td>33.00</td> <td>9.99</td> <td>30.63</td> <td>110</td> <td>172 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5843.94	52.01	-21.99	74.00	38.85	33.00	9.99	30.63	110	172 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz Mode : 47 SN : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>182.86</td> <td>34.56</td> <td>68.38</td> <td>89.18</td> <td>34.13</td> <td>10.17</td> <td>30.62</td> <td>110</td> <td>172 Peak</td> </tr> <tr> <td>2</td> <td>5260.00</td> <td>95.00</td> <td>-----</td> <td>81.41</td> <td>34.13</td> <td>10.17</td> <td>30.62</td> <td>110</td> <td>172 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	182.86	34.56	68.38	89.18	34.13	10.17	30.62	110	172 Peak	2	5260.00	95.00	-----	81.41	34.13	10.17	30.62	110	172 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5843.94	52.01	-21.99	74.00	38.85	33.00	9.99	30.63	110	172 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5260.00	182.86	34.56	68.38	89.18	34.13	10.17	30.62	110	172 Peak																																																																
2	5260.00	95.00	-----	81.41	34.13	10.17	30.62	110	172 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL Project : RBW 1000.000KHz VBW 1.000KHz Mode : 47 SN : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5155.98</td> <td>42.56</td> <td>-11.44</td> <td>54.00</td> <td>29.13</td> <td>33.97</td> <td>10.00</td> <td>30.60</td> <td>110</td> <td>172 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5155.98	42.56	-11.44	54.00	29.13	33.97	10.00	30.60	110	172 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5155.98	42.56	-11.44	54.00	29.13	33.97	10.00	30.60	110	172 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11a CH52 5260MHz - R																																
2	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : 47 Site : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5381.52</td> <td>59.42</td> <td>-23.58</td> <td>74.00</td> <td>36.45</td> <td>34.20</td> <td>18.38</td> <td>38.53</td> <td>110</td> <td>172 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg		1	5381.52	59.42	-23.58	74.00	36.45	34.20	18.38	38.53	110	172 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg																									
1	5381.52	59.42	-23.58	74.00	36.45	34.20	18.38	38.53	110	172 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : 47 Site : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5598.88</td> <td>41.68</td> <td>-12.32</td> <td>54.00</td> <td>27.78</td> <td>34.20</td> <td>18.38</td> <td>38.52</td> <td>110</td> <td>172 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg		1	5598.88	41.68	-12.32	54.00	27.78	34.20	18.38	38.52	110	172 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg																									
1	5598.88	41.68	-12.32	54.00	27.78	34.20	18.38	38.52	110	172 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11a CH52 5260MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 Mode : Mode 47 Site : #19 08E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1942.98</td> <td>52.80</td> <td>-11.28</td> <td>74.00</td> <td>39.64</td> <td>33.00</td> <td>9.99</td> <td>30.63</td> <td>126</td> <td>196 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	1942.98	52.80	-11.28	74.00	39.64	33.00	9.99	30.63	126	196 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 Mode : Mode 47 Site : #19 08E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>145.75</td> <td>37.45</td> <td>68.30</td> <td>92.07</td> <td>34.13</td> <td>10.17</td> <td>30.62</td> <td>126</td> <td>196 Peak</td> </tr> <tr> <td>2</td> <td>5260.00</td> <td>98.10</td> <td>.....</td> <td>84.51</td> <td>34.13</td> <td>10.17</td> <td>30.62</td> <td>126</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5260.00	145.75	37.45	68.30	92.07	34.13	10.17	30.62	126	196 Peak	2	5260.00	98.10	84.51	34.13	10.17	30.62	126	196 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																	
1	1942.98	52.80	-11.28	74.00	39.64	33.00	9.99	30.63	126	196 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																	
1	5260.00	145.75	37.45	68.30	92.07	34.13	10.17	30.62	126	196 Peak																																																																
2	5260.00	98.10	84.51	34.13	10.17	30.62	126	196 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000.000kHz VBW 1.000kHz Mode : 211916-01 Mode : Mode 47 Site : #19 08E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.58</td> <td>42.79</td> <td>-11.21</td> <td>54.00</td> <td>29.36</td> <td>35.97</td> <td>10.00</td> <td>30.00</td> <td>126</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5136.58	42.79	-11.21	54.00	29.36	35.97	10.00	30.00	126	196 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																	
1	5136.58	42.79	-11.21	54.00	29.36	35.97	10.00	30.00	126	196 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11a CH52 5260MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 47 Site : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5391.12</td> <td>51.04</td> <td>-22.96</td> <td>74.00</td> <td>37.03</td> <td>34.20</td> <td>10.34</td> <td>30.53</td> <td>126</td> <td>196 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5391.12	51.04	-22.96	74.00	37.03	34.20	10.34	30.53	126	196 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5391.12	51.04	-22.96	74.00	37.03	34.20	10.34	30.53	126	196 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 47 Site : #19 G08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5590.32</td> <td>42.56</td> <td>-11.44</td> <td>54.00</td> <td>28.58</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>126</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5590.32	42.56	-11.44	54.00	28.58	34.20	10.30	30.52	126	196 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5590.32	42.56	-11.44	54.00	28.58	34.20	10.30	30.52	126	196 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11a CH60 5300MHz - L																																																																							
2	Horizontal	Fundamental																																																																						
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 48 SN : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5300.00</td> <td>111.91</td> <td>33.61</td> <td>68.30</td> <td>88.81</td> <td>34.28</td> <td>19.21</td> <td>39.51</td> <td>111</td> <td>178 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	ca	deg		5300.00	111.91	33.61	68.30	88.81	34.28	19.21	39.51	111	178 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 48 SN : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5300.00</td> <td>111.91</td> <td>33.61</td> <td>68.30</td> <td>88.81</td> <td>34.28</td> <td>19.21</td> <td>39.51</td> <td>111</td> <td>178 Peak</td> </tr> <tr> <td>5300.00</td> <td>95.22</td> <td>81.32</td> <td>34.28</td> <td>10.21</td> <td>39.51</td> <td>111</td> <td>178</td> <td></td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	ca	deg		5300.00	111.91	33.61	68.30	88.81	34.28	19.21	39.51	111	178 Peak	5300.00	95.22	81.32	34.28	10.21	39.51	111	178		Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	ca	deg																																																																
5300.00	111.91	33.61	68.30	88.81	34.28	19.21	39.51	111	178 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	ca	deg																																																																
5300.00	111.91	33.61	68.30	88.81	34.28	19.21	39.51	111	178 Peak																																																															
5300.00	95.22	81.32	34.28	10.21	39.51	111	178		Average																																																															
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 48 SN : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5300.00</td> <td>111.91</td> <td>33.61</td> <td>68.30</td> <td>88.81</td> <td>34.28</td> <td>19.21</td> <td>39.51</td> <td>111</td> <td>178 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	ca	deg		5300.00	111.91	33.61	68.30	88.81	34.28	19.21	39.51	111	178 Average	Left blank																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	ca	deg																																																																
5300.00	111.91	33.61	68.30	88.81	34.28	19.21	39.51	111	178 Average																																																															



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11a CH60 5300MHz - R																																
2	Horizontal	Fundamental																															
Peak	<p>Date: 4 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 03B227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.32</td> <td>59.59</td> <td>-23.59</td> <td>74.00</td> <td>36.47</td> <td>34.20</td> <td>10.38</td> <td>30.55</td> <td>111</td> <td>170 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5446.32	59.59	-23.59	74.00	36.47	34.20	10.38	30.55	111	170 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5446.32	59.59	-23.59	74.00	36.47	34.20	10.38	30.55	111	170 Peak																							
Avg.	<p>Date: 5 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 03B227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5598.88</td> <td>42.20</td> <td>-11.88</td> <td>54.00</td> <td>28.22</td> <td>34.20</td> <td>10.38</td> <td>30.52</td> <td>111</td> <td>170 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5598.88	42.20	-11.88	54.00	28.22	34.20	10.38	30.52	111	170 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5598.88	42.20	-11.88	54.00	28.22	34.20	10.38	30.52	111	170 Average																							






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11a CH60 5300MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1076.65</td> <td>52.86</td> <td>-11.94</td> <td>74.00</td> <td>38.76</td> <td>33.87</td> <td>18.82</td> <td>30.59</td> <td>130</td> <td>197 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1076.65	52.86	-11.94	74.00	38.76	33.87	18.82	30.59	130	197 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>145.71</td> <td>37.41</td> <td>68.30</td> <td>91.81</td> <td>34.28</td> <td>10.21</td> <td>30.51</td> <td>130</td> <td>197 Peak</td> </tr> <tr> <td>2</td> <td>5300.00</td> <td>97.30</td> <td>.....</td> <td>83.49</td> <td>34.28</td> <td>10.21</td> <td>30.51</td> <td>130</td> <td>197 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	145.71	37.41	68.30	91.81	34.28	10.21	30.51	130	197 Peak	2	5300.00	97.30	83.49	34.28	10.21	30.51	130	197 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	1076.65	52.86	-11.94	74.00	38.76	33.87	18.82	30.59	130	197 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5300.00	145.71	37.41	68.30	91.81	34.28	10.21	30.51	130	197 Peak																																																																
2	5300.00	97.30	83.49	34.28	10.21	30.51	130	197 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 48 Site : #19 08B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5335.00</td> <td>42.64</td> <td>-11.36</td> <td>54.00</td> <td>29.21</td> <td>55.97</td> <td>10.00</td> <td>30.00</td> <td>130</td> <td>197 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5335.00	42.64	-11.36	54.00	29.21	55.97	10.00	30.00	130	197 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5335.00	42.64	-11.36	54.00	29.21	55.97	10.00	30.00	130	197 Average																																																																






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11a CH60 5300MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 03B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.44</td> <td>52.48</td> <td>-21.52</td> <td>74.00</td> <td>38.58</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>130</td> <td>197 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5353.44	52.48	-21.52	74.00	38.58	34.28	18.38	38.52	130	197 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5353.44	52.48	-21.52	74.00	38.58	34.28	18.38	38.52	130	197 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 48 Site : #19 03B227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.88</td> <td>43.49</td> <td>-18.51</td> <td>54.00</td> <td>29.51</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>130</td> <td>197 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5358.88	43.49	-18.51	54.00	29.51	34.28	18.38	38.52	130	197 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5358.88	43.49	-18.51	54.00	29.51	34.28	18.38	38.52	130	197 Average																							






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																								
ANT	802.11a CH64 5320MHz																																																																								
2	Horizontal	Fundamental																																																																							
Peak	 <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 49 SN : #19 08E227012194000K Plane : Z with Accessory setting : 5M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.84</td> <td>51.36</td> <td>-22.64</td> <td>74.00</td> <td>37.38</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>159</td> <td>174 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.84	51.36	-22.64	74.00	37.38	34.28	18.38	38.52	159	174 Peak	 <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 49 SN : #19 08E227012194000K Plane : Z with Accessory setting : 5M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>182.63</td> <td>34.33</td> <td>68.38</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>159</td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>95.55</td> <td>.....</td> <td>81.69</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>159</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	182.63	34.33	68.38	34.28	18.26	38.51	159	174 Peak	2	5320.00	95.55	81.69	34.28	18.26	38.51	159	174 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																
1	5355.84	51.36	-22.64	74.00	37.38	34.28	18.38	38.52	159	174 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																
1	5320.00	182.63	34.33	68.38	34.28	18.26	38.51	159	174 Peak																																																																
2	5320.00	95.55	81.69	34.28	18.26	38.51	159	174 Average																																																																
Avg.	 <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSW:1000.000kHz VBW:1.000kHz Project : 211916-01 Mode : Mode 49 SN : #19 08E227012194000K Plane : Z with Accessory setting : 5M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.88</td> <td>42.05</td> <td>-11.55</td> <td>54.89</td> <td>28.67</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>159</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.88	42.05	-11.55	54.89	28.67	34.28	18.38	38.52	159	174 Average	Left blank																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																
1	5358.88	42.05	-11.55	54.89	28.67	34.28	18.38	38.52	159	174 Average																																																															



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11a CH64 5320MHz																																																																									
2	Vertical	Fundamental																																																																								
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R2W: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 49 Site : #19 08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.36</td> <td>52.76</td> <td>-11.24</td> <td>74.00</td> <td>38.78</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>139</td> <td>282 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.36	52.76	-11.24	74.00	38.78	34.28	18.38	38.52	139	282 Peak	 <p>Date: 4 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R2W: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 49 Site : #19 08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>185.86</td> <td>36.76</td> <td>68.38</td> <td>91.11</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>139</td> <td>282 Peak</td> </tr> <tr> <td>2</td> <td>5328.00</td> <td>97.61</td> <td>.....</td> <td>83.66</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>139</td> <td>282 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	185.86	36.76	68.38	91.11	34.28	18.26	38.51	139	282 Peak	2	5328.00	97.61	83.66	34.28	18.26	38.51	139	282 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5351.36	52.76	-11.24	74.00	38.78	34.28	18.38	38.52	139	282 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5320.00	185.86	36.76	68.38	91.11	34.28	18.26	38.51	139	282 Peak																																																																
2	5328.00	97.61	83.66	34.28	18.26	38.51	139	282 Average																																																																	
Avg.	 <p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R2W: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 49 Site : #19 08227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.24</td> <td>44.18</td> <td>-9.82</td> <td>54.00</td> <td>38.28</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>139</td> <td>282 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.24	44.18	-9.82	54.00	38.28	34.28	18.38	38.52	139	282 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5358.24	44.18	-9.82	54.00	38.28	34.28	18.38	38.52	139	282 Average																																																																



UNII-2A 5250~5350MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																					
ANT	802.11n HT20 CH52 5260MHz - L																																																																																					
2	Horizontal	Fundamental																																																																																				
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : 211916-01 Mode : Mode 56 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5114.14</td> <td>53.83</td> <td>-28.97</td> <td>74.00</td> <td>39.64</td> <td>33.93</td> <td>18.82</td> <td>30.56</td> <td>112</td> <td></td> <td>168 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5114.14	53.83	-28.97	74.00	39.64	33.93	18.82	30.56	112		168 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : 211916-01 Mode : Mode 56 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>58.86</td> <td>34.76</td> <td>68.39</td> <td>89.38</td> <td>34.11</td> <td>18.17</td> <td>38.62</td> <td>112</td> <td></td> <td>168 Peak</td> </tr> <tr> <td>2</td> <td>5260.00</td> <td>59.39</td> <td>.....</td> <td>81.71</td> <td>34.11</td> <td>18.17</td> <td>38.62</td> <td>112</td> <td></td> <td></td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5260.00	58.86	34.76	68.39	89.38	34.11	18.17	38.62	112		168 Peak	2	5260.00	59.39	81.71	34.11	18.17	38.62	112			168 Average
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5114.14	53.83	-28.97	74.00	39.64	33.93	18.82	30.56	112		168 Peak																																																																											
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5260.00	58.86	34.76	68.39	89.38	34.11	18.17	38.62	112		168 Peak																																																																											
2	5260.00	59.39	81.71	34.11	18.17	38.62	112			168 Average																																																																											
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 1.000kHz Project : 211916-01 Mode : Mode 56 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.32</td> <td>42.54</td> <td>-11.48</td> <td>54.00</td> <td>29.15</td> <td>33.93</td> <td>18.82</td> <td>30.56</td> <td>112</td> <td></td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5112.32	42.54	-11.48	54.00	29.15	33.93	18.82	30.56	112		168 Average	Left blank																																																
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5112.32	42.54	-11.48	54.00	29.15	33.93	18.82	30.56	112		168 Average																																																																											



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH52 5260MHz - R																																
2	Horizontal	Fundamental																															
<p>Peak</p>	<p>Date: 4 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : 56 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5436.96</td> <td>51.45</td> <td>-22.55</td> <td>74.00</td> <td>37.42</td> <td>34.20</td> <td>10.38</td> <td>30.55</td> <td>112</td> <td>168 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5436.96	51.45	-22.55	74.00	37.42	34.20	10.38	30.55	112	168 Peak	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5436.96	51.45	-22.55	74.00	37.42	34.20	10.38	30.55	112	168 Peak																							
<p>Avg.</p>	<p>Date: 5 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : 56 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5551.28</td> <td>41.68</td> <td>-12.32</td> <td>54.00</td> <td>27.70</td> <td>34.20</td> <td>10.38</td> <td>30.52</td> <td>112</td> <td>168 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5551.28	41.68	-12.32	54.00	27.70	34.20	10.38	30.52	112	168 Average	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5551.28	41.68	-12.32	54.00	27.70	34.20	10.38	30.52	112	168 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11n HT20 CH52 5260MHz - L																																																																							
2	Vertical	Fundamental																																																																						
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>51.87</td> <td>-22.13</td> <td>74.00</td> <td>38.44</td> <td>33.97</td> <td>18.86</td> <td>30.68</td> <td>125</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	51.87	-22.13	74.00	38.44	33.97	18.86	30.68	125	198 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5269.00</td> <td>184.74</td> <td>36.44</td> <td>68.38</td> <td>91.86</td> <td>34.13</td> <td>19.17</td> <td>39.62</td> <td>125 198 Peak</td> </tr> <tr> <td>2</td> <td>5269.00</td> <td>96.90</td> <td>.....</td> <td>83.22</td> <td>34.13</td> <td>10.17</td> <td>39.62</td> <td>125</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5269.00	184.74	36.44	68.38	91.86	34.13	19.17	39.62	125 198 Peak	2	5269.00	96.90	83.22	34.13	10.17	39.62	125	198 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	51.87	-22.13	74.00	38.44	33.97	18.86	30.68	125	198 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	5269.00	184.74	36.44	68.38	91.86	34.13	19.17	39.62	125 198 Peak																																																															
2	5269.00	96.90	83.22	34.13	10.17	39.62	125	198 Average																																																															
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL Project : R2W1 1000.000kHz VBW 1.000kHz Mode : 211916-01 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5195.98</td> <td>42.74</td> <td>-11.26</td> <td>54.80</td> <td>29.31</td> <td>55.97</td> <td>18.86</td> <td>30.68</td> <td>125 198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5195.98	42.74	-11.26	54.80	29.31	55.97	18.86	30.68	125 198 Average	Left blank																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	5195.98	42.74	-11.26	54.80	29.31	55.97	18.86	30.68	125 198 Average																																																															



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH52 5260MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : 56 SW : #19 G88227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5367.69</td> <td>59.89</td> <td>-23.11</td> <td>74.00</td> <td>36.91</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>125</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg		1	5367.69	59.89	-23.11	74.00	36.91	34.20	10.30	30.52	125	198 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg																									
1	5367.69	59.89	-23.11	74.00	36.91	34.20	10.30	30.52	125	198 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : 56 SW : #19 G88227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5598.56</td> <td>42.69</td> <td>-11.31</td> <td>54.00</td> <td>28.71</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>125</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg		1	5598.56	42.69	-11.31	54.00	28.71	34.20	10.30	30.52	125	198 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg																									
1	5598.56	42.69	-11.31	54.00	28.71	34.20	10.30	30.52	125	198 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH60 5300MHz - L																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 57 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.85</td> <td>51.65</td> <td>-22.35</td> <td>74.00</td> <td>38.22</td> <td>33.97</td> <td>18.86</td> <td>30.68</td> <td>113</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5136.85	51.65	-22.35	74.00	38.22	33.97	18.86	30.68	113	171 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 57 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>181.97</td> <td>33.67</td> <td>68.38</td> <td>88.87</td> <td>34.28</td> <td>19.21</td> <td>39.51</td> <td>113</td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>5300.00</td> <td>94.53</td> <td>.....</td> <td>89.63</td> <td>34.28</td> <td>19.21</td> <td>39.51</td> <td>113</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	181.97	33.67	68.38	88.87	34.28	19.21	39.51	113	171 Peak	2	5300.00	94.53	89.63	34.28	19.21	39.51	113	171 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5136.85	51.65	-22.35	74.00	38.22	33.97	18.86	30.68	113	171 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5300.00	181.97	33.67	68.38	88.87	34.28	19.21	39.51	113	171 Peak																																																																
2	5300.00	94.53	89.63	34.28	19.21	39.51	113	171 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 57 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5331.25</td> <td>42.52</td> <td>-11.48</td> <td>54.00</td> <td>29.89</td> <td>35.97</td> <td>18.86</td> <td>30.68</td> <td>113</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5331.25	42.52	-11.48	54.00	29.89	35.97	18.86	30.68	113	171 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5331.25	42.52	-11.48	54.00	29.89	35.97	18.86	30.68	113	171 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH60 5300MHz - R																																
2	Horizontal	Vertical																															
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : F7 Site : #19 GREG27012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.72</td> <td>51.88</td> <td>-22.12</td> <td>74.00</td> <td>37.00</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>113</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5358.72	51.88	-22.12	74.00	37.00	34.20	10.30	30.52	113	171 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																									
1	5358.72	51.88	-22.12	74.00	37.00	34.20	10.30	30.52	113	171 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : F7 Site : #19 GREG27012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.56</td> <td>42.22</td> <td>-11.78</td> <td>54.00</td> <td>28.24</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>113</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5358.56	42.22	-11.78	54.00	28.24	34.20	10.30	30.52	113	171 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																									
1	5358.56	42.22	-11.78	54.00	28.24	34.20	10.30	30.52	113	171 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH60 5300MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 57 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9898.15</td> <td>51.98</td> <td>-22.82</td> <td>74.00</td> <td>38.68</td> <td>33.87</td> <td>18.82</td> <td>38.59</td> <td>119</td> <td>200 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	9898.15	51.98	-22.82	74.00	38.68	33.87	18.82	38.59	119	200 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 57 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>185.67</td> <td>37.37</td> <td>68.38</td> <td>91.77</td> <td>34.28</td> <td>18.21</td> <td>38.51</td> <td>119</td> <td>200 Peak</td> </tr> <tr> <td>2</td> <td>5300.00</td> <td>97.60</td> <td>.....</td> <td>83.78</td> <td>34.28</td> <td>10.21</td> <td>38.51</td> <td>119</td> <td>200 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	185.67	37.37	68.38	91.77	34.28	18.21	38.51	119	200 Peak	2	5300.00	97.60	83.78	34.28	10.21	38.51	119	200 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	9898.15	51.98	-22.82	74.00	38.68	33.87	18.82	38.59	119	200 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5300.00	185.67	37.37	68.38	91.77	34.28	18.21	38.51	119	200 Peak																																																																
2	5300.00	97.60	83.78	34.28	10.21	38.51	119	200 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 57 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5335.35</td> <td>42.68</td> <td>-11.48</td> <td>54.00</td> <td>29.17</td> <td>55.97</td> <td>18.88</td> <td>38.08</td> <td>119</td> <td>200 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5335.35	42.68	-11.48	54.00	29.17	55.97	18.88	38.08	119	200 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5335.35	42.68	-11.48	54.00	29.17	55.97	18.88	38.08	119	200 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT20 CH60 5300MHz - R	
2	Vertical	Fundamental
Peak	<p> Date: 9 Date: 2022-05-27 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : F7 Site : #19 GREG27012194000K Plane : Z with Accessory setting : MCSO power setting 16 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB deg 1 5448.24 53.86 -20.94 74.00 39.03 34.20 30.38 30.55 119 200 Peak </p>	Left blank
Avg.	<p> Date: 10 Date: 2022-05-27 Level (dBuV/m) Frequency (MHz) Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : F7 Site : #19 GREG27012194000K Plane : Z with Accessory setting : MCSO power setting 16 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB deg 1 5598.56 45.76 -18.24 54.00 29.78 34.20 30.38 30.52 119 200 Average </p>	Left blank



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH64 5320MHz																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RW1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.28</td> <td>52.13</td> <td>-21.87</td> <td>74.00</td> <td>38.15</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>156</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.28	52.13	-21.87	74.00	38.15	34.28	18.38	38.52	156	173 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : RW1 1000.000kHz VBW 3000.000kHz Mode : 211916-01 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>143.21</td> <td>34.91</td> <td>68.38</td> <td>89.26</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>156</td> <td>173 Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>95.21</td> <td>.....</td> <td>81.26</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>156</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	143.21	34.91	68.38	89.26	34.28	18.26	38.51	156	173 Peak	2	5320.00	95.21	81.26	34.28	18.26	38.51	156	173 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5353.28	52.13	-21.87	74.00	38.15	34.28	18.38	38.52	156	173 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5320.00	143.21	34.91	68.38	89.26	34.28	18.26	38.51	156	173 Peak																																																																
2	5320.00	95.21	81.26	34.28	18.26	38.51	156	173 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL Project : RW1 1000.000kHz VBW 1.000kHz Mode : 211916-01 SN : #19 08227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.48</td> <td>43.58</td> <td>-18.42</td> <td>54.00</td> <td>29.08</td> <td>34.28</td> <td>18.38</td> <td>38.52</td> <td>156</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.48	43.58	-18.42	54.00	29.08	34.28	18.38	38.52	156	173 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5358.48	43.58	-18.42	54.00	29.08	34.28	18.38	38.52	156	173 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH64 5320MHz																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 08 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5495.92</td> <td>52.26</td> <td>-21.74</td> <td>74.00</td> <td>39.25</td> <td>34.28</td> <td>18.34</td> <td>39.53</td> <td>158</td> <td>214 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5495.92	52.26	-21.74	74.00	39.25	34.28	18.34	39.53	158	214 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 08 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>184.31</td> <td>36.01</td> <td>69.38</td> <td>99.36</td> <td>34.28</td> <td>19.26</td> <td>39.51</td> <td>158</td> <td>214 Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>96.91</td> <td>.....</td> <td>82.96</td> <td>34.28</td> <td>19.26</td> <td>39.51</td> <td>158</td> <td>214 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	184.31	36.01	69.38	99.36	34.28	19.26	39.51	158	214 Peak	2	5320.00	96.91	82.96	34.28	19.26	39.51	158	214 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5495.92	52.26	-21.74	74.00	39.25	34.28	18.34	39.53	158	214 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5320.00	184.31	36.01	69.38	99.36	34.28	19.26	39.51	158	214 Peak																																																																
2	5320.00	96.91	82.96	34.28	19.26	39.51	158	214 Average																																																																	
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 08 SN : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5590.00</td> <td>43.55</td> <td>-18.45</td> <td>54.00</td> <td>29.57</td> <td>34.28</td> <td>18.39</td> <td>39.52</td> <td>158</td> <td>214 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5590.00	43.55	-18.45	54.00	29.57	34.28	18.39	39.52	158	214 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5590.00	43.55	-18.45	54.00	29.57	34.28	18.39	39.52	158	214 Average																																																																