





UNII-2A 5250~5350MHz  
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11n HT40 CH54 5270 - L																																																																														
2	Horizontal	Fundamental																																																																													
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz Mode : 211916-01 Mode : Mode 64 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1046.28</td> <td>54.28</td> <td>-19.88</td> <td>74.00</td> <td>41.04</td> <td>33.80</td> <td>9.99</td> <td>30.63</td> <td>106</td> <td>172 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	1046.28	54.28	-19.88	74.00	41.04	33.80	9.99	30.63	106	172 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz Mode : 211916-01 Mode : Mode 64 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>99.87</td> <td>30.77</td> <td>68.38</td> <td>85.39</td> <td>34.11</td> <td>10.17</td> <td>30.62</td> <td>106</td> <td>172 Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>191.51</td> <td>.....</td> <td>77.83</td> <td>34.11</td> <td>10.17</td> <td>30.62</td> <td>106</td> <td>172</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5270.00	99.87	30.77	68.38	85.39	34.11	10.17	30.62	106	172 Peak	2	5270.00	191.51	.....	77.83	34.11	10.17	30.62	106	172	Average
Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	1046.28	54.28	-19.88	74.00	41.04	33.80	9.99	30.63	106	172 Peak																																																																					
Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5270.00	99.87	30.77	68.38	85.39	34.11	10.17	30.62	106	172 Peak																																																																					
2	5270.00	191.51	.....	77.83	34.11	10.17	30.62	106	172	Average																																																																					
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL Project : RBW 1000.000kHz VBW 3.000kHz Mode : 211916-01 Mode : Mode 64 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS9 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.75</td> <td>42.76</td> <td>-11.24</td> <td>54.00</td> <td>29.33</td> <td>33.97</td> <td>10.06</td> <td>30.68</td> <td>106</td> <td>172 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5127.75	42.76	-11.24	54.00	29.33	33.97	10.06	30.68	106	172 Average	Left blank																																												
Freq	Level	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5127.75	42.76	-11.24	54.00	29.33	33.97	10.06	30.68	106	172 Average																																																																					



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																																		
ANT	802.11n HT40 CH54 5270 - R																																																																																																		
2	Horizontal	Fundamental																																																																																																	
<p><b>Peak</b></p>	 <table border="1" data-bbox="430 761 782 896"> <tr> <td>Site</td> <td colspan="7">: 03CH02-SZ</td> </tr> <tr> <td>Condition</td> <td colspan="7">: PART 15.407 3m HF ANT_3117_0107 HORIZONTAL</td> </tr> <tr> <td></td> <td colspan="7">: RBW: 1000.000kHz VBW: 3000.000kHz</td> </tr> <tr> <td>Project</td> <td colspan="7">: 211916-01</td> </tr> <tr> <td>Mode</td> <td colspan="7">: Mode 04</td> </tr> <tr> <td>Site</td> <td colspan="7">: #19 03E227012194000K</td> </tr> <tr> <td>Plane</td> <td colspan="7">: Z with Accessory</td> </tr> <tr> <td>setting</td> <td colspan="7">: MCS0 power setting 15</td> </tr> <tr> <td></td> <td>Freq</td> <td>Level</td> <td>Over</td> <td>Limit</td> <td>ReadAntenna</td> <td>Cable</td> <td>Preamp</td> <td>A/Pos</td> <td>T/Pos</td> <td>Remark</td> </tr> <tr> <td></td> <td>MHz</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>ca</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5383.44</td> <td>51.84</td> <td>-22.16</td> <td>74.00</td> <td>37.87</td> <td>34.20</td> <td>10.30</td> <td>30.53</td> <td>106</td> <td>172 Peak</td> </tr> </table>	Site	: 03CH02-SZ							Condition	: PART 15.407 3m HF ANT_3117_0107 HORIZONTAL								: RBW: 1000.000kHz VBW: 3000.000kHz							Project	: 211916-01							Mode	: Mode 04							Site	: #19 03E227012194000K							Plane	: Z with Accessory							setting	: MCS0 power setting 15								Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5383.44	51.84	-22.16	74.00	37.87	34.20	10.30	30.53	106	172 Peak	<p>Left blank</p>
Site	: 03CH02-SZ																																																																																																		
Condition	: PART 15.407 3m HF ANT_3117_0107 HORIZONTAL																																																																																																		
	: RBW: 1000.000kHz VBW: 3000.000kHz																																																																																																		
Project	: 211916-01																																																																																																		
Mode	: Mode 04																																																																																																		
Site	: #19 03E227012194000K																																																																																																		
Plane	: Z with Accessory																																																																																																		
setting	: MCS0 power setting 15																																																																																																		
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																																									
1	5383.44	51.84	-22.16	74.00	37.87	34.20	10.30	30.53	106	172 Peak																																																																																									
<p><b>Avg.</b></p>	 <table border="1" data-bbox="430 1433 782 1568"> <tr> <td>Site</td> <td colspan="7">: 03CH02-SZ</td> </tr> <tr> <td>Condition</td> <td colspan="7">: PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL</td> </tr> <tr> <td></td> <td colspan="7">: RBW: 1000.000kHz VBW: 3.000kHz</td> </tr> <tr> <td>Project</td> <td colspan="7">: 211916-01</td> </tr> <tr> <td>Mode</td> <td colspan="7">: Mode 04</td> </tr> <tr> <td>Site</td> <td colspan="7">: #19 03E227012194000K</td> </tr> <tr> <td>Plane</td> <td colspan="7">: Z with Accessory</td> </tr> <tr> <td>setting</td> <td colspan="7">: MCS0 power setting 15</td> </tr> <tr> <td></td> <td>Freq</td> <td>Level</td> <td>Over</td> <td>Limit</td> <td>ReadAntenna</td> <td>Cable</td> <td>Preamp</td> <td>A/Pos</td> <td>T/Pos</td> <td>Remark</td> </tr> <tr> <td></td> <td>MHz</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>ca</td> <td>deg</td> </tr> <tr> <td>1</td> <td>5351.76</td> <td>41.75</td> <td>-12.27</td> <td>54.00</td> <td>27.75</td> <td>34.20</td> <td>10.30</td> <td>30.52</td> <td>106</td> <td>172 Average</td> </tr> </table>	Site	: 03CH02-SZ							Condition	: PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL								: RBW: 1000.000kHz VBW: 3.000kHz							Project	: 211916-01							Mode	: Mode 04							Site	: #19 03E227012194000K							Plane	: Z with Accessory							setting	: MCS0 power setting 15								Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5351.76	41.75	-12.27	54.00	27.75	34.20	10.30	30.52	106	172 Average	<p>Left blank</p>
Site	: 03CH02-SZ																																																																																																		
Condition	: PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL																																																																																																		
	: RBW: 1000.000kHz VBW: 3.000kHz																																																																																																		
Project	: 211916-01																																																																																																		
Mode	: Mode 04																																																																																																		
Site	: #19 03E227012194000K																																																																																																		
Plane	: Z with Accessory																																																																																																		
setting	: MCS0 power setting 15																																																																																																		
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																																									
1	5351.76	41.75	-12.27	54.00	27.75	34.20	10.30	30.52	106	172 Average																																																																																									






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT40 CH54 5270 - L																																																																									
2	Vertical	Vertical																																																																								
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW:3000.000kHz            Project : 211916-01            Mode : Mode 04            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5115.85</td> <td>52.49</td> <td>-21.51</td> <td>74.00</td> <td>39.86</td> <td>33.93</td> <td>18.86</td> <td>30.56</td> <td>122</td> <td>199 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5115.85	52.49	-21.51	74.00	39.86	33.93	18.86	30.56	122	199 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW:3000.000kHz            Project : 211916-01            Mode : Mode 04            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>182.11</td> <td>33.81</td> <td>68.38</td> <td>88.43</td> <td>34.13</td> <td>19.17</td> <td>39.62</td> <td>122</td> <td>199 Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>95.84</td> <td>.....</td> <td>81.36</td> <td>34.13</td> <td>10.17</td> <td>39.62</td> <td>122</td> <td>199 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	182.11	33.81	68.38	88.43	34.13	19.17	39.62	122	199 Peak	2	5270.00	95.84	.....	81.36	34.13	10.17	39.62	122	199 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5115.85	52.49	-21.51	74.00	39.86	33.93	18.86	30.56	122	199 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5270.00	182.11	33.81	68.38	88.43	34.13	19.17	39.62	122	199 Peak																																																																
2	5270.00	95.84	.....	81.36	34.13	10.17	39.62	122	199 Average																																																																	
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW:3.000kHz            Project : 211916-01            Mode : Mode 04            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5197.55</td> <td>42.90</td> <td>-11.10</td> <td>54.00</td> <td>29.47</td> <td>35.97</td> <td>18.86</td> <td>30.00</td> <td>122</td> <td>199 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5197.55	42.90	-11.10	54.00	29.47	35.97	18.86	30.00	122	199 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5197.55	42.90	-11.10	54.00	29.47	35.97	18.86	30.00	122	199 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT40 CH54 5270 - R	
2	Vertical	Vertical
Peak	<p>           Date: 9            Date: 2022-05-27            Level (dBuV/m)            140            122.5            105.0            87.5            70.0            52.5            35.0            17.5            5220 5268 5316 5364 5412 5460            Frequency (MHz)         </p> <p>           Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            : RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 04            Site : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Freq Level Line Level Factor Loss Factor            dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m            1 5364.00 52.34 -21.66 74.00 38.36 34.20 38.36 30.52 122 199 Peak         </p>	Left blank
Avg.	<p>           Date: 10            Date: 2022-05-27            Level (dBuV/m)            140            122.5            105.0            87.5            70.0            52.5            35.0            17.5            5220 5268 5316 5364 5412 5460            Frequency (MHz)         </p> <p>           Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL            : RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 04            Site : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Freq Level Line Level Factor Loss Factor            dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m            1 5364.00 42.81 -11.19 54.00 28.83 34.20 38.36 30.52 122 199 Average         </p>	Left blank



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																										
ANT	802.11n HT40 CH62 5310 - L																																																																										
2	Horizontal	Fundamental																																																																									
<p><b>Peak</b></p>	 <p>Date: 1 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 60 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5195.35</td> <td>52.58</td> <td>-21.42</td> <td>74.00</td> <td>39.22</td> <td>33.90</td> <td>18.82</td> <td>38.56</td> <td>131</td> <td>174 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5195.35	52.58	-21.42	74.00	39.22	33.90	18.82	38.56	131	174 Peak	 <p>Date: 3 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 60 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>99.63</td> <td>31.33</td> <td>68.30</td> <td>85.68</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>131</td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5310.00</td> <td>98.91</td> <td>.....</td> <td>.....</td> <td>76.96</td> <td>34.28</td> <td>18.26</td> <td>38.51</td> <td>131</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5310.00	99.63	31.33	68.30	85.68	34.28	18.26	38.51	131	174 Peak	2	5310.00	98.91	.....	.....	76.96	34.28	18.26	38.51	131	174 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																			
1	5195.35	52.58	-21.42	74.00	39.22	33.90	18.82	38.56	131	174 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																			
1	5310.00	99.63	31.33	68.30	85.68	34.28	18.26	38.51	131	174 Peak																																																																	
2	5310.00	98.91	.....	.....	76.96	34.28	18.26	38.51	131	174 Average																																																																	
<p><b>Avg.</b></p>	 <p>Date: 2 Date: 2022-05-27</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 65 SN : #19 08B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5099.00</td> <td>42.59</td> <td>-11.41</td> <td>54.00</td> <td>29.23</td> <td>35.90</td> <td>18.82</td> <td>38.56</td> <td>131</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5099.00	42.59	-11.41	54.00	29.23	35.90	18.82	38.56	131	174 Average	<p><b>Left blank</b></p>																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																			
1	5099.00	42.59	-11.41	54.00	29.23	35.90	18.82	38.56	131	174 Average																																																																	



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11n HT40 CH62 5310 - R																																
2	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            : RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 60            Site : #19 03B227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.88</td> <td>58.82</td> <td>-15.98</td> <td>74.80</td> <td>44.04</td> <td>34.20</td> <td>18.38</td> <td>38.52</td> <td>131</td> <td>174 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5398.88	58.82	-15.98	74.80	44.04	34.20	18.38	38.52	131	174 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5398.88	58.82	-15.98	74.80	44.04	34.20	18.38	38.52	131	174 Peak																							
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL            : RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 65            Site : #19 03B227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.88</td> <td>43.46</td> <td>-18.54</td> <td>54.80</td> <td>29.48</td> <td>34.20</td> <td>18.38</td> <td>38.52</td> <td>131</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5398.88	43.46	-18.54	54.80	29.48	34.20	18.38	38.52	131	174 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5398.88	43.46	-18.54	54.80	29.48	34.20	18.38	38.52	131	174 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11n HT40 CH62 5310 - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW:3000.000kHz            Project : 211916-01            Mode : Mode 60            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.95</td> <td>52.18</td> <td>-21.82</td> <td>74.00</td> <td>38.79</td> <td>33.93</td> <td>18.82</td> <td>38.56</td> <td>111</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.95	52.18	-21.82	74.00	38.79	33.93	18.82	38.56	111	198 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW:3000.000kHz            Project : 211916-01            Mode : Mode 60            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.95</td> <td>52.18</td> <td>-21.82</td> <td>74.00</td> <td>38.79</td> <td>33.93</td> <td>18.82</td> <td>38.56</td> <td>111</td> <td>198 Peak</td> </tr> <tr> <td>2</td> <td>5310.95</td> <td>95.23</td> <td>.....</td> <td>81.28</td> <td>34.28</td> <td>10.25</td> <td>39.51</td> <td>111</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.95	52.18	-21.82	74.00	38.79	33.93	18.82	38.56	111	198 Peak	2	5310.95	95.23	.....	81.28	34.28	10.25	39.51	111	198 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5310.95	52.18	-21.82	74.00	38.79	33.93	18.82	38.56	111	198 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5310.95	52.18	-21.82	74.00	38.79	33.93	18.82	38.56	111	198 Peak																																																																
2	5310.95	95.23	.....	81.28	34.28	10.25	39.51	111	198 Average																																																																	
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW:3000.000kHz            Project : 211916-01            Mode : Mode 65            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.95</td> <td>42.64</td> <td>-11.36</td> <td>54.00</td> <td>29.21</td> <td>35.93</td> <td>18.88</td> <td>38.56</td> <td>111</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.95	42.64	-11.36	54.00	29.21	35.93	18.88	38.56	111	198 Average	Left blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5310.95	42.64	-11.36	54.00	29.21	35.93	18.88	38.56	111	198 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11n HT40 CH62 5310 - R	
2	Vertical	Fundamental
Peak	<p>           Date: 9            Date: 2022-05-27            Level (dBuV/m)            Frequency (MHz)            Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            : RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 60            Site : #19 03B227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15            Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark            : dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg            1 5351.04 58.73 -15.27 74.00 44.75 34.20 10.30 30.52 111 198 Peak         </p>	Left blank
Avg.	<p>           Date: 10            Date: 2022-05-27            Level (dBuV/m)            Frequency (MHz)            Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL            : RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 65            Site : #19 03B227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15            Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark            : dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg            1 5350.00 45.34 -8.46 54.00 31.56 34.20 10.30 30.52 111 198 Average         </p>	Left blank





**UNII-2A 5250~5350MHz**  
**WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11ac VHT80 CH58 5290MHz - L																																																																									
2	Horizontal	Fundamental																																																																								
<b>Peak</b>	<p>Date: 1 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode TO SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1041.38</td> <td>53.54</td> <td>-20.46</td> <td>74.00</td> <td>49.42</td> <td>33.80</td> <td>9.99</td> <td>30.67</td> <td>185</td> <td>172 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	1041.38	53.54	-20.46	74.00	49.42	33.80	9.99	30.67	185	172 Peak	<p>Date: 3 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode TO SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>95.87</td> <td>26.77</td> <td>68.39</td> <td>81.26</td> <td>34.11</td> <td>10.21</td> <td>38.57</td> <td>185</td> <td>172 Peak</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>87.16</td> <td>.....</td> <td>73.33</td> <td>34.12</td> <td>10.21</td> <td>38.57</td> <td>185</td> <td>172 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5290.00	95.87	26.77	68.39	81.26	34.11	10.21	38.57	185	172 Peak	2	5290.00	87.16	.....	73.33	34.12	10.21	38.57	185	172 Average
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																		
1	1041.38	53.54	-20.46	74.00	49.42	33.80	9.99	30.67	185	172 Peak																																																																
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																		
1	5290.00	95.87	26.77	68.39	81.26	34.11	10.21	38.57	185	172 Peak																																																																
2	5290.00	87.16	.....	73.33	34.12	10.21	38.57	185	172 Average																																																																	
<b>Avg.</b>	<p>Date: 2 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW TO 000kHz Project : 211916-01 Mode : Mode TO SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.35</td> <td>42.51</td> <td>-11.49</td> <td>54.00</td> <td>29.12</td> <td>33.93</td> <td>10.82</td> <td>30.56</td> <td>185</td> <td>172 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5112.35	42.51	-11.49	54.00	29.12	33.93	10.82	30.56	185	172 Average	<b>Left blank</b>																																									
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																		
1	5112.35	42.51	-11.49	54.00	29.12	33.93	10.82	30.56	185	172 Average																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11ac VHT80 CH58 5290MHz - R																																
2	Horizontal	Fundamental																															
Peak	<p>Date: 4 Date: 2022-05-25</p> <p>Level (dBmV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 70 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBmV/m</th> <th>dB</th> <th>dBmV/m</th> <th>dBmV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5397.28</td> <td>52.44</td> <td>-21.56</td> <td>74.00</td> <td>38.46</td> <td>34.20</td> <td>38.38</td> <td>38.52</td> <td>185</td> <td>172 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBmV/m	dB	dBmV/m	dBmV	dB/m	dB	dB	deg		1	5397.28	52.44	-21.56	74.00	38.46	34.20	38.38	38.52	185	172 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBmV/m	dB	dBmV/m	dBmV	dB/m	dB	dB	deg																									
1	5397.28	52.44	-21.56	74.00	38.46	34.20	38.38	38.52	185	172 Peak																							
Avg.	<p>Date: 5 Date: 2022-05-25</p> <p>Level (dBmV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 70 Site : #19 03B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBmV/m</th> <th>dB</th> <th>dBmV/m</th> <th>dBmV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5598.32</td> <td>45.98</td> <td>-18.82</td> <td>54.00</td> <td>38.88</td> <td>34.20</td> <td>38.38</td> <td>38.52</td> <td>185</td> <td>172 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBmV/m	dB	dBmV/m	dBmV	dB/m	dB	dB	deg		1	5598.32	45.98	-18.82	54.00	38.88	34.20	38.38	38.52	185	172 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBmV/m	dB	dBmV/m	dBmV	dB/m	dB	dB	deg																									
1	5598.32	45.98	-18.82	54.00	38.88	34.20	38.38	38.52	185	172 Average																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ac VHT80 CH58 5290MHz - L																																																																														
2	Vertical	Fundamental																																																																													
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode F0            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5128.45</td> <td>53.84</td> <td>-20.96</td> <td>74.00</td> <td>39.61</td> <td>33.97</td> <td>18.86</td> <td>30.60</td> <td>218</td> <td>182 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5128.45	53.84	-20.96	74.00	39.61	33.97	18.86	30.60	218	182 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode F0            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>87.38</td> <td>29.00</td> <td>68.38</td> <td>83.49</td> <td>34.17</td> <td>19.21</td> <td>30.57</td> <td>218</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>88.78</td> <td>.....</td> <td>74.97</td> <td>34.17</td> <td>10.21</td> <td>30.57</td> <td>218</td> <td>182</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	87.38	29.00	68.38	83.49	34.17	19.21	30.57	218	182 Peak	2	5290.00	88.78	.....	74.97	34.17	10.21	30.57	218	182	Average
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5128.45	53.84	-20.96	74.00	39.61	33.97	18.86	30.60	218	182 Peak																																																																					
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5290.00	87.38	29.00	68.38	83.49	34.17	19.21	30.57	218	182 Peak																																																																					
2	5290.00	88.78	.....	74.97	34.17	10.21	30.57	218	182	Average																																																																					
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL            RBW: 1000.000kHz VBW: 10.000kHz            Project : 211916-01            Mode : Mode F0            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5188.15</td> <td>42.55</td> <td>-11.47</td> <td>54.00</td> <td>29.14</td> <td>55.93</td> <td>18.82</td> <td>30.56</td> <td>218</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5188.15	42.55	-11.47	54.00	29.14	55.93	18.82	30.56	218	182 Average	Left blank																																												
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5188.15	42.55	-11.47	54.00	29.14	55.93	18.82	30.56	218	182 Average																																																																					



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH58 5290MHz - R	
2	Vertical	Fundamental
Peak	<p>           Date: 9            Level (dBuV/m)            Date: 2022-05-25            140            122.5            105.0            87.5            70.0            52.5            35.0            17.5            5220 5268 5316 5364 5412 5460            Frequency (MHz)         </p> <p>           Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            : RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 70            Site : #19 03B227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Freq Level Line Level Factor Loss Factor            dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m            1 5353.44 58.25 -15.75 74.00 44.27 34.20 38.38 38.52 218 182 Peak         </p>	Left blank
Avg.	<p>           Date: 10            Level (dBuV/m)            Date: 2022-05-25            140            122.5            105.0            87.5            70.0            52.5            35.0            17.5            5220 5268 5316 5364 5412 5460            Frequency (MHz)         </p> <p>           Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL            : RBW: 1000.000kHz VBW: 10.000kHz            Project : 211916-01            Mode : Mode 70            Site : #19 03B227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Freq Level Line Level Factor Loss Factor            dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m            1 5350.88 45.74 -8.26 54.00 31.76 34.20 38.38 38.52 218 182 Average         </p>	Left blank



UNII-2A - 5250~5350MHz  
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																											
ANT	802.11a CH52 5260MHz																																																																																											
2	Horizontal	Vertical																																																																																										
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 47 Site : #19-G08227012194000K Plane : Z with Accessory setting : 5M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14920.00</td> <td>47.06</td> <td>-22.24</td> <td>60.30</td> <td>58.41</td> <td>37.32</td> <td>11.05</td> <td>60.32</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.90</td> <td>-24.18</td> <td>74.00</td> <td>53.85</td> <td>40.32</td> <td>14.78</td> <td>59.85</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	14920.00	47.06	-22.24	60.30	58.41	37.32	11.05	60.32	--- Peak	2	15780.00	49.90	-24.18	74.00	53.85	40.32	14.78	59.85	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 47 Site : #19-G08227012194000K Plane : Z with Accessory setting : 5M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14920.00</td> <td>46.83</td> <td>-22.47</td> <td>60.30</td> <td>62.18</td> <td>37.32</td> <td>11.05</td> <td>60.32</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>51.41</td> <td>-22.59</td> <td>74.00</td> <td>55.36</td> <td>40.32</td> <td>14.78</td> <td>59.85</td> <td>100 236 Peak</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>44.37</td> <td>-9.63</td> <td>54.00</td> <td>48.32</td> <td>40.32</td> <td>14.78</td> <td>59.85</td> <td>100 236 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	14920.00	46.83	-22.47	60.30	62.18	37.32	11.05	60.32	--- Peak	2	15780.00	51.41	-22.59	74.00	55.36	40.32	14.78	59.85	100 236 Peak	3	15780.00	44.37	-9.63	54.00	48.32	40.32	14.78	59.85	100 236 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																				
1	14920.00	47.06	-22.24	60.30	58.41	37.32	11.05	60.32	--- Peak																																																																																			
2	15780.00	49.90	-24.18	74.00	53.85	40.32	14.78	59.85	--- Peak																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																				
1	14920.00	46.83	-22.47	60.30	62.18	37.32	11.05	60.32	--- Peak																																																																																			
2	15780.00	51.41	-22.59	74.00	55.36	40.32	14.78	59.85	100 236 Peak																																																																																			
3	15780.00	44.37	-9.63	54.00	48.32	40.32	14.78	59.85	100 236 Average																																																																																			

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																											
ANT	802.11a CH60 5300MHz																																																																																											
2	Horizontal	Vertical																																																																																										
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 48 Site : #19-G08227012194000K Plane : Z with Accessory setting : 5M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>49.44</td> <td>-24.56</td> <td>74.00</td> <td>29.22</td> <td>37.42</td> <td>14.48</td> <td>33.41</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.48</td> <td>-25.52</td> <td>74.00</td> <td>52.49</td> <td>40.42</td> <td>14.86</td> <td>59.29</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	18000.00	49.44	-24.56	74.00	29.22	37.42	14.48	33.41	--- Peak	2	15900.00	48.48	-25.52	74.00	52.49	40.42	14.86	59.29	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 48 Site : #19-G08227012194000K Plane : Z with Accessory setting : 5M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>51.19</td> <td>-20.81</td> <td>74.00</td> <td>65.85</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>100 211 Peak</td> </tr> <tr> <td>2</td> <td>18000.00</td> <td>45.64</td> <td>-8.36</td> <td>54.00</td> <td>56.30</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>100 211 Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>48.64</td> <td>-25.36</td> <td>74.00</td> <td>52.85</td> <td>40.42</td> <td>14.86</td> <td>59.29</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	18000.00	51.19	-20.81	74.00	65.85	37.42	11.86	59.94	100 211 Peak	2	18000.00	45.64	-8.36	54.00	56.30	37.42	11.86	59.94	100 211 Average	3	15900.00	48.64	-25.36	74.00	52.85	40.42	14.86	59.29	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																				
1	18000.00	49.44	-24.56	74.00	29.22	37.42	14.48	33.41	--- Peak																																																																																			
2	15900.00	48.48	-25.52	74.00	52.49	40.42	14.86	59.29	--- Peak																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																				
1	18000.00	51.19	-20.81	74.00	65.85	37.42	11.86	59.94	100 211 Peak																																																																																			
2	18000.00	45.64	-8.36	54.00	56.30	37.42	11.86	59.94	100 211 Average																																																																																			
3	15900.00	48.64	-25.36	74.00	52.85	40.42	14.86	59.29	--- Peak																																																																																			



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																						
ANT	802.11a CH64 5320MHz																																																																																						
2	Horizontal	Vertical																																																																																					
Peak Avg.																																																																																							
	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18648.00</td> <td>48.17</td> <td>-35.43</td> <td>74.00</td> <td>58.66</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>147 Peak</td> </tr> <tr> <td>2</td> <td>18648.00</td> <td>51.56</td> <td>-32.44</td> <td>74.00</td> <td>55.63</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>152 Peak</td> </tr> <tr> <td>3</td> <td>15568.00</td> <td>44.43</td> <td>-9.57</td> <td>54.00</td> <td>48.58</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>152 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	18648.00	48.17	-35.43	74.00	58.66	37.47	11.83	59.79	100	147 Peak	2	18648.00	51.56	-32.44	74.00	55.63	48.47	14.89	59.43	100	152 Peak	3	15568.00	44.43	-9.57	54.00	48.58	48.47	14.89	59.43	100	152 Average	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18648.00</td> <td>51.00</td> <td>-32.10</td> <td>74.00</td> <td>62.39</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>214 Peak</td> </tr> <tr> <td>2</td> <td>18648.00</td> <td>44.47</td> <td>-9.53</td> <td>54.00</td> <td>54.96</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>214 Average</td> </tr> <tr> <td>3</td> <td>15568.00</td> <td>58.23</td> <td>-23.77</td> <td>74.00</td> <td>54.38</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>188 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	18648.00	51.00	-32.10	74.00	62.39	37.47	11.83	59.79	100	214 Peak	2	18648.00	44.47	-9.53	54.00	54.96	37.47	11.83	59.79	100	214 Average	3	15568.00	58.23	-23.77	74.00	54.38	48.47	14.89	59.43	100
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																														
1	18648.00	48.17	-35.43	74.00	58.66	37.47	11.83	59.79	100	147 Peak																																																																													
2	18648.00	51.56	-32.44	74.00	55.63	48.47	14.89	59.43	100	152 Peak																																																																													
3	15568.00	44.43	-9.57	54.00	48.58	48.47	14.89	59.43	100	152 Average																																																																													
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																														
1	18648.00	51.00	-32.10	74.00	62.39	37.47	11.83	59.79	100	214 Peak																																																																													
2	18648.00	44.47	-9.53	54.00	54.96	37.47	11.83	59.79	100	214 Average																																																																													
3	15568.00	58.23	-23.77	74.00	54.38	48.47	14.89	59.43	100	188 Peak																																																																													



UNII-2A 5250~5350MHz  
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH52 5260MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : G3CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 06 SN : #19 G3B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18520.00</td> <td>46.99</td> <td>-21.31</td> <td>68.30</td> <td>58.34</td> <td>37.32</td> <td>11.65</td> <td>60.32</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15780.00</td> <td>52.91</td> <td>-20.00</td> <td>74.00</td> <td>57.66</td> <td>40.32</td> <td>14.78</td> <td>59.05</td> <td>100</td> <td>158 Peak</td> </tr> <tr> <td>3 15780.00</td> <td>46.15</td> <td>-17.85</td> <td>54.00</td> <td>50.18</td> <td>40.32</td> <td>14.78</td> <td>59.05</td> <td>100</td> <td>158 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 18520.00	46.99	-21.31	68.30	58.34	37.32	11.65	60.32	---	Peak	2 15780.00	52.91	-20.00	74.00	57.66	40.32	14.78	59.05	100	158 Peak	3 15780.00	46.15	-17.85	54.00	50.18	40.32	14.78	59.05	100	158 Average	<p>Site : G3CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 06 SN : #19 G3B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18520.00</td> <td>51.99</td> <td>-16.31</td> <td>68.30</td> <td>63.34</td> <td>37.32</td> <td>11.65</td> <td>60.32</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15780.00</td> <td>58.65</td> <td>-15.35</td> <td>74.00</td> <td>54.69</td> <td>40.32</td> <td>14.78</td> <td>59.05</td> <td>100</td> <td>216 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 18520.00	51.99	-16.31	68.30	63.34	37.32	11.65	60.32	---	Peak	2 15780.00	58.65	-15.35	74.00	54.69	40.32	14.78	59.05	100	216 Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 18520.00	46.99	-21.31	68.30	58.34	37.32	11.65	60.32	---	Peak																																																																																	
2 15780.00	52.91	-20.00	74.00	57.66	40.32	14.78	59.05	100	158 Peak																																																																																	
3 15780.00	46.15	-17.85	54.00	50.18	40.32	14.78	59.05	100	158 Average																																																																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 18520.00	51.99	-16.31	68.30	63.34	37.32	11.65	60.32	---	Peak																																																																																	
2 15780.00	58.65	-15.35	74.00	54.69	40.32	14.78	59.05	100	216 Peak																																																																																	

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH60 5300MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : G3CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 07 SN : #19 G3B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18600.00</td> <td>58.35</td> <td>-21.65</td> <td>74.00</td> <td>38.13</td> <td>37.42</td> <td>14.41</td> <td>31.61</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15900.00</td> <td>49.38</td> <td>-14.78</td> <td>74.00</td> <td>53.31</td> <td>40.42</td> <td>14.68</td> <td>59.29</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 18600.00	58.35	-21.65	74.00	38.13	37.42	14.41	31.61	---	Peak	2 15900.00	49.38	-14.78	74.00	53.31	40.42	14.68	59.29	---	Peak	<p>Site : G3CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 07 SN : #19 G3B227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18600.00</td> <td>51.47</td> <td>-22.53</td> <td>74.00</td> <td>62.13</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>100</td> <td>216 Peak</td> </tr> <tr> <td>2 18600.00</td> <td>46.64</td> <td>-19.36</td> <td>54.00</td> <td>55.30</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>100</td> <td>215 Average</td> </tr> <tr> <td>3 15900.00</td> <td>58.34</td> <td>-21.66</td> <td>74.00</td> <td>22.86</td> <td>40.42</td> <td>18.00</td> <td>31.64</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 18600.00	51.47	-22.53	74.00	62.13	37.42	11.86	59.94	100	216 Peak	2 18600.00	46.64	-19.36	54.00	55.30	37.42	11.86	59.94	100	215 Average	3 15900.00	58.34	-21.66	74.00	22.86	40.42	18.00	31.64	---	Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 18600.00	58.35	-21.65	74.00	38.13	37.42	14.41	31.61	---	Peak																																																																																	
2 15900.00	49.38	-14.78	74.00	53.31	40.42	14.68	59.29	---	Peak																																																																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 18600.00	51.47	-22.53	74.00	62.13	37.42	11.86	59.94	100	216 Peak																																																																																	
2 18600.00	46.64	-19.36	54.00	55.30	37.42	11.86	59.94	100	215 Average																																																																																	
3 15900.00	58.34	-21.66	74.00	22.86	40.42	18.00	31.64	---	Peak																																																																																	



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																				
ANT	802.11n HT20 CH64 5320MHz																																																																																																				
2	Horizontal	Vertical																																																																																																			
Peak Avg.	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 58 SN : #19 GBZ27012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.00</td> <td>-27.10</td> <td>74.00</td> <td>57.39</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>59.00</td> <td>-23.97</td> <td>74.00</td> <td>54.18</td> <td>40.47</td> <td>14.00</td> <td>59.43</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	46.00	-27.10	74.00	57.39	37.47	11.83	59.79	...	Peak	2	15900.00	59.00	-23.97	74.00	54.18	40.47	14.00	59.43	...	Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 58 SN : #19 GBZ27012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>53.11</td> <td>-20.89</td> <td>74.00</td> <td>63.00</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>217 Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>45.41</td> <td>-25.59</td> <td>54.00</td> <td>55.90</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>217 Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>59.20</td> <td>-23.71</td> <td>74.00</td> <td>54.36</td> <td>40.47</td> <td>14.09</td> <td>59.43</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	53.11	-20.89	74.00	63.00	37.47	11.83	59.79	100	217 Peak	2	10640.00	45.41	-25.59	54.00	55.90	37.47	11.83	59.79	100	217 Average	3	15900.00	59.20	-23.71	74.00	54.36	40.47	14.09	59.43	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10640.00	46.00	-27.10	74.00	57.39	37.47	11.83	59.79	...	Peak																																																																																											
2	15900.00	59.00	-23.97	74.00	54.18	40.47	14.00	59.43	...	Peak																																																																																											
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10640.00	53.11	-20.89	74.00	63.00	37.47	11.83	59.79	100	217 Peak																																																																																											
2	10640.00	45.41	-25.59	54.00	55.90	37.47	11.83	59.79	100	217 Average																																																																																											
3	15900.00	59.20	-23.71	74.00	54.36	40.47	14.09	59.43	...	Peak																																																																																											





**UNII-2A 5250~5350MHz**  
**WIFI 802.11n HT40 (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2A 5250~5350MHz Harmonic @ 3m</b>																																																																																																	
<b>ANT</b>	<b>802.11n HT40 CH54 5270</b>																																																																																																	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																
<b>Peak Avg.</b>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 54 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10548.00</td> <td>46.66</td> <td>-21.64</td> <td>68.30</td> <td>57.88</td> <td>37.34</td> <td>11.69</td> <td>68.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15528.00</td> <td>58.49</td> <td>-23.51</td> <td>74.00</td> <td>54.45</td> <td>48.35</td> <td>14.83</td> <td>59.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	10548.00	46.66	-21.64	68.30	57.88	37.34	11.69	68.25	---	---	Peak	2	15528.00	58.49	-23.51	74.00	54.45	48.35	14.83	59.12	---	---	Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 54 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10548.00</td> <td>47.65</td> <td>-20.65</td> <td>68.30</td> <td>58.87</td> <td>37.34</td> <td>11.69</td> <td>68.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15528.00</td> <td>58.52</td> <td>-23.48</td> <td>74.00</td> <td>54.48</td> <td>48.35</td> <td>14.83</td> <td>59.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	10548.00	47.65	-20.65	68.30	58.87	37.34	11.69	68.25	---	---	Peak	2	15528.00	58.52	-23.48	74.00	54.48	48.35	14.83	59.12	---	---	Peak
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	10548.00	46.66	-21.64	68.30	57.88	37.34	11.69	68.25	---	---	Peak																																																																																							
2	15528.00	58.49	-23.51	74.00	54.45	48.35	14.83	59.12	---	---	Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	10548.00	47.65	-20.65	68.30	58.87	37.34	11.69	68.25	---	---	Peak																																																																																							
2	15528.00	58.52	-23.48	74.00	54.48	48.35	14.83	59.12	---	---	Peak																																																																																							

<b>WIFI</b>	<b>UNII-2A 5250~5350MHz Harmonic @ 3m</b>																																																																																																	
<b>ANT</b>	<b>802.11n HT40 CH62 5310</b>																																																																																																	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																
<b>Peak Avg.</b>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 65 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18628.00</td> <td>48.80</td> <td>-25.88</td> <td>74.00</td> <td>58.88</td> <td>37.44</td> <td>11.85</td> <td>59.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19338.00</td> <td>58.71</td> <td>-23.29</td> <td>74.00</td> <td>54.75</td> <td>48.44</td> <td>14.83</td> <td>59.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	18628.00	48.80	-25.88	74.00	58.88	37.44	11.85	59.87	---	---	Peak	2	19338.00	58.71	-23.29	74.00	54.75	48.44	14.83	59.36	---	---	Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 65 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18628.00</td> <td>47.58</td> <td>-25.08</td> <td>74.00</td> <td>58.88</td> <td>37.44</td> <td>11.85</td> <td>59.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19338.00</td> <td>58.22</td> <td>-23.78</td> <td>74.00</td> <td>54.26</td> <td>48.44</td> <td>14.83</td> <td>59.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	18628.00	47.58	-25.08	74.00	58.88	37.44	11.85	59.87	---	---	Peak	2	19338.00	58.22	-23.78	74.00	54.26	48.44	14.83	59.36	---	---	Peak
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	18628.00	48.80	-25.88	74.00	58.88	37.44	11.85	59.87	---	---	Peak																																																																																							
2	19338.00	58.71	-23.29	74.00	54.75	48.44	14.83	59.36	---	---	Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	18628.00	47.58	-25.08	74.00	58.88	37.44	11.85	59.87	---	---	Peak																																																																																							
2	19338.00	58.22	-23.78	74.00	54.26	48.44	14.83	59.36	---	---	Peak																																																																																							



**UNII-2A 5250~5350MHz**  
**WIFI 802.11ac VHT80 (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2A 5250~5350MHz Harmonic @ 3m</b>																																																																																	
<b>ANT</b>	<b>802.11ac VHT80 CH58 5290MHz</b>																																																																																	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																
<b>Peak</b> <b>Avg.</b>	<p>Site : 03CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode F0 SN : #19 G0B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>MHz</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18580.00</td> <td>46.49</td> <td>-21.81</td> <td>68.30</td> <td>57.29</td> <td>37.40</td> <td>11.82</td> <td>60.82</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>50.09</td> <td>-23.91</td> <td>74.00</td> <td>54.10</td> <td>40.40</td> <td>14.09</td> <td>59.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	dBuV/m	MHz	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	18580.00	46.49	-21.81	68.30	57.29	37.40	11.82	60.82	--- Peak	2	15570.00	50.09	-23.91	74.00	54.10	40.40	14.09	59.26	--- Peak	<p>Site : 03CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode F0 SN : #19 G0B227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>MHz</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18580.00</td> <td>47.81</td> <td>-21.29</td> <td>69.10</td> <td>57.81</td> <td>37.40</td> <td>11.82</td> <td>60.82</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>49.33</td> <td>-24.07</td> <td>74.00</td> <td>53.34</td> <td>40.40</td> <td>14.09</td> <td>59.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	dBuV/m	MHz	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	18580.00	47.81	-21.29	69.10	57.81	37.40	11.82	60.82	--- Peak	2	15570.00	49.33	-24.07	74.00	53.34	40.40	14.09	59.26	--- Peak
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
dBuV/m	MHz	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	18580.00	46.49	-21.81	68.30	57.29	37.40	11.82	60.82	--- Peak																																																																									
2	15570.00	50.09	-23.91	74.00	54.10	40.40	14.09	59.26	--- Peak																																																																									
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
dBuV/m	MHz	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	18580.00	47.81	-21.29	69.10	57.81	37.40	11.82	60.82	--- Peak																																																																									
2	15570.00	49.33	-24.07	74.00	53.34	40.40	14.09	59.26	--- Peak																																																																									



UNII-2A - 5250~5350MHz

UNII-2C - 5470~5725MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11a CH100 5500MHz																																																																																	
2	Horizontal	Fundamental																																																																																
Peak	<p>Date: 1 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode S0 Site : #19-G080227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5499.29</td> <td>52.85</td> <td>-11.97</td> <td>74.00</td> <td>38.00</td> <td>34.20</td> <td>18.38</td> <td>30.55</td> <td>124</td> <td>177 Peak</td> </tr> <tr> <td>5469.52</td> <td>58.95</td> <td>-17.35</td> <td>68.38</td> <td>36.88</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>124</td> <td>177 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	5499.29	52.85	-11.97	74.00	38.00	34.20	18.38	30.55	124	177 Peak	5469.52	58.95	-17.35	68.38	36.88	34.20	18.43	30.56	124	177 Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode S0 Site : #19-G080227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5500.00</td> <td>100.68</td> <td>32.30</td> <td>68.38</td> <td>86.55</td> <td>34.20</td> <td>18.43</td> <td>30.58</td> <td>124</td> <td>177 Peak</td> </tr> <tr> <td>5500.00</td> <td>92.50</td> <td>.....</td> <td>78.45</td> <td>34.20</td> <td>18.43</td> <td>30.58</td> <td>124</td> <td>177 Average</td> <td></td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	5500.00	100.68	32.30	68.38	86.55	34.20	18.43	30.58	124	177 Peak	5500.00	92.50	.....	78.45	34.20	18.43	30.58	124	177 Average	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB																																																																									
5499.29	52.85	-11.97	74.00	38.00	34.20	18.38	30.55	124	177 Peak																																																																									
5469.52	58.95	-17.35	68.38	36.88	34.20	18.43	30.56	124	177 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB																																																																									
5500.00	100.68	32.30	68.38	86.55	34.20	18.43	30.58	124	177 Peak																																																																									
5500.00	92.50	.....	78.45	34.20	18.43	30.58	124	177 Average																																																																										
Avg.	<p>Date: 2 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 1.0000kHz Project : 211916-01 Mode : Mode S0 Site : #19-G080227012194000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5499.76</td> <td>42.39</td> <td>-11.61</td> <td>54.00</td> <td>28.37</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>124</td> <td>177 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	5499.76	42.39	-11.61	54.00	28.37	34.20	18.38	30.56	124	177 Average	Left blank																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB																																																																									
5499.76	42.39	-11.61	54.00	28.37	34.20	18.38	30.56	124	177 Average																																																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH100 5500MHz																																																																																				
2	Vertical	Fundamental																																																																																			
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 50            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.56</td> <td>52.17</td> <td>-21.83</td> <td>74.00</td> <td>38.14</td> <td>34.28</td> <td>18.38</td> <td>38.55</td> <td>161</td> <td>193 Peak</td> </tr> <tr> <td>2</td> <td>5462.96</td> <td>53.58</td> <td>-14.88</td> <td>68.38</td> <td>39.48</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>161</td> <td>193 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5444.56	52.17	-21.83	74.00	38.14	34.28	18.38	38.55	161	193 Peak	2	5462.96	53.58	-14.88	68.38	39.48	34.28	18.38	38.56	161	193 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 50            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>185.24</td> <td>36.94</td> <td>68.38</td> <td>91.19</td> <td>34.28</td> <td>18.43</td> <td>38.58</td> <td>161</td> <td>193 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>97.81</td> <td>.....</td> <td>62.96</td> <td>34.28</td> <td>18.43</td> <td>38.58</td> <td>161</td> <td>193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	185.24	36.94	68.38	91.19	34.28	18.43	38.58	161	193 Peak	2	5500.00	97.81	.....	62.96	34.28	18.43	38.58	161	193 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5444.56	52.17	-21.83	74.00	38.14	34.28	18.38	38.55	161	193 Peak																																																																											
2	5462.96	53.58	-14.88	68.38	39.48	34.28	18.38	38.56	161	193 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5500.00	185.24	36.94	68.38	91.19	34.28	18.43	38.58	161	193 Peak																																																																											
2	5500.00	97.81	.....	62.96	34.28	18.43	38.58	161	193 Average																																																																												
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW: 1.000kHz            Project : 211916-01            Mode : Mode 50            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>44.85</td> <td>-9.95</td> <td>54.80</td> <td>38.83</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>161</td> <td>193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	44.85	-9.95	54.80	38.83	34.28	18.38	38.56	161	193 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.76	44.85	-9.95	54.80	38.83	34.28	18.38	38.56	161	193 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH116 5580MHz - L																																																																																				
2	Horizontal	Fundamental																																																																																			
Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 01            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>51.82</td> <td>-22.18</td> <td>74.00</td> <td>37.08</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>189</td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>49.88</td> <td>-18.58</td> <td>68.38</td> <td>35.73</td> <td>34.28</td> <td>18.43</td> <td>38.56</td> <td>189</td> <td>174 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.12	51.82	-22.18	74.00	37.08	34.28	18.38	38.56	189	174 Peak	2	5469.52	49.88	-18.58	68.38	35.73	34.28	18.43	38.56	189	174 Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 01            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>181.44</td> <td>33.14</td> <td>68.38</td> <td>87.84</td> <td>34.23</td> <td>18.52</td> <td>38.35</td> <td>189</td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>94.20</td> <td>.....</td> <td>79.88</td> <td>34.23</td> <td>18.52</td> <td>38.35</td> <td>189</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	181.44	33.14	68.38	87.84	34.23	18.52	38.35	189	174 Peak	2	5580.00	94.20	.....	79.88	34.23	18.52	38.35	189	174 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5455.12	51.82	-22.18	74.00	37.08	34.28	18.38	38.56	189	174 Peak																																																																											
2	5469.52	49.88	-18.58	68.38	35.73	34.28	18.43	38.56	189	174 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5580.00	181.44	33.14	68.38	87.84	34.23	18.52	38.35	189	174 Peak																																																																											
2	5580.00	94.20	.....	79.88	34.23	18.52	38.35	189	174 Average																																																																												
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL            RSW: 1000.000kHz VBW: 1.000kHz            Project : 211916-01            Mode : Mode 01            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>41.62</td> <td>-12.38</td> <td>54.88</td> <td>27.68</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>189</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	41.62	-12.38	54.88	27.68	34.28	18.38	38.56	189	174 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.44	41.62	-12.38	54.88	27.68	34.28	18.38	38.56	189	174 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11a CH116 5580MHz - R																							
2	Horizontal	Fundamental																						
Peak	<p>Date: 4 Date: 2022-05-26</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL          : 820W 1000.000kHz VSW 3000.000kHz          Project : 211916-01          Mode : S1          SN : #19 030227012194000K          Plane : Z with Accessory          setting : 0M power setting IS</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.42</td> <td>52.23</td> <td>-16.97</td> <td>66.30</td> <td>37.45</td> <td>34.60</td> <td>18.62</td> <td>30.44</td> <td>189</td> <td>174 Peak</td> </tr> </tbody> </table>	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	Remark	1	5746.42	52.23	-16.97	66.30	37.45	34.60	18.62	30.44	189	174 Peak	Left blank
Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	Remark														
1	5746.42	52.23	-16.97	66.30	37.45	34.60	18.62	30.44	189	174 Peak														



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																										
ANT	802.11a CH116 5580MHz - L																																																																										
2	Vertical	Fundamental																																																																									
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 01            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>59.69</td> <td>-23.31</td> <td>74.00</td> <td>36.67</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>150</td> <td>195 Peak</td> </tr> <tr> <td>2</td> <td>5466.16</td> <td>59.16</td> <td>-18.14</td> <td>68.30</td> <td>36.69</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>150</td> <td>195 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.12	59.69	-23.31	74.00	36.67	34.20	18.38	30.56	150	195 Peak	2	5466.16	59.16	-18.14	68.30	36.69	34.20	18.43	30.56	150	195 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 01            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>145.74</td> <td>37.44</td> <td>68.30</td> <td>91.34</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>150</td> <td>195 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	145.74	37.44	68.30	91.34	34.23	19.52	30.35	150	195 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5455.12	59.69	-23.31	74.00	36.67	34.20	18.38	30.56	150	195 Peak																																																																	
2	5466.16	59.16	-18.14	68.30	36.69	34.20	18.43	30.56	150	195 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5580.00	145.74	37.44	68.30	91.34	34.23	19.52	30.35	150	195 Peak																																																																	
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW: 1.000kHz            Project : 211916-01            Mode : Mode 01            SN : #19 08227012194000K            Plane : Z with Accessory            setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>41.91</td> <td>-12.89</td> <td>54.00</td> <td>27.89</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>150</td> <td>195 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.91	-12.89	54.00	27.89	34.20	18.38	30.56	150	195 Average	Left blank																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5459.92	41.91	-12.89	54.00	27.89	34.20	18.38	30.56	150	195 Average																																																																	



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																
ANT	802.11a CH116 5580MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-S2          Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL          REBW: 1000 000kHz VEW: 3000 000kHz          Project : 211916-01          Mode : Mode S1          SN : #19 G8BZ27012154000K          Plane : Z with Accessory          setting : EM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5737.91</td> <td>55.35</td> <td>-14.97</td> <td>68.38</td> <td>38.56</td> <td>34.68</td> <td>18.63</td> <td>38.44</td> <td>158</td> <td>105 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ce	deg	1	5737.91	55.35	-14.97	68.38	38.56	34.68	18.63	38.44	158	105 Peak	Left blank
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ce	deg																								
1	5737.91	55.35	-14.97	68.38	38.56	34.68	18.63	38.44	158	105 Peak																							

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11a CH140 5700MHz																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-S2          Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL          REBW: 1000 000kHz VEW: 3000 000kHz          Project : 211916-01          Mode : Mode S2          SN : #19 G8BZ27012154000K          Plane : Z with Accessory          setting : EM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.08</td> <td>68.28</td> <td>-8.82</td> <td>68.38</td> <td>45.59</td> <td>34.97</td> <td>18.63</td> <td>38.49</td> <td>168</td> <td>104 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ce	deg	1	5726.08	68.28	-8.82	68.38	45.59	34.97	18.63	38.49	168	104 Peak	<p>Site : 03CH02-S2          Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL          REBW: 1000 000kHz VEW: 3000 000kHz          Project : 211916-01          Mode : Mode S2          SN : #19 G8BZ27012154000K          Plane : Z with Accessory          setting : EM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ce</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>80.28</td> <td>-8.82</td> <td>68.38</td> <td>45.59</td> <td>34.97</td> <td>18.63</td> <td>38.53</td> <td>168</td> <td>104 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>84.34</td> <td>.....</td> <td>68.36</td> <td>34.58</td> <td>18.61</td> <td>38.53</td> <td>168</td> <td>184 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ce	deg	1	5700.00	80.28	-8.82	68.38	45.59	34.97	18.63	38.53	168	104 Peak	2	5700.00	84.34	.....	68.36	34.58	18.61	38.53	168	184 Average
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ce	deg																																																																	
1	5726.08	68.28	-8.82	68.38	45.59	34.97	18.63	38.49	168	104 Peak																																																																
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ce	deg																																																																	
1	5700.00	80.28	-8.82	68.38	45.59	34.97	18.63	38.53	168	104 Peak																																																																
2	5700.00	84.34	.....	68.36	34.58	18.61	38.53	168	184 Average																																																																	





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																										
ANT	802.11a CH140 5700MHz																																																																										
2	Vertical	Fundamental																																																																									
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            Project : R2W 1000 000kHz VSW 3000 000kHz            Mode : 211916-01            SN : #19 08227012194000K            Plane : Z with Accessory            setting : 0M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5732.52</td> <td>56.78</td> <td>-11.52</td> <td>68.30</td> <td>42.04</td> <td>34.57</td> <td>18.63</td> <td>30.44</td> <td>178</td> <td>193 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg	1	5732.52	56.78	-11.52	68.30	42.04	34.57	18.63	30.44	178	193 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            Project : R2W 1000 000kHz VSW 3000 000kHz            Mode : 211916-01            SN : #19 08227012194000K            Plane : Z with Accessory            setting : 0M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.34</td> <td>36.04</td> <td>68.30</td> <td>89.76</td> <td>34.58</td> <td>19.61</td> <td>30.53</td> <td>178</td> <td>193 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>96.86</td> <td>.....</td> <td>.....</td> <td>82.28</td> <td>34.58</td> <td>19.61</td> <td>30.53</td> <td>178</td> <td>193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg	1	5700.00	104.34	36.04	68.30	89.76	34.58	19.61	30.53	178	193 Peak	2	5700.00	96.86	.....	.....	82.28	34.58	19.61	30.53	178	193 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																																		
1	5732.52	56.78	-11.52	68.30	42.04	34.57	18.63	30.44	178	193 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																																		
1	5700.00	104.34	36.04	68.30	89.76	34.58	19.61	30.53	178	193 Peak																																																																	
2	5700.00	96.86	.....	.....	82.28	34.58	19.61	30.53	178	193 Average																																																																	



**UNII-2C 5470~5725MHz**  
**WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																									
ANT	802.11n HT20 CH100 5500MHz																																																																																																									
2	Horizontal	Fundamental																																																																																																								
<b>Peak</b>	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL            : RBW 1000.000kHz VEW 3000.000kHz            Project : 211916-01            Mode : S9            SN : #19 G8B227012194000K            Plane : Z with Accessory            setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm/Hz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>51.28</td> <td>-22.72</td> <td>74.00</td> <td>37.27</td> <td>34.28</td> <td>18.34</td> <td>38.53</td> <td>152</td> <td></td> <td></td> <td>176 Peak</td> </tr> <tr> <td>2</td> <td>5466.32</td> <td>51.44</td> <td>-16.86</td> <td>68.39</td> <td>37.37</td> <td>34.28</td> <td>18.43</td> <td>38.56</td> <td>152</td> <td></td> <td></td> <td>176 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	cm	deg		1	5455.12	51.28	-22.72	74.00	37.27	34.28	18.34	38.53	152			176 Peak	2	5466.32	51.44	-16.86	68.39	37.37	34.28	18.43	38.56	152			176 Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL            : RBW 1000.000kHz VEW 3000.000kHz            Project : 211916-01            Mode : S9            SN : #19 G8B227012194000K            Plane : Z with Accessory            setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm/Hz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>81.36</td> <td>33.86</td> <td>68.39</td> <td>87.35</td> <td>34.28</td> <td>18.43</td> <td>38.58</td> <td>152</td> <td></td> <td></td> <td>176 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>184.68</td> <td>.....</td> <td>88.43</td> <td>34.28</td> <td>18.43</td> <td>38.58</td> <td>152</td> <td></td> <td></td> <td></td> <td>176 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	cm	deg		1	5500.00	81.36	33.86	68.39	87.35	34.28	18.43	38.58	152			176 Peak	2	5500.00	184.68	.....	88.43	34.28	18.43	38.58	152				176 Average
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	cm	deg																																																																																															
1	5455.12	51.28	-22.72	74.00	37.27	34.28	18.34	38.53	152			176 Peak																																																																																														
2	5466.32	51.44	-16.86	68.39	37.37	34.28	18.43	38.56	152			176 Peak																																																																																														
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	cm	deg																																																																																															
1	5500.00	81.36	33.86	68.39	87.35	34.28	18.43	38.58	152			176 Peak																																																																																														
2	5500.00	184.68	.....	88.43	34.28	18.43	38.58	152				176 Average																																																																																														
<b>Avg.</b>	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL            : RBW 1000.000kHz VEW 1.000kHz            Project : 211916-01            Mode : S9            SN : #19 G8B227012194000K            Plane : Z with Accessory            setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm/Hz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>42.49</td> <td>-11.51</td> <td>54.00</td> <td>28.47</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>152</td> <td></td> <td></td> <td>176 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	cm	deg		1	5468.00	42.49	-11.51	54.00	28.47	34.28	18.38	38.56	152			176 Average	<b>Left blank</b>																																																																	
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	cm	deg																																																																																															
1	5468.00	42.49	-11.51	54.00	28.47	34.28	18.38	38.56	152			176 Average																																																																																														




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH100 5500MHz																																																																																				
2	Vertical	Fundamental																																																																																			
Peak	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 09 Site : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5464.08</td> <td>53.85</td> <td>-20.95</td> <td>74.00</td> <td>39.04</td> <td>34.20</td> <td>18.34</td> <td>30.53</td> <td>157</td> <td>198 Peak</td> </tr> <tr> <td>2</td> <td>5464.48</td> <td>53.86</td> <td>-15.24</td> <td>68.38</td> <td>39.04</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>157</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5464.08	53.85	-20.95	74.00	39.04	34.20	18.34	30.53	157	198 Peak	2	5464.48	53.86	-15.24	68.38	39.04	34.20	18.38	30.56	157	198 Peak	<p>Date: 6 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 09 Site : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>185.84</td> <td>37.54</td> <td>68.38</td> <td>91.79</td> <td>34.20</td> <td>18.43</td> <td>30.58</td> <td>157</td> <td>198 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>97.65</td> <td>.....</td> <td>83.69</td> <td>34.20</td> <td>18.43</td> <td>30.58</td> <td>157</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5500.00	185.84	37.54	68.38	91.79	34.20	18.43	30.58	157	198 Peak	2	5500.00	97.65	.....	83.69	34.20	18.43	30.58	157	198 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5464.08	53.85	-20.95	74.00	39.04	34.20	18.34	30.53	157	198 Peak																																																																											
2	5464.48	53.86	-15.24	68.38	39.04	34.20	18.38	30.56	157	198 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5500.00	185.84	37.54	68.38	91.79	34.20	18.43	30.58	157	198 Peak																																																																											
2	5500.00	97.65	.....	83.69	34.20	18.43	30.58	157	198 Average																																																																												
Avg.	<p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 09 Site : #19 08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>43.85</td> <td>-10.17</td> <td>54.00</td> <td>29.81</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>157</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5468.00	43.85	-10.17	54.00	29.81	34.20	18.38	30.56	157	198 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5468.00	43.85	-10.17	54.00	29.81	34.20	18.38	30.56	157	198 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH116 5580MHz - L																																																																																				
2	Horizontal	Fundamental																																																																																			
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 69            SN : #19 08227012194000K            Plane : Z with Accessory            setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5418.64</td> <td>59.00</td> <td>-23.18</td> <td>74.00</td> <td>36.89</td> <td>34.28</td> <td>18.34</td> <td>30.53</td> <td>140</td> <td>164 Peak</td> </tr> <tr> <td>2</td> <td>5467.69</td> <td>49.43</td> <td>-18.87</td> <td>68.38</td> <td>35.36</td> <td>34.28</td> <td>18.43</td> <td>30.56</td> <td>140</td> <td>164 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5418.64	59.00	-23.18	74.00	36.89	34.28	18.34	30.53	140	164 Peak	2	5467.69	49.43	-18.87	68.38	35.36	34.28	18.43	30.56	140	164 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 69            SN : #19 08227012194000K            Plane : Z with Accessory            setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>182.13</td> <td>33.83</td> <td>68.38</td> <td>87.73</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>140</td> <td>164 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>93.80</td> <td>.....</td> <td>79.48</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>140</td> <td>164 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	182.13	33.83	68.38	87.73	34.23	19.52	30.35	140	164 Peak	2	5580.00	93.80	.....	79.48	34.23	19.52	30.35	140	164 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5418.64	59.00	-23.18	74.00	36.89	34.28	18.34	30.53	140	164 Peak																																																																											
2	5467.69	49.43	-18.87	68.38	35.36	34.28	18.43	30.56	140	164 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5580.00	182.13	33.83	68.38	87.73	34.23	19.52	30.35	140	164 Peak																																																																											
2	5580.00	93.80	.....	79.48	34.23	19.52	30.35	140	164 Average																																																																												
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL            RSW: 1000.000kHz VBW: 1.000kHz            Project : 211916-01            Mode : Mode 69            SN : #19 08227012194000K            Plane : Z with Accessory            setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.24</td> <td>41.57</td> <td>-12.43</td> <td>54.00</td> <td>27.55</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>140</td> <td>164 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.24	41.57	-12.43	54.00	27.55	34.28	18.38	30.56	140	164 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5458.24	41.57	-12.43	54.00	27.55	34.28	18.38	30.56	140	164 Average																																																																											




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11n HT20 CH116 5580MHz - R																														
2	Horizontal	Fundamental																													
Peak	 <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL          : 820W 1000.000kHz VSW 3.000.000kHz          Project : 211916-01          Mode : Mode 00          SW : #19 080227012194000K          Plane : Z with Accessory          setting : MIC20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5744.53</td> <td>52.74</td> <td>-15.56</td> <td>68.30</td> <td>37.06</td> <td>34.60</td> <td>38.62</td> <td>30.44</td> <td>140</td> <td>164 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	5744.53	52.74	-15.56	68.30	37.06	34.60	38.62	30.44	140	164 Peak	Left blank
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																							
1	5744.53	52.74	-15.56	68.30	37.06	34.60	38.62	30.44	140	164 Peak																					



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH116 5580MHz - L																																																																																				
2	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 60 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.69</td> <td>59.02</td> <td>-23.88</td> <td>74.00</td> <td>36.89</td> <td>34.20</td> <td>18.38</td> <td>30.55</td> <td>157</td> <td>201 Peak</td> </tr> <tr> <td>2</td> <td>5469.76</td> <td>59.79</td> <td>-17.51</td> <td>68.39</td> <td>36.72</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>157</td> <td>201 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5449.69	59.02	-23.88	74.00	36.89	34.20	18.38	30.55	157	201 Peak	2	5469.76	59.79	-17.51	68.39	36.72	34.20	18.43	30.56	157	201 Peak	<p>Date: 7 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 60 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>185.25</td> <td>36.95</td> <td>68.38</td> <td>90.85</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>157</td> <td>201 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>97.18</td> <td>.....</td> <td>62.78</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>157</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5580.00	185.25	36.95	68.38	90.85	34.23	19.52	30.35	157	201 Peak	2	5580.00	97.18	.....	62.78	34.23	19.52	30.35	157	201 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																													
1	5449.69	59.02	-23.88	74.00	36.89	34.20	18.38	30.55	157	201 Peak																																																																											
2	5469.76	59.79	-17.51	68.39	36.72	34.20	18.43	30.56	157	201 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																													
1	5580.00	185.25	36.95	68.38	90.85	34.23	19.52	30.35	157	201 Peak																																																																											
2	5580.00	97.18	.....	62.78	34.23	19.52	30.35	157	201 Average																																																																												
Avg.	<p>Date: 6 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 60 Site : #19 08227012194000K Plane : Z with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.68</td> <td>42.85</td> <td>-11.95</td> <td>54.00</td> <td>28.83</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>157</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5459.68	42.85	-11.95	54.00	28.83	34.20	18.38	30.56	157	201 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																													
1	5459.68	42.85	-11.95	54.00	28.83	34.20	18.38	30.56	157	201 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																															
ANT	802.11n HT20 CH116 5580MHz - R																															
2	Vertical	Fundamental																														
Peak	 <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL          : 820M 1000.0000kHz VBW 3000.000kHz          Project : 211916-01          Mode : Mode 00          SW : #19_080227012194000K          Plane : Z with Accessory          setting : MIC20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LI</th> <th>LS</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.57</td> <td>52.04</td> <td>-16.26</td> <td>68.30</td> <td>37.35</td> <td>34.57</td> <td>18.63</td> <td>30.49</td> <td>157</td> <td>201</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	LI	LS	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	1	5726.57	52.04	-16.26	68.30	37.35	34.57	18.63	30.49	157	201	Peak	Left blank
Freq	Level	LI	LS	Level	Factor	Loss	Factor	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB																								
1	5726.57	52.04	-16.26	68.30	37.35	34.57	18.63	30.49	157	201	Peak																					



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH140 5700MHz																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL          : RSW 1000.000kHz VEW 3000.000kHz          Project : 211916-01          Mode : Mode 61          SN : #19 G8B227012194000K          Plane : Z with Accessory          setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.56</td> <td>55.23</td> <td>-12.87</td> <td>68.38</td> <td>41.54</td> <td>34.57</td> <td>18.63</td> <td>38.49</td> <td>178</td> <td>182 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.56	55.23	-12.87	68.38	41.54	34.57	18.63	38.49	178	182 Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL          : RSW 1000.000kHz VEW 3000.000kHz          Project : 211916-01          Mode : Mode 61          SN : #19 G8B227012194000K          Plane : Z with Accessory          setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>182.38</td> <td>34.68</td> <td>68.38</td> <td>88.32</td> <td>34.58</td> <td>18.61</td> <td>38.53</td> <td>178</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>96.18</td> <td>.....</td> <td>81.68</td> <td>34.58</td> <td>18.61</td> <td>38.53</td> <td>178</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	182.38	34.68	68.38	88.32	34.58	18.61	38.53	178	182 Peak	2	5700.00	96.18	.....	81.68	34.58	18.61	38.53	178	182 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5727.56	55.23	-12.87	68.38	41.54	34.57	18.63	38.49	178	182 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5700.00	182.38	34.68	68.38	88.32	34.58	18.61	38.53	178	182 Peak																																																																
2	5700.00	96.18	.....	81.68	34.58	18.61	38.53	178	182 Average																																																																	

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH140 5700MHz																																																																									
2	Vertical	Fundamental																																																																								
Peak.	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL          : RSW 1000.000kHz VEW 3000.000kHz          Project : 211916-01          Mode : Mode 61          SN : #19 G8B227012194000K          Plane : Z with Accessory          setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.88</td> <td>55.35</td> <td>-12.97</td> <td>68.38</td> <td>48.64</td> <td>34.57</td> <td>18.63</td> <td>38.49</td> <td>176</td> <td>175 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.88	55.35	-12.97	68.38	48.64	34.57	18.63	38.49	176	175 Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL          : RSW 1000.000kHz VEW 3000.000kHz          Project : 211916-01          Mode : Mode 61          SN : #19 G8B227012194000K          Plane : Z with Accessory          setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>184.86</td> <td>35.78</td> <td>68.38</td> <td>89.58</td> <td>34.58</td> <td>18.61</td> <td>38.53</td> <td>176</td> <td>175 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>96.92</td> <td>.....</td> <td>82.34</td> <td>34.58</td> <td>18.61</td> <td>38.53</td> <td>176</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	184.86	35.78	68.38	89.58	34.58	18.61	38.53	176	175 Peak	2	5700.00	96.92	.....	82.34	34.58	18.61	38.53	176	173 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5727.88	55.35	-12.97	68.38	48.64	34.57	18.63	38.49	176	175 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5700.00	184.86	35.78	68.38	89.58	34.58	18.61	38.53	176	175 Peak																																																																
2	5700.00	96.92	.....	82.34	34.58	18.61	38.53	176	173 Average																																																																	





UNII-2C 5470~5725MHz  
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11n HT40 CH102 5510MHz - L																																																																																																	
2	Horizontal	Fundamental																																																																																																
Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PNA17 15.407 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode 66 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.96</td> <td>51.75</td> <td>-22.25</td> <td>74.00</td> <td>37.72</td> <td>34.20</td> <td>18.38</td> <td>30.55</td> <td>132</td> <td></td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5457.12</td> <td>50.00</td> <td>-15.00</td> <td>60.00</td> <td>36.73</td> <td>34.20</td> <td>18.33</td> <td>30.56</td> <td>132</td> <td></td> <td>174 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5446.96	51.75	-22.25	74.00	37.72	34.20	18.38	30.55	132		174 Peak	2	5457.12	50.00	-15.00	60.00	36.73	34.20	18.33	30.56	132		174 Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PNA17 15.407 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode 66 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.83</td> <td>29.53</td> <td>68.30</td> <td>83.68</td> <td>34.20</td> <td>10.47</td> <td>30.52</td> <td>132</td> <td></td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>88.85</td> <td>.....</td> <td>74.66</td> <td>34.20</td> <td>10.47</td> <td>30.52</td> <td>132</td> <td></td> <td></td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	97.83	29.53	68.30	83.68	34.20	10.47	30.52	132		174 Peak	2	5530.00	88.85	.....	74.66	34.20	10.47	30.52	132			174 Average
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5446.96	51.75	-22.25	74.00	37.72	34.20	18.38	30.55	132		174 Peak																																																																																							
2	5457.12	50.00	-15.00	60.00	36.73	34.20	18.33	30.56	132		174 Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5510.00	97.83	29.53	68.30	83.68	34.20	10.47	30.52	132		174 Peak																																																																																							
2	5530.00	88.85	.....	74.66	34.20	10.47	30.52	132			174 Average																																																																																							
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PNA17 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 3.000kHz Project : 211916-01 Mode : Mode 66 SN : #19 G8B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.33</td> <td>-11.67</td> <td>54.00</td> <td>28.31</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>132</td> <td></td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.92	42.33	-11.67	54.00	28.31	34.20	18.38	30.56	132		174 Average	Left blank																																																												
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5459.92	42.33	-11.67	54.00	28.31	34.20	18.38	30.56	132		174 Average																																																																																							




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m															
ANT	802.11n HT40 CH102 5510MHz - R															
2	Horizontal	Fundamental														
Peak	<p>Date: 4 Date: 2022-05-26</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL          : 820M 1000.000kHz VSW 3000.000kHz          Project : 211916-01          Mode :          SW : #19 C08227012194000K          Plane : Z with Accessory          setting : MAC20 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5744.21</td> <td>52.62</td> <td>-15.68</td> <td>66.30</td> <td>37.04</td> <td>34.60 38.62 30.44 132 174 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark	1	5744.21	52.62	-15.68	66.30	37.04	34.60 38.62 30.44 132 174 Peak	Left blank
Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark										
1	5744.21	52.62	-15.68	66.30	37.04	34.60 38.62 30.44 132 174 Peak										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11n HT40 CH102 5510MHz - L																																																																																					
2	Vertical	Fundamental																																																																																				
Peak	<p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 06 Site : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>51.53</td> <td>-22.47</td> <td>74.00</td> <td>37.51</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>156</td> <td>193 Peak</td> </tr> <tr> <td>2</td> <td>5466.48</td> <td>53.59</td> <td>-14.71</td> <td>68.38</td> <td>39.52</td> <td>34.28</td> <td>18.43</td> <td>30.56</td> <td>156</td> <td>193 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	51.53	-22.47	74.00	37.51	34.28	18.38	30.56	156	193 Peak	2	5466.48	53.59	-14.71	68.38	39.52	34.28	18.43	30.56	156	193 Peak	<p>Date: 7 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 06 Site : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>102.65</td> <td>34.35</td> <td>68.38</td> <td>88.58</td> <td>34.28</td> <td>19.47</td> <td>30.52</td> <td>156</td> <td>193 Peak</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>95.78</td> <td>.....</td> <td>.....</td> <td>81.63</td> <td>34.28</td> <td>19.47</td> <td>30.52</td> <td>156</td> <td>193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.65	34.35	68.38	88.58	34.28	19.47	30.52	156	193 Peak	2	5510.00	95.78	.....	.....	81.63	34.28	19.47	30.52	156	193 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5459.44	51.53	-22.47	74.00	37.51	34.28	18.38	30.56	156	193 Peak																																																																												
2	5466.48	53.59	-14.71	68.38	39.52	34.28	18.43	30.56	156	193 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5510.00	102.65	34.35	68.38	88.58	34.28	19.47	30.52	156	193 Peak																																																																												
2	5510.00	95.78	.....	.....	81.63	34.28	19.47	30.52	156	193 Average																																																																												
Avg.	<p>Date: 2 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 06 Site : #19 08E227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.35</td> <td>-11.67</td> <td>54.00</td> <td>28.31</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>132</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.35	-11.67	54.00	28.31	34.28	18.38	30.56	132	174 Average	Left blank																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5459.92	42.35	-11.67	54.00	28.31	34.28	18.38	30.56	132	174 Average																																																																												




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																											
ANT	802.11n HT40 CH102 5510MHz - R																																											
2	Vertical	Fundamental																																										
Peak	 <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL          Project : 820W 1000 0000kHz VDV 3000.000kHz          Mode : 211916-01          SH : #19 08B227012194000K          Plane : Z with Accessory          setting : MAC20 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Over</th> <th>Unit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5764.37</td> <td>59.55</td> <td>-17.75</td> <td>68.30</td> <td>35.70</td> <td>34.43</td> <td>38.62</td> <td>30.40</td> <td>156</td> <td>193</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Over	Unit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	dB	deg	deg	1 5764.37	59.55	-17.75	68.30	35.70	34.43	38.62	30.40	156	193	Peak				Left blank
Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Over	Unit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																															
MHz	dBm	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	dB	dB	deg	deg																															
1 5764.37	59.55	-17.75	68.30	35.70	34.43	38.62	30.40	156	193	Peak																																		



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH110 5550MHz - L																																																																																				
2	Horizontal	Fundamental																																																																																			
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 07            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5389.96</td> <td>51.32</td> <td>-22.68</td> <td>74.00</td> <td>37.35</td> <td>34.28</td> <td>18.38</td> <td>38.53</td> <td>122</td> <td>173 Peak</td> </tr> <tr> <td>2</td> <td>5468.32</td> <td>59.89</td> <td>-17.59</td> <td>68.39</td> <td>36.73</td> <td>34.28</td> <td>18.43</td> <td>38.56</td> <td>122</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5389.96	51.32	-22.68	74.00	37.35	34.28	18.38	38.53	122	173 Peak	2	5468.32	59.89	-17.59	68.39	36.73	34.28	18.43	38.56	122	173 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 07            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>87.91</td> <td>29.61</td> <td>68.38</td> <td>83.66</td> <td>34.28</td> <td>18.52</td> <td>38.47</td> <td>122</td> <td>173 Peak</td> </tr> <tr> <td>2</td> <td>5550.00</td> <td>88.88</td> <td>.....</td> <td>74.63</td> <td>34.28</td> <td>18.52</td> <td>38.47</td> <td>122</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	87.91	29.61	68.38	83.66	34.28	18.52	38.47	122	173 Peak	2	5550.00	88.88	.....	74.63	34.28	18.52	38.47	122	173 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5389.96	51.32	-22.68	74.00	37.35	34.28	18.38	38.53	122	173 Peak																																																																											
2	5468.32	59.89	-17.59	68.39	36.73	34.28	18.43	38.56	122	173 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5550.00	87.91	29.61	68.38	83.66	34.28	18.52	38.47	122	173 Peak																																																																											
2	5550.00	88.88	.....	74.63	34.28	18.52	38.47	122	173 Average																																																																												
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL            RBW: 1000.000kHz VBW: 3.000kHz            Project : 211916-01            Mode : Mode 06            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>43.65</td> <td>-18.37</td> <td>54.00</td> <td>29.61</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>156</td> <td>193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.65	-18.37	54.00	29.61	34.28	18.38	38.56	156	193 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	43.65	-18.37	54.00	29.61	34.28	18.38	38.56	156	193 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11n HT40 CH110 5550MHz - R																														
2	Horizontal	Fundamental																													
Peak	 <p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL          : 820W 1000.000kHz VSW 3000.000kHz          Project : 211916-01          Mode :          SW : #19-08E227012194000K          Plane : Z with Accessory          setting : MIC20 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5763.43</td> <td>52.88</td> <td>-16.22</td> <td>66.38</td> <td>37.23</td> <td>34.43</td> <td>38.62</td> <td>38.48</td> <td>122</td> <td>173 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	5763.43	52.88	-16.22	66.38	37.23	34.43	38.62	38.48	122	173 Peak	Left blank
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																							
1	5763.43	52.88	-16.22	66.38	37.23	34.43	38.62	38.48	122	173 Peak																					



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH110 5550MHz - L																																																																																				
2	Vertical	Fundamental																																																																																			
Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 67            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5433.52</td> <td>51.35</td> <td>-22.65</td> <td>74.00</td> <td>37.32</td> <td>34.28</td> <td>18.38</td> <td>30.55</td> <td>152</td> <td>189 Peak</td> </tr> <tr> <td>2</td> <td>5463.52</td> <td>52.07</td> <td>-16.23</td> <td>68.38</td> <td>38.85</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>152</td> <td>189 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5433.52	51.35	-22.65	74.00	37.32	34.28	18.38	30.55	152	189 Peak	2	5463.52	52.07	-16.23	68.38	38.85	34.28	18.38	30.56	152	189 Peak	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode 67            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>182.83</td> <td>33.73</td> <td>68.38</td> <td>87.78</td> <td>34.28</td> <td>18.52</td> <td>30.47</td> <td>152</td> <td>189 Peak</td> </tr> <tr> <td>2</td> <td>5550.00</td> <td>93.21</td> <td>.....</td> <td>78.96</td> <td>34.28</td> <td>10.52</td> <td>30.47</td> <td>152</td> <td>189 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	182.83	33.73	68.38	87.78	34.28	18.52	30.47	152	189 Peak	2	5550.00	93.21	.....	78.96	34.28	10.52	30.47	152	189 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5433.52	51.35	-22.65	74.00	37.32	34.28	18.38	30.55	152	189 Peak																																																																											
2	5463.52	52.07	-16.23	68.38	38.85	34.28	18.38	30.56	152	189 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5550.00	182.83	33.73	68.38	87.78	34.28	18.52	30.47	152	189 Peak																																																																											
2	5550.00	93.21	.....	78.96	34.28	10.52	30.47	152	189 Average																																																																												
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL            RBW: 1000.000kHz VBW: 3.000kHz            Project : 211916-01            Mode : Mode 67            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>41.82</td> <td>-12.18</td> <td>54.00</td> <td>27.88</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>122</td> <td>173 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	41.82	-12.18	54.00	27.88	34.28	18.38	30.56	122	173 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.28	41.82	-12.18	54.00	27.88	34.28	18.38	30.56	122	173 Average																																																																											




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11n HT40 CH110 5550MHz - R																						
2	Vertical	Fundamental																					
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117 0107 VERTICAL          : 820W 1000.000kHz VSW 3000.000kHz          Project : 211916-01          Mode : HF          SW : #19 C8B227012194000K          Plane : Z with Accessory          setting : MIC20 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5757.76</td> <td>52.64</td> <td>-15.66</td> <td>68.30</td> <td>37.79</td> <td>34.43</td> <td>38.62 38.48 152 189 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	1 5757.76	52.64	-15.66	68.30	37.79	34.43	38.62 38.48 152 189 Peak	Left blank
Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg																	
1 5757.76	52.64	-15.66	68.30	37.79	34.43	38.62 38.48 152 189 Peak																	





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH134 5670MHz - L																																																																																				
2	Horizontal	Fundamental																																																																																			
Peak	<p>Date: 1 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 08 Site : #19 08B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/MHz</th> <th>dB</th> <th>dBm/MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.59</td> <td>51.04</td> <td>-22.96</td> <td>74.00</td> <td>37.07</td> <td>34.20</td> <td>10.30</td> <td>30.53</td> <td>137</td> <td>165 Peak</td> </tr> <tr> <td>2</td> <td>5464.18</td> <td>49.94</td> <td>-18.36</td> <td>68.30</td> <td>35.92</td> <td>34.20</td> <td>10.30</td> <td>30.56</td> <td>137</td> <td>165 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	dB	cm	deg	1	5374.59	51.04	-22.96	74.00	37.07	34.20	10.30	30.53	137	165 Peak	2	5464.18	49.94	-18.36	68.30	35.92	34.20	10.30	30.56	137	165 Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 08 Site : #19 08B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/MHz</th> <th>dB</th> <th>dBm/MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>97.43</td> <td>29.33</td> <td>68.30</td> <td>83.13</td> <td>34.40</td> <td>10.59</td> <td>30.49</td> <td>137</td> <td>165 Peak</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>89.93</td> <td>.....</td> <td>75.43</td> <td>34.40</td> <td>10.59</td> <td>30.49</td> <td>137</td> <td>165 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	dB	cm	deg	1	5670.00	97.43	29.33	68.30	83.13	34.40	10.59	30.49	137	165 Peak	2	5670.00	89.93	.....	75.43	34.40	10.59	30.49	137	165 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	dB	cm	deg																																																																												
1	5374.59	51.04	-22.96	74.00	37.07	34.20	10.30	30.53	137	165 Peak																																																																											
2	5464.18	49.94	-18.36	68.30	35.92	34.20	10.30	30.56	137	165 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	dB	cm	deg																																																																												
1	5670.00	97.43	29.33	68.30	83.13	34.40	10.59	30.49	137	165 Peak																																																																											
2	5670.00	89.93	.....	75.43	34.40	10.59	30.49	137	165 Average																																																																												
Avg.	<p>Date: 5 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 07 Site : #19 08B227012194000K Plane : Z with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/MHz</th> <th>dB</th> <th>dBm/MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.68</td> <td>42.56</td> <td>-11.44</td> <td>54.00</td> <td>28.54</td> <td>34.20</td> <td>10.30</td> <td>30.56</td> <td>152</td> <td>109 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	dB	cm	deg	1	5459.68	42.56	-11.44	54.00	28.54	34.20	10.30	30.56	152	109 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	dB	cm	deg																																																																												
1	5459.68	42.56	-11.44	54.00	28.54	34.20	10.30	30.56	152	109 Average																																																																											




<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>	
<b>ANT</b>	<b>802.11n HT40 CH134 5670MHz - R</b>	
<b>2</b>	<b>Horizontal</b>	<b>Fundamental</b>
<b>Peak</b>	 <pre> Site      : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL           : 820M 1000.000kHz VSW 3000.000kHz Project   : 211916-01 Mode      : Mode 00 SN        : #19 08227012194000K Plane     : Z with Accessory Setting    : MCS20 power setting 15           : Freq      Over  Limit  ReadAntenna Cable Preamp  A/Pos  T/Pos  Remark Level1    L1dB  L1dB  Level1 Factor  Loss Factor ----- 1  5725.63  52.00  -16.38  66.30  37.31  34.57  18.63  30.49  137  165 Peak           </pre>	<b>Left blank</b>



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH134 5670MHz - L																																																																																				
2	Vertical	Fundamental																																																																																			
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW:3000.000kHz            Project : 211916-01            Mode : Mode 08            SN : #19 08227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.55</td> <td>51.37</td> <td>-22.63</td> <td>74.00</td> <td>37.35</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>152</td> <td>194 Peak</td> </tr> <tr> <td>2</td> <td>5462.78</td> <td>51.96</td> <td>-16.34</td> <td>68.38</td> <td>37.94</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>152</td> <td>194 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.55	51.37	-22.63	74.00	37.35	34.28	18.38	38.56	152	194 Peak	2	5462.78	51.96	-16.34	68.38	37.94	34.28	18.38	38.56	152	194 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW:3000.000kHz            Project : 211916-01            Mode : Mode 08            SN : #19 08227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5678.00</td> <td>181.74</td> <td>33.44</td> <td>68.38</td> <td>87.24</td> <td>34.48</td> <td>18.59</td> <td>38.49</td> <td>152</td> <td>194 Peak</td> </tr> <tr> <td>2</td> <td>5678.00</td> <td>94.14</td> <td>.....</td> <td>79.64</td> <td>34.48</td> <td>18.59</td> <td>38.49</td> <td>152</td> <td>194 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5678.00	181.74	33.44	68.38	87.24	34.48	18.59	38.49	152	194 Peak	2	5678.00	94.14	.....	79.64	34.48	18.59	38.49	152	194 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.55	51.37	-22.63	74.00	37.35	34.28	18.38	38.56	152	194 Peak																																																																											
2	5462.78	51.96	-16.34	68.38	37.94	34.28	18.38	38.56	152	194 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5678.00	181.74	33.44	68.38	87.24	34.48	18.59	38.49	152	194 Peak																																																																											
2	5678.00	94.14	.....	79.64	34.48	18.59	38.49	152	194 Average																																																																												
Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL            RSW: 1000.000kHz VBW:3.000kHz            Project : 211916-01            Mode : Mode 08            SN : #19 08227012194000K            Plane : Z with Accessory            setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.55</td> <td>41.44</td> <td>-12.56</td> <td>54.00</td> <td>27.42</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>137</td> <td>165 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.55	41.44	-12.56	54.00	27.42	34.28	18.38	38.56	137	165 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.55	41.44	-12.56	54.00	27.42	34.28	18.38	38.56	137	165 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11n HT40 CH134 5670MHz - R																							
2	Vertical	Fundamental																						
Peak	 <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL          Project : 820M 1000.0000kHz VDV 3000.0000kHz          Mode : 211916-01          SH : #19 C-08          Plane : Z with Accessory          setting : MIC20 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>CA</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5734.38</td> <td>52.48</td> <td>-15.98</td> <td>66.38</td> <td>37.66</td> <td>34.57</td> <td>38.63</td> <td>38.44</td> <td>152</td> <td>194 Peak</td> </tr> </tbody> </table>	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	CA	deg	Remark	1	5734.38	52.48	-15.98	66.38	37.66	34.57	38.63	38.44	152	194 Peak	Left blank
Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	CA	deg	Remark														
1	5734.38	52.48	-15.98	66.38	37.66	34.57	38.63	38.44	152	194 Peak														



UNII-2C 5470~5725MHz  
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																
2	Horizontal	Fundamental																																																																															
Peak	<p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode T1 SN : #19 G8B227012194000K Plane : Z with Accessory Plane setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5495.68</td> <td>53.92</td> <td>-28.88</td> <td>74.80</td> <td>39.98</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>151</td> <td>176 Peak</td> </tr> <tr> <td>2</td> <td>5487.56</td> <td>54.37</td> <td>-34.13</td> <td>68.50</td> <td>48.18</td> <td>34.28</td> <td>18.43</td> <td>38.56</td> <td>151</td> <td>176 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5495.68	53.92	-28.88	74.80	39.98	34.28	18.38	38.56	151	176 Peak	2	5487.56	54.37	-34.13	68.50	48.18	34.28	18.43	38.56	151	176 Peak	<p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode T1 SN : #19 G8B227012194000K Plane : Z with Accessory Plane setting : MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5538.08</td> <td>93.83</td> <td>25.53</td> <td>68.30</td> <td>79.83</td> <td>34.28</td> <td>18.47</td> <td>38.47</td> <td>151</td> <td>176 Peak</td> </tr> <tr> <td>2</td> <td>5538.08</td> <td>88.55</td> <td>.....</td> <td>72.31</td> <td>34.28</td> <td>18.47</td> <td>38.47</td> <td>151</td> <td>176 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5538.08	93.83	25.53	68.30	79.83	34.28	18.47	38.47	151	176 Peak	2	5538.08	88.55	.....	72.31	34.28	18.47	38.47	151	176 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																									
1	5495.68	53.92	-28.88	74.80	39.98	34.28	18.38	38.56	151	176 Peak																																																																							
2	5487.56	54.37	-34.13	68.50	48.18	34.28	18.43	38.56	151	176 Peak																																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																									
1	5538.08	93.83	25.53	68.30	79.83	34.28	18.47	38.47	151	176 Peak																																																																							
2	5538.08	88.55	.....	72.31	34.28	18.47	38.47	151	176 Average																																																																								
Avg.	<p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HP ANT 3117 0107 VERTICAL RBW 1000.000kHz VBW 3.000kHz Project : 211916-01 Mode : Mode S8 SN : #19 G8B227012194000K Plane : Z with Accessory Plane setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.58</td> <td>41.59</td> <td>-12.41</td> <td>54.00</td> <td>27.57</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>152</td> <td>194 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5458.58	41.59	-12.41	54.00	27.57	34.28	18.38	38.56	152	194 Average	Left blank																																																		
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																									
1	5458.58	41.59	-12.41	54.00	27.57	34.28	18.38	38.56	152	194 Average																																																																							





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																					
2	Vertical	Fundamental																																																																																				
Peak	<p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode F1            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.04</td> <td>55.00</td> <td>-19.00</td> <td>74.00</td> <td>49.98</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>212</td> <td>198 Peak</td> </tr> <tr> <td>2</td> <td>5466.56</td> <td>57.15</td> <td>-11.15</td> <td>68.39</td> <td>43.08</td> <td>34.20</td> <td>10.43</td> <td>30.56</td> <td>212</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.04	55.00	-19.00	74.00	49.98	34.20	10.38	30.56	212	198 Peak	2	5466.56	57.15	-11.15	68.39	43.08	34.20	10.43	30.56	212	198 Peak	<p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            RSW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : Mode F1            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>87.22</td> <td>28.92</td> <td>68.39</td> <td>83.82</td> <td>34.20</td> <td>10.47</td> <td>30.47</td> <td>212</td> <td>198 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>90.51</td> <td>.....</td> <td>.....</td> <td>76.31</td> <td>34.20</td> <td>10.47</td> <td>30.47</td> <td>212</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.22	28.92	68.39	83.82	34.20	10.47	30.47	212	198 Peak	2	5530.00	90.51	.....	.....	76.31	34.20	10.47	30.47	212	198 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5457.04	55.00	-19.00	74.00	49.98	34.20	10.38	30.56	212	198 Peak																																																																												
2	5466.56	57.15	-11.15	68.39	43.08	34.20	10.43	30.56	212	198 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5530.00	87.22	28.92	68.39	83.82	34.20	10.47	30.47	212	198 Peak																																																																												
2	5530.00	90.51	.....	.....	76.31	34.20	10.47	30.47	212	198 Average																																																																												
Avg.	<p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL            RSW: 1000.000kHz VBW: 10.000kHz            Project : 211916-01            Mode : Mode F1            SN : #19 08E227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>45.75</td> <td>-18.27</td> <td>54.00</td> <td>29.71</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>151</td> <td>176 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	45.75	-18.27	54.00	29.71	34.20	10.38	30.56	151	176 Average	Left blank																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5458.00	45.75	-18.27	54.00	29.71	34.20	10.38	30.56	151	176 Average																																																																												



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																														
ANT	802.11ac VHT80 CH106 5530MHz - R																																														
2	Vertical	Fundamental																																													
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL          : 820W 1000.0000kHz VSW 3000.0000kHz          Project : 211916-01          Mode : F1          SN : #19 G08227012194000K          Plane : Z with Accessory          setting : MICS9 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISt</th> <th>LISt</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5736.65</td> <td>52.89</td> <td>-15.41</td> <td>68.30</td> <td>38.12</td> <td>34.68</td> <td>38.63</td> <td>38.44</td> <td>212</td> <td>198</td> <td></td> <td></td> <td></td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISt	LISt	Level	Factor	Loss	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg					1	5736.65	52.89	-15.41	68.30	38.12	34.68	38.63	38.44	212	198				198 Peak	Left blank
Freq	Level	LIRES	LISt	LISt	Level	Factor	Loss	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg																																					
1	5736.65	52.89	-15.41	68.30	38.12	34.68	38.63	38.44	212	198				198 Peak																																	





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																				
2	Horizontal	Fundamental																																																																																			
Peak	<p>Date: 1 Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode F2 Site : #19 06E227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.64</td> <td>52.23</td> <td>-11.77</td> <td>74.00</td> <td>38.21</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>210</td> <td>178 Peak</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>52.53</td> <td>-15.77</td> <td>68.38</td> <td>38.46</td> <td>34.28</td> <td>18.43</td> <td>38.56</td> <td>210</td> <td>178 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.64	52.23	-11.77	74.00	38.21	34.28	18.38	38.56	210	178 Peak	2	5468.56	52.53	-15.77	68.38	38.46	34.28	18.43	38.56	210	178 Peak	<p>Date: 3 Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode F2 Site : #19 06E227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>83.85</td> <td>25.55</td> <td>68.38</td> <td>79.39</td> <td>34.38</td> <td>18.56</td> <td>38.48</td> <td>210</td> <td>178 Peak</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>85.82</td> <td>.....</td> <td>71.36</td> <td>34.38</td> <td>18.56</td> <td>38.48</td> <td>210</td> <td>178 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	83.85	25.55	68.38	79.39	34.38	18.56	38.48	210	178 Peak	2	5610.00	85.82	.....	71.36	34.38	18.56	38.48	210	178 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5454.64	52.23	-11.77	74.00	38.21	34.28	18.38	38.56	210	178 Peak																																																																											
2	5468.56	52.53	-15.77	68.38	38.46	34.28	18.43	38.56	210	178 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5610.00	83.85	25.55	68.38	79.39	34.38	18.56	38.48	210	178 Peak																																																																											
2	5610.00	85.82	.....	71.36	34.38	18.56	38.48	210	178 Average																																																																												
Avg.	<p>Date: 2 Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode F2 Site : #19 06E227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>41.61</td> <td>-12.39</td> <td>54.88</td> <td>27.59</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>210</td> <td>178 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.61	-12.39	54.88	27.59	34.28	18.38	38.56	210	178 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	41.61	-12.39	54.88	27.59	34.28	18.38	38.56	210	178 Average																																																																											





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																				
2	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode F2 Site : #19 03E227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.72</td> <td>52.35</td> <td>-11.65</td> <td>74.00</td> <td>38.32</td> <td>34.28</td> <td>18.38</td> <td>30.55</td> <td>117</td> <td>201 Peak</td> </tr> <tr> <td>2</td> <td>5465.28</td> <td>52.60</td> <td>-15.78</td> <td>68.38</td> <td>38.58</td> <td>34.28</td> <td>18.38</td> <td>30.55</td> <td>117</td> <td>201 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5449.72	52.35	-11.65	74.00	38.32	34.28	18.38	30.55	117	201 Peak	2	5465.28	52.60	-15.78	68.38	38.58	34.28	18.38	30.55	117	201 Peak	<p>Date: 7 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode F2 Site : #19 03E227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>87.26</td> <td>28.96</td> <td>68.38</td> <td>82.88</td> <td>34.38</td> <td>19.56</td> <td>30.48</td> <td>117</td> <td>201 Peak</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>89.71</td> <td>.....</td> <td>75.25</td> <td>34.38</td> <td>19.56</td> <td>30.48</td> <td>117</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	87.26	28.96	68.38	82.88	34.38	19.56	30.48	117	201 Peak	2	5610.00	89.71	.....	75.25	34.38	19.56	30.48	117	201 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5449.72	52.35	-11.65	74.00	38.32	34.28	18.38	30.55	117	201 Peak																																																																											
2	5465.28	52.60	-15.78	68.38	38.58	34.28	18.38	30.55	117	201 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5610.00	87.26	28.96	68.38	82.88	34.38	19.56	30.48	117	201 Peak																																																																											
2	5610.00	89.71	.....	75.25	34.38	19.56	30.48	117	201 Average																																																																												
Avg.	<p>Date: 6 Level (dBuV/m) Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL R BW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode F2 Site : #19 03E227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5499.92</td> <td>41.96</td> <td>-12.82</td> <td>54.80</td> <td>27.96</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>117</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5499.92	41.96	-12.82	54.80	27.96	34.28	18.38	30.56	117	201 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5499.92	41.96	-12.82	54.80	27.96	34.28	18.38	30.56	117	201 Average																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																												
ANT	802.11ac VHT80 CH122 5610MHz - R																												
2	Vertical	Fundamental																											
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL          : 820W 1000.0000kHz VSW 3000.0000kHz          Project : 211916-01          Mode : F2          SW : #19 C0E227012194000K          Plane : Z with Accessory          setting : MIC20 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISt</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5734.03</td> <td>52.76</td> <td>-15.54</td> <td>68.30</td> <td>38.02</td> <td>34.57</td> <td>38.63</td> <td>38.44</td> <td>117 201 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISt	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB		1 5734.03	52.76	-15.54	68.30	38.02	34.57	38.63	38.44	117 201 Peak	Left blank
Freq	Level	LIRES	LISt	Level	Factor	Loss	Factor	Remark																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB																						
1 5734.03	52.76	-15.54	68.30	38.02	34.57	38.63	38.44	117 201 Peak																					



UNII-2C - 5470~5725MHz  
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																															
ANT	802.11a CH100 5500MHz																																																																																																															
2	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Date: 14 Level (dBuV/m)</p> <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 50 SN : #19 G0E227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>56.37</td> <td>-17.63</td> <td>74.00</td> <td>64.66</td> <td>37.90</td> <td>12.81</td> <td>58.20</td> <td>118</td> <td>194 Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>48.81</td> <td>-15.99</td> <td>54.00</td> <td>56.30</td> <td>37.90</td> <td>12.81</td> <td>58.20</td> <td>119</td> <td>194 Average</td> </tr> <tr> <td>3</td> <td>16000.00</td> <td>51.69</td> <td>-16.61</td> <td>68.30</td> <td>52.35</td> <td>41.57</td> <td>15.27</td> <td>57.50</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	56.37	-17.63	74.00	64.66	37.90	12.81	58.20	118	194 Peak	2	11000.00	48.81	-15.99	54.00	56.30	37.90	12.81	58.20	119	194 Average	3	16000.00	51.69	-16.61	68.30	52.35	41.57	15.27	57.50	---	Peak	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 50 SN : #19 G0E227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>57.34</td> <td>-16.66</td> <td>74.00</td> <td>65.83</td> <td>37.90</td> <td>12.81</td> <td>58.20</td> <td>100</td> <td>199 Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>49.45</td> <td>-15.55</td> <td>54.00</td> <td>57.74</td> <td>37.90</td> <td>12.81</td> <td>58.20</td> <td>100</td> <td>199 Average</td> </tr> <tr> <td>3</td> <td>16000.00</td> <td>50.87</td> <td>-18.23</td> <td>68.30</td> <td>58.73</td> <td>41.57</td> <td>15.27</td> <td>57.50</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	57.34	-16.66	74.00	65.83	37.90	12.81	58.20	100	199 Peak	2	11000.00	49.45	-15.55	54.00	57.74	37.90	12.81	58.20	100	199 Average	3	16000.00	50.87	-18.23	68.30	58.73	41.57	15.27	57.50	---	Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11000.00	56.37	-17.63	74.00	64.66	37.90	12.81	58.20	118	194 Peak																																																																																																						
2	11000.00	48.81	-15.99	54.00	56.30	37.90	12.81	58.20	119	194 Average																																																																																																						
3	16000.00	51.69	-16.61	68.30	52.35	41.57	15.27	57.50	---	Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11000.00	57.34	-16.66	74.00	65.83	37.90	12.81	58.20	100	199 Peak																																																																																																						
2	11000.00	49.45	-15.55	54.00	57.74	37.90	12.81	58.20	100	199 Average																																																																																																						
3	16000.00	50.87	-18.23	68.30	58.73	41.57	15.27	57.50	---	Peak																																																																																																						



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																											
ANT	802.11a CH116 5580MHz																																																																																																											
2	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 51 SN : #19 G8E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>58.08</td> <td>-15.03</td> <td>74.00</td> <td>66.03</td> <td>38.85</td> <td>12.10</td> <td>58.10</td> <td>100</td> <td>153 Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>49.97</td> <td>-4.83</td> <td>54.00</td> <td>57.92</td> <td>38.85</td> <td>12.10</td> <td>58.10</td> <td>100</td> <td>153 Average</td> </tr> <tr> <td>3</td> <td>10740.00</td> <td>52.34</td> <td>-10.86</td> <td>60.30</td> <td>51.83</td> <td>42.87</td> <td>15.43</td> <td>57.87</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	11100.00	58.08	-15.03	74.00	66.03	38.85	12.10	58.10	100	153 Peak	2	11100.00	49.97	-4.83	54.00	57.92	38.85	12.10	58.10	100	153 Average	3	10740.00	52.34	-10.86	60.30	51.83	42.87	15.43	57.87	---	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 51 SN : #19 G8E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>58.79</td> <td>-15.21</td> <td>74.00</td> <td>66.74</td> <td>38.85</td> <td>12.10</td> <td>58.10</td> <td>100</td> <td>206 Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>58.00</td> <td>-1.20</td> <td>54.00</td> <td>58.75</td> <td>38.85</td> <td>12.10</td> <td>58.10</td> <td>100</td> <td>206 Average</td> </tr> <tr> <td>3</td> <td>10740.00</td> <td>51.85</td> <td>-10.45</td> <td>60.30</td> <td>51.44</td> <td>42.87</td> <td>15.43</td> <td>57.87</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	11100.00	58.79	-15.21	74.00	66.74	38.85	12.10	58.10	100	206 Peak	2	11100.00	58.00	-1.20	54.00	58.75	38.85	12.10	58.10	100	206 Average	3	10740.00	51.85	-10.45	60.30	51.44	42.87	15.43	57.87	---	--- Peak
Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																				
1	11100.00	58.08	-15.03	74.00	66.03	38.85	12.10	58.10	100	153 Peak																																																																																																		
2	11100.00	49.97	-4.83	54.00	57.92	38.85	12.10	58.10	100	153 Average																																																																																																		
3	10740.00	52.34	-10.86	60.30	51.83	42.87	15.43	57.87	---	--- Peak																																																																																																		
Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																				
1	11100.00	58.79	-15.21	74.00	66.74	38.85	12.10	58.10	100	206 Peak																																																																																																		
2	11100.00	58.00	-1.20	54.00	58.75	38.85	12.10	58.10	100	206 Average																																																																																																		
3	10740.00	51.85	-10.45	60.30	51.44	42.87	15.43	57.87	---	--- Peak																																																																																																		

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																											
ANT	802.11a CH140 5700MHz																																																																																																											
2	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 52 SN : #19 G8E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>56.32</td> <td>-17.68</td> <td>74.00</td> <td>63.82</td> <td>38.27</td> <td>12.10</td> <td>57.96</td> <td>100</td> <td>128 Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>47.75</td> <td>-6.25</td> <td>54.00</td> <td>55.25</td> <td>38.27</td> <td>12.10</td> <td>57.96</td> <td>100</td> <td>128 Average</td> </tr> <tr> <td>3</td> <td>12300.00</td> <td>51.58</td> <td>-10.75</td> <td>60.30</td> <td>58.37</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	11400.00	56.32	-17.68	74.00	63.82	38.27	12.10	57.96	100	128 Peak	2	11400.00	47.75	-6.25	54.00	55.25	38.27	12.10	57.96	100	128 Average	3	12300.00	51.58	-10.75	60.30	58.37	42.46	15.45	56.78	---	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 52 SN : #19 G8E227012194000K Plane : Z with Accessory setting : GM power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>54.85</td> <td>-19.14</td> <td>74.00</td> <td>62.36</td> <td>38.27</td> <td>12.10</td> <td>57.96</td> <td>100</td> <td>241 Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>46.85</td> <td>-7.15</td> <td>54.00</td> <td>54.35</td> <td>38.27</td> <td>12.10</td> <td>57.96</td> <td>100</td> <td>241 Average</td> </tr> <tr> <td>3</td> <td>12300.00</td> <td>52.71</td> <td>-15.59</td> <td>60.30</td> <td>51.50</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	11400.00	54.85	-19.14	74.00	62.36	38.27	12.10	57.96	100	241 Peak	2	11400.00	46.85	-7.15	54.00	54.35	38.27	12.10	57.96	100	241 Average	3	12300.00	52.71	-15.59	60.30	51.50	42.46	15.45	56.78	---	--- Peak
Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																				
1	11400.00	56.32	-17.68	74.00	63.82	38.27	12.10	57.96	100	128 Peak																																																																																																		
2	11400.00	47.75	-6.25	54.00	55.25	38.27	12.10	57.96	100	128 Average																																																																																																		
3	12300.00	51.58	-10.75	60.30	58.37	42.46	15.45	56.78	---	--- Peak																																																																																																		
Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																				
1	11400.00	54.85	-19.14	74.00	62.36	38.27	12.10	57.96	100	241 Peak																																																																																																		
2	11400.00	46.85	-7.15	54.00	54.35	38.27	12.10	57.96	100	241 Average																																																																																																		
3	12300.00	52.71	-15.59	60.30	51.50	42.46	15.45	56.78	---	--- Peak																																																																																																		



**UNII-2C 5470~5725MHz  
WIFI 802.11n HT20 (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>																																																																																																
<b>ANT</b>	<b>802.11n HT20 CH100 5500MHz</b>																																																																																																
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																															
<b>Peak Avg.</b>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode S8 SN : #19 G8E227012194000K Plane : Z with Accessory Setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18648.00</td> <td>46.00</td> <td>-27.18</td> <td>74.00</td> <td>57.39</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>217 Peak</td> </tr> <tr> <td>2</td> <td>15968.00</td> <td>58.83</td> <td>-23.97</td> <td>74.00</td> <td>54.18</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>217 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	18648.00	46.00	-27.18	74.00	57.39	37.47	11.83	59.79	100	217 Peak	2	15968.00	58.83	-23.97	74.00	54.18	48.47	14.89	59.43	100	217 Average	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode S8 SN : #19 G8E227012194000K Plane : Z with Accessory Setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18648.00</td> <td>53.11</td> <td>-28.89</td> <td>74.00</td> <td>63.60</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>217 Peak</td> </tr> <tr> <td>2</td> <td>18648.00</td> <td>45.41</td> <td>-36.59</td> <td>54.00</td> <td>55.00</td> <td>35.43</td> <td>13.83</td> <td>59.79</td> <td>100</td> <td>217 Average</td> </tr> <tr> <td>3</td> <td>15968.00</td> <td>58.29</td> <td>-23.71</td> <td>74.00</td> <td>54.36</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100</td> <td>217 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	18648.00	53.11	-28.89	74.00	63.60	37.47	11.83	59.79	100	217 Peak	2	18648.00	45.41	-36.59	54.00	55.00	35.43	13.83	59.79	100	217 Average	3	15968.00	58.29	-23.71	74.00	54.36	48.47	14.89	59.43	100	217 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	18648.00	46.00	-27.18	74.00	57.39	37.47	11.83	59.79	100	217 Peak																																																																																							
2	15968.00	58.83	-23.97	74.00	54.18	48.47	14.89	59.43	100	217 Average																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	18648.00	53.11	-28.89	74.00	63.60	37.47	11.83	59.79	100	217 Peak																																																																																							
2	18648.00	45.41	-36.59	54.00	55.00	35.43	13.83	59.79	100	217 Average																																																																																							
3	15968.00	58.29	-23.71	74.00	54.36	48.47	14.89	59.43	100	217 Peak																																																																																							

<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>																																																																																																											
<b>ANT</b>	<b>802.11n HT20 CH116 5580MHz</b>																																																																																																											
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																										
<b>Peak Avg.</b>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode S8 SN : #19 G8E227012194000K Plane : Z with Accessory Setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11168.00</td> <td>57.89</td> <td>-18.28</td> <td>74.00</td> <td>65.75</td> <td>38.85</td> <td>12.18</td> <td>58.18</td> <td>100</td> <td>285 Peak</td> </tr> <tr> <td>2</td> <td>11168.00</td> <td>58.17</td> <td>-18.01</td> <td>54.00</td> <td>58.12</td> <td>38.85</td> <td>12.18</td> <td>58.18</td> <td>100</td> <td>285 Average</td> </tr> <tr> <td>3</td> <td>16748.00</td> <td>58.54</td> <td>-17.76</td> <td>68.38</td> <td>58.13</td> <td>42.87</td> <td>15.41</td> <td>57.87</td> <td>100</td> <td>285 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11168.00	57.89	-18.28	74.00	65.75	38.85	12.18	58.18	100	285 Peak	2	11168.00	58.17	-18.01	54.00	58.12	38.85	12.18	58.18	100	285 Average	3	16748.00	58.54	-17.76	68.38	58.13	42.87	15.41	57.87	100	285 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode S8 SN : #19 G8E227012194000K Plane : Z with Accessory Setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11168.00</td> <td>58.18</td> <td>-18.05</td> <td>74.00</td> <td>66.38</td> <td>38.85</td> <td>12.18</td> <td>58.18</td> <td>100</td> <td>285 Peak</td> </tr> <tr> <td>2</td> <td>11168.00</td> <td>58.85</td> <td>-17.38</td> <td>54.00</td> <td>58.77</td> <td>38.85</td> <td>12.18</td> <td>58.18</td> <td>100</td> <td>285 Average</td> </tr> <tr> <td>3</td> <td>16748.00</td> <td>58.84</td> <td>-17.46</td> <td>68.38</td> <td>58.43</td> <td>42.87</td> <td>15.41</td> <td>57.87</td> <td>100</td> <td>285 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11168.00	58.18	-18.05	74.00	66.38	38.85	12.18	58.18	100	285 Peak	2	11168.00	58.85	-17.38	54.00	58.77	38.85	12.18	58.18	100	285 Average	3	16748.00	58.84	-17.46	68.38	58.43	42.87	15.41	57.87	100	285 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11168.00	57.89	-18.28	74.00	65.75	38.85	12.18	58.18	100	285 Peak																																																																																																		
2	11168.00	58.17	-18.01	54.00	58.12	38.85	12.18	58.18	100	285 Average																																																																																																		
3	16748.00	58.54	-17.76	68.38	58.13	42.87	15.41	57.87	100	285 Peak																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11168.00	58.18	-18.05	74.00	66.38	38.85	12.18	58.18	100	285 Peak																																																																																																		
2	11168.00	58.85	-17.38	54.00	58.77	38.85	12.18	58.18	100	285 Average																																																																																																		
3	16748.00	58.84	-17.46	68.38	58.43	42.87	15.41	57.87	100	285 Peak																																																																																																		



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																											
ANT	802.11n HT20 CH140 5700MHz																																																																																																											
2	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode E1 SN : #19 GBZ27012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>58.93</td> <td>-15.97</td> <td>74.00</td> <td>65.53</td> <td>38.27</td> <td>11.19</td> <td>57.96</td> <td>165</td> <td>152 Peak</td> </tr> <tr> <td>2</td> <td>11500.00</td> <td>47.99</td> <td>-16.81</td> <td>54.00</td> <td>55.69</td> <td>38.27</td> <td>11.19</td> <td>57.96</td> <td>165</td> <td>152 Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>59.71</td> <td>-17.59</td> <td>68.38</td> <td>49.58</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	58.93	-15.97	74.00	65.53	38.27	11.19	57.96	165	152 Peak	2	11500.00	47.99	-16.81	54.00	55.69	38.27	11.19	57.96	165	152 Average	3	17100.00	59.71	-17.59	68.38	49.58	42.46	15.45	56.78	---	--- Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-25</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode E1 SN : #19 GBZ27012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>59.92</td> <td>-14.88</td> <td>74.00</td> <td>67.42</td> <td>38.27</td> <td>11.19</td> <td>57.96</td> <td>193</td> <td>179 Peak</td> </tr> <tr> <td>2</td> <td>11500.00</td> <td>48.15</td> <td>-15.85</td> <td>54.00</td> <td>55.65</td> <td>38.27</td> <td>11.19</td> <td>57.96</td> <td>165</td> <td>179 Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>59.96</td> <td>-17.34</td> <td>68.38</td> <td>49.75</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	59.92	-14.88	74.00	67.42	38.27	11.19	57.96	193	179 Peak	2	11500.00	48.15	-15.85	54.00	55.65	38.27	11.19	57.96	165	179 Average	3	17100.00	59.96	-17.34	68.38	49.75	42.46	15.45	56.78	---	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11400.00	58.93	-15.97	74.00	65.53	38.27	11.19	57.96	165	152 Peak																																																																																																		
2	11500.00	47.99	-16.81	54.00	55.69	38.27	11.19	57.96	165	152 Average																																																																																																		
3	17100.00	59.71	-17.59	68.38	49.58	42.46	15.45	56.78	---	--- Peak																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11400.00	59.92	-14.88	74.00	67.42	38.27	11.19	57.96	193	179 Peak																																																																																																		
2	11500.00	48.15	-15.85	54.00	55.65	38.27	11.19	57.96	165	179 Average																																																																																																		
3	17100.00	59.96	-17.34	68.38	49.75	42.46	15.45	56.78	---	--- Peak																																																																																																		





UNII-2C 5470~5725MHz  
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																			
ANT	802.11n HT40 CH102 5510MHz																																																																																			
2	Horizontal	Vertical																																																																																		
Peak Avg.	<p>Site : G3CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 02 SN : #19 G3B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11820.00</td> <td>48.57</td> <td>-25.43</td> <td>74.00</td> <td>56.88</td> <td>37.92</td> <td>12.04</td> <td>58.19</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>58.76</td> <td>-17.54</td> <td>68.30</td> <td>51.38</td> <td>41.64</td> <td>15.26</td> <td>57.44</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11820.00	48.57	-25.43	74.00	56.88	37.92	12.04	58.19	...	Peak	2	16530.00	58.76	-17.54	68.30	51.38	41.64	15.26	57.44	...	Peak	<p>Site : G3CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 02 SN : #19 G3B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11820.00</td> <td>49.69</td> <td>-24.31</td> <td>74.00</td> <td>57.92</td> <td>37.92</td> <td>12.04</td> <td>58.19</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>58.93</td> <td>-17.37</td> <td>68.30</td> <td>51.47</td> <td>41.64</td> <td>15.26</td> <td>57.44</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11820.00	49.69	-24.31	74.00	57.92	37.92	12.04	58.19	...	Peak	2	16530.00	58.93	-17.37	68.30	51.47	41.64	15.26	57.44	...	Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	11820.00	48.57	-25.43	74.00	56.88	37.92	12.04	58.19	...	Peak																																																																										
2	16530.00	58.76	-17.54	68.30	51.38	41.64	15.26	57.44	...	Peak																																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	11820.00	49.69	-24.31	74.00	57.92	37.92	12.04	58.19	...	Peak																																																																										
2	16530.00	58.93	-17.37	68.30	51.47	41.64	15.26	57.44	...	Peak																																																																										

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																									
ANT	802.11n HT40 CH110 5550MHz																																																																																																									
2	Horizontal	Vertical																																																																																																								
Peak Avg.	<p>Site : G3CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 07 SN : #19 G3B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>53.68</td> <td>-28.32</td> <td>74.00</td> <td>61.66</td> <td>37.99</td> <td>12.17</td> <td>58.14</td> <td>165</td> <td>171 Peak</td> </tr> <tr> <td>2</td> <td>13100.00</td> <td>43.80</td> <td>-38.20</td> <td>54.00</td> <td>51.80</td> <td>37.99</td> <td>12.17</td> <td>58.14</td> <td>165</td> <td>171 Average</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>58.25</td> <td>-18.65</td> <td>68.30</td> <td>58.38</td> <td>41.89</td> <td>15.28</td> <td>57.22</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	53.68	-28.32	74.00	61.66	37.99	12.17	58.14	165	171 Peak	2	13100.00	43.80	-38.20	54.00	51.80	37.99	12.17	58.14	165	171 Average	3	16650.00	58.25	-18.65	68.30	58.38	41.89	15.28	57.22	...	Peak	<p>Site : G3CH02-02 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 07 SN : #19 G3B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>54.88</td> <td>-19.12</td> <td>74.00</td> <td>62.86</td> <td>37.99</td> <td>12.17</td> <td>58.14</td> <td>160</td> <td>159 Peak</td> </tr> <tr> <td>2</td> <td>13100.00</td> <td>45.21</td> <td>-28.79</td> <td>54.00</td> <td>53.19</td> <td>37.99</td> <td>12.17</td> <td>58.14</td> <td>160</td> <td>159 Average</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>58.58</td> <td>-17.72</td> <td>68.30</td> <td>58.63</td> <td>41.89</td> <td>15.28</td> <td>57.22</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	54.88	-19.12	74.00	62.86	37.99	12.17	58.14	160	159 Peak	2	13100.00	45.21	-28.79	54.00	53.19	37.99	12.17	58.14	160	159 Average	3	16650.00	58.58	-17.72	68.30	58.63	41.89	15.28	57.22	...	Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11100.00	53.68	-28.32	74.00	61.66	37.99	12.17	58.14	165	171 Peak																																																																																																
2	13100.00	43.80	-38.20	54.00	51.80	37.99	12.17	58.14	165	171 Average																																																																																																
3	16650.00	58.25	-18.65	68.30	58.38	41.89	15.28	57.22	...	Peak																																																																																																
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11100.00	54.88	-19.12	74.00	62.86	37.99	12.17	58.14	160	159 Peak																																																																																																
2	13100.00	45.21	-28.79	54.00	53.19	37.99	12.17	58.14	160	159 Average																																																																																																
3	16650.00	58.58	-17.72	68.30	58.63	41.89	15.28	57.22	...	Peak																																																																																																



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT40 CH134 5670MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 19</p> <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 68 SN : #19 GBZ27012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>47.31</td> <td>-26.69</td> <td>74.00</td> <td>54.76</td> <td>38.21</td> <td>11.34</td> <td>58.00</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17030.00</td> <td>59.34</td> <td>-17.66</td> <td>68.38</td> <td>48.79</td> <td>42.58</td> <td>15.59</td> <td>56.62</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	47.31	-26.69	74.00	54.76	38.21	11.34	58.00	...	Peak	2	17030.00	59.34	-17.66	68.38	48.79	42.58	15.59	56.62	...	Peak	<p>Date: 20</p> <p>Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 68 SN : #19 GBZ27012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>58.25</td> <td>-23.75</td> <td>74.00</td> <td>57.70</td> <td>38.21</td> <td>11.34</td> <td>58.00</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17030.00</td> <td>59.27</td> <td>-17.73</td> <td>68.38</td> <td>49.62</td> <td>42.58</td> <td>15.59</td> <td>56.62</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	58.25	-23.75	74.00	57.70	38.21	11.34	58.00	...	Peak	2	17030.00	59.27	-17.73	68.38	49.62	42.58	15.59	56.62	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11340.00	47.31	-26.69	74.00	54.76	38.21	11.34	58.00	...	Peak																																																																																
2	17030.00	59.34	-17.66	68.38	48.79	42.58	15.59	56.62	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11340.00	58.25	-23.75	74.00	57.70	38.21	11.34	58.00	...	Peak																																																																																
2	17030.00	59.27	-17.73	68.38	49.62	42.58	15.59	56.62	...	Peak																																																																																



UNII-2C 5470~5725MHz  
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																													
ANT	802.11ac VHT80 CH106 5530MHz																																																																													
2	Horizontal	Vertical																																																																												
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode T1 SN : #19 G8B227012194000K Plane : Z with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11808.00</td> <td>48.85</td> <td>-25.17</td> <td>74.00</td> <td>56.91</td> <td>37.96</td> <td>12.12</td> <td>58.16</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16598.00</td> <td>49.37</td> <td>-18.73</td> <td>68.30</td> <td>49.91</td> <td>41.75</td> <td>15.25</td> <td>57.34</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	11808.00	48.85	-25.17	74.00	56.91	37.96	12.12	58.16	--- Peak	2	16598.00	49.37	-18.73	68.30	49.91	41.75	15.25	57.34	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode T1 SN : #19 G8B227012194000K Plane : Z with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11808.00</td> <td>49.57</td> <td>-24.43</td> <td>74.00</td> <td>57.65</td> <td>37.96</td> <td>12.12</td> <td>58.16</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16598.00</td> <td>50.74</td> <td>-17.56</td> <td>68.30</td> <td>51.08</td> <td>41.75</td> <td>15.25</td> <td>57.34</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	11808.00	49.57	-24.43	74.00	57.65	37.96	12.12	58.16	--- Peak	2	16598.00	50.74	-17.56	68.30	51.08	41.75	15.25	57.34	--- Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	11808.00	48.85	-25.17	74.00	56.91	37.96	12.12	58.16	--- Peak																																																																					
2	16598.00	49.37	-18.73	68.30	49.91	41.75	15.25	57.34	--- Peak																																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	11808.00	49.57	-24.43	74.00	57.65	37.96	12.12	58.16	--- Peak																																																																					
2	16598.00	50.74	-17.56	68.30	51.08	41.75	15.25	57.34	--- Peak																																																																					

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																													
ANT	802.11ac VHT80 CH122 5610MHz																																																																													
2	Horizontal	Vertical																																																																												
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode T2 SN : #19 G8B227012194000K Plane : Z with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11228.00</td> <td>48.00</td> <td>-26.00</td> <td>74.00</td> <td>55.85</td> <td>38.30</td> <td>12.12</td> <td>58.87</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16838.00</td> <td>50.43</td> <td>-17.87</td> <td>68.30</td> <td>49.59</td> <td>42.24</td> <td>15.51</td> <td>56.91</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	11228.00	48.00	-26.00	74.00	55.85	38.30	12.12	58.87	--- Peak	2	16838.00	50.43	-17.87	68.30	49.59	42.24	15.51	56.91	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode T2 SN : #19 G8B227012194000K Plane : Z with Accessory Setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11228.00</td> <td>48.72</td> <td>-25.28</td> <td>74.00</td> <td>56.57</td> <td>38.18</td> <td>12.12</td> <td>58.87</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16838.00</td> <td>50.76</td> <td>-17.52</td> <td>68.30</td> <td>49.94</td> <td>42.24</td> <td>15.51</td> <td>56.91</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	11228.00	48.72	-25.28	74.00	56.57	38.18	12.12	58.87	--- Peak	2	16838.00	50.76	-17.52	68.30	49.94	42.24	15.51	56.91	--- Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	11228.00	48.00	-26.00	74.00	55.85	38.30	12.12	58.87	--- Peak																																																																					
2	16838.00	50.43	-17.87	68.30	49.59	42.24	15.51	56.91	--- Peak																																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	11228.00	48.72	-25.28	74.00	56.57	38.18	12.12	58.87	--- Peak																																																																					
2	16838.00	50.76	-17.52	68.30	49.94	42.24	15.51	56.91	--- Peak																																																																					



UNII-2C - 5470~5725MHz

UNII-2C - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																			
ANT	802.11a CH144 5720MHz - L																																																																			
2	Horizontal	Fundamental																																																																		
Peak	<p>Site : 03CH02-SZ            Condition : UNII-2C AND UNII-3 3m HF_ANT_3117_0107 HORIZONTAL            Project : 211916-01            Mode : Mode 02            SN : #19 G0B227012194000K            Plane : 2 with Accessory            setting : EM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5373.18</td> <td>58.43</td> <td>-23.59</td> <td>74.00</td> <td>36.43</td> <td>34.20</td> <td>18.38</td> <td>38.52</td> <td>137</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5468.55</td> <td>49.48</td> <td>-18.98</td> <td>68.38</td> <td>35.38</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>137</td> <td>182 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>87.70</td> <td>.....</td> <td>83.81</td> <td>34.57</td> <td>34.20</td> <td>18.41</td> <td>38.49</td> <td>137</td> <td>182 Peak</td> </tr> <tr> <td>4</td> <td>5877.88</td> <td>52.96</td> <td>-15.36</td> <td>68.38</td> <td>37.88</td> <td>35.00</td> <td>18.75</td> <td>38.93</td> <td>137</td> <td>182 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg		1	5373.18	58.43	-23.59	74.00	36.43	34.20	18.38	38.52	137	182 Peak	2	5468.55	49.48	-18.98	68.38	35.38	34.20	18.38	38.56	137	182 Peak	3	5720.00	87.70	.....	83.81	34.57	34.20	18.41	38.49	137	182 Peak	4	5877.88	52.96	-15.36	68.38	37.88	35.00	18.75	38.93	137	182 Peak	Left blank
Peak	Freq	Level	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																																											
1	5373.18	58.43	-23.59	74.00	36.43	34.20	18.38	38.52	137	182 Peak																																																										
2	5468.55	49.48	-18.98	68.38	35.38	34.20	18.38	38.56	137	182 Peak																																																										
3	5720.00	87.70	.....	83.81	34.57	34.20	18.41	38.49	137	182 Peak																																																										
4	5877.88	52.96	-15.36	68.38	37.88	35.00	18.75	38.93	137	182 Peak																																																										
Avg.	<p>Site : 03CH02-SZ            Condition : PARET 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL            Project : 211916-01            Mode : Mode 02            SN : #19 G0B227012194000K            Plane : 2 with Accessory            setting : EM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.08</td> <td>41.46</td> <td>-12.54</td> <td>54.00</td> <td>27.44</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>137</td> <td>182 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>91.31</td> <td>.....</td> <td>76.62</td> <td>34.57</td> <td>34.20</td> <td>18.41</td> <td>38.49</td> <td>137</td> <td>182 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg		1	5455.08	41.46	-12.54	54.00	27.44	34.20	18.38	38.56	137	182 Average	2	5720.00	91.31	.....	76.62	34.57	34.20	18.41	38.49	137	182 Average	Left blank																						
Peak	Freq	Level	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																																											
1	5455.08	41.46	-12.54	54.00	27.44	34.20	18.38	38.56	137	182 Average																																																										
2	5720.00	91.31	.....	76.62	34.57	34.20	18.41	38.49	137	182 Average																																																										



WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																			
ANT	802.11a CH144 5720MHz - L																																																																			
2	Vertical	Fundamental																																																																		
Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 02 SN : #19 G0B2Z7012154000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5411.85</td> <td>59.33</td> <td>-23.67</td> <td>74.00</td> <td>36.32</td> <td>34.20</td> <td>18.34</td> <td>39.53</td> <td>138</td> <td>195 Peak</td> </tr> <tr> <td>2</td> <td>5453.85</td> <td>59.32</td> <td>-23.70</td> <td>69.29</td> <td>36.58</td> <td>34.20</td> <td>18.38</td> <td>39.56</td> <td>138</td> <td>195 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>102.28</td> <td>.....</td> <td>87.69</td> <td>34.57</td> <td>18.61</td> <td>38.49</td> <td>138</td> <td>195</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5861.59</td> <td>52.18</td> <td>-16.12</td> <td>69.29</td> <td>37.87</td> <td>34.53</td> <td>18.73</td> <td>39.53</td> <td>138</td> <td>195 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg		1	5411.85	59.33	-23.67	74.00	36.32	34.20	18.34	39.53	138	195 Peak	2	5453.85	59.32	-23.70	69.29	36.58	34.20	18.38	39.56	138	195 Peak	3	5720.00	102.28	.....	87.69	34.57	18.61	38.49	138	195	Peak	4	5861.59	52.18	-16.12	69.29	37.87	34.53	18.73	39.53	138	195 Peak	Left blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																																											
1	5411.85	59.33	-23.67	74.00	36.32	34.20	18.34	39.53	138	195 Peak																																																										
2	5453.85	59.32	-23.70	69.29	36.58	34.20	18.38	39.56	138	195 Peak																																																										
3	5720.00	102.28	.....	87.69	34.57	18.61	38.49	138	195	Peak																																																										
4	5861.59	52.18	-16.12	69.29	37.87	34.53	18.73	39.53	138	195 Peak																																																										
Avg.	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : SNAP1 15 407 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 02 SN : #19 G0B2Z7012154000K Plane : Z with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.48</td> <td>41.51</td> <td>-12.49</td> <td>54.08</td> <td>27.49</td> <td>34.20</td> <td>18.38</td> <td>39.56</td> <td>138</td> <td>195 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>95.89</td> <td>.....</td> <td>81.28</td> <td>34.57</td> <td>18.61</td> <td>38.49</td> <td>138</td> <td>195</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg		1	5453.48	41.51	-12.49	54.08	27.49	34.20	18.38	39.56	138	195 Average	2	5720.00	95.89	.....	81.28	34.57	18.61	38.49	138	195	Average	Left blank																						
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																																											
1	5453.48	41.51	-12.49	54.08	27.49	34.20	18.38	39.56	138	195 Average																																																										
2	5720.00	95.89	.....	81.28	34.57	18.61	38.49	138	195	Average																																																										



**UNII-2C – Straddle Channel  
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																													
ANT	802.11n CH144 5720MHz - L																																																													
2	Horizontal	Fundamental																																																												
<b>Peak</b>	<p>Date: 1 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : UNII-2C-AND U-NI-3 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 83 SN : #19 C08227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5498.00</td> <td>49.99</td> <td>-18.31</td> <td>68.30</td> <td>35.97</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>153 182 Peak</td> </tr> <tr> <td>2</td> <td>5484.48</td> <td>51.84</td> <td>-16.44</td> <td>68.30</td> <td>37.82</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>153 182 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>36.00</td> <td>.....</td> <td>64.11</td> <td>34.37</td> <td>18.63</td> <td>38.49</td> <td>153</td> <td>182 Peak</td> </tr> <tr> <td>4</td> <td>5872.58</td> <td>51.75</td> <td>-16.55</td> <td>68.30</td> <td>36.68</td> <td>34.97</td> <td>18.71</td> <td>38.53</td> <td>153 182 Peak</td> </tr> </tbody> </table>	Line	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5498.00	49.99	-18.31	68.30	35.97	34.20	18.38	38.56	153 182 Peak	2	5484.48	51.84	-16.44	68.30	37.82	34.20	18.38	38.56	153 182 Peak	3	5720.00	36.00	.....	64.11	34.37	18.63	38.49	153	182 Peak	4	5872.58	51.75	-16.55	68.30	36.68	34.97	18.71	38.53	153 182 Peak	Left blank
Line	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
1	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5498.00	49.99	-18.31	68.30	35.97	34.20	18.38	38.56	153 182 Peak																																																					
2	5484.48	51.84	-16.44	68.30	37.82	34.20	18.38	38.56	153 182 Peak																																																					
3	5720.00	36.00	.....	64.11	34.37	18.63	38.49	153	182 Peak																																																					
4	5872.58	51.75	-16.55	68.30	36.68	34.97	18.71	38.53	153 182 Peak																																																					
<b>Avg.</b>	<p>Date: 2 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : #407 15-407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 83 SN : #19 C08227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5498.00</td> <td>41.58</td> <td>-12.58</td> <td>54.00</td> <td>27.48</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>153 182 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>91.45</td> <td>.....</td> <td>77.76</td> <td>34.37</td> <td>18.63</td> <td>38.49</td> <td>153</td> <td>182 Average</td> </tr> </tbody> </table>	Line	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5498.00	41.58	-12.58	54.00	27.48	34.20	18.38	38.56	153 182 Average	2	5720.00	91.45	.....	77.76	34.37	18.63	38.49	153	182 Average	Left blank																				
Line	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
1	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5498.00	41.58	-12.58	54.00	27.48	34.20	18.38	38.56	153 182 Average																																																					
2	5720.00	91.45	.....	77.76	34.37	18.63	38.49	153	182 Average																																																					



WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																			
ANT	802.11n CH144 5720MHz - L																																																																			
2	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH02-SZ            Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL            Project : 211916-01            Mode : Mode 83            SN : #19 G0B227012154000K            Plane : Z with Accessory            setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.09</td> <td>59.83</td> <td>-23.17</td> <td>74.00</td> <td>36.81</td> <td>34.20</td> <td>18.38</td> <td>39.56</td> <td>150</td> <td>200 Peak</td> </tr> <tr> <td>2</td> <td>5467.15</td> <td>59.84</td> <td>-21.46</td> <td>69.39</td> <td>36.77</td> <td>34.20</td> <td>18.43</td> <td>39.56</td> <td>150</td> <td>200 Peak</td> </tr> <tr> <td>3</td> <td>5720.09</td> <td>102.97</td> <td>.....</td> <td>89.28</td> <td>34.57</td> <td>18.61</td> <td>39.49</td> <td>150</td> <td>200</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5861.59</td> <td>51.05</td> <td>-15.76</td> <td>66.30</td> <td>37.64</td> <td>34.53</td> <td>18.73</td> <td>39.53</td> <td>150</td> <td>200 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg		1	5458.09	59.83	-23.17	74.00	36.81	34.20	18.38	39.56	150	200 Peak	2	5467.15	59.84	-21.46	69.39	36.77	34.20	18.43	39.56	150	200 Peak	3	5720.09	102.97	.....	89.28	34.57	18.61	39.49	150	200	Peak	4	5861.59	51.05	-15.76	66.30	37.64	34.53	18.73	39.53	150	200 Peak	Left blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																																											
1	5458.09	59.83	-23.17	74.00	36.81	34.20	18.38	39.56	150	200 Peak																																																										
2	5467.15	59.84	-21.46	69.39	36.77	34.20	18.43	39.56	150	200 Peak																																																										
3	5720.09	102.97	.....	89.28	34.57	18.61	39.49	150	200	Peak																																																										
4	5861.59	51.05	-15.76	66.30	37.64	34.53	18.73	39.53	150	200 Peak																																																										
Avg.	<p>Site : 03CH02-SZ            Condition : SNAPE 15 407 AVG 3m HF_ANT_3117_0107 VERTICAL            Project : 211916-01            Mode : Mode 83            SN : #19 G0B227012154000K            Plane : Z with Accessory            setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ce</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.09</td> <td>41.58</td> <td>-12.42</td> <td>54.00</td> <td>27.56</td> <td>34.20</td> <td>18.38</td> <td>39.56</td> <td>150</td> <td>200 Average</td> </tr> <tr> <td>2</td> <td>5720.09</td> <td>96.43</td> <td>.....</td> <td>81.74</td> <td>34.57</td> <td>18.61</td> <td>39.49</td> <td>150</td> <td>200</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg		1	5458.09	41.58	-12.42	54.00	27.56	34.20	18.38	39.56	150	200 Average	2	5720.09	96.43	.....	81.74	34.57	18.61	39.49	150	200	Average	Left blank																						
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																																											
1	5458.09	41.58	-12.42	54.00	27.56	34.20	18.38	39.56	150	200 Average																																																										
2	5720.09	96.43	.....	81.74	34.57	18.61	39.49	150	200	Average																																																										



UNII-2C – Straddle Channel  
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																			
ANT	802.11n CH142 5710MHz - L																																																																			
2	Horizontal	Fundamental																																																																		
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>ce</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5375.85</td> <td>51.73</td> <td>-22.27</td> <td>74.00</td> <td>37.76</td> <td>34.20</td> <td>18.38</td> <td>38.53</td> <td>120</td> <td>181 Peak</td> </tr> <tr> <td>2</td> <td>5462.28</td> <td>51.18</td> <td>-17.14</td> <td>68.39</td> <td>37.14</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>120</td> <td>181 Peak</td> </tr> <tr> <td>3</td> <td>5710.08</td> <td>95.41</td> <td>.....</td> <td>88.76</td> <td>34.53</td> <td>18.63</td> <td>38.49</td> <td>120</td> <td>181 Peak</td> <td></td> </tr> <tr> <td>4</td> <td>5856.55</td> <td>51.38</td> <td>-16.92</td> <td>68.39</td> <td>36.22</td> <td>34.93</td> <td>18.73</td> <td>38.48</td> <td>120</td> <td>181 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBm	dBm	Level	Level	Loss	Factor	dB	dB	ce	1	5375.85	51.73	-22.27	74.00	37.76	34.20	18.38	38.53	120	181 Peak	2	5462.28	51.18	-17.14	68.39	37.14	34.20	18.38	38.56	120	181 Peak	3	5710.08	95.41	.....	88.76	34.53	18.63	38.49	120	181 Peak		4	5856.55	51.38	-16.92	68.39	36.22	34.93	18.73	38.48	120	181 Peak	Left blank
Peak	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBm	dBm	Level	Level	Loss	Factor	dB	dB	ce																																																										
1	5375.85	51.73	-22.27	74.00	37.76	34.20	18.38	38.53	120	181 Peak																																																										
2	5462.28	51.18	-17.14	68.39	37.14	34.20	18.38	38.56	120	181 Peak																																																										
3	5710.08	95.41	.....	88.76	34.53	18.63	38.49	120	181 Peak																																																											
4	5856.55	51.38	-16.92	68.39	36.22	34.93	18.73	38.48	120	181 Peak																																																										
Avg.	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>ce</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.45</td> <td>41.83</td> <td>-12.38</td> <td>54.00</td> <td>27.88</td> <td>34.08</td> <td>18.38</td> <td>38.56</td> <td>120</td> <td>181 Average</td> </tr> <tr> <td>2</td> <td>5710.08</td> <td>88.87</td> <td>.....</td> <td>74.22</td> <td>34.53</td> <td>18.63</td> <td>38.49</td> <td>120</td> <td>181 Average</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBm	dBm	Level	Level	Loss	Factor	dB	dB	ce	1	5459.45	41.83	-12.38	54.00	27.88	34.08	18.38	38.56	120	181 Average	2	5710.08	88.87	.....	74.22	34.53	18.63	38.49	120	181 Average		Left blank																						
Peak	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBm	dBm	Level	Level	Loss	Factor	dB	dB	ce																																																										
1	5459.45	41.83	-12.38	54.00	27.88	34.08	18.38	38.56	120	181 Average																																																										
2	5710.08	88.87	.....	74.22	34.53	18.63	38.49	120	181 Average																																																											







WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																
ANT	802.11n CH142 5710MHz - L																																																																
2	Vertical	Fundamental																																																															
Peak	<p>Date: 3 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 84 SN : #19 G0B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5420.40</td> <td>59.68</td> <td>-23.20</td> <td>74.00</td> <td>36.67</td> <td>34.20</td> <td>10.34</td> <td>30.53</td> <td>122</td> <td>179 Peak</td> </tr> <tr> <td>2</td> <td>5450.00</td> <td>49.00</td> <td>-18.40</td> <td>60.39</td> <td>35.83</td> <td>34.20</td> <td>10.43</td> <td>30.56</td> <td>122</td> <td>179 Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>98.03</td> <td>.....</td> <td>83.38</td> <td>34.53</td> <td>10.61</td> <td>10.49</td> <td>122</td> <td>179 Peak</td> </tr> <tr> <td>4</td> <td>5900.75</td> <td>51.01</td> <td>-15.39</td> <td>60.20</td> <td>37.00</td> <td>34.53</td> <td>10.73</td> <td>30.53</td> <td>122</td> <td>179 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5420.40	59.68	-23.20	74.00	36.67	34.20	10.34	30.53	122	179 Peak	2	5450.00	49.00	-18.40	60.39	35.83	34.20	10.43	30.56	122	179 Peak	3	5710.00	98.03	.....	83.38	34.53	10.61	10.49	122	179 Peak	4	5900.75	51.01	-15.39	60.20	37.00	34.53	10.73	30.53	122	179 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																									
1	5420.40	59.68	-23.20	74.00	36.67	34.20	10.34	30.53	122	179 Peak																																																							
2	5450.00	49.00	-18.40	60.39	35.83	34.20	10.43	30.56	122	179 Peak																																																							
3	5710.00	98.03	.....	83.38	34.53	10.61	10.49	122	179 Peak																																																								
4	5900.75	51.01	-15.39	60.20	37.00	34.53	10.73	30.53	122	179 Peak																																																							
Avg.	<p>Date: 4 Date: 2022-05-26</p> <p>Site : 03CH02-SZ Condition : DWA01 15-607 AVG 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 84 SN : #19 G0B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.00</td> <td>41.59</td> <td>-12.41</td> <td>54.88</td> <td>27.57</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>122</td> <td>179 Average</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>91.89</td> <td>.....</td> <td>77.24</td> <td>34.53</td> <td>10.61</td> <td>10.49</td> <td>122</td> <td>179 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5450.00	41.59	-12.41	54.88	27.57	34.20	10.38	30.56	122	179 Average	2	5710.00	91.89	.....	77.24	34.53	10.61	10.49	122	179 Average	Left blank																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																									
1	5450.00	41.59	-12.41	54.88	27.57	34.20	10.38	30.56	122	179 Average																																																							
2	5710.00	91.89	.....	77.24	34.53	10.61	10.49	122	179 Average																																																								



**UNII-2C – Straddle Channel**  
**WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																															
ANT	802.11ac CH138 5690MHz - L																																																																															
2	Horizontal	Fundamental																																																																														
<b>Peak</b>	<p>Site : 03CH02-SZ            Condition : UNII-2C-AND U-NB-3 3m HF ANT_3117_0107 HORIZONTAL            Project : 211916-01            Mode : Mode B5            SN : #19 G8B227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5492.85</td> <td>59.18</td> <td>-23.43</td> <td>74.00</td> <td>36.36</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>150</td> <td></td> <td></td> <td>178 Peak</td> </tr> <tr> <td>2</td> <td>5466.00</td> <td>59.11</td> <td>-31.19</td> <td>69.10</td> <td>35.84</td> <td>34.20</td> <td>18.43</td> <td>38.56</td> <td>150</td> <td></td> <td></td> <td>178 Peak</td> </tr> <tr> <td>3</td> <td>5698.00</td> <td>89.08</td> <td>-----</td> <td>75.32</td> <td>34.50</td> <td>18.59</td> <td>38.53</td> <td>150</td> <td></td> <td></td> <td></td> <td>178 Peak</td> </tr> <tr> <td>4</td> <td>5911.00</td> <td>51.16</td> <td>-16.86</td> <td>69.28</td> <td>37.16</td> <td>34.50</td> <td>18.68</td> <td>38.48</td> <td>150</td> <td></td> <td></td> <td>178 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	5492.85	59.18	-23.43	74.00	36.36	34.20	18.38	38.56	150			178 Peak	2	5466.00	59.11	-31.19	69.10	35.84	34.20	18.43	38.56	150			178 Peak	3	5698.00	89.08	-----	75.32	34.50	18.59	38.53	150				178 Peak	4	5911.00	51.16	-16.86	69.28	37.16	34.50	18.68	38.48	150			178 Peak	<b>Left blank</b>
Peak	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5492.85	59.18	-23.43	74.00	36.36	34.20	18.38	38.56	150			178 Peak																																																																				
2	5466.00	59.11	-31.19	69.10	35.84	34.20	18.43	38.56	150			178 Peak																																																																				
3	5698.00	89.08	-----	75.32	34.50	18.59	38.53	150				178 Peak																																																																				
4	5911.00	51.16	-16.86	69.28	37.16	34.50	18.68	38.48	150			178 Peak																																																																				
<b>Avg.</b>	<p>Site : 03CH02-SZ            Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL            Project : 211916-01            Mode : Mode B5            SN : #19 G8B227012194000K            Plane : Z with Accessory            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>41.49</td> <td>-12.51</td> <td>54.00</td> <td>27.47</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>150</td> <td></td> <td></td> <td>178 Average</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>83.36</td> <td>-----</td> <td>68.08</td> <td>34.50</td> <td>18.59</td> <td>38.53</td> <td>150</td> <td></td> <td></td> <td></td> <td>178 Average</td> </tr> </tbody> </table>	Avg	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	5468.00	41.49	-12.51	54.00	27.47	34.20	18.38	38.56	150			178 Average	2	5698.00	83.36	-----	68.08	34.50	18.59	38.53	150				178 Average	<b>Left blank</b>																										
Avg	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5468.00	41.49	-12.51	54.00	27.47	34.20	18.38	38.56	150			178 Average																																																																				
2	5698.00	83.36	-----	68.08	34.50	18.59	38.53	150				178 Average																																																																				



WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																			
ANT	802.11ac CH138 5690MHz - L																																																																			
2	Vertical	Fundamental																																																																		
<p><b>Peak</b></p>	 <table border="1" data-bbox="430 761 782 907"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5489.48</td> <td>59.27</td> <td>-23.73</td> <td>74.00</td> <td>36.26</td> <td>34.28</td> <td>18.34</td> <td>38.53</td> <td>184</td> <td>191 Peak</td> </tr> <tr> <td>2</td> <td>5464.48</td> <td>58.43</td> <td>-17.87</td> <td>68.38</td> <td>36.43</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>184</td> <td>191 Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>84.34</td> <td>.....</td> <td>79.18</td> <td>34.58</td> <td>38.25</td> <td>38.53</td> <td>184</td> <td>191 Peak</td> <td></td> </tr> <tr> <td>4</td> <td>5878.55</td> <td>52.58</td> <td>-15.88</td> <td>68.38</td> <td>37.35</td> <td>34.97</td> <td>18.73</td> <td>38.53</td> <td>184</td> <td>191 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5489.48	59.27	-23.73	74.00	36.26	34.28	18.34	38.53	184	191 Peak	2	5464.48	58.43	-17.87	68.38	36.43	34.28	18.38	38.56	184	191 Peak	3	5690.00	84.34	.....	79.18	34.58	38.25	38.53	184	191 Peak		4	5878.55	52.58	-15.88	68.38	37.35	34.97	18.73	38.53	184	191 Peak	<p>Left blank</p>
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																											
1	5489.48	59.27	-23.73	74.00	36.26	34.28	18.34	38.53	184	191 Peak																																																										
2	5464.48	58.43	-17.87	68.38	36.43	34.28	18.38	38.56	184	191 Peak																																																										
3	5690.00	84.34	.....	79.18	34.58	38.25	38.53	184	191 Peak																																																											
4	5878.55	52.58	-15.88	68.38	37.35	34.97	18.73	38.53	184	191 Peak																																																										
<p><b>Avg.</b></p>	 <table border="1" data-bbox="430 1433 782 1579"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5688.88</td> <td>43.83</td> <td>-12.39</td> <td>54.88</td> <td>27.59</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>184</td> <td>191 Average</td> </tr> <tr> <td>2</td> <td>5688.88</td> <td>87.35</td> <td>.....</td> <td>73.19</td> <td>34.58</td> <td>38.25</td> <td>38.53</td> <td>184</td> <td>191 Average</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5688.88	43.83	-12.39	54.88	27.59	34.28	18.38	38.56	184	191 Average	2	5688.88	87.35	.....	73.19	34.58	38.25	38.53	184	191 Average		<p>Left blank</p>																						
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																											
1	5688.88	43.83	-12.39	54.88	27.59	34.28	18.38	38.56	184	191 Average																																																										
2	5688.88	87.35	.....	73.19	34.58	38.25	38.53	184	191 Average																																																											



**UNII-2C - Straddle Channel**  
**WIFI 802.11a (Harmonic @ 3m)**

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																																															
ANT	802.11a CH144 5720MHz																																																																																																															
2	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode S2 SN : #19 G08227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>57.92</td> <td>-16.00</td> <td>74.00</td> <td>65.32</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>163 Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>49.63</td> <td>-14.37</td> <td>54.00</td> <td>57.83</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>244 Average</td> </tr> <tr> <td>3</td> <td>17160.00</td> <td>53.71</td> <td>-14.59</td> <td>68.30</td> <td>52.54</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	11440.00	57.92	-16.00	74.00	65.32	38.30	12.24	57.94	100	163 Peak	2	11440.00	49.63	-14.37	54.00	57.83	38.30	12.24	57.94	100	244 Average	3	17160.00	53.71	-14.59	68.30	52.54	42.36	15.58	56.77	---	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode S2 SN : #19 G08227012194000K Plane : Z with Accessory setting : 6M power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>55.72</td> <td>-18.28</td> <td>74.00</td> <td>65.32</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>244 Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>47.95</td> <td>-15.05</td> <td>54.00</td> <td>55.35</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>244 Average</td> </tr> <tr> <td>3</td> <td>17160.00</td> <td>51.10</td> <td>-17.20</td> <td>68.30</td> <td>49.93</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	11440.00	55.72	-18.28	74.00	65.32	38.30	12.24	57.94	100	244 Peak	2	11440.00	47.95	-15.05	54.00	55.35	38.30	12.24	57.94	100	244 Average	3	17160.00	51.10	-17.20	68.30	49.93	42.36	15.58	56.77	---	--- Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	11440.00	57.92	-16.00	74.00	65.32	38.30	12.24	57.94	100	163 Peak																																																																																																						
2	11440.00	49.63	-14.37	54.00	57.83	38.30	12.24	57.94	100	244 Average																																																																																																						
3	17160.00	53.71	-14.59	68.30	52.54	42.36	15.58	56.77	---	--- Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	11440.00	55.72	-18.28	74.00	65.32	38.30	12.24	57.94	100	244 Peak																																																																																																						
2	11440.00	47.95	-15.05	54.00	55.35	38.30	12.24	57.94	100	244 Average																																																																																																						
3	17160.00	51.10	-17.20	68.30	49.93	42.36	15.58	56.77	---	--- Peak																																																																																																						



UNII-2C – Straddle Channel  
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																																					
ANT	802.11n HT20 CH144 5720MHz																																																																																																					
2	Horizontal	Vertical																																																																																																				
<p><b>Peak</b></p> <p><b>Avg.</b></p>	<p>Date: 17</p> <p>Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : PARI 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 03 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS9 power splittng 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>56.93</td> <td>-17.87</td> <td>74.00</td> <td>64.33</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>158 Peak</td> </tr> <tr> <td>2 11440.00</td> <td>48.96</td> <td>-5.14</td> <td>54.00</td> <td>56.26</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>158 Average</td> </tr> <tr> <td>3 17500.00</td> <td>51.79</td> <td>-15.52</td> <td>60.30</td> <td>51.61</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1 11440.00	56.93	-17.87	74.00	64.33	38.30	12.24	57.94	100	158 Peak	2 11440.00	48.96	-5.14	54.00	56.26	38.30	12.24	57.94	100	158 Average	3 17500.00	51.79	-15.52	60.30	51.61	42.36	15.58	56.77	---	--- Peak	<p>Date: 18</p> <p>Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : PARI 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 03 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS9 power splittng 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>54.48</td> <td>-19.68</td> <td>74.00</td> <td>61.00</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>244 Peak</td> </tr> <tr> <td>2 11440.00</td> <td>46.94</td> <td>-7.84</td> <td>54.00</td> <td>54.36</td> <td>38.30</td> <td>12.24</td> <td>57.94</td> <td>100</td> <td>244 Average</td> </tr> <tr> <td>3 17500.00</td> <td>51.79</td> <td>-15.52</td> <td>60.30</td> <td>51.64</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1 11440.00	54.48	-19.68	74.00	61.00	38.30	12.24	57.94	100	244 Peak	2 11440.00	46.94	-7.84	54.00	54.36	38.30	12.24	57.94	100	244 Average	3 17500.00	51.79	-15.52	60.30	51.64	42.36	15.58	56.77	---	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																														
1 11440.00	56.93	-17.87	74.00	64.33	38.30	12.24	57.94	100	158 Peak																																																																																													
2 11440.00	48.96	-5.14	54.00	56.26	38.30	12.24	57.94	100	158 Average																																																																																													
3 17500.00	51.79	-15.52	60.30	51.61	42.36	15.58	56.77	---	--- Peak																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																														
1 11440.00	54.48	-19.68	74.00	61.00	38.30	12.24	57.94	100	244 Peak																																																																																													
2 11440.00	46.94	-7.84	54.00	54.36	38.30	12.24	57.94	100	244 Average																																																																																													
3 17500.00	51.79	-15.52	60.30	51.64	42.36	15.58	56.77	---	--- Peak																																																																																													



UNII-2C – Straddle Channel  
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																																									
ANT	802.11n HT40 CH142 5710MHz																																																																																																									
2	Horizontal	Vertical																																																																																																								
Peak Avg.	<p>Date: 17 Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PMRT 15.407 3m HP ANT 3117 0107 HORIZONTAL RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode S4 SN : #19 G0B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>53.85</td> <td>-28.15</td> <td>74.00</td> <td>61.30</td> <td>38.28</td> <td>12.22</td> <td>57.95</td> <td>100</td> <td>147 Peak</td> </tr> <tr> <td>2</td> <td>11420.00</td> <td>47.45</td> <td>-16.95</td> <td>54.00</td> <td>38.28</td> <td>12.22</td> <td>57.95</td> <td>100</td> <td>147 Average</td> </tr> <tr> <td>3</td> <td>17130.00</td> <td>51.61</td> <td>-16.69</td> <td>68.30</td> <td>58.42</td> <td>42.41</td> <td>15.51</td> <td>56.73</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg	1	11420.00	53.85	-28.15	74.00	61.30	38.28	12.22	57.95	100	147 Peak	2	11420.00	47.45	-16.95	54.00	38.28	12.22	57.95	100	147 Average	3	17130.00	51.61	-16.69	68.30	58.42	42.41	15.51	56.73	---	Peak	<p>Date: 18 Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PMRT 15.407 3m HP ANT 3117 0107 VERTICAL RBW 1000.000kHz VBW 3000.000kHz Project : 211916-01 Mode : Mode S4 SN : #19 G0B227012194000K Plane : Z with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>52.94</td> <td>-11.86</td> <td>74.00</td> <td>60.39</td> <td>38.28</td> <td>12.22</td> <td>57.95</td> <td>100</td> <td>266 Peak</td> </tr> <tr> <td>2</td> <td>11420.00</td> <td>46.15</td> <td>-17.85</td> <td>54.00</td> <td>38.28</td> <td>12.22</td> <td>57.95</td> <td>100</td> <td>266 Average</td> </tr> <tr> <td>3</td> <td>17130.00</td> <td>51.52</td> <td>-16.78</td> <td>68.30</td> <td>58.33</td> <td>42.41</td> <td>15.51</td> <td>56.73</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg	1	11420.00	52.94	-11.86	74.00	60.39	38.28	12.22	57.95	100	266 Peak	2	11420.00	46.15	-17.85	54.00	38.28	12.22	57.95	100	266 Average	3	17130.00	51.52	-16.78	68.30	58.33	42.41	15.51	56.73	---	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																	
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																																																																	
1	11420.00	53.85	-28.15	74.00	61.30	38.28	12.22	57.95	100	147 Peak																																																																																																
2	11420.00	47.45	-16.95	54.00	38.28	12.22	57.95	100	147 Average																																																																																																	
3	17130.00	51.61	-16.69	68.30	58.42	42.41	15.51	56.73	---	Peak																																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																	
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																																																																	
1	11420.00	52.94	-11.86	74.00	60.39	38.28	12.22	57.95	100	266 Peak																																																																																																
2	11420.00	46.15	-17.85	54.00	38.28	12.22	57.95	100	266 Average																																																																																																	
3	17130.00	51.52	-16.78	68.30	58.33	42.41	15.51	56.73	---	Peak																																																																																																



UNII-2C – Straddle Channel  
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																	
ANT	802.11ac VHT80 CH138 5690MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 16 Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PMRT 15.407 3m HP ANT 3117 0107 HORIZONTAL Project : 211916-01 Mode : Mode B5 SN : #19 GBE227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Hz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11388.00</td> <td>48.93</td> <td>-25.47</td> <td>74.00</td> <td>56.42</td> <td>38.25</td> <td>12.23</td> <td>57.97</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>17076.00</td> <td>52.48</td> <td>-15.98</td> <td>68.38</td> <td>51.85</td> <td>42.31</td> <td>15.13</td> <td>56.67</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11388.00	48.93	-25.47	74.00	56.42	38.25	12.23	57.97	... Peak	2	17076.00	52.48	-15.98	68.38	51.85	42.31	15.13	56.67	... Peak	<p>Date: 17 Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PMRT 15.407 3m HP ANT 3117 0107 VERTICAL Project : 211916-01 Mode : Mode B5 SN : #19 GBE227012194000K Plane : Z with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Hz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11388.00</td> <td>48.82</td> <td>-25.18</td> <td>74.00</td> <td>56.31</td> <td>38.25</td> <td>12.23</td> <td>57.97</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>17076.00</td> <td>51.51</td> <td>-16.79</td> <td>68.38</td> <td>50.34</td> <td>42.31</td> <td>15.13</td> <td>56.67</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11388.00	48.82	-25.18	74.00	56.31	38.25	12.23	57.97	... Peak	2	17076.00	51.51	-16.79	68.38	50.34	42.31	15.13	56.67	... Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11388.00	48.93	-25.47	74.00	56.42	38.25	12.23	57.97	... Peak																																																																									
2	17076.00	52.48	-15.98	68.38	51.85	42.31	15.13	56.67	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11388.00	48.82	-25.18	74.00	56.31	38.25	12.23	57.97	... Peak																																																																									
2	17076.00	51.51	-16.79	68.38	50.34	42.31	15.13	56.67	... Peak																																																																									



UNII-2C - Straddle Channel

Emission below 1GHz

5GHz WIFI 802.11n HT20 (LF)

WIFI	5GHz WIFI																																																																																																																																																																																																	
ANT	802.11n HT20 LF																																																																																																																																																																																																	
2	Horizontal	Vertical																																																																																																																																																																																																
<b>QP / Peak</b>	<p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m VULB9168-01001 HORIZONTAL Project : Z11916-01 Mode : Mode 60 IMEI : #19 G8B227012194000K Plane : Z with Accessory MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>47.46</td><td>21.75</td><td>-18.25</td><td>46.00</td><td>35.85</td><td>28.27</td><td>0.78</td><td>35.87</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>186.69</td><td>22.45</td><td>-21.89</td><td>43.50</td><td>48.89</td><td>15.66</td><td>1.85</td><td>35.13</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>198.85</td><td>27.39</td><td>-16.11</td><td>43.50</td><td>44.19</td><td>16.89</td><td>1.43</td><td>35.18</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>319.80</td><td>23.00</td><td>-22.28</td><td>46.00</td><td>35.62</td><td>28.28</td><td>1.88</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>674.88</td><td>25.25</td><td>-28.75</td><td>46.00</td><td>38.36</td><td>26.58</td><td>2.83</td><td>34.58</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>828.31</td><td>27.62</td><td>-18.38</td><td>46.00</td><td>38.34</td><td>28.42</td><td>3.18</td><td>34.38</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	47.46	21.75	-18.25	46.00	35.85	28.27	0.78	35.87	---	---	Peak	2	186.69	22.45	-21.89	43.50	48.89	15.66	1.85	35.13	---	---	Peak	3	198.85	27.39	-16.11	43.50	44.19	16.89	1.43	35.18	---	---	Peak	4	319.80	23.00	-22.28	46.00	35.62	28.28	1.88	34.80	---	---	Peak	5	674.88	25.25	-28.75	46.00	38.36	26.58	2.83	34.58	---	---	Peak	6	828.31	27.62	-18.38	46.00	38.34	28.42	3.18	34.38	---	---	Peak	<p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m VULB9168-01001 VERTICAL Project : Z11916-01 Mode : Mode 60 IMEI : #19 G8B227012194000K Plane : Z with Accessory MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>39.78</td><td>38.65</td><td>-9.35</td><td>49.00</td><td>45.27</td><td>19.73</td><td>6.65</td><td>35.08</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>176.65</td><td>33.86</td><td>-18.44</td><td>43.50</td><td>47.78</td><td>16.86</td><td>3.54</td><td>35.18</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>32.37</td><td>-13.13</td><td>43.50</td><td>49.53</td><td>16.48</td><td>1.46</td><td>35.18</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>301.54</td><td>25.48</td><td>-28.55</td><td>46.00</td><td>36.74</td><td>19.82</td><td>1.83</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>562.53</td><td>25.15</td><td>-29.85</td><td>46.00</td><td>32.88</td><td>25.86</td><td>2.58</td><td>34.57</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>868.88</td><td>28.65</td><td>-17.35</td><td>46.00</td><td>31.41</td><td>28.78</td><td>3.24</td><td>34.38</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	39.78	38.65	-9.35	49.00	45.27	19.73	6.65	35.08	---	---	Peak	2	176.65	33.86	-18.44	43.50	47.78	16.86	3.54	35.18	---	---	Peak	3	197.81	32.37	-13.13	43.50	49.53	16.48	1.46	35.18	---	---	Peak	4	301.54	25.48	-28.55	46.00	36.74	19.82	1.83	34.80	---	---	Peak	5	562.53	25.15	-29.85	46.00	32.88	25.86	2.58	34.57	---	---	Peak	6	868.88	28.65	-17.35	46.00	31.41	28.78	3.24	34.38	---	---	Peak
	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																								
1	47.46	21.75	-18.25	46.00	35.85	28.27	0.78	35.87	---	---	Peak																																																																																																																																																																																							
2	186.69	22.45	-21.89	43.50	48.89	15.66	1.85	35.13	---	---	Peak																																																																																																																																																																																							
3	198.85	27.39	-16.11	43.50	44.19	16.89	1.43	35.18	---	---	Peak																																																																																																																																																																																							
4	319.80	23.00	-22.28	46.00	35.62	28.28	1.88	34.80	---	---	Peak																																																																																																																																																																																							
5	674.88	25.25	-28.75	46.00	38.36	26.58	2.83	34.58	---	---	Peak																																																																																																																																																																																							
6	828.31	27.62	-18.38	46.00	38.34	28.42	3.18	34.38	---	---	Peak																																																																																																																																																																																							
Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																								
1	39.78	38.65	-9.35	49.00	45.27	19.73	6.65	35.08	---	---	Peak																																																																																																																																																																																							
2	176.65	33.86	-18.44	43.50	47.78	16.86	3.54	35.18	---	---	Peak																																																																																																																																																																																							
3	197.81	32.37	-13.13	43.50	49.53	16.48	1.46	35.18	---	---	Peak																																																																																																																																																																																							
4	301.54	25.48	-28.55	46.00	36.74	19.82	1.83	34.80	---	---	Peak																																																																																																																																																																																							
5	562.53	25.15	-29.85	46.00	32.88	25.86	2.58	34.57	---	---	Peak																																																																																																																																																																																							
6	868.88	28.65	-17.35	46.00	31.41	28.78	3.24	34.38	---	---	Peak																																																																																																																																																																																							








Co-location

< Ant 1 >

5 GHz 5250~5350MHz  
WIFI 802.11a (Band Edge @ 3m)

WIFI	5 GHz 5250~5350.5MHz Band Edge @ 3m																																																																						
ANT	802.11a CH64 5320MHz & BLE CH19																																																																						
1	Horizontal	Fundamental																																																																					
<b>Peak</b>	 <p>Date: 2 Date: 2022-05-31</p> <p>Site Condition: 03CH02-S2 PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBNV 1000 000KHz VSW 3000 500KHz Project: 211916-01 Mode: 43 SN: #19 G0E227012194000K Plane: Z with Accessory WIFI setting: EM power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.28</td> <td>59.86</td> <td>-23.14</td> <td>74.00</td> <td>37.38</td> <td>34.28</td> <td>9.88</td> <td>30.52</td> <td>132</td> <td>183</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	1	5351.28	59.86	-23.14	74.00	37.38	34.28	9.88	30.52	132	183	Peak	 <p>Date: 1 Date: 2022-05-31</p> <p>Site Condition: 03CH02-S2 PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBNV 1000 000KHz VSW 3000 500KHz Project: 211916-01 Mode: 43 SN: #19 G0E227012194000K Plane: Z with Accessory WIFI setting: EM power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>80.81</td> <td>31.71</td> <td>68.39</td> <td>86.54</td> <td>34.28</td> <td>9.78</td> <td>30.51</td> <td>132</td> <td>183</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>82.75</td> <td>-----</td> <td>79.05</td> <td>34.28</td> <td>9.78</td> <td>30.51</td> <td>132</td> <td>183</td> <td>-----</td> <td>-----</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	1	5320.00	80.81	31.71	68.39	86.54	34.28	9.78	30.51	132	183	Peak	2	5320.00	82.75	-----	79.05	34.28	9.78	30.51	132	183	-----	-----	Average
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																																
1	5351.28	59.86	-23.14	74.00	37.38	34.28	9.88	30.52	132	183	Peak																																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																																
1	5320.00	80.81	31.71	68.39	86.54	34.28	9.78	30.51	132	183	Peak																																																												
2	5320.00	82.75	-----	79.05	34.28	9.78	30.51	132	183	-----	-----	Average																																																											
<b>Avg.</b>	 <p>Date: 3 Date: 2022-05-31</p> <p>Site Condition: 03CH02-S2 PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL RBNV 1000 000KHz VSW 5 010KHz Project: 211916-01 Mode: 43 SN: #19 G0E227012194000K Plane: Z with Accessory WIFI setting: EM power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>42.12</td> <td>-11.88</td> <td>54.00</td> <td>28.64</td> <td>34.28</td> <td>9.88</td> <td>30.52</td> <td>132</td> <td>183</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	1	5350.24	42.12	-11.88	54.00	28.64	34.28	9.88	30.52	132	183	Average	<b>Left Blank</b>																																									
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																																
1	5350.24	42.12	-11.88	54.00	28.64	34.28	9.88	30.52	132	183	Average																																																												



WIFI	5 GHz 5250~5350.5MHz Band Edge @ 3m																																																																									
ANT	802.11a CH64 5320MHz & BLE CH19																																																																									
1	Vertical	Fundamental																																																																								
Peak	<p>Date: 5 Date: 2022-05-31</p> <p>Site: 03CH02-S2 Condition: PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project: RBW 1000 000KHz VBW 3000 000KHz Mode: 211916-01 Mode: 43 SN: #19 G0E227012194000K Plane: Z with Accessory WIFI setting: BM power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5432.48</td> <td>51.85</td> <td>-22.97</td> <td>74.88</td> <td>37.51</td> <td>34.28</td> <td>9.87</td> <td>30.55</td> <td>148</td> <td>104 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5432.48	51.85	-22.97	74.88	37.51	34.28	9.87	30.55	148	104 Peak	<p>Date: 4 Date: 2022-05-31</p> <p>Site: 03CH02-S2 Condition: PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project: RBW 1000 000KHz VBW 3000 000KHz Mode: 211916-01 Mode: 43 SN: #19 G0E227012194000K Plane: Z with Accessory WIFI setting: BM power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>80.51</td> <td>33.01</td> <td>68.38</td> <td>87.84</td> <td>34.28</td> <td>9.78</td> <td>30.51</td> <td>148</td> <td>104 Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>184.50</td> <td>.....</td> <td>81.12</td> <td>34.28</td> <td>9.78</td> <td>30.51</td> <td>148</td> <td>104 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	80.51	33.01	68.38	87.84	34.28	9.78	30.51	148	104 Peak	2	5320.00	184.50	.....	81.12	34.28	9.78	30.51	148	104 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5432.48	51.85	-22.97	74.88	37.51	34.28	9.87	30.55	148	104 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5320.00	80.51	33.01	68.38	87.84	34.28	9.78	30.51	148	104 Peak																																																																
2	5320.00	184.50	.....	81.12	34.28	9.78	30.51	148	104 Average																																																																	
Avg.	<p>Date: 6 Date: 2022-05-31</p> <p>Site: 03CH02-S2 Condition: PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL Project: RBW 1000 000KHz VBW 0.010KHz Mode: 211916-01 Mode: 43 SN: #19 G0E227012194000K Plane: Z with Accessory WIFI setting: BM power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.24</td> <td>42.35</td> <td>-11.65</td> <td>54.00</td> <td>28.87</td> <td>34.28</td> <td>9.88</td> <td>30.52</td> <td>148</td> <td>104 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.24	42.35	-11.65	54.00	28.87	34.28	9.88	30.52	148	104 Average	Left Blank																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5358.24	42.35	-11.65	54.00	28.87	34.28	9.88	30.52	148	104 Average																																																																



WIFI	5 GHz 5250~5350.5MHz Band Edge @ 3m																																																															
ANT	802.11a CH64 5320MHz & BLE CH19																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RBW:1000 000kHz VBW:3000 000kHz Mode : 211916-01 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : BM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2348.78</td> <td>51.19</td> <td>-22.81</td> <td>74.00</td> <td>46.26</td> <td>31.70</td> <td>5.49</td> <td>32.26</td> <td>119</td> <td>204 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2348.78	51.19	-22.81	74.00	46.26	31.70	5.49	32.26	119	204 Peak	<p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RBW:1000 000kHz VBW:3000 000kHz Mode : 211916-01 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : BM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>86.76</td> <td>12.76</td> <td>74.00</td> <td>61.29</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>119</td> <td>204 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	86.76	12.76	74.00	61.29	32.00	5.61	32.14	119	204 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2348.78	51.19	-22.81	74.00	46.26	31.70	5.49	32.26	119	204 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	86.76	12.76	74.00	61.29	32.00	5.61	32.14	119	204 Peak																																																						
Avg.	<p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RBW:1000 000kHz VBW:3 000kHz Mode : 211916-01 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : BM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.00</td> <td>41.59</td> <td>-12.41</td> <td>54.00</td> <td>36.59</td> <td>31.70</td> <td>5.55</td> <td>32.25</td> <td>119</td> <td>204 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2385.00	41.59	-12.41	54.00	36.59	31.70	5.55	32.25	119	204 Average	<p>Date: 4 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RBW:1000 000kHz VBW:3 000kHz Mode : 211916-01 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : BM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>84.52</td> <td>30.52</td> <td>54.00</td> <td>79.05</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>119</td> <td>204 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	84.52	30.52	54.00	79.05	32.00	5.61	32.14	119	204 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2385.00	41.59	-12.41	54.00	36.59	31.70	5.55	32.25	119	204 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	84.52	30.52	54.00	79.05	32.00	5.61	32.14	119	204 Average																																																						



WIFI	5 GHz 5250~5350.5MHz Band Edge @ 3m																																
ANT	802.11a CH64 5320MHz & BLE CH19																																
1	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-S2            Condition : PEAK_BE_74 3m HF ANT_3117_0107 HORIZONTAL            RBW:1000.000KHz VBW:3.000KHz            Project : 211916-01            Mode : Mode 43            SN : #19 G60227012194000K            Plane : Z with Accessory            WiFi setting : BM power setting 15            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.01</td> <td>51.21</td> <td>-22.79</td> <td>74.00</td> <td>45.28</td> <td>32.30</td> <td>5.68</td> <td>33.85</td> <td>119</td> <td>204 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	2496.01	51.21	-22.79	74.00	45.28	32.30	5.68	33.85	119	204 Peak	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	2496.01	51.21	-22.79	74.00	45.28	32.30	5.68	33.85	119	204 Peak																							
Avg.	<p>Site : 03CH02-S2            Condition : AVG_BE_54 3m HF ANT_3117_0107 HORIZONTAL            RBW:1000.000KHz VBW:3.000KHz            Project : 211916-01            Mode : Mode 43            SN : #19 G60227012194000K            Plane : Z with Accessory            WiFi setting : BM power setting 15            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.05</td> <td>42.71</td> <td>-11.29</td> <td>54.00</td> <td>36.78</td> <td>32.30</td> <td>5.68</td> <td>33.85</td> <td>119</td> <td>204 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	2496.05	42.71	-11.29	54.00	36.78	32.30	5.68	33.85	119	204 Average	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	2496.05	42.71	-11.29	54.00	36.78	32.30	5.68	33.85	119	204 Average																							



WIFI	5 GHz 5250~5350.5MHz Band Edge @ 3m																																																															
ANT	802.11a CH64 5320MHz & BLE CH19																																																															
1	Vertical	Fundamental																																																														
<b>Peak</b>	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 43 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : EM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.72</td> <td>58.65</td> <td>-23.35</td> <td>74.00</td> <td>45.65</td> <td>31.70</td> <td>5.55</td> <td>32.25</td> <td>100</td> <td>228 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.72	58.65	-23.35	74.00	45.65	31.70	5.55	32.25	100	228 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 43 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : EM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>82.85</td> <td>8.83</td> <td>74.00</td> <td>76.56</td> <td>32.80</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>228 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	82.85	8.83	74.00	76.56	32.80	5.61	32.14	100	228 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2386.72	58.65	-23.35	74.00	45.65	31.70	5.55	32.25	100	228 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	82.85	8.83	74.00	76.56	32.80	5.61	32.14	100	228 Peak																																																						
<b>Avg.</b>	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RBW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode 43 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : EM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2373.98</td> <td>41.68</td> <td>-12.32</td> <td>54.00</td> <td>36.70</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>228 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2373.98	41.68	-12.32	54.00	36.70	31.70	5.53	32.25	100	228 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RBW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode 43 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : EM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>81.38</td> <td>27.38</td> <td>54.00</td> <td>75.83</td> <td>32.80</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>228 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	81.38	27.38	54.00	75.83	32.80	5.61	32.14	100	228 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2373.98	41.68	-12.32	54.00	36.70	31.70	5.53	32.25	100	228 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	81.38	27.38	54.00	75.83	32.80	5.61	32.14	100	228 Average																																																						



WIFI	5 GHz 5250~5350.5MHz Band Edge @ 3m																																
ANT	802.11a CH64 5320MHz & BLE CH19																																
1	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-S2            Condition : PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL            RBW:1000.000kHz VBW:3000.000kHz            Project : 211916-01            Mode : Mode 43            SN : #19 G80227012194000K            Plane : Z with Accessory            WIFI setting : BM power setting 15            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.93</td> <td>51.61</td> <td>-22.39</td> <td>74.00</td> <td>45.68</td> <td>32.30</td> <td>5.68</td> <td>33.85</td> <td>100</td> <td>228 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2442.93	51.61	-22.39	74.00	45.68	32.30	5.68	33.85	100	228 Peak	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	2442.93	51.61	-22.39	74.00	45.68	32.30	5.68	33.85	100	228 Peak																							
Avg.	<p>Site : 03CH02-S2            Condition : AVG_BE_54 3m HF ANT_3117_0107 VERTICAL            RBW:1000.000kHz VBW:3.000kHz            Project : 211916-01            Mode : Mode 43            SN : #19 G80227012194000K            Plane : Z with Accessory            WIFI setting : BM power setting 15            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.75</td> <td>42.62</td> <td>-11.38</td> <td>54.00</td> <td>36.79</td> <td>32.30</td> <td>5.68</td> <td>33.95</td> <td>100</td> <td>228 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2487.75	42.62	-11.38	54.00	36.79	32.30	5.68	33.95	100	228 Average	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	2487.75	42.62	-11.38	54.00	36.79	32.30	5.68	33.95	100	228 Average																							



5 GHz 5250~5350MHz  
WIFI 802.11a (Harmonic @ 3m)

WIFI	5 GHz 5250~5350.5MHz Band Edge @ 3m																																																																																																																																													
ANT	802.11a CH64 5320MHz & BLE CH19																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																												
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode-62 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : GM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>51.56</td> <td>-22.44</td> <td>74.00</td> <td>48.81</td> <td>33.73</td> <td>8.79</td> <td>30.97</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.34</td> <td>-29.26</td> <td>74.00</td> <td>57.45</td> <td>25.73</td> <td>11.09</td> <td>59.52</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>48.77</td> <td>-23.23</td> <td>74.00</td> <td>59.28</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>52.38</td> <td>-21.62</td> <td>74.00</td> <td>56.45</td> <td>40.47</td> <td>14.89</td> <td>59.43</td> <td>143 154 Peak</td> </tr> <tr> <td>5</td> <td>15960.00</td> <td>47.85</td> <td>-6.95</td> <td>54.00</td> <td>51.12</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>143 154 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	51.56	-22.44	74.00	48.81	33.73	8.79	30.97	--- Peak	2	7320.00	44.34	-29.26	74.00	57.45	25.73	11.09	59.52	--- Peak	3	10640.00	48.77	-23.23	74.00	59.28	37.47	11.83	59.79	--- Peak	4	15960.00	52.38	-21.62	74.00	56.45	40.47	14.89	59.43	143 154 Peak	5	15960.00	47.85	-6.95	54.00	51.12	48.47	14.89	59.43	143 154 Average	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode-62 SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : GM power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>51.98</td> <td>-22.02</td> <td>74.00</td> <td>49.43</td> <td>33.73</td> <td>8.79</td> <td>30.97</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.11</td> <td>-29.89</td> <td>74.00</td> <td>56.81</td> <td>25.73</td> <td>11.09</td> <td>59.52</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>50.72</td> <td>-23.28</td> <td>74.00</td> <td>61.21</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>52.14</td> <td>-21.86</td> <td>74.00</td> <td>56.21</td> <td>40.47</td> <td>14.89</td> <td>59.43</td> <td>100 105 Peak</td> </tr> <tr> <td>5</td> <td>15960.00</td> <td>47.13</td> <td>-6.87</td> <td>54.00</td> <td>51.28</td> <td>48.47</td> <td>14.89</td> <td>59.43</td> <td>100 105 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	51.98	-22.02	74.00	49.43	33.73	8.79	30.97	--- Peak	2	7320.00	44.11	-29.89	74.00	56.81	25.73	11.09	59.52	--- Peak	3	10640.00	50.72	-23.28	74.00	61.21	37.47	11.83	59.79	--- Peak	4	15960.00	52.14	-21.86	74.00	56.21	40.47	14.89	59.43	100 105 Peak	5	15960.00	47.13	-6.87	54.00	51.28	48.47	14.89	59.43	100 105 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	4880.00	51.56	-22.44	74.00	48.81	33.73	8.79	30.97	--- Peak																																																																																																																																					
2	7320.00	44.34	-29.26	74.00	57.45	25.73	11.09	59.52	--- Peak																																																																																																																																					
3	10640.00	48.77	-23.23	74.00	59.28	37.47	11.83	59.79	--- Peak																																																																																																																																					
4	15960.00	52.38	-21.62	74.00	56.45	40.47	14.89	59.43	143 154 Peak																																																																																																																																					
5	15960.00	47.85	-6.95	54.00	51.12	48.47	14.89	59.43	143 154 Average																																																																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	4880.00	51.98	-22.02	74.00	49.43	33.73	8.79	30.97	--- Peak																																																																																																																																					
2	7320.00	44.11	-29.89	74.00	56.81	25.73	11.09	59.52	--- Peak																																																																																																																																					
3	10640.00	50.72	-23.28	74.00	61.21	37.47	11.83	59.79	--- Peak																																																																																																																																					
4	15960.00	52.14	-21.86	74.00	56.21	40.47	14.89	59.43	100 105 Peak																																																																																																																																					
5	15960.00	47.13	-6.87	54.00	51.28	48.47	14.89	59.43	100 105 Average																																																																																																																																					



< Ant 2 >

5 GHz 5470~5720MHz  
WIFI 802.11n (Band Edge @ 3m)

WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																																																																				
ANT	802.11n CH116 5580MHz & BLE CH19																																																																																				
2	Horizontal	Fundamental																																																																																			
Peak	<p>Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL SERV:1000.000kHz VSIV:3000.000kHz Project : 211916-01 Mode : Mode 06 SN : #19 G06227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5376.96</td> <td>58.37</td> <td>-13.63</td> <td>74.00</td> <td>36.98</td> <td>34.28</td> <td>9.98</td> <td>38.53</td> <td>127</td> <td>194 Peak</td> </tr> <tr> <td>2</td> <td>5499.84</td> <td>58.08</td> <td>-13.98</td> <td>68.38</td> <td>36.44</td> <td>34.28</td> <td>9.92</td> <td>38.56</td> <td>127</td> <td>194 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5376.96	58.37	-13.63	74.00	36.98	34.28	9.98	38.53	127	194 Peak	2	5499.84	58.08	-13.98	68.38	36.44	34.28	9.92	38.56	127	194 Peak	<p>Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL SERV:1000.000kHz VSIV:3000.000kHz Project : 211916-01 Mode : Mode 06 SN : #19 G06227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5588.08</td> <td>66.38</td> <td>-15.88</td> <td>68.38</td> <td>62.21</td> <td>34.21</td> <td>18.21</td> <td>38.35</td> <td>127</td> <td>194 Peak</td> </tr> <tr> <td>2</td> <td>5588.08</td> <td>68.95</td> <td>-12.95</td> <td>74.00</td> <td>34.21</td> <td>18.21</td> <td>38.35</td> <td>127</td> <td>194 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5588.08	66.38	-15.88	68.38	62.21	34.21	18.21	38.35	127	194 Peak	2	5588.08	68.95	-12.95	74.00	34.21	18.21	38.35	127	194 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5376.96	58.37	-13.63	74.00	36.98	34.28	9.98	38.53	127	194 Peak																																																																											
2	5499.84	58.08	-13.98	68.38	36.44	34.28	9.92	38.56	127	194 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5588.08	66.38	-15.88	68.38	62.21	34.21	18.21	38.35	127	194 Peak																																																																											
2	5588.08	68.95	-12.95	74.00	34.21	18.21	38.35	127	194 Average																																																																												
Avg.	<p>Site : 03CH02-S2 Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL SERV:1000.000kHz VSIV:3.010kHz Project : 211916-01 Mode : Mode 06 SN : #19 G06227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.76</td> <td>41.85</td> <td>-12.97</td> <td>54.00</td> <td>27.49</td> <td>34.28</td> <td>9.98</td> <td>38.56</td> <td>127</td> <td>194 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.76	41.85	-12.97	54.00	27.49	34.28	9.98	38.56	127	194 Average	Left Blank																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5457.76	41.85	-12.97	54.00	27.49	34.28	9.98	38.56	127	194 Average																																																																											






WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																
ANT	802.11n CH116 5580MHz & BLE CH19																																
2	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL            Frequency : 5580.000000Hz NSM 3000.000000Hz            Project : 211916-01            Mode : SS            SN : #19 CA9227012194000K            Plane : I with Accessory            WIFI setting : MCS9 power setting 16            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/10m</th> <th>dB</th> <th>dBm/10m</th> <th>dBm/10m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.26</td> <td>51.97</td> <td>-16.33</td> <td>66.58</td> <td>37.45</td> <td>34.97</td> <td>18.44</td> <td>38.49</td> <td>127</td> <td>194 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	ca	deg		1	5726.26	51.97	-16.33	66.58	37.45	34.97	18.44	38.49	127	194 Peak	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	ca	deg																									
1	5726.26	51.97	-16.33	66.58	37.45	34.97	18.44	38.49	127	194 Peak																							
Avg.	Left Blank	Left Blank																															



WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																																																																				
ANT	802.11n CH116 5580MHz & BLE CH19																																																																																				
2	Vertical	Fundamental																																																																																			
<b>Peak</b>	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : RBW 1000 000KHz VBW 3000 000KHz Mode : 211916-01 Mode SE SN : #19 G0E227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5495.12</td> <td>58.89</td> <td>-23.91</td> <td>74.88</td> <td>36.55</td> <td>34.28</td> <td>9.98</td> <td>38.56</td> <td>186</td> <td>177 Peak</td> </tr> <tr> <td>2</td> <td>5496.16</td> <td>58.48</td> <td>-17.82</td> <td>68.38</td> <td>36.94</td> <td>34.28</td> <td>9.98</td> <td>38.56</td> <td>186</td> <td>177 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5495.12	58.89	-23.91	74.88	36.55	34.28	9.98	38.56	186	177 Peak	2	5496.16	58.48	-17.82	68.38	36.94	34.28	9.98	38.56	186	177 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : RBW 1000 000KHz VBW 3000 000KHz Mode : 211916-01 Mode SE SN : #19 G0E227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>99.84</td> <td>30.74</td> <td>68.38</td> <td>84.95</td> <td>34.23</td> <td>18.23</td> <td>38.35</td> <td>186</td> <td>177 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>81.88</td> <td>11.82</td> <td>76.96</td> <td>34.23</td> <td>18.23</td> <td>38.35</td> <td>186</td> <td>177 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5580.00	99.84	30.74	68.38	84.95	34.23	18.23	38.35	186	177 Peak	2	5580.00	81.88	11.82	76.96	34.23	18.23	38.35	186	177 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5495.12	58.89	-23.91	74.88	36.55	34.28	9.98	38.56	186	177 Peak																																																																											
2	5496.16	58.48	-17.82	68.38	36.94	34.28	9.98	38.56	186	177 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5580.00	99.84	30.74	68.38	84.95	34.23	18.23	38.35	186	177 Peak																																																																											
2	5580.00	81.88	11.82	76.96	34.23	18.23	38.35	186	177 Average																																																																												
<b>Avg.</b>	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL Project : RBW 1000 000KHz VBW 0.010KHz Mode : 211916-01 Mode SE SN : #19 G0E227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5495.44</td> <td>41.14</td> <td>-12.86</td> <td>54.08</td> <td>27.68</td> <td>34.28</td> <td>9.98</td> <td>38.56</td> <td>186</td> <td>177 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5495.44	41.14	-12.86	54.08	27.68	34.28	9.98	38.56	186	177 Average	<b>Left Blank</b>																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5495.44	41.14	-12.86	54.08	27.68	34.28	9.98	38.56	186	177 Average																																																																											



WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																
ANT	802.11n CH116 5580MHz & BLE CH19																																
2	Vertical	Fundamental																															
Peak	<div style="text-align: center;">  </div> <p style="font-size: small;">             Date: 2022-05-31              Site : 03CH02-S2              Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL              FREQ: 1000.000kHz VSW: 3000.000kHz              Project : 211916-01              Mode : Mode 06              SN : #19 G802271012194000K              Plane : Z with Accessory              WiFi setting : MCS9 power setting 16              BLE setting : Default           </p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5754.61</td> <td>52.52</td> <td>-15.78</td> <td>68.38</td> <td>37.78</td> <td>54.63</td> <td>18.55</td> <td>38.44</td> <td>186</td> <td>177 Peak</td> </tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	5754.61	52.52	-15.78	68.38	37.78	54.63	18.55	38.44	186	177 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	5754.61	52.52	-15.78	68.38	37.78	54.63	18.55	38.44	186	177 Peak																							
		Left Blank																															



WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																																															
ANT	802.11n CH116 5580MHz & BLE CH19																																																															
2	Horizontal	Fundamental																																																														
Peak	<p>Date: 2022-05-31</p> <p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project: RBW:1000.000kHz VBW:3000.000kHz Mode: 211916-01 SN: #19 G08227012194000K Plane: Z with Accessory WIFI setting: MCS9 power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2368.12</td> <td>51.28</td> <td>-22.72</td> <td>74.00</td> <td>46.33</td> <td>31.70</td> <td>5.53</td> <td>32.26</td> <td>100</td> <td>203 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2368.12	51.28	-22.72	74.00	46.33	31.70	5.53	32.26	100	203 Peak	<p>Date: 2022-05-31</p> <p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: RBW:1000.000kHz VBW:3000.000kHz Mode: 211916-01 SN: #19 G08227012194000K Plane: Z with Accessory WIFI setting: MCS9 power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>86.17</td> <td>12.17</td> <td>74.00</td> <td>80.70</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>203 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	86.17	12.17	74.00	80.70	32.00	5.61	32.14	100	203 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2368.12	51.28	-22.72	74.00	46.33	31.70	5.53	32.26	100	203 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	86.17	12.17	74.00	80.70	32.00	5.61	32.14	100	203 Peak																																																						
Avg.	<p>Date: 2022-05-31</p> <p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project: RBW:1000.000kHz VBW:3.000kHz Mode: 211916-01 SN: #19 G08227012194000K Plane: Z with Accessory WIFI setting: MCS9 power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.10</td> <td>41.56</td> <td>-12.44</td> <td>54.00</td> <td>36.61</td> <td>31.70</td> <td>5.53</td> <td>32.26</td> <td>100</td> <td>203 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2361.10	41.56	-12.44	54.00	36.61	31.70	5.53	32.26	100	203 Average	<p>Date: 2022-05-31</p> <p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project: RBW:1000.000kHz VBW:3.000kHz Mode: 211916-01 SN: #19 G08227012194000K Plane: Z with Accessory WIFI setting: MCS9 power setting 16 BLE setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>83.43</td> <td>29.43</td> <td>54.00</td> <td>77.96</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>203 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	83.43	29.43	54.00	77.96	32.00	5.61	32.14	100	203 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2361.10	41.56	-12.44	54.00	36.61	31.70	5.53	32.26	100	203 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	83.43	29.43	54.00	77.96	32.00	5.61	32.14	100	203 Average																																																						



WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																
ANT	802.11n CH116 5580MHz & BLE CH19																																
2	Horizontal	Fundamental																															
Peak	<p>Site : 03CH02-S2            Condition : PEAK_BE_74 3m HF ANT_3117_0107 HORIZONTAL            RBW:1000.000KHz VBW:3000.000KHz            Project : 211916-01            Mode : Mode 88            SN : #19 G80227012194000K            Plane : Z with Accessory            WIFI setting : MCS9 power setting 16            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.58</td> <td>51.67</td> <td>-22.33</td> <td>74.00</td> <td>45.74</td> <td>32.10</td> <td>5.68</td> <td>33.85</td> <td>100</td> <td>203 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2499.58	51.67	-22.33	74.00	45.74	32.10	5.68	33.85	100	203 Peak	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	2499.58	51.67	-22.33	74.00	45.74	32.10	5.68	33.85	100	203 Peak																							
Avg.	<p>Site : 03CH02-S2            Condition : AVG_BE_54 3m HF ANT_3117_0107 HORIZONTAL            RBW:1000.000KHz VBW:3.000KHz            Project : 211916-01            Mode : Mode 88            SN : #19 G80227012194000K            Plane : Z with Accessory            WIFI setting : MCS9 power setting 16            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.02</td> <td>42.52</td> <td>-11.48</td> <td>54.00</td> <td>36.59</td> <td>32.10</td> <td>5.68</td> <td>33.85</td> <td>100</td> <td>203 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2492.02	42.52	-11.48	54.00	36.59	32.10	5.68	33.85	100	203 Average	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	2492.02	42.52	-11.48	54.00	36.59	32.10	5.68	33.85	100	203 Average																							



WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																																													
ANT	802.11n CH116 5580MHz & BLE CH19																																																													
2	Vertical	Fundamental																																																												
Peak	<p>Date: 7 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode B8 SN : #19 G08227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2362.08</td> <td>51.28</td> <td>-22.72</td> <td>74.00</td> <td>46.33</td> <td>31.70</td> <td>5.53</td> <td>32.26</td> <td>100</td> <td>229 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2362.08	51.28	-22.72	74.00	46.33	31.70	5.53	32.26	100	229 Peak	<p>Date: 9 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode B8 SN : #19 G08227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>81.87</td> <td>7.87</td> <td>74.00</td> <td>75.00</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>229 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	81.87	7.87	74.00	75.00	32.00	5.61	32.14	100	229 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2362.08	51.28	-22.72	74.00	46.33	31.70	5.53	32.26	100	229 Peak																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2440.00	81.87	7.87	74.00	75.00	32.00	5.61	32.14	100	229 Peak																																																				
Avg.	<p>Date: 8 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RBW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode B8 SN : #19 G08227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2375.66</td> <td>41.94</td> <td>-12.06</td> <td>54.00</td> <td>36.96</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>229 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2375.66	41.94	-12.06	54.00	36.96	31.70	5.53	32.25	100	229 Average	<p>Date: 10 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RBW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode B8 SN : #19 G08227012194000K Plane : Z with Accessory WIFI setting : MCS9 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>89.29</td> <td>26.29</td> <td>54.00</td> <td>74.82</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>229 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	89.29	26.29	54.00	74.82	32.00	5.61	32.14	100	229 Average
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2375.66	41.94	-12.06	54.00	36.96	31.70	5.53	32.25	100	229 Average																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2440.00	89.29	26.29	54.00	74.82	32.00	5.61	32.14	100	229 Average																																																				



WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																
ANT	802.11n CH116 5580MHz & BLE CH19																																
2	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ            Condition : PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL            RBW: 1000.000kHz VBW: 3000.000kHz            Project : 211916-01            Mode : 88            SN : #19 G49227012194000K            Plane : Z with Accessory            WiFi setting : MCS9 power setting 16            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2444.53</td> <td>51.64</td> <td>-22.36</td> <td>74.00</td> <td>45.80</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>229 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	2444.53	51.64	-22.36	74.00	45.80	32.07	5.66	31.95	100	229 Peak	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																								
1	2444.53	51.64	-22.36	74.00	45.80	32.07	5.66	31.95	100	229 Peak																							
Avg.	<p>Site : 03CH02-SZ            Condition : AVG_BE_54 3m HF ANT_3117_0107 VERTICAL            RBW: 1000.000kHz VBW: 3.000kHz            Project : 211916-01            Mode : 88            SN : #19 G49227012194000K            Plane : Z with Accessory            WiFi setting : MCS9 power setting 16            BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2446.35</td> <td>42.41</td> <td>-11.59</td> <td>54.00</td> <td>36.63</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>229 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	2446.35	42.41	-11.59	54.00	36.63	32.07	5.66	31.95	100	229 Average	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																								
1	2446.35	42.41	-11.59	54.00	36.63	32.07	5.66	31.95	100	229 Average																							



5 GHz 5470~5725MHz  
WIFI 802.11a (Harmonic @ 3m)

WIFI	5 GHz 5470~57250.5MHz Band Edge @ 3m																																																																																																																									
ANT	802.11n CH116 5580MHz & BLE CH19																																																																																																																									
2	Horizontal	Vertical																																																																																																																								
Peak Avg.	<p>Data: 17 Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode SE SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : MCS0 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4880.00</td> <td>49.73</td> <td>-24.27</td> <td>74.00</td> <td>38.18</td> <td>33.73</td> <td>8.79</td> <td>30.97</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 7319.50</td> <td>44.86</td> <td>-29.14</td> <td>74.00</td> <td>56.76</td> <td>35.73</td> <td>11.00</td> <td>59.52</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>3 11160.00</td> <td>49.12</td> <td>-24.88</td> <td>74.00</td> <td>57.07</td> <td>38.85</td> <td>12.10</td> <td>58.10</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>4 16740.00</td> <td>51.44</td> <td>-16.56</td> <td>68.30</td> <td>51.03</td> <td>42.07</td> <td>15.41</td> <td>57.07</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 4880.00	49.73	-24.27	74.00	38.18	33.73	8.79	30.97	---	--- Peak	2 7319.50	44.86	-29.14	74.00	56.76	35.73	11.00	59.52	---	--- Peak	3 11160.00	49.12	-24.88	74.00	57.07	38.85	12.10	58.10	---	--- Peak	4 16740.00	51.44	-16.56	68.30	51.03	42.07	15.41	57.07	---	--- Peak	<p>Data: 18 Date: 2022-07-01</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode SE SN : #19 GB227012194000K Plane : Z with Accessory WIFI setting : MCS0 power setting 16 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4880.00</td> <td>49.21</td> <td>-24.79</td> <td>74.00</td> <td>37.66</td> <td>33.73</td> <td>8.79</td> <td>30.97</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 7319.50</td> <td>44.55</td> <td>-29.45</td> <td>74.00</td> <td>57.25</td> <td>35.73</td> <td>11.00</td> <td>59.52</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>3 11160.00</td> <td>50.42</td> <td>-23.58</td> <td>74.00</td> <td>56.37</td> <td>38.85</td> <td>11.10</td> <td>58.10</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>4 16740.00</td> <td>51.16</td> <td>-17.14</td> <td>68.30</td> <td>50.75</td> <td>42.07</td> <td>15.41</td> <td>57.07</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 4880.00	49.21	-24.79	74.00	37.66	33.73	8.79	30.97	---	--- Peak	2 7319.50	44.55	-29.45	74.00	57.25	35.73	11.00	59.52	---	--- Peak	3 11160.00	50.42	-23.58	74.00	56.37	38.85	11.10	58.10	---	--- Peak	4 16740.00	51.16	-17.14	68.30	50.75	42.07	15.41	57.07	---	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 4880.00	49.73	-24.27	74.00	38.18	33.73	8.79	30.97	---	--- Peak																																																																																																																	
2 7319.50	44.86	-29.14	74.00	56.76	35.73	11.00	59.52	---	--- Peak																																																																																																																	
3 11160.00	49.12	-24.88	74.00	57.07	38.85	12.10	58.10	---	--- Peak																																																																																																																	
4 16740.00	51.44	-16.56	68.30	51.03	42.07	15.41	57.07	---	--- Peak																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 4880.00	49.21	-24.79	74.00	37.66	33.73	8.79	30.97	---	--- Peak																																																																																																																	
2 7319.50	44.55	-29.45	74.00	57.25	35.73	11.00	59.52	---	--- Peak																																																																																																																	
3 11160.00	50.42	-23.58	74.00	56.37	38.85	11.10	58.10	---	--- Peak																																																																																																																	
4 16740.00	51.16	-17.14	68.30	50.75	42.07	15.41	57.07	---	--- Peak																																																																																																																	






### Appendix E. Duty Cycle Plots


Ant	Band	Duty Cycle(%)	Duty Factor (dB)	T(ms)	1/T(kHz)	VBW Setting
1	802.11a	96.48	0.16	1.391	0.719	1KHz
2	802.11a	96.87	0.14	1.390	0.719	1KHz
1	802.11n HT20	96.74	0.14	1.290	0.775	1KHz
2	802.11n HT20	96.63	0.15	1.288	0.776	1KHz
1	802.11n HT40	93.40	0.30	0.636	1.572	3KHz
2	802.11n HT40	93.60	0.29	0.636	1.572	3KHz
1	802.11ac VHT80	87.79	0.57	0.323	3.094	10KHZ
2	802.11ac VHT80	87.84	0.56	0.325	3.080	10KHZ



802.11a – Ant 1




802.11a – Ant 2






802.11n HT20 – Ant 1




802.11n HT20 – Ant 2






802.11n HT40 – Ant 1




802.11n HT40 – Ant 2





802.11ac VHT80- Ant 1



802.11ac VHT80- Ant 2

