


EUT Information

Report NO : 211819-01
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.163500	---	27.33	55.28	27.95	L1	OFF	19.6
0.163500	40.02	---	65.28	25.26	L1	OFF	19.6
0.181500	---	26.88	54.42	27.54	L1	OFF	19.6
0.181500	38.88	---	64.42	25.54	L1	OFF	19.6
0.213000	---	25.73	53.09	27.36	L1	OFF	19.6
0.213000	34.77	---	63.09	28.32	L1	OFF	19.6
0.237750	---	25.26	52.17	26.91	L1	OFF	19.6
0.237750	33.02	---	62.17	29.15	L1	OFF	19.6
0.278250	---	24.27	50.87	26.60	L1	OFF	19.6
0.278250	30.75	---	60.87	30.12	L1	OFF	19.6
0.552750	---	30.82	46.00	15.18	L1	OFF	19.6
0.552750	39.31	---	56.00	16.69	L1	OFF	19.6
0.638250	---	23.46	46.00	22.54	L1	OFF	19.6
0.638250	25.44	---	56.00	30.56	L1	OFF	19.6
3.824250	---	34.10	46.00	11.90	L1	OFF	19.8
3.824250	35.68	---	56.00	20.32	L1	OFF	19.8
11.199750	---	26.10	50.00	23.90	L1	OFF	20.1
11.199750	27.84	---	60.00	32.16	L1	OFF	20.1

EUT Information

Report NO : 211819-01
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	47.80	---	65.40	17.60	N	OFF	19.6
0.161250	---	34.45	55.40	20.95	N	OFF	19.6
0.199500	48.94	---	63.63	14.69	N	OFF	19.6
0.199500	---	40.38	53.63	13.25	N	OFF	19.6
0.267000	43.22	---	61.21	17.99	N	OFF	19.6
0.267000	---	31.08	51.21	20.13	N	OFF	19.6
0.289500	49.70	---	60.54	10.84	N	OFF	19.6
0.289500	---	37.98	50.54	12.56	N	OFF	19.6
0.298500	51.58	---	60.28	8.70	N	OFF	19.6
0.298500	---	41.57	50.28	8.71	N	OFF	19.6
0.318750	44.93	---	59.74	14.81	N	OFF	19.6
0.318750	---	39.01	49.74	10.73	N	OFF	19.6
0.327750	42.87	---	59.51	16.64	N	OFF	19.6
0.327750	---	34.82	49.51	14.69	N	OFF	19.6
0.352500	41.88	---	58.90	17.02	N	OFF	19.6
0.352500	---	31.03	48.90	17.87	N	OFF	19.6
0.379500	43.74	---	58.29	14.55	N	OFF	19.6
0.379500	---	30.50	48.29	17.79	N	OFF	19.6
0.397500	42.24	---	57.91	15.67	N	OFF	19.6
0.397500	---	33.53	47.91	14.38	N	OFF	19.6
0.449250	42.25	---	56.89	14.64	N	OFF	19.6

0.449250	---	29.97	46.89	16.92	N	OFF	19.6
0.460500	48.13	---	56.68	8.55	N	OFF	19.6
0.460500	---	36.77	46.68	9.91	N	OFF	19.6
0.474000	49.87	---	56.44	6.57	N	OFF	19.6
0.474000	---	38.04	46.44	8.40	N	OFF	19.6
0.494250	48.50	---	56.10	7.60	N	OFF	19.6
0.494250	---	37.87	46.10	8.23	N	OFF	19.6
0.505500	42.07	---	56.00	13.93	N	OFF	19.6
0.505500	---	30.33	46.00	15.67	N	OFF	19.6
0.534750	40.46	---	56.00	15.54	N	OFF	19.6
0.534750	---	33.61	46.00	12.39	N	OFF	19.6
0.582000	40.95	---	56.00	15.05	N	OFF	19.6
0.582000	---	32.17	46.00	13.83	N	OFF	19.6
0.593250	44.71	---	56.00	11.29	N	OFF	19.6
0.593250	---	34.23	46.00	11.77	N	OFF	19.6
0.629250	42.72	---	56.00	13.28	N	OFF	19.6
0.629250	---	28.93	46.00	17.07	N	OFF	19.6
0.669750	46.33	---	56.00	9.67	N	OFF	19.6
0.669750	---	33.00	46.00	13.00	N	OFF	19.6
0.696750	49.67	---	56.00	6.33	N	OFF	19.6
0.696750	---	39.62	46.00	6.38	N	OFF	19.6
0.744000	39.23	---	56.00	16.77	N	OFF	19.6
0.744000	---	30.05	46.00	15.95	N	OFF	19.6
0.793500	46.62	---	56.00	9.38	N	OFF	19.6
0.793500	---	35.89	46.00	10.11	N	OFF	19.6
0.820500	45.03	---	56.00	10.97	N	OFF	19.6
0.820500	---	38.13	46.00	7.87	N	OFF	19.6
0.858750	45.45	---	56.00	10.55	N	OFF	19.6
0.858750	---	33.07	46.00	12.93	N	OFF	19.6
0.901500	44.29	---	56.00	11.71	N	OFF	19.6
0.901500	---	31.64	46.00	14.36	N	OFF	19.6
0.960000	42.32	---	56.00	13.68	N	OFF	19.6
0.960000	---	32.22	46.00	13.78	N	OFF	19.6
1.002750	46.07	---	56.00	9.93	N	OFF	19.6
1.002750	---	33.02	46.00	12.98	N	OFF	19.6
1.041000	43.96	---	56.00	12.04	N	OFF	19.6
1.041000	---	33.85	46.00	12.15	N	OFF	19.6
1.074750	40.46	---	56.00	15.54	N	OFF	19.6
1.074750	---	30.69	46.00	15.31	N	OFF	19.6
1.185000	43.38	---	56.00	12.62	N	OFF	19.6
1.185000	---	32.83	46.00	13.17	N	OFF	19.6
1.216500	41.65	---	56.00	14.35	N	OFF	19.6
1.216500	---	30.11	46.00	15.89	N	OFF	19.6
1.288500	40.27	---	56.00	15.73	N	OFF	19.7
1.288500	---	32.25	46.00	13.75	N	OFF	19.7
1.365000	41.24	---	56.00	14.76	N	OFF	19.7
1.365000	---	37.93	46.00	8.07	N	OFF	19.7
1.403250	41.20	---	56.00	14.80	N	OFF	19.7
1.403250	---	32.70	46.00	13.30	N	OFF	19.7
1.450500	40.50	---	56.00	15.50	N	OFF	19.7
1.450500	---	29.51	46.00	16.49	N	OFF	19.7
1.506750	41.12	---	56.00	14.88	N	OFF	19.7
1.506750	---	32.22	46.00	13.78	N	OFF	19.7
1.576500	39.62	---	56.00	16.38	N	OFF	19.7
1.576500	---	32.10	46.00	13.90	N	OFF	19.7
1.635000	40.30	---	56.00	15.70	N	OFF	19.7
1.635000	---	33.80	46.00	12.20	N	OFF	19.7
1.704750	37.11	---	56.00	18.89	N	OFF	19.7
1.704750	---	30.82	46.00	15.18	N	OFF	19.7
1.794750	40.47	---	56.00	15.53	N	OFF	19.7
1.794750	---	32.42	46.00	13.58	N	OFF	19.7
1.839750	37.46	---	56.00	18.54	N	OFF	19.7
1.839750	---	30.53	46.00	15.47	N	OFF	19.7
1.911750	39.65	---	56.00	16.35	N	OFF	19.7
1.911750	---	36.35	46.00	9.65	N	OFF	19.7
1.992750	39.87	---	56.00	16.13	N	OFF	19.7
1.992750	---	32.24	46.00	13.76	N	OFF	19.7
2.096250	36.26	---	56.00	19.74	N	OFF	19.7
2.096250	---	31.13	46.00	14.87	N	OFF	19.7
2.181750	39.67	---	56.00	16.33	N	OFF	19.7
2.181750	---	35.11	46.00	10.89	N	OFF	19.7

2.386500	36.91	---	56.00	19.09	N	OFF	19.7
2.386500	---	30.11	46.00	15.89	N	OFF	19.7
2.456250	39.92	---	56.00	16.08	N	OFF	19.7
2.456250	---	36.88	46.00	9.12	N	OFF	19.7
2.584500	38.43	---	56.00	17.57	N	OFF	19.7
2.584500	---	32.64	46.00	13.36	N	OFF	19.7
2.728500	39.76	---	56.00	16.24	N	OFF	19.7
2.728500	---	36.14	46.00	9.86	N	OFF	19.7
3.003000	37.69	---	56.00	18.31	N	OFF	19.7
3.003000	---	34.29	46.00	11.71	N	OFF	19.7
3.275250	37.39	---	56.00	18.61	N	OFF	19.7
3.275250	---	34.45	46.00	11.55	N	OFF	19.7
3.549750	34.83	---	56.00	21.17	N	OFF	19.8
3.549750	---	31.41	46.00	14.59	N	OFF	19.8
3.817410	37.47	---	56.00	18.53	N	OFF	19.8
3.817410	---	36.11	46.00	9.89	N	OFF	19.8
5.894250	31.83	---	60.00	28.17	N	OFF	19.9
5.894250	---	26.80	50.00	23.20	N	OFF	19.9



Appendix C. Radiated Spurious Emission

Test Engineer :	Daniel Lee, Fu Chen and Troye Hsieh	Temperature :	20.1~21.6°C
		Relative Humidity :	55.8~68.2%

Band 5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
0		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5913.06	56.81	-31.39	88.2	44.94	34.37	11.07	33.57	214	103	P	H
		5924.26	47.71	-20.49	68.2	35.9	34.35	11.03	33.57	214	103	A	H
	*	5955	103.25	-	-	91.62	34.28	10.93	33.58	214	103	P	H
	*	5955	96.43	-	-	84.8	34.28	10.93	33.58	214	103	A	H
		5877.5	52.8	-35.4	88.2	40.92	34.26	11.18	33.56	308	325	P	V
		5918.94	43.26	-24.94	68.2	31.42	34.36	11.05	33.57	308	325	A	V
	*	5955	97.94	-	-	86.31	34.28	10.93	33.58	308	325	P	V
	*	5955	90.19	-	-	78.56	34.28	10.93	33.58	308	325	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		11024	47.93	-26.07	74	52.95	38.9	17.61	61.53	-	-	P	H
		11910	44.32	-29.68	74	50.76	38.72	17.68	62.84	-	-	P	H
		14488	47.35	-26.65	74	49.05	40.59	20.73	63.02	-	-	P	H
		17865	47.96	-26.04	74	40.62	41.41	22.85	56.92	-	-	P	H
		17976	50.63	-23.37	74	41.87	42.43	22.99	56.66	-	-	P	H
		17976	38.94	-15.06	54	30.18	42.43	22.99	56.66	-	-	A	H
		11016	47.35	-26.65	74	52.36	38.9	17.61	61.52	-	-	P	V
		11910	45.29	-28.71	74	51.73	38.72	17.68	62.84	-	-	P	V
		14488	46.85	-27.15	74	48.55	40.59	20.73	63.02	-	-	P	V
		17865	46.06	-27.94	74	38.72	41.41	22.85	56.92	-	-	P	V
		17992	48.13	-25.87	74	39.2	42.54	23.01	56.62	-	-	P	V
		17992	39.06	-14.94	54	30.13	42.54	23.01	56.62	-	-	A	V



WiFi Ant. 0	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 49 6195MHz		11112	47.6	-26.4	74	52.7	38.92	17.61	61.63	-	-	P	H
		12390	47.64	-26.36	74	53.74	39.3	18.15	63.55	300	122	P	H
		12390	39.92	-14.08	54	46.02	39.3	18.15	63.55	300	122	A	H
		14496	48.81	-25.19	74	50.48	40.6	20.74	63.01	-	-	P	H
		17992	48.79	-25.21	74	39.86	42.54	23.01	56.62	-	-	P	H
		17992	39.16	-14.84	54	30.23	42.54	23.01	56.62	-	-	A	H
		18585	35.48	-38.52	74	56.64	37.97	-3.6	55.53	-	-	P	H
		10864	46.32	-27.68	74	51.35	38.97	17.34	61.34	-	-	P	V
		12390	46.51	-27.49	74	52.61	39.3	18.15	63.55	350	210	P	V
		12390	39.24	-14.76	54	45.34	39.3	18.15	63.55	350	210	A	V
		14480	46.6	-27.4	74	48.33	40.58	20.72	63.03	-	-	P	V
		17968	49.02	-24.98	74	40.34	42.38	22.98	56.68	-	-	P	V
		17968	37.82	-16.18	54	29.14	42.38	22.98	56.68	-	-	A	V
		18585	33.87	-40.13	74	55.03	37.97	-3.6	55.53	-	-	P	V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 93 6415MHz		10904	47.32	-26.68	74	52.38	38.9	17.42	61.38	-	-	P	H
		12830	46.39	-41.81	88.2	51.09	39.86	18.68	63.24	-	-	P	H
		14496	46.9	-27.1	74	48.57	40.6	20.74	63.01	-	-	P	H
		17960	48.88	-25.12	74	40.29	42.32	22.97	56.7	-	-	P	H
		17960	38.92	-15.08	54	30.33	42.32	22.97	56.7	-	-	A	H
		19245	34.84	-39.16	74	55.49	38.1	-3.65	55.1	-	-	P	H
		10984	46.57	-27.43	74	51.57	38.9	17.58	61.48	-	-	P	V
		12830	46.81	-41.39	88.2	51.51	39.86	18.68	63.24	-	-	P	V
		14480	46.29	-27.71	74	48.02	40.58	20.72	63.03	-	-	P	V
		17984	49.46	-24.54	74	40.61	42.49	23	56.64	-	-	P	V
		17984	39.1	-14.9	54	30.25	42.49	23	56.64	-	-	A	V
		19245	33.78	-40.22	74	54.43	38.1	-3.65	55.1	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 6 6425~6525MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 97 6435MHz		11000	47.75	-26.25	74	52.74	38.9	17.61	61.5	-	-	P	H
		12870	47.14	-41.06	88.2	51.66	39.94	18.72	63.18	-	-	P	H
		14480	47.75	-26.25	74	49.48	40.58	20.72	63.03	-	-	P	H
		17888	50.79	-23.21	74	43.04	41.73	22.89	56.87	-	-	P	H
		17888	40.66	-13.34	54	32.91	41.73	22.89	56.87	-	-	A	H
		19305	35.17	-38.83	74	55.89	38.01	-3.65	55.08	-	-	P	H
		11176	47.83	-26.17	74	52.87	39.05	17.62	61.71	-	-	P	V
		12870	47.6	-40.6	88.2	52.12	39.94	18.72	63.18	-	-	P	V
		14480	47.67	-26.33	74	49.4	40.58	20.72	63.03	-	-	P	V
		17920	50.36	-23.64	74	42.18	42.04	22.93	56.79	-	-	P	V
		17920	40.82	-13.18	54	32.64	42.04	22.93	56.79	-	-	A	V
		19305	35.14	-38.86	74	55.86	38.01	-3.65	55.08	-	-	P	V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 105 6475MHz		11032	47.8	-26.2	74	52.83	38.9	17.61	61.54	-	-	P	H
		12950	47.29	-40.91	88.2	51.59	39.95	18.82	63.07	-	-	P	H
		14480	47.85	-26.15	74	49.58	40.58	20.72	63.03	-	-	P	H
		17984	50.01	-23.99	74	41.16	42.49	23	56.64	-	-	P	H
		17984	39.82	-14.18	54	30.97	42.49	23	56.64	-	-	A	H
		19425	34.52	-39.48	74	55.37	37.82	-3.64	55.03	-	-	P	H
		12104	47.5	-26.5	74	53.64	39.2	17.81	63.15	-	-	P	V
		12950	46.19	-42.01	88.2	50.49	39.95	18.82	63.07	-	-	P	V
		14480	47.8	-26.2	74	49.53	40.58	20.72	63.03	-	-	P	V
		18000	50.11	-23.89	74	41.09	42.6	23.02	56.6	-	-	P	V
		18000	39.6	-14.4	54	30.58	42.6	23.02	56.6	-	-	A	V
		19425	33.92	-40.08	74	54.77	37.82	-3.64	55.03	-	-	P	V



WiFi Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 113 6515MHz		11048	47.78	-26.22	74	52.82	38.9	17.62	61.56	-	-	P	H
		13030	47.28	-40.92	88.2	51.56	39.81	18.92	63.01	-	-	P	H
		14480	47.98	-26.02	74	49.71	40.58	20.72	63.03	-	-	P	H
		17976	50.03	-23.97	74	41.27	42.43	22.99	56.66	-	-	P	H
		17976	39.82	-14.18	54	31.06	42.43	22.99	56.66	-	-	A	H
		19545	35.86	-38.14	74	56.75	37.72	-3.62	54.99	-	-	P	H
		11096	47.47	-26.53	74	52.58	38.9	17.61	61.62	-	-	P	V
		13030	46.48	-41.72	88.2	50.76	39.81	18.92	63.01	-	-	P	V
		14480	47.4	-26.6	74	49.13	40.58	20.72	63.03	-	-	P	V
		17992	50.1	-23.9	74	41.17	42.54	23.01	56.62	-	-	P	V
		17992	39.72	-14.28	54	30.79	42.54	23.01	56.62	-	-	A	V
		19545	36.34	-37.66	74	57.23	37.72	-3.62	54.99	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 117 6535MHz		12608	47.97	-26.03	74	53.24	39.51	18.41	63.19	-	-	P	H
		13070	47.47	-40.73	88.2	51.33	39.69	18.97	62.52	-	-	P	H
		14488	47.42	-26.58	74	48.58	40.59	20.73	62.48	-	-	P	H
		17920	50.42	-23.58	74	41.68	42.04	22.93	56.23	-	-	P	H
		17920	39.82	-14.18	54	31.08	42.04	22.93	56.23	-	-	A	H
		19605	36.38	-37.62	74	57.23	37.74	-3.61	54.98	-	-	P	H
		11024	47.71	-26.29	74	52.38	38.9	17.61	61.18	-	-	P	V
		13070	46.84	-41.36	88.2	50.7	39.69	18.97	62.52	-	-	P	V
		14488	47.45	-26.55	74	48.61	40.59	20.73	62.48	-	-	P	V
		17976	51.16	-22.84	74	41.87	42.43	22.99	56.13	-	-	P	V
		17976	41.03	-12.97	54	31.74	42.43	22.99	56.13	-	-	A	V
		19605	36.21	-37.79	74	57.06	37.74	-3.61	54.98	-	-	P	V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		11608	47.96	-26.04	74	53.46	38.7	17.65	61.85	-	-	P	H
		13390	46.32	-27.68	74	49.74	39.97	19.33	62.72	-	-	P	H
		14488	47.79	-26.21	74	48.95	40.59	20.73	62.48	-	-	P	H
		17976	51.16	-22.84	74	41.87	42.43	22.99	56.13	-	-	P	H
		17976	40.39	-13.61	54	31.1	42.43	22.99	56.13	-	-	A	H
		20085	35.3	-38.7	74	56.12	37.6	-3.52	54.9	-	-	P	H
		10872	47.83	-26.17	74	52.51	38.96	17.36	61	-	-	P	V
		13390	46.3	-27.7	74	49.72	39.97	19.33	62.72	-	-	P	V
		14488	47.92	-26.08	74	49.08	40.59	20.73	62.48	-	-	P	V
		17992	50.75	-23.25	74	41.3	42.54	23.01	56.1	-	-	P	V
		17992	40.71	-13.29	54	31.26	42.54	23.01	56.1	-	-	A	V
		20085	34.36	-39.64	74	55.18	37.6	-3.52	54.9	-	-	P	V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 181 6855MHz		11296	47.47	-26.53	74	52.09	39.2	17.63	61.45	-	-	P	H
		13710	47.43	-40.77	88.2	50.58	40.1	19.71	62.96	-	-	P	H
		14488	47.69	-26.31	74	48.85	40.59	20.73	62.48	-	-	P	H
		17992	51.12	-22.88	74	41.67	42.54	23.01	56.1	-	-	P	H
		17992	40.89	-13.11	54	31.44	42.54	23.01	56.1	-	-	A	H
		20565	37.32	-36.68	74	57.74	37.95	-3.48	54.89	-	-	P	H
		11088	47.43	-26.57	74	52.17	38.9	17.61	61.25	-	-	P	V
		13710	47.19	-41.01	88.2	50.34	40.1	19.71	62.96	-	-	P	V
		14488	47.72	-26.28	74	48.88	40.59	20.73	62.48	-	-	P	V
		17976	50.21	-23.79	74	40.92	42.43	22.99	56.13	-	-	P	V
		17976	40.36	-13.64	54	31.07	42.43	22.99	56.13	-	-	A	V
		20565	37.32	-36.68	74	57.74	37.95	-3.48	54.89	-	-	P	V



WiFi Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 185 6875MHz		11144	47.68	-26.32	74	52.37	38.99	17.62	61.3	-	-	P	H
		13750	48.33	-39.87	88.2	51.47	40.1	19.76	63	-	-	P	H
		14496	47.96	-26.04	74	49.09	40.6	20.74	62.47	-	-	P	H
		17928	50.35	-23.65	74	41.53	42.1	22.94	56.22	-	-	P	H
		17928	40.1	-13.9	54	31.28	42.1	22.94	56.22	-	-	A	H
		20625	36.08	-37.92	74	56.52	37.9	-3.46	54.88	-	-	P	H
		10992	47.9	-26.1	74	52.56	38.9	17.59	61.15	-	-	P	V
		13750	47.55	-40.65	88.2	50.69	40.1	19.76	63	-	-	P	V
		14496	47.11	-26.89	74	48.24	40.6	20.74	62.47	-	-	P	V
		17976	50.43	-23.57	74	41.14	42.43	22.99	56.13	-	-	P	V
		17976	40.27	-13.73	54	30.98	42.43	22.99	56.13	-	-	A	V
		20625	36.2	-37.8	74	56.64	37.9	-3.46	54.88	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 8 - 6875~7125MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 229 7095MHz	*	7095	101.84	-	-	87.2	36.37	12.53	34.26	200	83	P	H
	*	7095	94.82	-	-	80.18	36.37	12.53	34.26	200	83	A	H
		7139	56.84	-31.36	88.2	42.2	36.63	12.3	34.29	200	83	P	H
		7125.8	46.36	-21.84	68.2	31.72	36.55	12.37	34.28	200	83	A	H
	*	7095	94.08	-	-	79.44	36.37	12.53	34.26	350	301	P	V
	*	7095	86.55	-	-	71.91	36.37	12.53	34.26	350	301	A	V
		7237.8	55.57	-32.63	88.2	40.82	37.05	12.05	34.35	350	301	P	V
		7154.2	45.87	-22.33	68.2	31.23	36.72	12.22	34.3	350	301	A	V
802.11a CH 233 7115MHz	*	7115	98.79	-	-	84.15	36.49	12.42	34.27	206	80	P	H
	*	7115	91.67	-	-	77.03	36.49	12.42	34.27	206	80	A	H
		7125.02	74.02	-14.18	88.2	59.38	36.55	12.37	34.28	206	80	P	H
		7125.02	65.71	-2.49	68.2	51.07	36.55	12.37	34.28	206	80	A	H
	*	7115	91.64	-	-	77	36.49	12.42	34.27	296	300	P	V
	*	7115	84.38	-	-	69.74	36.49	12.42	34.27	296	300	A	V
		7125.16	67.3	-20.9	88.2	52.66	36.55	12.37	34.28	296	300	P	V
		7125.02	58.55	-9.65	68.2	43.91	36.55	12.37	34.28	296	300	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. Ch233 band edge are by use C63.10 12.7.4.4.3 Integration method to verify.												



Band 8 - 6875~7125MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 189 6895MHz		11464	47.99	-26.01	74	52.86	39.1	17.64	61.61	-	-	P	H
		13790	46.98	-41.22	88.2	50.11	40.1	19.8	63.03	-	-	P	H
		14488	47.7	-26.3	74	48.86	40.59	20.73	62.48	-	-	P	H
		17912	50.3	-23.7	74	41.65	41.98	22.92	56.25	-	-	P	H
		17912	39.94	-14.06	54	31.29	41.98	22.92	56.25	-	-	A	H
		20685	35.06	-38.94	74	55.51	37.85	-3.44	54.86	-	-	P	H
		11176	47.76	-26.24	74	52.42	39.05	17.62	61.33	-	-	P	V
		13790	48.99	-39.21	88.2	52.12	40.1	19.8	63.03	-	-	P	V
		14488	47.98	-26.02	74	49.14	40.59	20.73	62.48	-	-	P	V
		17992	50.93	-23.07	74	41.48	42.54	23.01	56.1	-	-	P	V
		17992	40.5	-13.5	54	31.05	42.54	23.01	56.1	-	-	A	V
		20685	34.03	-39.97	74	54.48	37.85	-3.44	54.86	-	-	P	V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 209 6995MHz		11160	47.64	-26.36	74	52.32	39.02	17.62	61.32	-	-	P	H
		13990	47.71	-40.49	88.2	50.49	40.37	20.04	63.19	-	-	P	H
		14496	47.29	-26.71	74	48.42	40.6	20.74	62.47	-	-	P	H
		17992	50.08	-23.92	74	40.63	42.54	23.01	56.1	-	-	P	H
		17992	40.18	-13.82	54	30.73	42.54	23.01	56.1	-	-	A	H
		20985	35.05	-38.95	74	55.21	37.99	-3.35	54.8	-	-	P	H
		11528	47.64	-26.36	74	52.7	38.99	17.65	61.7	-	-	P	V
		13990	47.11	-41.09	88.2	49.89	40.37	20.04	63.19	-	-	P	V
		14496	47.79	-26.21	74	48.92	40.6	20.74	62.47	-	-	P	V
		17992	50.66	-23.34	74	41.21	42.54	23.01	56.1	-	-	P	V
		17992	40.88	-13.12	54	31.43	42.54	23.01	56.1	-	-	A	V
		20985	35.15	-38.85	74	55.31	37.99	-3.35	54.8	-	-	P	V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 229 7095MHz		10976	47.94	-26.06	74	52.61	38.9	17.56	61.13	-	-	P	H
		14190	49.06	-39.14	88.2	50.97	40.69	20.32	62.92	-	-	P	H
		14488	47.87	-26.13	74	49.03	40.59	20.73	62.48	-	-	P	H
		17984	50.04	-23.96	74	40.66	42.49	23	56.11	-	-	P	H
		17984	39.78	-14.22	54	30.4	42.49	23	56.11	-	-	A	H
		21285	34.77	-39.23	74	55.19	37.67	-3.29	54.8	-	-	P	H
		10800	47.74	-26.26	74	52.34	39.1	17.22	60.92	-	-	P	V
		14190	48.31	-39.89	88.2	50.22	40.69	20.32	62.92	-	-	P	V
		14488	47.59	-26.41	74	48.75	40.59	20.73	62.48	-	-	P	V
		17992	50.61	-23.39	74	41.16	42.54	23.01	56.1	-	-	P	V
		17992	40.55	-13.45	54	31.1	42.54	23.01	56.1	-	-	A	V
		21285	34.57	-39.43	74	54.99	37.67	-3.29	54.8	-	-	P	V



WiFi Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 233 7115MHz		11728	47.8	-26.2	74	53.57	38.64	17.66	62.07	-	-	P	H
		14230	48.56	-39.64	88.2	50.38	40.67	20.37	62.86	-	-	P	H
		14496	47.23	-26.77	74	48.36	40.6	20.74	62.47	-	-	P	H
		17984	50.51	-23.49	74	41.13	42.49	23	56.11	-	-	P	H
		17984	40.9	-13.1	54	31.52	42.49	23	56.11	-	-	A	H
		21345	34.56	-39.44	74	54.84	37.79	-3.27	54.8	-	-	P	H
		10944	47.63	-26.37	74	52.32	38.9	17.5	61.09	-	-	P	V
		14230	48.61	-39.59	88.2	50.43	40.67	20.37	62.86	-	-	P	V
		14488	47.85	-26.15	74	49.01	40.59	20.73	62.48	-	-	P	V
		18000	50.45	-23.55	74	40.91	42.6	23.02	56.08	-	-	P	V
		18000	40.27	-13.73	54	30.73	42.6	23.02	56.08	-	-	A	V
		21345	35.02	-38.98	74	55.3	37.79	-3.27	54.8	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Emission below 1GHz

WIFI 802.11a (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a LF		30	20.62	-19.38	40	27.76	24.27	0.95	32.36	-	-	P	H
		146.4	31.82	-11.68	43.5	45.37	17.02	1.88	32.45	-	-	P	H
		153.19	33.92	-9.58	43.5	47.76	16.7	1.92	32.46	-	-	P	H
		849.65	29.87	-16.13	46	27.84	29.03	4.49	31.49	-	-	P	H
		952.47	30.82	-15.18	46	26.4	30.52	4.78	30.88	-	-	P	H
		970.9	31.78	-22.22	54	26.76	30.93	4.84	30.75	-	-	P	H
		67.83	26.56	-13.44	40	45.73	12.03	1.25	32.45	-	-	P	V
		143.49	30.02	-13.48	43.5	43.47	17.13	1.87	32.45	-	-	P	V
		153.19	30.71	-12.79	43.5	44.55	16.7	1.92	32.46	-	-	P	V
		875.84	29.94	-16.06	46	27.74	28.98	4.58	31.36	-	-	P	V
		942.77	30.93	-15.07	46	27.08	30.03	4.76	30.94	-	-	P	V
		966.05	31.79	-22.21	54	26.75	31.01	4.82	30.79	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5922.72	53.92	-34.28	88.2	42.1	34.35	11.04	33.57	231	107	P	H
		5924.82	45.42	-22.78	68.2	33.61	34.35	11.03	33.57	231	107	A	H
	*	5955	104.83	-	-	93.2	34.28	10.93	33.58	231	107	P	H
	*	5955	97.98	-	-	86.35	34.28	10.93	33.58	231	107	A	H
		5901.16	52.83	-35.37	88.2	40.88	34.4	11.11	33.56	400	41	P	V
		5829.62	42.86	-25.34	68.2	31.05	34.02	11.34	33.55	400	41	A	V
	*	5955	99.52	-	-	87.89	34.28	10.93	33.58	400	41	P	V
	*	5955	92.59	-	-	80.96	34.28	10.93	33.58	400	41	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**Band 5 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		11088	46.79	-27.21	74	51.89	38.9	17.61	61.61	-	-	P	H
		11910	45.03	-28.97	74	51.47	38.72	17.68	62.84	-	-	P	H
		14496	46.82	-27.18	74	48.49	40.6	20.74	63.01	-	-	P	H
		17865	46.85	-27.15	74	39.51	41.41	22.85	56.92	-	-	P	H
		17984	48.88	-25.12	74	40.03	42.49	23	56.64	-	-	P	H
		17984	39.08	-14.92	54	30.23	42.49	23	56.64	-	-	A	H
		11040	46.91	-27.09	74	51.94	38.9	17.62	61.55	-	-	P	V
		11910	44.66	-29.34	74	51.1	38.72	17.68	62.84	-	-	P	V
		14480	46.85	-27.15	74	48.58	40.58	20.72	63.03	-	-	P	V
		17865	47.19	-26.81	74	39.85	41.41	22.85	56.92	-	-	P	V
		17976	48.91	-25.09	74	40.15	42.43	22.99	56.66	-	-	P	V
		17976	39.04	-14.96	54	30.28	42.43	22.99	56.66	-	-	A	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 49 6195MHz		11184	46.66	-27.34	74	51.69	39.07	17.62	61.72	-	-	P	H
		12390	46.71	-27.29	74	52.81	39.3	18.15	63.55	300	129	P	H
		12390	39.44	-14.56	54	45.54	39.3	18.15	63.55	300	129	A	H
		14496	47.57	-26.43	74	49.24	40.6	20.74	63.01	-	-	P	H
		17992	49.18	-24.82	74	40.25	42.54	23.01	56.62	-	-	P	H
		17992	39.16	-14.84	54	30.23	42.54	23.01	56.62	-	-	A	H
		18585	35.18	-38.82	74	56.34	37.97	-3.6	55.53	-	-	P	H
		11472	47.42	-26.58	74	52.75	39.1	17.64	62.07	-	-	P	V
		12390	47.93	-26.07	74	54.03	39.3	18.15	63.55	350	207	P	V
		12390	40.21	-13.79	54	46.31	39.3	18.15	63.55	350	207	A	V
		14496	46.77	-27.23	74	48.44	40.6	20.74	63.01	-	-	P	V
		17976	49.23	-24.77	74	40.47	42.43	22.99	56.66	-	-	P	V
		17976	38.88	-15.12	54	30.12	42.43	22.99	56.66	-	-	A	V
		18585	35.63	-38.37	74	56.79	37.97	-3.6	55.53	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 93 6415MHz		11184	46.95	-27.05	74	51.98	39.07	17.62	61.72	-	-	P	H
		12830	45.27	-42.93	88.2	49.97	39.86	18.68	63.24	-	-	P	H
		14480	47.84	-26.16	74	49.57	40.58	20.72	63.03	-	-	P	H
		17992	49.08	-24.92	74	40.15	42.54	23.01	56.62	-	-	P	H
		17992	39.16	-14.84	54	30.23	42.54	23.01	56.62	-	-	A	H
		19245	36.25	-37.75	74	56.9	38.1	-3.65	55.1	-	-	P	H
		12464	46.71	-27.29	74	52.89	39.24	18.23	63.65	-	-	P	V
		12830	47.93	-40.27	88.2	52.63	39.86	18.68	63.24	349	205	P	V
		12830	40.31	-27.89	68.2	45.01	39.86	18.68	63.24	349	205	A	V
		14488	47.5	-26.5	74	49.2	40.59	20.73	63.02	-	-	P	V
		17968	48.88	-25.12	74	40.2	42.38	22.98	56.68	-	-	P	V
		17968	38.82	-15.18	54	30.14	42.38	22.98	56.68	-	-	A	V
		19245	35.65	-38.35	74	56.3	38.1	-3.65	55.1	-	-	P	V
	Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 											



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		5912.08	54.04	-34.16	88.2	42.16	34.38	11.07	33.57	222	100	P	H
		5923.42	45.06	-23.14	68.2	33.25	34.35	11.03	33.57	222	100	A	H
	*	5955	103.47	-	-	91.84	34.28	10.93	33.58	222	100	P	H
	*	5955	94.44	-	-	82.81	34.28	10.93	33.58	222	100	A	H
		5869.52	52.75	-35.45	88.2	40.88	34.22	11.21	33.56	400	30	P	V
		5877.08	42.79	-25.41	68.2	30.9	34.26	11.19	33.56	400	30	A	V
	*	5955	97.08	-	-	85.45	34.28	10.93	33.58	400	30	P	V
*	5955	88.95	-	-	77.32	34.28	10.93	33.58	400	30	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		11360	46.76	-27.24	74	51.91	39.14	17.64	61.93	-	-	P	H
		11910	43.92	-30.08	74	50.36	38.72	17.68	62.84	-	-	P	H
		14496	46.86	-27.14	74	48.53	40.6	20.74	63.01	-	-	P	H
		17865	47.97	-26.03	74	40.63	41.41	22.85	56.92	-	-	P	H
		17976	48.87	-25.13	74	40.11	42.43	22.99	56.66	-	-	P	H
		17976	38.88	-15.12	54	30.12	42.43	22.99	56.66	-	-	A	H
		10880	46.72	-27.28	74	51.77	38.94	17.37	61.36	-	-	P	V
		11910	44.18	-29.82	74	50.62	38.72	17.68	62.84	-	-	P	V
		14480	47.13	-26.87	74	48.86	40.58	20.72	63.03	-	-	P	V
		17865	47.16	-26.84	74	39.82	41.41	22.85	56.92	-	-	P	V
	17992	49.06	-24.94	74	40.13	42.54	23.01	56.62	-	-	P	V	
	17992	39.91	-14.09	54	30.98	42.54	23.01	56.62	-	-	A	V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 49 6195MHz		10944	47	-27	74	52.03	38.9	17.5	61.43	-	-	P	H
		12390	45.6	-28.4	74	51.7	39.3	18.15	63.55	-	-	P	H
		14496	47.93	-26.07	74	49.6	40.6	20.74	63.01	-	-	P	H
		17984	50.14	-23.86	74	41.29	42.49	23	56.64	-	-	P	H
		17984	38.97	-15.03	54	30.12	42.49	23	56.64	-	-	A	H
		18585	35.19	-38.81	74	56.35	37.97	-3.6	55.53	-	-	P	H
		10960	47.79	-26.21	74	52.81	38.9	17.53	61.45	-	-	P	V
		12390	46.59	-27.41	74	52.69	39.3	18.15	63.55	-	-	P	V
		14488	47.56	-26.44	74	49.26	40.59	20.73	63.02	-	-	P	V
		17920	48.84	-25.16	74	40.66	42.04	22.93	56.79	-	-	P	V
		17920	38.39	-15.61	54	30.21	42.04	22.93	56.79	-	-	A	V
		18585	35.01	-38.99	74	56.17	37.97	-3.6	55.53	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 93 6415MHz		10880	46.62	-27.38	74	51.67	38.94	17.37	61.36	-	-	P	H
		12830	46.21	-41.99	88.2	50.91	39.86	18.68	63.24	-	-	P	H
		14488	47.71	-26.29	74	49.41	40.59	20.73	63.02	-	-	P	H
		17984	48.73	-25.27	74	39.88	42.49	23	56.64	-	-	P	H
		17984	39.06	-14.94	54	30.21	42.49	23	56.64	-	-	A	H
		19245	34.81	-39.19	74	55.46	38.1	-3.65	55.1	-	-	P	H
		10736	46.63	-27.37	74	51.62	39.1	17.09	61.18	-	-	P	V
		12830	46.09	-42.11	88.2	50.79	39.86	18.68	63.24	-	-	P	V
		14488	47.2	-26.8	74	48.9	40.59	20.73	63.02	-	-	P	V
		17992	49.71	-24.29	74	40.78	42.54	23.01	56.62	-	-	P	V
		17992	39.16	-14.84	54	30.23	42.54	23.01	56.62	-	-	A	V
		19245	34.5	-39.5	74	55.15	38.1	-3.65	55.1	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



**Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/0 CH 01 5955MHz		5907.18	55.67	-32.53	88.2	43.76	34.39	11.09	33.57	221	104	P	H
		5912.78	46.77	-21.43	68.2	34.9	34.37	11.07	33.57	221	104	A	H
	*	5955	112.08	-	-	100.45	34.28	10.93	33.58	221	104	P	H
	*	5955	103.53	-	-	91.9	34.28	10.93	33.58	221	104	A	H
		5857.62	53.23	-34.97	88.2	41.38	34.15	11.25	33.55	400	58	P	V
		5870.08	44.13	-24.07	68.2	32.26	34.22	11.21	33.56	400	58	A	V
	*	5955	103.42	-	-	91.79	34.28	10.93	33.58	400	58	P	V
	*	5955	96.42	-	-	84.79	34.28	10.93	33.58	400	58	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/37 CH 01 5955MHz		5908.02	53.82	-34.38	88.2	41.93	34.38	11.08	33.57	204	107	P	H
		5902.42	46.6	-21.6	68.2	34.66	34.4	11.1	33.56	204	107	A	H
	*	5955	105.55	-	-	93.92	34.28	10.93	33.58	204	107	P	H
	*	5955	98.65	-	-	87.02	34.28	10.93	33.58	204	107	A	H
		5910.26	53.03	-35.17	88.2	41.14	34.38	11.08	33.57	400	43	P	V
		5868.68	45.52	-22.68	68.2	33.66	34.21	11.21	33.56	400	43	A	V
	*	5955	102.38	-	-	90.75	34.28	10.93	33.58	400	43	P	V
	*	5955	94.41	-	-	82.78	34.28	10.93	33.58	400	43	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 5955MHz		5895.56	53.63	-34.57	88.2	41.7	34.37	11.12	33.56	204	107	P	H
		5908.02	46.43	-21.77	68.2	34.54	34.38	11.08	33.57	204	107	A	H
	*	5955	103.92	-	-	92.29	34.28	10.93	33.58	204	107	P	H
	*	5955	97.52	-	-	85.89	34.28	10.93	33.58	204	107	A	H
		5884.64	52.96	-35.24	88.2	41.05	34.31	11.16	33.56	400	43	P	V
		5827.8	45.53	-22.67	68.2	33.72	34.01	11.35	33.55	400	43	A	V
	*	5955	99.41	-	-	87.78	34.28	10.93	33.58	400	43	P	V
	*	5955	92.07	-	-	80.44	34.28	10.93	33.58	400	43	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		5914.26	54.74	-33.46	88.2	42.88	34.37	11.06	33.57	200	99	P	H
		5924.52	45.9	-22.3	68.2	34.09	34.35	11.03	33.57	200	99	A	H
	*	5965	103.7	-	-	92.14	34.24	10.9	33.58	200	99	P	H
	*	5965	94.19	-	-	82.63	34.24	10.9	33.58	200	99	A	H
		5923.62	52.73	-35.47	88.2	40.92	34.35	11.03	33.57	250	327	P	V
		5923.8	43.34	-24.86	68.2	31.53	34.35	11.03	33.57	250	327	A	V
	*	5965	98.94	-	-	87.38	34.24	10.9	33.58	250	327	P	V
*	5965	88.94	-	-	77.38	34.24	10.9	33.58	250	327	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		11112	46.85	-27.15	74	51.95	38.92	17.61	61.63	-	-	P	H
		11930	46.46	-27.54	74	52.9	38.76	17.67	62.87	-	-	P	H
		14488	46.91	-27.09	74	48.61	40.59	20.73	63.02	-	-	P	H
		17895	47.65	-26.35	74	39.77	41.83	22.9	56.85	-	-	P	H
		17992	49.02	-24.98	74	40.09	42.54	23.01	56.62	-	-	P	H
		17992	39.3	-14.7	54	30.37	42.54	23.01	56.62	-	-	A	H
		10968	46.73	-27.27	74	51.74	38.9	17.55	61.46	-	-	P	V
		11930	44.65	-29.35	74	51.09	38.76	17.67	62.87	-	-	P	V
		14480	47.03	-26.97	74	48.76	40.58	20.72	63.03	-	-	P	V
		17895	47.22	-26.78	74	39.34	41.83	22.9	56.85	-	-	P	V
	17992	48.75	-25.25	74	39.82	42.54	23.01	56.62	-	-	P	V	
	17992	39.05	-14.95	54	30.12	42.54	23.01	56.62	-	-	A	V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 51 6205MHz		10912	47.99	-26.01	74	53.05	38.9	17.43	61.39	-	-	P	H
		12410	46.37	-27.63	74	52.48	39.29	18.17	63.57	-	-	P	H
		14488	46.89	-27.11	74	48.59	40.59	20.73	63.02	-	-	P	H
		17904	49.35	-24.65	74	41.34	41.93	22.91	56.83	-	-	P	H
		17904	38.23	-15.77	54	30.22	41.93	22.91	56.83	-	-	A	H
		18615	35.62	-38.38	74	56.75	37.99	-3.61	55.51	-	-	P	H
		11016	47.07	-26.93	74	52.08	38.9	17.61	61.52	-	-	P	V
		12410	46.67	-27.33	74	52.78	39.29	18.17	63.57	-	-	P	V
		14480	47.24	-26.76	74	48.97	40.58	20.72	63.03	-	-	P	V
		17992	49.04	-24.96	74	40.11	42.54	23.01	56.62	-	-	P	V
		17992	39.16	-14.84	54	30.23	42.54	23.01	56.62	-	-	A	V
		18615	35.65	-38.35	74	56.78	37.99	-3.61	55.51	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 91 6405MHz		10960	46.93	-27.07	74	51.95	38.9	17.53	61.45	-	-	P	H
		12810	46	-42.2	88.2	50.79	39.82	18.66	63.27	-	-	P	H
		14488	47.38	-26.62	74	49.08	40.59	20.73	63.02	-	-	P	H
		17968	48.81	-25.19	74	40.13	42.38	22.98	56.68	-	-	P	H
		17968	38.99	-15.01	54	30.31	42.38	22.98	56.68	-	-	A	H
		19215	36.62	-37.38	74	57.29	38.09	-3.65	55.11	-	-	P	H
		10856	47.37	-26.63	74	52.38	38.99	17.33	61.33	-	-	P	V
		12810	48.05	-40.15	88.2	52.84	39.82	18.66	63.27	-	-	P	V
		14496	46.87	-27.13	74	48.54	40.6	20.74	63.01	-	-	P	V
		17976	49.25	-24.75	74	40.49	42.43	22.99	56.66	-	-	P	V
	17976	38.92	-15.08	54	30.16	42.43	22.99	56.66	-	-	A	V	
	19215	36.52	-37.48	74	57.19	38.09	-3.65	55.11	-	-	P	V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/61 CH 03 5965MHz		5923.89	55.05	-33.15	88.2	43.24	34.35	11.03	33.57	200	100	P	H
		5919.685	46.66	-21.54	68.2	34.82	34.36	11.05	33.57	200	100	A	H
	*	5965	107.78	-	-	96.22	34.24	10.9	33.58	200	100	P	H
	*	5965	95.9	-	-	84.34	34.24	10.9	33.58	200	100	A	H
		5868.645	53.11	-35.09	88.2	41.25	34.21	11.21	33.56	400	55	P	V
		5873.72	44.29	-23.91	68.2	32.41	34.24	11.2	33.56	400	55	A	V
	*	5965	102	-	-	90.44	34.24	10.9	33.58	400	55	P	V
	*	5965	91.16	-	-	79.6	34.24	10.9	33.58	400	55	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		5925	57.9	-30.3	88.2	46.09	34.35	11.03	33.57	209	266	P	H
		5925	49.91	-18.29	68.2	38.1	34.35	11.03	33.57	209	266	A	H
	*	5985	103.19	-	-	91.79	34.16	10.83	33.59	209	266	P	H
	*	5985	94.64	-	-	83.24	34.16	10.83	33.59	209	266	A	H
		5897.16	53.78	-34.42	88.2	41.84	34.38	11.12	33.56	215	324	P	V
		5924.68	46.08	-22.12	68.2	34.27	34.35	11.03	33.57	215	324	A	V
	*	5985	96.46	-	-	85.06	34.16	10.83	33.59	215	324	P	V
*	5985	89.63	-	-	78.23	34.16	10.83	33.59	215	324	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		11192	47.33	-26.67	74	52.36	39.08	17.62	61.73	-	-	P	H
		11970	45.93	-28.07	74	52.36	38.84	17.68	62.95	-	-	P	H
		14488	47.09	-26.91	74	48.79	40.59	20.73	63.02	-	-	P	H
		17912	49.56	-24.44	74	41.47	41.98	22.92	56.81	-	-	P	H
		17912	38.2	-15.8	54	30.11	41.98	22.92	56.81	-	-	A	H
		17955	48.2	-25.8	74	39.66	42.28	22.97	56.71	100	40	P	H
		17955	37.72	-16.28	54	29.18	42.28	22.97	56.71	100	40	A	H
		11112	46.95	-27.05	74	52.05	38.92	17.61	61.63	-	-	P	V
		11970	44.99	-29.01	74	51.42	38.84	17.68	62.95	-	-	P	V
		14488	47.43	-26.57	74	49.13	40.59	20.73	63.02	-	-	P	V
		17955	48.43	-25.57	74	39.89	42.28	22.97	56.71	250	42	P	V
		17955	37.88	-16.12	54	29.34	42.28	22.97	56.71	250	42	A	V
		17984	50.2	-23.8	74	41.35	42.49	23	56.64	-	-	P	V
		17984	38.96	-15.04	54	30.11	42.49	23	56.64	-	-	A	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 55 6225MHz		11520	47.05	-26.95	74	52.52	39.02	17.65	62.14	-	-	P	H
		12450	46.01	-27.99	74	52.17	39.25	18.22	63.63	-	-	P	H
		14480	46.61	-27.39	74	48.34	40.58	20.72	63.03	-	-	P	H
		17992	48.71	-25.29	74	39.78	42.54	23.01	56.62	-	-	P	H
		17992	39.07	-14.93	54	30.14	42.54	23.01	56.62	-	-	A	H
		18675	35.96	-38.04	74	57	38.04	-3.62	55.46	-	-	P	H
		11032	47.59	-26.41	74	52.62	38.9	17.61	61.54	-	-	P	V
		12450	45.5	-28.5	74	51.66	39.25	18.22	63.63	-	-	P	V
		14496	47.31	-26.69	74	48.98	40.6	20.74	63.01	-	-	P	V
		17984	49.94	-24.06	74	41.09	42.49	23	56.64	-	-	P	V
		17984	39.1	-14.9	54	30.25	42.49	23	56.64	-	-	A	V
		18675	35.66	-38.34	74	56.7	38.04	-3.62	55.46	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 87 6385MHz		11184	47.9	-26.1	74	52.93	39.07	17.62	61.72	-	-	P	H
		12770	45.68	-42.52	88.2	50.66	39.74	18.6	63.32	-	-	P	H
		14480	47.4	-26.6	74	49.13	40.58	20.72	63.03	-	-	P	H
		17984	49.03	-24.97	74	40.18	42.49	23	56.64	-	-	P	H
		17984	38.99	-15.01	54	30.14	42.49	23	56.64	-	-	A	H
		19155	36.03	-37.97	74	56.77	38.06	-3.66	55.14	-	-	P	H
		10888	46.64	-27.36	74	51.7	38.92	17.39	61.37	-	-	P	V
		12770	48.85	-39.35	88.2	53.83	39.74	18.6	63.32	345	207	P	V
		12770	41.08	-27.12	68.2	46.06	39.74	18.6	63.32	345	207	A	V
		14488	45.92	-28.08	74	47.62	40.59	20.73	63.02	-	-	P	V
		17968	49.16	-24.84	74	40.48	42.38	22.98	56.68	-	-	P	V
		17968	38.9	-15.1	54	30.22	42.38	22.98	56.68	-	-	A	V
		19155	37.04	-36.96	74	57.78	38.06	-3.66	55.14	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



**Band 5 5925~6425MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/65 CH 07 5985MHz		5922.12	57.06	-31.14	88.2	45.23	34.36	11.04	33.57	218	105	P	H
		5922.44	49.48	-18.72	68.2	37.65	34.36	11.04	33.57	218	105	A	H
	*	5985	105.52	-	-	94.12	34.16	10.83	33.59	218	105	P	H
	*	5985	95.85	-	-	84.45	34.16	10.83	33.59	218	105	A	H
		5906.44	52.65	-35.55	88.2	40.74	34.39	11.09	33.57	400	56	P	V
		5924.68	45.34	-22.86	68.2	33.53	34.35	11.03	33.57	400	56	A	V
	*	5985	99.13	-	-	87.73	34.16	10.83	33.59	400	56	P	V
	*	5985	90.63	-	-	79.23	34.16	10.83	33.59	400	56	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 6 - 6425~6525MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 97 6435MHz		11512	46.27	-27.73	74	51.69	39.05	17.65	62.12	-	-	P	H
		12870	47.19	-41.01	88.2	51.71	39.94	18.72	63.18	-	-	P	H
		14504	47.93	-40.27	88.2	49.58	40.59	20.76	63	-	-	P	H
		17992	48.75	-25.25	74	39.82	42.54	23.01	56.62	-	-	P	H
		17992	39.05	-14.95	54	30.12	42.54	23.01	56.62	-	-	A	H
		19305	35.78	-38.22	74	56.5	38.01	-3.65	55.08	-	-	P	H
		11176	47.5	-26.5	74	52.54	39.05	17.62	61.71	-	-	P	V
		12870	47.27	-40.93	88.2	51.79	39.94	18.72	63.18	-	-	P	V
		14488	46.04	-27.96	74	47.74	40.59	20.73	63.02	-	-	P	V
		17968	48.94	-25.06	74	40.26	42.38	22.98	56.68	-	-	P	V
		17968	38.79	-15.21	54	30.11	42.38	22.98	56.68	-	-	A	V
		19305	36.65	-37.35	74	57.37	38.01	-3.65	55.08	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 105 6475MHz		10896	46.29	-27.71	74	51.36	38.91	17.4	61.38	-	-	P	H
		12950	47	-41.2	88.2	51.3	39.95	18.82	63.07	-	-	P	H
		14488	46.64	-27.36	74	48.34	40.59	20.73	63.02	-	-	P	H
		17968	49.42	-24.58	74	40.74	42.38	22.98	56.68	-	-	P	H
		17968	39.69	-14.31	54	31.01	42.38	22.98	56.68	-	-	A	H
		19425	34.82	-39.18	74	55.67	37.82	-3.64	55.03	-	-	P	H
		11024	46.67	-27.33	74	51.69	38.9	17.61	61.53	-	-	P	V
		12950	45.95	-42.25	88.2	50.25	39.95	18.82	63.07	-	-	P	V
		14488	46.35	-27.65	74	48.05	40.59	20.73	63.02	-	-	P	V
		17984	49.03	-24.97	74	40.18	42.49	23	56.64	-	-	P	V
		17984	39.96	-14.04	54	31.11	42.49	23	56.64	-	-	A	V
		19425	34	-40	74	54.85	37.82	-3.64	55.03	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 113 6515MHz		11408	46.71	-27.29	74	51.96	39.1	17.64	61.99	-	-	P	H
		13030	46.51	-41.69	88.2	50.79	39.81	18.92	63.01	-	-	P	H
		14488	47.38	-26.62	74	49.08	40.59	20.73	63.02	-	-	P	H
		18000	49.27	-24.73	74	40.25	42.6	23.02	56.6	-	-	P	H
		18000	40.03	-13.97	54	31.01	42.6	23.02	56.6	-	-	A	H
		19545	35.65	-38.35	74	56.54	37.72	-3.62	54.99	-	-	P	H
		10976	47.45	-26.55	74	52.46	38.9	17.56	61.47	-	-	P	V
		13030	48.01	-40.19	88.2	52.29	39.81	18.92	63.01	-	-	P	V
		14488	46.43	-27.57	74	48.13	40.59	20.73	63.02	-	-	P	V
		17984	48.98	-25.02	74	40.13	42.49	23	56.64	-	-	P	V
		17984	39.82	-14.18	54	30.97	42.49	23	56.64	-	-	A	V
		19545	34.92	-39.08	74	55.81	37.72	-3.62	54.99	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 6 6425~6525MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 97 6435MHz		11040	47.29	-26.71	74	52.32	38.9	17.62	61.55	-	-	P	H
		12870	46.16	-42.04	88.2	50.68	39.94	18.72	63.18	-	-	P	H
		14488	46.81	-27.19	74	48.51	40.59	20.73	63.02	-	-	P	H
		17968	50.65	-23.35	74	41.97	42.38	22.98	56.68	-	-	P	H
		17968	39.66	-14.34	54	30.98	42.38	22.98	56.68	-	-	P	H
		19305	31.76	-42.24	74	52.48	38.01	-3.65	55.08	-	-	A	H
		10752	47.2	-26.8	74	52.17	39.1	17.13	61.2	-	-	P	V
		12870	46.45	-41.75	88.2	50.97	39.94	18.72	63.18	-	-	P	V
		14496	47.24	-26.76	74	48.91	40.6	20.74	63.01	-	-	P	V
		18000	48.88	-25.12	74	39.86	42.6	23.02	56.6	-	-	P	V
	18000	40.03	-13.97	54	31.01	42.6	23.02	56.6	-	-	P	V	
	19305	32.16	-41.84	74	52.88	38.01	-3.65	55.08	-	-	A	V	



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 105 6475MHz		11080	47.93	-26.07	74	52.65	38.9	17.62	61.24	-	-	P	H
		12950	47.6	-40.6	88.2	51.4	39.95	18.82	62.57	-	-	P	H
		14488	47.99	-26.01	74	49.15	40.59	20.73	62.48	-	-	P	H
		17976	51.32	-22.68	74	42.03	42.43	22.99	56.13	-	-	P	H
		17976	40.42	-13.58	54	31.13	42.43	22.99	56.13	-	-	A	H
		19425	30.26	-43.74	74	51.11	37.82	-3.64	55.03	-	-	P	H
		11168	47.94	-26.06	74	52.6	39.04	17.62	61.32	-	-	P	V
		12950	46.7	-41.5	88.2	50.5	39.95	18.82	62.57	-	-	P	V
		14496	47.93	-26.07	74	49.06	40.6	20.74	62.47	-	-	P	V
		17984	51.42	-22.58	74	42.04	42.49	23	56.11	-	-	P	V
		17984	40.5	-13.5	54	31.12	42.49	23	56.11	-	-	A	V
		19425	31.39	-42.61	74	52.24	37.82	-3.64	55.03	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 113 6515MHz		11200	47.97	-26.03	74	52.6	39.1	17.63	61.36	-	-	P	H
		13030	46.85	-41.35	88.2	50.62	39.81	18.92	62.5	-	-	P	H
		14488	47.76	-26.24	74	48.92	40.59	20.73	62.48	-	-	P	H
		17960	49.84	-24.16	74	40.71	42.32	22.97	56.16	-	-	P	H
		17960	40.27	-13.73	54	31.14	42.32	22.97	56.16	-	-	A	H
		19545	32.53	-41.47	74	53.42	37.72	-3.62	54.99	-	-	P	H
		11096	47.91	-26.09	74	52.65	38.9	17.61	61.25	-	-	P	V
		13030	46.96	-41.24	88.2	50.73	39.81	18.92	62.5	-	-	P	V
		14480	47.49	-26.51	74	48.68	40.58	20.72	62.49	-	-	P	V
		17928	50.93	-23.07	74	42.11	42.1	22.94	56.22	-	-	P	V
	17928	39.7	-14.3	54	30.88	42.1	22.94	56.22	-	-	A	V	
	19545	32.67	-41.33	74	53.56	37.72	-3.62	54.99	-	-	P	V	
Remark	<ol style="list-style-type: none"> 1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 4. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 6 6425~6525MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 99 6445MHz		11200	47.95	-26.05	74	52.58	39.1	17.63	61.36	-	-	P	H
		12890	47.37	-40.83	88.2	51.32	39.98	18.75	62.68	-	-	P	H
		14488	47.75	-26.25	74	48.91	40.59	20.73	62.48	-	-	P	H
		17992	50.52	-23.48	74	41.07	42.54	23.01	56.1	-	-	P	H
		17992	40.44	-13.56	54	30.99	42.54	23.01	56.1	-	-	A	H
		19355	31.29	-42.71	74	52.06	37.93	-3.64	55.06	-	-	P	H
		11032	47.99	-26.01	74	52.67	38.9	17.61	61.19	-	-	P	V
		12890	46.95	-41.25	88.2	50.9	39.98	18.75	62.68	-	-	P	V
		14488	47.55	-26.45	74	48.71	40.59	20.73	62.48	-	-	P	V
		17976	50.25	-23.75	74	40.96	42.43	22.99	56.13	-	-	P	V
	17976	40.49	-13.51	54	31.2	42.43	22.99	56.13	-	-	A	V	
	19355	32.29	-41.71	74	53.06	37.93	-3.64	55.06	-	-	P	V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 107 6485MHz		11176	47.85	-26.15	74	52.51	39.05	17.62	61.33	-	-	P	H
		12970	47.83	-40.37	88.2	51.58	39.93	18.85	62.53	-	-	P	H
		14480	47.86	-26.14	74	49.05	40.58	20.72	62.49	-	-	P	H
		17976	50.04	-23.96	74	40.75	42.43	22.99	56.13	-	-	P	H
		17976	40.51	-13.49	54	31.22	42.43	22.99	56.13	-	-	A	H
		19455	31.78	-42.22	74	52.66	37.77	-3.63	55.02	-	-	P	H
		10976	47.79	-26.21	74	52.46	38.9	17.56	61.13	-	-	P	V
		12970	47.62	-40.58	88.2	51.37	39.93	18.85	62.53	-	-	P	V
		14488	47.16	-26.84	74	48.32	40.59	20.73	62.48	-	-	P	V
		17968	50.41	-23.59	74	41.19	42.38	22.98	56.14	-	-	P	V
		17968	40.24	-13.76	54	31.02	42.38	22.98	56.14	-	-	A	V
		19455	31.23	-42.77	74	52.11	37.77	-3.63	55.02	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 115 6525MHz		11696	47.5	-26.5	74	53.15	38.7	17.66	62.01	-	-	P	H
		13050	47.04	-41.16	88.2	50.86	39.75	18.94	62.51	-	-	P	H
		14488	47.61	-26.39	74	48.77	40.59	20.73	62.48	-	-	P	H
		17968	50.81	-23.19	74	41.59	42.38	22.98	56.14	-	-	P	H
		17968	40.35	-13.65	54	31.13	42.38	22.98	56.14	-	-	A	H
		19575	32.36	-41.64	74	53.24	37.73	-3.62	54.99	-	-	P	H
		11184	47.74	-26.26	74	52.39	39.07	17.62	61.34	-	-	P	V
		13050	47.11	-41.09	88.2	50.93	39.75	18.94	62.51	-	-	P	V
		14496	47.73	-26.27	74	48.86	40.6	20.74	62.47	-	-	P	V
		17992	50.09	-23.91	74	40.64	42.54	23.01	56.1	-	-	P	V
	17992	40.47	-13.53	54	31.02	42.54	23.01	56.1	-	-	A	V	
	19575	32.47	-41.53	74	53.35	37.73	-3.62	54.99	-	-	P	V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 6 6425~6525MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 103 6465MHz		10976	47.81	-26.19	74	52.48	38.9	17.56	61.13	-	-	P	H
		12930	46.95	-41.25	88.2	50.79	39.97	18.8	62.61	-	-	P	H
		14488	47.86	-26.14	74	49.02	40.59	20.73	62.48	-	-	P	H
		17968	50.6	-23.4	74	41.38	42.38	22.98	56.14	-	-	P	H
		17968	40.51	-13.49	54	31.29	42.38	22.98	56.14	-	-	A	H
		19395	32.07	-41.93	74	52.88	37.87	-3.64	55.04	-	-	P	H
		11208	47.97	-26.03	74	52.59	39.11	17.63	61.36	-	-	P	V
		12930	47.29	-40.91	88.2	51.13	39.97	18.8	62.61	-	-	P	V
		14488	47.65	-26.35	74	48.81	40.59	20.73	62.48	-	-	P	V
		17976	50.55	-23.45	74	41.26	42.43	22.99	56.13	-	-	P	V
	17976	40.74	-13.26	54	31.45	42.43	22.99	56.13	-	-	A	V	
	19395	30.79	-43.21	74	51.6	37.87	-3.64	55.04	-	-	P	V	



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 119 6545MHz		11200	47.61	-26.39	74	52.24	39.1	17.63	61.36	-	-	P	H
		13090	47.64	-40.56	88.2	51.57	39.63	18.98	62.54	-	-	P	H
		14504	47.98	-40.22	88.2	49.09	40.59	20.76	62.46	-	-	P	H
		17968	50.45	-23.55	74	41.23	42.38	22.98	56.14	-	-	P	H
		17968	40.55	-13.45	54	31.33	42.38	22.98	56.14	-	-	A	H
		19635	33.52	-40.48	74	54.34	37.75	-3.6	54.97	-	-	P	H
		11016	47.36	-26.64	74	52.03	38.9	17.61	61.18	-	-	P	V
		13090	46.54	-41.66	88.2	50.47	39.63	18.98	62.54	-	-	P	V
		14488	47.82	-26.18	74	48.98	40.59	20.73	62.48	-	-	P	V
		18000	50.17	-23.83	74	40.63	42.6	22.95	56.08	-	-	P	V
		18000	40.75	-13.25	54	31.21	42.6	22.95	56.08	-	-	A	V
		19635	34.11	-39.89	74	54.93	37.75	-3.6	54.97	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 117 6535MHz		10984	47.01	-26.99	74	52.01	38.9	17.58	61.48	-	-	P	H
		13070	45.47	-42.73	88.2	49.82	39.69	18.97	63.01	-	-	P	H
		14496	46.4	-27.6	74	48.07	40.6	20.74	63.01	-	-	P	H
		17984	50.02	-23.98	74	41.17	42.49	23	56.64	-	-	P	H
		17984	39.82	-14.18	54	30.97	42.49	23	56.64	-	-	A	H
		19605	35.18	-38.82	74	56.03	37.74	-3.61	54.98	-	-	P	H
		11016	46.68	-27.32	74	51.69	38.9	17.61	61.52	-	-	P	V
		13070	46.04	-42.16	88.2	50.39	39.69	18.97	63.01	-	-	P	V
		14488	46.53	-27.47	74	48.23	40.59	20.73	63.02	-	-	P	V
		17984	49.36	-24.64	74	40.51	42.49	23	56.64	-	-	P	V
		17984	39.87	-14.13	54	31.02	42.49	23	56.64	-	-	A	V
		19605	35.38	-38.62	74	56.23	37.74	-3.61	54.98	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		10912	47.72	-26.28	74	52.44	38.9	17.43	61.05	-	-	P	H
		13390	47.28	-26.72	74	50.7	39.97	19.33	62.72	-	-	P	H
		14496	47.92	-26.08	74	49.05	40.6	20.74	62.47	-	-	P	H
		17984	50.4	-23.6	74	41.02	42.49	23	56.11	-	-	P	H
		17984	40.48	-13.52	54	31.1	42.49	23	56.11	-	-	A	H
		20085	35.15	-38.85	74	55.97	37.6	-3.52	54.9	-	-	P	H
		11016	47.97	-26.03	74	52.64	38.9	17.61	61.18	-	-	P	V
		13390	47.1	-26.9	74	50.52	39.97	19.33	62.72	-	-	P	V
		14488	47.66	-26.34	74	48.82	40.59	20.73	62.48	-	-	P	V
		17968	50.55	-23.45	74	41.33	42.38	22.98	56.14	-	-	P	V
		17968	40.99	-13.01	54	31.77	42.38	22.98	56.14	-	-	A	V
		20085	34.79	-39.21	74	55.61	37.6	-3.52	54.9	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 181 6855MHz		11640	47.54	-26.46	74	53.1	38.7	17.65	61.91	-	-	P	H
		13710	47.48	-40.72	88.2	50.63	40.1	19.71	62.96	-	-	P	H
		14496	47.94	-26.06	74	49.07	40.6	20.74	62.47	-	-	P	H
		17984	50.56	-23.44	74	41.18	42.49	23	56.11	-	-	P	H
		17984	40.67	-13.33	54	31.29	42.49	23	56.11	-	-	A	H
		20565	36.03	-37.97	74	56.45	37.95	-3.48	54.89	-	-	P	H
		11832	47.55	-26.45	74	53.58	38.56	17.67	62.26	-	-	P	V
		13710	47.58	-40.62	88.2	50.73	40.1	19.71	62.96	-	-	P	V
		14488	46.97	-27.03	74	48.13	40.59	20.73	62.48	-	-	P	V
		17912	49.82	-24.18	74	41.17	41.98	22.92	56.25	-	-	P	V
		17912	39.49	-14.51	54	30.84	41.98	22.92	56.25	-	-	A	V
		20565	35.99	-38.01	74	56.41	37.95	-3.48	54.89	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 185 6875MHz		11200	47.63	-26.37	74	52.26	39.1	17.63	61.36	-	-	P	H
		13750	48.35	-39.85	88.2	51.49	40.1	19.76	63	-	-	P	H
		14496	47.67	-26.33	74	48.8	40.6	20.74	62.47	-	-	P	H
		17984	49.66	-24.34	74	40.28	42.49	23	56.11	-	-	P	H
		17984	40.33	-13.67	54	30.95	42.49	23	56.11	-	-	A	H
		20625	36.17	-37.83	74	56.61	37.9	-3.46	54.88	-	-	P	H
		10704	47.84	-26.16	74	52.51	39.1	17.03	60.8	-	-	P	V
		13750	47.16	-41.04	88.2	50.3	40.1	19.76	63	-	-	P	V
		14488	47.89	-26.11	74	49.05	40.59	20.73	62.48	-	-	P	V
		17976	50.22	-23.78	74	40.93	42.43	22.99	56.13	-	-	P	V
		17976	40.31	-13.69	54	31.02	42.43	22.99	56.13	-	-	A	V
		20625	37.25	-36.75	74	57.69	37.9	-3.46	54.88	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 7 - 6525~6875MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 117 6535MHz		11216	47.79	-26.21	74	52.41	39.12	17.63	61.37	-	-	P	H
		13070	47.34	-40.86	88.2	51.2	39.69	18.97	62.52	-	-	P	H
		14488	47.48	-26.52	74	48.64	40.59	20.73	62.48	-	-	P	H
		17968	50.44	-23.56	74	41.22	42.38	22.98	56.14	-	-	P	H
		17968	40.11	-13.89	54	30.89	42.38	22.98	56.14	-	-	A	H
		19605	33.13	-40.87	74	53.98	37.74	-3.61	54.98	-	-	P	H
		11032	47.99	-26.01	74	52.67	38.9	17.61	61.19	-	-	P	V
		13070	46.65	-41.55	88.2	50.51	39.69	18.97	62.52	-	-	P	V
		14488	48.09	-25.91	74	49.25	40.59	20.73	62.48	-	-	P	V
		17976	50.08	-23.92	74	40.79	42.43	22.99	56.13	-	-	P	V
	17976	40.17	-13.83	54	30.88	42.43	22.99	56.13	-	-	A	V	
	19605	31.76	-42.24	74	52.61	37.74	-3.61	54.98	-	-	P	V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 149 6695MHz		11200	47.91	-26.09	74	52.54	39.1	17.63	61.36	-	-	P	H
		13390	46.76	-27.24	74	50.18	39.97	19.33	62.72	-	-	P	H
		14496	47.71	-26.29	74	48.84	40.6	20.74	62.47	-	-	P	H
		17976	51	-23	74	41.71	42.43	22.99	56.13	-	-	P	H
		17976	40.29	-13.71	54	31	42.43	22.99	56.13	-	-	A	H
		20085	31.93	-42.07	74	52.75	37.6	-3.52	54.9	-	-	P	H
		11080	47.47	-26.53	74	52.19	38.9	17.62	61.24	-	-	P	V
		13390	47.13	-26.87	74	50.55	39.97	19.33	62.72	-	-	P	V
		14488	47.78	-26.22	74	48.94	40.59	20.73	62.48	-	-	P	V
		17976	50.64	-23.36	74	41.35	42.43	22.99	56.13	-	-	P	V
		17976	40.29	-13.71	54	31	42.43	22.99	56.13	-	-	A	V
		20085	32.7	-41.3	74	53.52	37.6	-3.52	54.9	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 181 6855MHz		11648	47.7	-26.3	74	53.27	38.7	17.65	61.92	-	-	P	H
		13710	47.31	-40.89	88.2	50.46	40.1	19.71	62.96	-	-	P	H
		14488	47.66	-26.34	74	48.82	40.59	20.73	62.48	-	-	P	H
		17960	50.14	-23.86	74	41.01	42.32	22.97	56.16	-	-	P	H
		17960	40.26	-13.74	54	31.13	42.32	22.97	56.16	-	-	A	H
		20565	34.23	-39.77	74	54.65	37.95	-3.48	54.89	-	-	P	H
		10808	47.62	-26.38	74	52.23	39.08	17.24	60.93	-	-	P	V
		13710	47.94	-40.26	88.2	51.09	40.1	19.71	62.96	-	-	P	V
		14488	47.97	-26.03	74	49.13	40.59	20.73	62.48	-	-	P	V
		17832	49.75	-24.25	74	42.38	40.95	22.82	56.4	-	-	P	V
		17832	38.58	-15.42	54	31.21	40.95	22.82	56.4	-	-	A	V
		20565	33.01	-40.99	74	53.43	37.95	-3.48	54.89	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 185 6875MHz		10984	47.81	-26.19	74	52.47	38.9	17.58	61.14	-	-	P	H
		13750	47.53	-40.67	88.2	50.67	40.1	19.76	63	-	-	P	H
		14488	47.82	-26.18	74	48.98	40.59	20.73	62.48	-	-	P	H
		17992	49.64	-24.36	74	40.19	42.54	23.01	56.1	-	-	P	H
		17992	40.57	-13.43	54	31.12	42.54	23.01	56.1	-	-	A	H
		20625	33.65	-40.35	74	54.09	37.9	-3.46	54.88	-	-	P	H
		10704	47.88	-26.12	74	52.55	39.1	17.03	60.8	-	-	P	V
		13750	47.95	-40.25	88.2	51.09	40.1	19.76	63	-	-	P	V
		14488	47.84	-26.16	74	49	40.59	20.73	62.48	-	-	P	V
		17984	50.54	-23.46	74	41.16	42.49	23	56.11	-	-	P	V
		17984	40.51	-13.49	54	31.13	42.49	23	56.11	-	-	A	V
		20625	33.04	-40.96	74	53.48	37.9	-3.46	54.88	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 7 - 6525~6875MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 123 6565MHz		11176	47.85	-26.15	74	52.51	39.05	17.62	61.33	-	-	P	H
		13130	47.96	-40.24	88.2	51.86	39.63	19.03	62.56	-	-	P	H
		14496	47.78	-26.22	74	48.91	40.6	20.74	62.47	-	-	P	H
		17976	50.62	-23.38	74	41.33	42.43	22.99	56.13	-	-	P	H
		17976	40.31	-13.69	54	31.02	42.43	22.99	56.13	-	-	A	H
		19695	33.99	-40.01	74	54.76	37.78	-3.59	54.96	-	-	P	H
		10992	47.97	-26.03	74	52.63	38.9	17.59	61.15	-	-	P	V
		13130	46.17	-42.03	88.2	50.07	39.63	19.03	62.56	-	-	P	V
		14488	47.65	-26.35	74	48.81	40.59	20.73	62.48	-	-	P	V
		17976	49.88	-24.12	74	40.59	42.43	22.99	56.13	-	-	P	V
	17976	40.32	-13.68	54	31.03	42.43	22.99	56.13	-	-	A	V	
	19695	33.18	-40.82	74	53.95	37.78	-3.59	54.96	-	-	P	V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 147 6685MHz		11184	47.62	-26.38	74	52.27	39.07	17.62	61.34	-	-	P	H
		13370	45.53	-28.47	74	49.02	39.91	19.31	62.71	-	-	P	H
		14496	47.56	-26.44	74	48.69	40.6	20.74	62.47	-	-	P	H
		17896	49.91	-24.09	74	41.45	41.84	22.9	56.28	-	-	P	H
		17896	38.57	-15.43	54	30.11	41.84	22.9	56.28	-	-	A	H
		20055	31.2	-42.8	74	52.06	37.57	-3.53	54.9	-	-	P	H
		11400	47.97	-26.03	74	52.78	39.1	17.64	61.55	-	-	P	V
		13370	45.94	-28.06	74	49.43	39.91	19.31	62.71	-	-	P	V
		14488	47.84	-26.16	74	49	40.59	20.73	62.48	-	-	P	V
		17920	50	-24	74	41.26	42.04	22.93	56.23	-	-	P	V
	17920	38.84	-15.16	54	30.1	42.04	22.93	56.23	-	-	A	V	
	20055	31.33	-42.67	74	52.19	37.57	-3.53	54.9	-	-	P	V	



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 179 6845MHz		10688	47.42	-26.58	74	52.09	39.11	17	60.78	-	-	P	H
		13690	47.47	-40.73	88.2	50.63	40.1	19.69	62.95	-	-	P	H
		14496	48.35	-25.65	74	49.48	40.6	20.74	62.47	-	-	P	H
		17976	50.04	-23.96	74	40.75	42.43	22.99	56.13	-	-	P	H
		17976	39.52	-14.48	54	30.23	42.43	22.99	56.13	-	-	A	H
		20535	33.57	-40.43	74	53.98	37.97	-3.49	54.89	-	-	P	H
		11704	47.4	-26.6	74	53.08	38.69	17.66	62.03	-	-	P	V
		13690	47.62	-40.58	88.2	50.78	40.1	19.69	62.95	-	-	P	V
		14496	47.96	-26.04	74	49.09	40.6	20.74	62.47	-	-	P	V
		17984	49.77	-24.23	74	40.39	42.49	23	56.11	-	-	P	V
		17984	39.5	-14.5	54	30.12	42.49	23	56.11	-	-	A	V
		20535	32.64	-41.36	74	53.05	37.97	-3.49	54.89	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 187 6885MHz		11472	47.83	-26.17	74	52.71	39.1	17.64	61.62	-	-	P	H
		13770	47.26	-40.94	88.2	50.39	40.1	19.78	63.01	-	-	P	H
		14496	47.62	-26.38	74	48.75	40.6	20.74	62.47	-	-	P	H
		17896	49.94	-24.06	74	41.48	41.84	22.9	56.28	-	-	P	H
		17896	38.51	-15.49	54	30.05	41.84	22.9	56.28	-	-	A	H
		20655	33.34	-40.66	74	53.78	37.88	-3.45	54.87	-	-	P	H
		11096	48.27	-25.73	74	53.01	38.9	17.61	61.25	-	-	P	V
		13770	46.71	-41.49	88.2	49.84	40.1	19.78	63.01	-	-	P	V
		14488	49.18	-24.82	74	50.34	40.59	20.73	62.48	-	-	P	V
		17984	49.81	-24.19	74	40.43	42.49	23	56.11	-	-	P	V
	17984	39.49	-14.51	54	30.11	42.49	23	56.11	-	-	A	V	
	20655	32.73	-41.27	74	53.17	37.88	-3.45	54.87	-	-	P	V	
Remark	<ol style="list-style-type: none"> 1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 4. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



**Band 7 - 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 135 6625MHz		11016	47.89	-26.11	74	52.56	38.9	17.61	61.18	-	-	P	H
		13250	45.65	-28.35	74	49.42	39.7	19.17	62.64	-	-	P	H
		14496	48.18	-25.82	74	49.31	40.6	20.74	62.47	-	-	P	H
		17992	49.82	-24.18	74	40.37	42.54	23.01	56.1	-	-	P	H
		17992	39.67	-14.33	54	30.22	42.54	23.01	56.1	-	-	A	H
		19875	31.14	-42.86	74	51.97	37.65	-3.55	54.93	-	-	P	H
		11184	47.78	-26.22	74	52.43	39.07	17.62	61.34	-	-	P	V
		13250	46.73	-27.27	74	50.5	39.7	19.17	62.64	-	-	P	V
		14496	47.22	-26.78	74	48.35	40.6	20.74	62.47	-	-	P	V
		17976	50.27	-23.73	74	40.98	42.43	22.99	56.13	-	-	P	V
	17976	39.44	-14.56	54	30.15	42.43	22.99	56.13	-	-	A	V	
	19875	31.05	-42.95	74	51.88	37.65	-3.55	54.93	-	-	P	V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 151 6705MHz		12560	48.25	-25.75	74	53.8	39.38	18.35	63.28	-	-	P	H
		13410	46.42	-41.78	88.2	49.78	40.01	19.36	62.73	-	-	P	H
		14496	48.25	-25.75	74	49.38	40.6	20.74	62.47	-	-	P	H
		17976	49.82	-24.18	74	40.53	42.43	22.99	56.13	-	-	P	H
		17976	39.52	-14.48	54	30.23	42.43	22.99	56.13	-	-	A	H
		20115	32.8	-41.2	74	53.58	37.64	-3.52	54.9	-	-	P	H
		11072	47.59	-26.41	74	52.3	38.9	17.62	61.23	-	-	P	V
		13410	47.36	-40.84	88.2	50.72	40.01	19.36	62.73	-	-	P	V
		14496	47.47	-26.53	74	48.6	40.6	20.74	62.47	-	-	P	V
		17968	49.92	-24.08	74	40.7	42.38	22.98	56.14	-	-	P	V
		17968	39.36	-14.64	54	30.14	42.38	22.98	56.14	-	-	A	V
		20115	32.49	-41.51	74	53.27	37.64	-3.52	54.9	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 167 6785MHz		12344	47.54	-26.46	74	53.28	39.3	18.09	63.13	-	-	P	H
		13570	46.88	-41.32	88.2	50.08	40.1	19.55	62.85	-	-	P	H
		14496	47.57	-26.43	74	48.7	40.6	20.74	62.47	-	-	P	H
		17968	50.17	-23.83	74	40.95	42.38	22.98	56.14	-	-	P	H
		17968	39.23	-14.77	54	30.01	42.38	22.98	56.14	-	-	A	H
		20355	32.73	-41.27	74	53.26	37.88	-3.51	54.9	-	-	P	H
		11176	47.32	-26.68	74	51.98	39.05	17.62	61.33	-	-	P	V
		13570	46.81	-41.39	88.2	50.01	40.1	19.55	62.85	-	-	P	V
		14496	47.46	-26.54	74	48.59	40.6	20.74	62.47	-	-	P	V
		17912	49.78	-24.22	74	41.13	41.98	22.92	56.25	-	-	P	V
		17912	38.76	-15.24	54	30.11	41.98	22.92	56.25	-	-	A	V
		20355	32.77	-41.23	74	53.3	37.88	-3.51	54.9	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 183 6865MHz		11192	47.91	-26.09	74	52.56	39.08	17.62	61.35	-	-	P	H
		13730	47.09	-41.11	88.2	50.23	40.1	19.74	62.98	-	-	P	H
		14488	48.37	-25.63	74	49.53	40.59	20.73	62.48	-	-	P	H
		17984	50.06	-23.94	74	40.68	42.49	23	56.11	-	-	P	H
		17984	39.5	-14.5	54	30.12	42.49	23	56.11	-	-	A	H
		20595	33.19	-40.81	74	53.62	37.92	-3.47	54.88	-	-	P	H
		10872	47.38	-26.62	74	52.06	38.96	17.36	61	-	-	P	V
		13730	46.41	-41.79	88.2	49.55	40.1	19.74	62.98	-	-	P	V
		14488	48.09	-25.91	74	49.25	40.59	20.73	62.48	-	-	P	V
		17960	49.83	-24.17	74	40.7	42.32	22.97	56.16	-	-	P	V
		17960	39.31	-14.69	54	30.18	42.32	22.97	56.16	-	-	A	V
	20595	33.9	-40.1	74	54.33	37.92	-3.47	54.88	-	-	P	V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 8 - 6875~7125MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 229 7095MHz	*	7095	104.07	-	-	89.43	36.37	12.53	34.26	210	80	P	H
	*	7095	97.27	-	-	82.63	36.37	12.53	34.26	210	80	A	H
		7158.76	57.34	-30.86	88.2	42.7	36.74	12.2	34.3	210	80	P	H
		7126.12	46.7	-21.5	68.2	32.05	36.56	12.37	34.28	210	80	A	H
	*	7095	96.49	-	-	81.85	36.37	12.53	34.26	400	205	P	V
	*	7095	88.73	-	-	74.09	36.37	12.53	34.26	400	205	A	V
		7171.72	55.81	-32.39	88.2	41.2	36.79	12.13	34.31	400	205	P	V
		7126.12	45.78	-22.42	68.2	31.13	36.56	12.37	34.28	400	205	A	V
802.11a CH 233 7115MHz	*	7115	99.88	-	-	85.24	36.49	12.42	34.27	207	84	P	H
	*	7115	92.57	-	-	77.93	36.49	12.42	34.27	207	84	A	H
		7125.16	73.93	-14.27	88.2	59.29	36.55	12.37	34.28	207	84	P	H
		7125.02	65.53	-2.67	68.2	50.89	36.55	12.37	34.28	207	84	A	H
	*	7115	95.03	-	-	80.39	36.49	12.42	34.27	384	209	P	V
	*	7115	87.7	-	-	73.06	36.49	12.42	34.27	384	209	A	V
		7125.58	68.01	-20.19	88.2	53.37	36.55	12.37	34.28	384	209	P	V
		7125.02	60.09	-8.11	68.2	45.45	36.55	12.37	34.28	384	209	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. Ch233 band edge are by use C63.10 12.7.4.4.3 Integration method to verify.												



Band 8 - 6875~7125MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 189 6895MHz		10760	47.95	-26.05	74	52.58	39.1	17.14	60.87	-	-	P	H
		13790	46.89	-41.31	88.2	50.02	40.1	19.8	63.03	-	-	P	H
		14488	47.69	-26.31	74	48.85	40.59	20.73	62.48	-	-	P	H
		17976	50.13	-23.87	74	40.84	42.43	22.99	56.13	-	-	P	H
		17976	40.29	-13.71	54	31	42.43	22.99	56.13	-	-	A	H
		20685	35.84	-38.16	74	56.29	37.85	-3.44	54.86	-	-	P	H
		12216	47.48	-26.52	74	53.24	39.22	17.94	62.92	-	-	P	V
		13790	47.26	-40.94	88.2	50.39	40.1	19.8	63.03	-	-	P	V
		14480	47.81	-26.19	74	49	40.58	20.72	62.49	-	-	P	V
		17944	49.9	-24.1	74	40.92	42.21	22.96	56.19	-	-	P	V
		17944	40.07	-13.93	54	31.09	42.21	22.96	56.19	-	-	A	V
		20685	35.65	-38.35	74	56.1	37.85	-3.44	54.86	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 209 6995MHz		11080	47.88	-26.12	74	52.6	38.9	17.62	61.24	-	-	P	H
		13990	47.63	-40.57	88.2	50.41	40.37	20.04	63.19	-	-	P	H
		14480	47.93	-26.07	74	49.12	40.58	20.72	62.49	-	-	P	H
		17960	50.05	-23.95	74	40.92	42.32	22.97	56.16	-	-	P	H
		17960	40.13	-13.87	54	31	42.32	22.97	56.16	-	-	A	H
		20985	37.51	-36.49	74	57.67	37.99	-3.35	54.8	-	-	P	H
		11040	47.75	-26.25	74	52.43	38.9	17.62	61.2	-	-	P	V
		13990	47.22	-40.98	88.2	50	40.37	20.04	63.19	-	-	P	V
		14488	47.97	-26.03	74	49.13	40.59	20.73	62.48	-	-	P	V
		18000	51.54	-22.46	74	42	42.6	23.02	56.08	-	-	P	V
		18000	40.66	-13.34	54	31.12	42.6	23.02	56.08	-	-	A	V
		20985	35.98	-38.02	74	56.14	37.99	-3.35	54.8	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 229 7095MHz		11200	47.8	-26.2	74	52.43	39.1	17.63	61.36	-	-	P	H
		14190	48.78	-39.42	88.2	50.69	40.69	20.32	62.92	-	-	P	H
		14488	47.34	-26.66	74	48.5	40.59	20.73	62.48	-	-	P	H
		17984	50.33	-23.67	74	40.95	42.49	23	56.11	-	-	P	H
		17984	39.71	-14.29	54	30.33	42.49	23	56.11	-	-	A	H
		21285	35.85	-38.15	74	56.27	37.67	-3.29	54.8	-	-	P	H
		11616	47.6	-26.4	74	53.11	38.7	17.65	61.86	-	-	P	V
		14190	47.62	-40.58	88.2	49.53	40.69	20.32	62.92	-	-	P	V
		14480	47.77	-26.23	74	48.96	40.58	20.72	62.49	-	-	P	V
		17960	50.29	-23.71	74	41.16	42.32	22.97	56.16	-	-	P	V
		17960	40.36	-13.64	54	31.23	42.32	22.97	56.16	-	-	A	V
		21285	36.28	-37.72	74	56.7	37.67	-3.29	54.8	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 233 7115MHz		11216	47.79	-26.21	74	52.41	39.12	17.63	61.37	-	-	P	H
		14230	47.62	-40.58	88.2	49.44	40.67	20.37	62.86	-	-	P	H
		14488	47.48	-26.52	74	48.64	40.59	20.73	62.48	-	-	P	H
		17968	50.44	-23.56	74	41.22	42.38	22.98	56.14	-	-	P	H
		17968	39.29	-14.71	54	30.07	42.38	22.98	56.14	-	-	A	H
		21345	33.95	-40.05	74	54.23	37.79	-3.27	54.8	-	-	P	H
		10608	47.04	-26.96	74	51.68	39.19	16.85	60.68	-	-	P	V
		14230	47.46	-40.74	88.2	49.28	40.67	20.37	62.86	-	-	P	V
		14488	48.09	-25.91	74	49.25	40.59	20.73	62.48	-	-	P	V
		14488	39.56	-14.44	54	40.72	40.59	20.73	62.48	-	-	A	V
		17976	50.08	-23.92	74	40.79	42.43	22.99	56.13	-	-	P	V
		17976	39.41	-14.59	54	30.12	42.43	22.99	56.13	-	-	A	V
		21345	37.08	-36.92	74	57.36	37.79	-3.27	54.8	-	-	P	V
	Remark	5. No other spurious found. 6. All results are PASS against Peak and Average limit line. 7. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 8. The emission level close to 18GHz is checked that the average emission level is noise floor only.											



Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 229 7095MHz	*	7095	101.32	-	-	86.68	36.37	12.53	34.26	202	77	P	H
	*	7095	93.5	-	-	78.86	36.37	12.53	34.26	202	77	A	H
		7211.88	56.15	-32.05	88.2	41.53	36.95	12.01	34.34	202	77	P	H
		7126.12	46.15	-22.05	68.2	31.5	36.56	12.37	34.28	202	77	A	H
	*	7095	95.67	-	-	81.03	36.37	12.53	34.26	400	209	P	V
	*	7095	88.55	-	-	73.91	36.37	12.53	34.26	400	209	A	V
		7202.6	55.34	-32.86	88.2	40.77	36.91	11.99	34.33	400	209	P	V
	7133.64	45.76	-22.44	68.2	31.12	36.6	12.33	34.29	400	209	A	V	
802.11ax HE20 Full CH 233 7115MHz	*	7115	103.33	-	-	88.69	36.49	12.42	34.27	209	78	P	H
	*	7115	93.23	-	-	78.59	36.49	12.42	34.27	209	78	A	H
		7125.16	75.68	-12.52	88.2	61.04	36.55	12.37	34.28	209	78	P	H
		7125.02	64.77	-3.43	68.2	50.13	36.55	12.37	34.28	209	78	A	H
	*	7115	97.5	-	-	82.86	36.49	12.42	34.27	398	211	P	V
	*	7115	88.49	-	-	73.85	36.49	12.42	34.27	398	211	A	V
		7125.02	68.4	-19.8	88.2	53.76	36.55	12.37	34.28	398	211	P	V
	7125.02	56.99	-11.21	68.2	42.35	36.55	12.37	34.28	398	211	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. Ch233 band edge are by use C63.10 12.7.4.4.3 Integration method to verify.												



**Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 (Harmonic @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 189 6895MHz		11728	47.38	-26.62	74	53.15	38.64	17.66	62.07	-	-	P	H
		13790	47.13	-41.07	88.2	50.26	40.1	19.8	63.03	-	-	P	H
		14488	46.74	-27.26	74	47.9	40.59	20.73	62.48	-	-	P	H
		17984	50.82	-23.18	74	41.44	42.49	23	56.11	-	-	P	H
		17984	39.43	-14.57	54	30.05	42.49	23	56.11	-	-	A	H
		20685	33.13	-40.87	74	53.58	37.85	-3.44	54.86	-	-	P	H
		10992	47.52	-26.48	74	52.18	38.9	17.59	61.15	-	-	P	V
		13790	46.77	-41.43	88.2	49.9	40.1	19.8	63.03	-	-	P	V
		14488	48.08	-25.92	74	49.24	40.59	20.73	62.48	-	-	P	V
		17976	51.14	-22.86	74	41.85	42.43	22.99	56.13	-	-	P	V
		17976	39.41	-14.59	54	30.12	42.43	22.99	56.13	-	-	A	V
		20685	33.66	-40.34	74	54.11	37.85	-3.44	54.86	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 209 6995MHz		12688	48.33	-25.67	74	53.28	39.59	18.51	63.05	-	-	P	H
		13990	48.29	-39.91	88.2	51.07	40.37	20.04	63.19	-	-	P	H
		14488	48.45	-25.55	74	49.61	40.59	20.73	62.48	-	-	P	H
		17944	49.71	-24.29	74	40.73	42.21	22.96	56.19	-	-	P	H
		17944	39.01	-14.99	54	30.03	42.21	22.96	56.19	-	-	A	H
		20985	32.59	-41.41	74	52.75	37.99	-3.35	54.8	-	-	P	H
		11320	48.03	-25.97	74	52.69	39.18	17.63	61.47	-	-	P	V
		13990	46.74	-41.46	88.2	49.52	40.37	20.04	63.19	-	-	P	V
		14496	47.87	-26.13	74	49	40.6	20.74	62.47	-	-	P	V
		17984	50.6	-23.4	74	41.22	42.49	23	56.11	-	-	P	V
		17984	39.42	-14.58	54	30.04	42.49	23	56.11	-	-	A	V
		20985	34.9	-39.1	74	55.06	37.99	-3.35	54.8	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 229 7095MHz		10912	48.7	-25.3	74	53.42	38.9	17.43	61.05	-	-	P	H
		14190	48.43	-39.77	88.2	50.34	40.69	20.32	62.92	-	-	P	H
		14488	47.65	-26.35	74	48.81	40.59	20.73	62.48	-	-	P	H
		17960	50.44	-23.56	74	41.31	42.32	22.97	56.16	-	-	P	H
		17960	39.24	-14.76	54	30.11	42.32	22.97	56.16	-	-	A	H
		21285	32.69	-41.31	74	53.11	37.67	-3.29	54.8	-	-	P	H
		10976	47.51	-26.49	74	52.18	38.9	17.56	61.13	-	-	P	V
		14190	47.92	-40.28	88.2	49.83	40.69	20.32	62.92	-	-	P	V
		14488	48.02	-25.98	74	49.18	40.59	20.73	62.48	-	-	P	V
		17920	50.04	-23.96	74	41.3	42.04	22.93	56.23	-	-	P	V
		17920	38.85	-15.15	54	30.11	42.04	22.93	56.23	-	-	A	V
		21285	32.54	-41.46	74	52.96	37.67	-3.29	54.8	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 233 7115MHz		11192	47.91	-26.09	74	52.56	39.08	17.62	61.35	-	-	P	H
		14230	47.07	-41.13	88.2	48.89	40.67	20.37	62.86	-	-	P	H
		14480	47.12	-26.88	74	48.31	40.58	20.72	62.49	-	-	P	H
		17992	50.75	-23.25	74	41.3	42.54	23.01	56.1	-	-	P	H
		17992	39.5	-14.5	54	30.05	42.54	23.01	56.1	-	-	A	H
		21345	36.43	-37.57	74	56.71	37.79	-3.27	54.8	-	-	P	H
		12632	47.41	-26.59	74	52.6	39.53	18.43	63.15	-	-	P	V
		14230	47.12	-41.08	88.2	48.94	40.67	20.37	62.86	-	-	P	V
		14488	47.09	-26.91	74	48.25	40.59	20.73	62.48	-	-	P	V
		17960	49.83	-24.17	74	40.7	42.32	22.97	56.16	-	-	P	V
		17960	39.18	-14.82	54	30.05	42.32	22.97	56.16	-	-	A	V
		21345	35.37	-38.63	74	55.65	37.79	-3.27	54.8	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/8 CH 229 7095MHz	*	7095	108.73	-	-	94.09	36.37	12.53	34.26	200	83	P	H
	*	7095	100.89	-	-	86.25	36.37	12.53	34.26	200	83	A	H
		7131.56	56	-32.2	88.2	41.35	36.59	12.34	34.28	200	83	P	H
		7136.2	48.04	-20.16	68.2	33.39	36.62	12.32	34.29	200	83	A	H
	*	7095	103.3	-	-	88.66	36.37	12.53	34.26	400	208	P	V
	*	7095	95.17	-	-	80.53	36.37	12.53	34.26	400	208	A	V
		7142.92	56.36	-31.84	88.2	41.71	36.66	12.28	34.29	400	208	P	V
		7227.56	47.15	-21.05	68.2	32.45	37.01	12.04	34.35	400	208	A	V
802.11ax HE20 Partial 26/8 CH 233 7115MHz	*	7115	101.99	-	-	87.35	36.49	12.42	34.27	204	82	P	H
	*	7115	93.44	-	-	78.8	36.49	12.42	34.27	204	82	A	H
		7125.02	76.89	-11.31	88.2	62.25	36.55	12.37	34.28	204	82	P	H
		7125.02	64.56	-3.64	68.2	49.92	36.55	12.37	34.28	204	82	A	H
	*	7115	95.83	-	-	81.19	36.49	12.42	34.27	398	214	P	V
	*	7115	88.38	-	-	73.74	36.49	12.42	34.27	398	214	A	V
		7125.02	71.76	-16.44	88.2	57.12	36.55	12.37	34.28	398	214	P	V
		7125.02	58.49	-9.71	68.2	43.85	36.55	12.37	34.28	398	214	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. Ch233 band edge are by use C63.10 12.7.4.4.3 Integration method to verify.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/40 CH 229 7095MHz	*	7095	106.65	-	-	92.01	36.37	12.53	34.26	200	81	P	H
	*	7095	98.42	-	-	83.78	36.37	12.53	34.26	200	81	A	H
		7154.76	56.27	-31.93	88.2	41.63	36.72	12.22	34.3	200	81	P	H
		7133.16	48.09	-20.11	68.2	33.45	36.6	12.33	34.29	200	81	A	H
	*	7095	102.15	-	-	87.51	36.37	12.53	34.26	400	211	P	V
	*	7095	92.79	-	-	78.15	36.37	12.53	34.26	400	211	A	V
		7158.76	56.24	-31.96	88.2	41.6	36.74	12.2	34.3	400	211	P	V
		7139.56	46.95	-21.25	68.2	32.3	36.64	12.3	34.29	400	211	A	V
802.11ax HE20 Partial 52/40 CH 233 7115MHz	*	7115	102.62	-	-	87.98	36.49	12.42	34.27	206	83	P	H
	*	7115	93.73	-	-	79.09	36.49	12.42	34.27	206	83	A	H
		7125.02	78.27	-9.93	88.2	63.63	36.55	12.37	34.28	206	83	P	H
		7125.02	65.08	-3.12	68.2	50.44	36.55	12.37	34.28	206	83	A	H
	*	7115	96.41	-	-	81.77	36.49	12.42	34.27	396	210	P	V
	*	7115	88.13	-	-	73.49	36.49	12.42	34.27	396	210	A	V
		7125.02	71.89	-16.31	88.2	57.25	36.55	12.37	34.28	396	210	P	V
		7125.02	59.65	-8.55	68.2	45.01	36.55	12.37	34.28	396	210	A	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. Ch233 band edge are by use C63.10 12.7.4.4.3 Integration method to verify. 												



Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 229 7095MHz	*	7095	104.16	-	-	89.52	36.37	12.53	34.26	200	78	P	H
	*	7095	95.59	-	-	80.95	36.37	12.53	34.26	200	78	A	H
		7181.64	55.82	-32.38	88.2	41.23	36.83	12.08	34.32	200	78	P	H
		7132.84	47.79	-20.41	68.2	33.15	36.6	12.33	34.29	200	78	A	H
	*	7095	97.71	-	-	83.07	36.37	12.53	34.26	400	210	P	V
	*	7095	85.39	-	-	70.75	36.37	12.53	34.26	400	210	A	V
		7227.72	55.46	-32.74	88.2	40.76	37.01	12.04	34.35	400	210	P	V
		7158.28	48.38	-19.82	68.2	33.75	36.73	12.2	34.3	400	210	A	V
802.11ax HE20 Partial 106/54 CH 233 7115MHz	*	7115	99.75	-	-	85.11	36.49	12.42	34.27	210	84	P	H
	*	7115	92.48	-	-	77.84	36.49	12.42	34.27	210	84	A	H
		7125.02	77.35	-10.85	88.2	62.71	36.55	12.37	34.28	210	84	P	H
		7125.02	63.63	-4.57	68.2	48.99	36.55	12.37	34.28	210	84	A	H
	*	7115	95.48	-	-	80.84	36.49	12.42	34.27	397	212	P	V
	*	7115	87.48	-	-	72.84	36.49	12.42	34.27	397	212	A	V
		7125.02	71.68	-16.52	88.2	57.04	36.55	12.37	34.28	397	212	P	V
		7125.02	58.51	-9.69	68.2	43.87	36.55	12.37	34.28	397	212	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. Ch233 band edge are by use C63.10 12.7.4.4.3 Integration method to verify.												



**Band 8 - 6875~7125MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 227 7085MHz	*	7085	102.5	-	-	87.86	36.31	12.58	34.25	207	82	P	H
	*	7085	94.72	-	-	80.08	36.31	12.58	34.25	207	82	A	H
		7132.14	56.08	-32.12	88.2	41.43	36.59	12.34	34.28	207	82	P	H
		7125.48	47.5	-20.7	68.2	32.86	36.55	12.37	34.28	207	82	A	H
	*	7085	96.3	-	-	81.66	36.31	12.58	34.25	292	209	P	V
	*	7085	88.72	-	-	74.08	36.31	12.58	34.25	292	209	A	V
		7146.18	56.04	-32.16	88.2	41.39	36.68	12.26	34.29	292	209	P	V
	7128.18	45.86	-22.34	68.2	31.21	36.57	12.36	34.28	292	209	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 195 6925MHz		11008	47.85	-26.15	74	52.51	38.9	17.61	61.17	-	-	P	H
		13850	45.99	-42.21	88.2	49.1	40.1	19.87	63.08	-	-	P	H
		14480	47.42	-26.58	74	48.61	40.58	20.72	62.49	-	-	P	H
		17984	50.34	-23.66	74	40.96	42.49	23	56.11	-	-	P	H
		17984	39.49	-14.51	54	30.11	42.49	23	56.11	-	-	A	H
		20775	34.01	-39.99	74	54.46	37.82	-3.42	54.85	-	-	P	H
		10848	47.74	-26.26	74	52.4	39	17.31	60.97	-	-	P	V
		13850	47.8	-40.4	88.2	50.91	40.1	19.87	63.08	-	-	P	V
		14480	47.81	-26.19	74	49	40.58	20.72	62.49	-	-	P	V
		17968	50.38	-23.62	74	41.16	42.38	22.98	56.14	-	-	P	V
		17968	39.39	-14.61	54	30.17	42.38	22.98	56.14	-	-	A	V
		20775	34.55	-39.45	74	55	37.82	-3.42	54.85	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 211 7005MHz		10936	47.64	-26.36	74	52.33	38.9	17.49	61.08	-	-	P	H
		14010	46.82	-41.38	88.2	49.53	40.42	20.06	63.19	-	-	P	H
		14488	47.23	-26.77	74	48.39	40.59	20.73	62.48	-	-	P	H
		17960	49.71	-24.29	74	40.58	42.32	22.97	56.16	-	-	P	H
		17960	39.23	-14.77	54	30.1	42.32	22.97	56.16	-	-	A	H
		21015	35.41	-38.59	74	55.58	37.98	-3.35	54.8	-	-	P	H
		11176	47.01	-26.99	74	51.67	39.05	17.62	61.33	-	-	P	V
		14010	46.92	-41.28	88.2	49.63	40.42	20.06	63.19	-	-	P	V
		14488	47.01	-26.99	74	48.17	40.59	20.73	62.48	-	-	P	V
		17920	50.47	-23.53	74	41.73	42.04	22.93	56.23	-	-	P	V
		17920	38.8	-15.2	54	30.06	42.04	22.93	56.23	-	-	A	V
		21015	35.64	-38.36	74	55.81	37.98	-3.35	54.8	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 227 7085MHz		11200	47.61	-26.39	74	52.24	39.1	17.63	61.36	-	-	P	H
		14170	47.27	-40.93	88.2	49.26	40.67	20.29	62.95	-	-	P	H
		14488	47.31	-26.69	74	48.47	40.59	20.73	62.48	-	-	P	H
		17968	50.45	-23.55	74	41.23	42.38	22.98	56.14	-	-	P	H
		17968	39.29	-14.71	54	30.07	42.38	22.98	56.14	-	-	A	H
		21255	34.73	-39.27	74	55.21	37.61	-3.29	54.8	-	-	P	H
		11016	47.36	-26.64	74	52.03	38.9	17.61	61.18	-	-	P	V
		14170	47.23	-40.97	88.2	49.22	40.67	20.29	62.95	-	-	P	V
		14480	47.33	-26.67	74	48.52	40.58	20.72	62.49	-	-	P	V
		17968	50.1	-23.9	74	40.88	42.38	22.98	56.14	-	-	P	V
	17968	39.29	-14.71	54	30.07	42.38	22.98	56.14	-	-	A	V	
	21255	34.13	-39.87	74	54.61	37.61	-3.29	54.8	-	-	P	V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/62 CH 227 7085MHz	*	7085	104.86	-	-	90.22	36.31	12.58	34.25	200	84	P	H
	*	7085	96.03	-	-	81.39	36.31	12.58	34.25	200	84	A	H
		7196.94	56.45	-31.75	88.2	41.88	36.89	12.01	34.33	200	84	P	H
		7126.2	49.58	-18.62	68.2	34.93	36.56	12.37	34.28	200	84	A	H
	*	7085	98.56	-	-	83.92	36.31	12.58	34.25	400	210	P	V
	*	7085	91.07	-	-	76.43	36.31	12.58	34.25	400	210	A	V
		7137.72	56	-32.2	88.2	41.35	36.63	12.31	34.29	400	210	P	V
	7138.26	48.65	-19.55	68.2	34.01	36.63	12.3	34.29	400	210	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 215 7025MHz	*	7025	101.47	-	-	86.81	36	12.88	34.22	205	82	P	H
	*	7025	93.3	-	-	78.64	36	12.88	34.22	205	82	A	H
		7135.72	55.92	-32.28	88.2	41.28	36.61	12.32	34.29	205	82	P	H
		7125.16	47.14	-21.06	68.2	32.5	36.55	12.37	34.28	205	82	A	H
	*	7025	95.71	-	-	81.05	36	12.88	34.22	394	214	P	V
	*	7025	88.58	-	-	73.92	36	12.88	34.22	394	214	A	V
		7128.04	55.49	-32.71	88.2	40.84	36.57	12.36	34.28	394	214	P	V
	7128.84	46.36	-21.84	68.2	31.72	36.57	12.35	34.28	394	214	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 199 6945MHz		10984	47.88	-26.12	74	52.54	38.9	17.58	61.14	-	-	P	H
		13890	47.07	-41.13	88.2	50.16	40.1	19.92	63.11	-	-	P	H
		14480	47.7	-26.3	74	48.89	40.58	20.72	62.49	-	-	P	H
		17968	50.81	-23.19	74	41.59	42.38	22.98	56.14	-	-	P	H
		17968	39.33	-14.67	54	30.11	42.38	22.98	56.14	-	-	A	H
		20835	35.15	-38.85	74	55.51	37.87	-3.4	54.83	-	-	P	H
		10808	47.76	-26.24	74	52.37	39.08	17.24	60.93	-	-	P	V
		13890	47.19	-41.01	88.2	50.28	40.1	19.92	63.11	-	-	P	V
		14480	48.17	-25.83	74	49.36	40.58	20.72	62.49	-	-	P	V
		14480	38.93	-15.07	54	40.12	40.58	20.72	62.49	-	-	A	V
		17952	49.92	-24.08	74	40.87	42.26	22.96	56.17	-	-	P	V
		17952	39.16	-14.84	54	30.11	42.26	22.96	56.17	-	-	A	V
		20835	34.73	-39.27	74	55.09	37.87	-3.4	54.83	-	-	P	V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 215 7025MHz		12624	47.88	-26.12	74	53.46	39.52	18.43	63.53	-	-	P	H
		14050	46.63	-41.57	88.2	49.64	40.5	20.12	63.63	-	-	P	H
		14480	47.93	-26.07	74	49.66	40.58	20.72	63.03	-	-	P	H
		17968	50.65	-23.35	74	41.97	42.38	22.98	56.68	-	-	P	H
		17968	38.76	-15.24	54	30.08	42.38	22.98	56.68	-	-	A	H
		21075	35.44	-38.56	74	55.69	37.88	-3.33	54.8	-	-	P	H
		10752	47.2	-26.8	74	52.17	39.1	17.13	61.2	-	-	P	V
		14050	47.1	-41.1	88.2	50.11	40.5	20.12	63.63	-	-	P	V
		14480	47.94	-26.06	74	49.67	40.58	20.72	63.03	-	-	P	V
		17968	48.58	-25.42	74	39.9	42.38	22.98	56.68	-	-	P	V
		17968	38.8	-15.2	54	30.12	42.38	22.98	56.68	-	-	A	V
		21075	35.45	-38.55	74	55.7	37.88	-3.33	54.8	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. The emission level close to 18GHz is checked that the average emission level is noise floor only. 												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/66 CH 215 7025MHz	*	7025	104.91	-	-	90.25	36	12.88	34.22	200	80	P	H
	*	7025	97.14	-	-	82.48	36	12.88	34.22	200	80	A	H
		7140.68	55.61	-32.59	88.2	40.97	36.64	12.29	34.29	200	80	P	H
		7131.24	49.26	-18.94	68.2	34.61	36.59	12.34	34.28	200	80	A	H
	*	7025	98.24	-	-	83.58	36	12.88	34.22	400	292	P	V
	*	7025	92	-	-	77.34	36	12.88	34.22	400	292	A	V
		7135.08	55.14	-33.06	88.2	40.5	36.61	12.32	34.29	400	292	P	V
	7128.68	48.72	-19.48	68.2	34.08	36.57	12.35	34.28	400	292	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

WIFI 802.11a (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a LF		30	20.36	-19.64	40	27.5	24.27	0.95	32.36	-	-	P	H
		140.58	30.32	-13.18	43.5	43.73	17.18	1.85	32.44	-	-	P	H
		152.22	33.87	-9.63	43.5	47.63	16.79	1.91	32.46	-	-	P	H
		878.75	30.39	-15.61	46	28.17	28.97	4.59	31.34	-	-	P	H
		953.44	30.52	-15.48	46	26.03	30.57	4.79	30.87	-	-	P	H
		972.84	31.2	-22.8	54	26.21	30.88	4.85	30.74	-	-	P	H
		47.46	27.15	-12.85	40	43.27	15.34	1.01	32.47	-	-	P	V
		66.86	26.37	-13.63	40	45.63	11.95	1.24	32.45	-	-	P	V
		152.22	29.81	-13.69	43.5	43.57	16.79	1.91	32.46	-	-	P	V
		857.41	30.25	-15.75	46	28.05	29.13	4.52	31.45	-	-	P	V
		905.91	30.42	-15.58	46	28.08	28.86	4.67	31.19	-	-	P	V
		961.2	31.38	-22.62	54	26.45	30.94	4.81	30.82	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only. 												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a		5925	55.45	-32.75	88.2	54.51	32.22	4.58	35.86	103	308	P	H
CH 01		5925	43.54	-24.66	68.2	42.6	32.22	4.58	35.86	103	308	A	H
5955MHz													

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5925MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -32.75(dB)

For Average Limit @ 5925MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -24.66(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Daniel Lee, Fu Chen and Troye Hsieh	Temperature :	20.1~21.6°C
		Relative Humidity :	55.8~68.2%

Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
0	Horizontal	Fundamental
Peak	<p>Site Condition : 03CH11-HY : PEAK_BE(UNII)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site Condition : 03CH11-HY : PEAK(UNII)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site Condition : 03CH11-HY : AVG_BE(UNII)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SWT:Auto</p>	Left blank



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
0	Vertical	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank



Band 5 - 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Horizontal spectrum plot showing Peak and Avg. levels vs Frequency (MHz). The y-axis is Level (dBuV/m) from 10.0 to 140.0. The x-axis is Frequency (MHz) from 1000 to 40000. The plot shows a red line for Peak level and a blue line for Average level. The Peak level is around 80 dBuV/m and the Average level is around 40 dBuV/m. The plot is dated 2022-06-13. Site: 03CH11-HY, Condition: PEAK(UNIT1)_6E 1m SHF_00993_211130 HORIZONTAL.</p>	<p>Vertical spectrum plot showing Peak and Avg. levels vs Frequency (MHz). The y-axis is Level (dBuV/m) from 10.0 to 140.0. The x-axis is Frequency (MHz) from 1000 to 40000. The plot shows a red line for Peak level and a blue line for Average level. The Peak level is around 80 dBuV/m and the Average level is around 40 dBuV/m. The plot is dated 2022-06-13. Site: 03CH11-HY, Condition: PEAK(UNIT1)_6E 1m SHF_00993_211130 VERTICAL.</p>





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 6 - 6425~6525MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH97 6435MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH105 6475MHz	
0	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH113 6615MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 2 columns: Horizontal and Vertical. Each column contains a spectral plot showing Level (dBuV/m) vs Frequency (MHz) for Peak and Avg. measurements. Includes site and condition details for each plot.



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH181 6855MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH185 6875MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>






Band 8 - 6875~7125MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH229 7095MHz	
0	Horizontal	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 9120D_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 9120D_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 9120D_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH229 7095MHz	
0	Vertical	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH233 7115MHz	
0	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 9120D_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 9120D_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 9120D_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH233 7115MHz	
0	Vertical	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank



Band 8 - 6875~7125MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 2 columns: Horizontal and Vertical. Each column contains a spectral plot showing Level (dBuV/m) vs Frequency (MHz) for Peak and Avg. conditions. The plots show a signal between 6875 and 7125 MHz with a peak level around 100 dBuV/m.





WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH209 6995MHz	
0	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH229 7095MHz	
0	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH233 7115MHz	
0	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Emission below 1GHz
5GHz WIFI 802.11a (LF)

WIFI	5GHz WIFI	
ANT	802.11a LF	
0	Horizontal	Vertical
QP / Peak	<p>Site : 03CH11-HY Condition : QP 3m BE-LOG 35414-211009 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : QP 3m BE-LOG 35414-211009 VERTICAL</p>



Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)




WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p>	<p>Left blank</p>






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 9120D_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 9120D_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 9120D_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p>	Left blank






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p>	Left blank



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 5955MHz	
0+1	Horizontal	Fundamental
<p align="center">Peak</p>	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
<p align="center">Avg.</p>	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p align="center">Left blank</p>






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 5955MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3.000KHz SWT:Auto</p>	Left blank



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)




WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/37 CH01 5955MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:10.0000kHz SWT:Auto</p>	Left blank






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/37 CH01 5955MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)




WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



**Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)




WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)




WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto</p>	Left blank






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SW1:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SW1:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SW1:Auto</p>	Left blank



Band 5 5925~6425MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



Band 5 - 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH49 6195MHz	
0+1	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH93 6415MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



**Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH51 6205MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH91 6405MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



**Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH55 6225MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH87 6385MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 6 - 6425~6525MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH97 6435MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH105 6475MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH113 6615MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 6 6425~6525MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

Table with 3 columns: WIFI, ANT, 0+1. It contains two spectral plots: Horizontal and Vertical. Each plot shows Level (dBuV/m) vs Frequency (MHz) with Peak and Avg. markers.



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH105 6475MHz	
0+1	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH113 6515MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 6 6425~6525MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

Table with 3 columns: WIFI, ANT, 0+1. It contains two spectral plots: Horizontal and Vertical. Each plot shows Level (dBuV/m) vs Frequency (MHz) with Peak and Avg. traces. Includes site and condition details for each plot.



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH107 6485MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH115 6525MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 6 6425~6525MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH103 6465MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH119 6545MHz	
0+1	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 2 columns: Horizontal and Vertical. Rows include WIF, ANT, 0+1, and Peak Avg. Each cell contains a spectral plot of Level (dBuV/m) vs Frequency (MHz) with site and condition details.



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
0+1	Horizontal	Vertical
Peak Avg.		



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH181 6855MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH185 6875MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



**Band 7 6525~6875MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH117 6535MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m 5HF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 3m 91200_1212_220310 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH149 6695MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH181 6855MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH185 6875MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 7 6525~6875MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

Table with 3 columns: WIFI, ANT, 0+1. It contains two spectral plots: Horizontal and Vertical. The plots show Level (dBuV/m) vs Frequency (MHz) with peak and average values indicated. The horizontal plot is for CH123 6565MHz and the vertical plot is for 3m 91200_1212_220310 VERTICAL.



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH147 6685MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH179 6845MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH187 6885MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>





Band 7 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH135 6625MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH151 6705MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH167 6785MHz	
0+1	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>






WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH183 6865MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>






Band 8 - 6875~7125MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH229 7095MHz	
0+1	Horizontal	Fundamental
Peak		
Avg.		Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH229 7095MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH233 7115MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH233 7115MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank






Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH229 7095MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH229 7095MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH233 7115MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH233 7115MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank






Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>	Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3.000KHz SWT:Auto</p>	Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH233 7115MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3.000KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH233 7115MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UN1)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UN1)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UN1)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3.000KHz SWT:Auto</p>	Left blank






Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

Table with 2 columns (Horizontal/Fundamental) and 2 rows (Peak/Avg.) containing spectral plots and test parameters.






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH233 7115MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH229 7115MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank






Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH233 7115MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH233 7115MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



Band 8 - 6875~7125MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)




WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH227 7085MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:0.3000kHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH227 7085MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	Left blank



Band 8 - 6875~7125MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)




WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/62 CH227 7085MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:3000.0000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.0000kHz VBW:10.0000kHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/62 CH227 7085MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SWT:Auto</p>	Left blank



Band 8 - 6875~7125MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)




WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH215 7025MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto</p>	Left blank






WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH215 7025MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SW1:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SW1:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SW1:Auto</p>	Left blank



Band 8 - 6875~7125MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH11-HY Condition : AVG_BE(UNIT1)_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz	
0+1	Vertical	Fundamental
Peak	 <p>Date: 2022-06-18</p> <p>Site : 03CH11-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2022-06-18</p> <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2022-06-18</p> <p>Site : 03CH11-HY Condition : AV6_BE(UNIT)_6E 3m 91200_1212_220310 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	Left blank



Band 8 - 6875~7125MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH189 6895MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 1m SHF_00993_211130 VERTICAL</p>





WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH209 6995MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH229 7095MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>





WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH233 7115MHz	
0+1	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CHI-HY Condition : PEAK[UNIT]_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CHI-HY Condition : PEAK_BE[UNIT]_6E 3m 91200_1212_220310 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>



Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH189 6895MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH209 6995MHz	
0+1	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 HORIZONTAL</p>	 <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 3m 91200_1212_220310 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH229 7095MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH233 7115MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



Band 8 - 6875~7125MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH195 6925MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH211 7005MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Date: 2022-06-16</p> <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Date: 2022-06-16</p> <p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH227 7085MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT)_6E 1m SHF_00993_211130 VERTICAL</p>



**Band 8 - 6875~7125MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH199 6945MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAKUN11_6E 1m SHF_00993_211130 VERTICAL</p>



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH215 7025MHz	
0+1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 1m SHF_00993_211130 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : PEAK(UNIT1)_6E 1m SHF_00993_211130 VERTICAL</p>



Emission below 1GHz
5GHz WIFI 802.11a (LF)

WIFI	5GHz WIFI	
ANT	802.11a LF	
0+1	Horizontal	Vertical
QP / Peak	<p>Site : 03CH11-HY Condition : QP 3m BE-LOG 35414-211009 HORIZONTAL</p>	<p>Site : 03CH11-HY Condition : QP 3m BE-LOG 35414-211009 VERTICAL</p>



Appendix E. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0	802.11a	90.86	4296	0.23	300Hz
0+1	802.11a	91.08	4290	0.23	300Hz
0+1	6GHz 802.11ax HE20 Full RU	90.75	4710	0.21	300Hz
0+1	6GHz 802.11ax HE20 26 RU	65.42	579	1.73	3kHz
0+1	6GHz 802.11ax HE20 52 RU	50.00	304	3.29	10kHz
0+1	6GHz 802.11ax HE20 106 RU	46.42	272	3.68	10kHz
0+1	6GHz 802.11ax HE40 Full RU	86.17	3550	0.28	300Hz
0+1	6GHz 802.11ax HE40 242 RU	41.52	240	4.17	10kHz
0+1	6GHz 802.11ax HE80 Full RU	73.68	1680	0.60	1kHz
0+1	6GHz 802.11ax HE80 484 RU	41.24	240	4.17	10kHz

<Ant. 0>

