





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																														
ANT	BLE CH19 2440MHz - R																														
2	Horizontal	Fundamental																													
<p><b>Peak</b></p>	<p>Site : 030905-K3            Condition : FCC PART 15C 3m 3117 SN 75957 HORIZONTAL            Project : RBM 1000 000MHz VBW 3000 000kHz SFT Auto            Model : FRI260819-01            Mode : E            Plane : E            Full-directivity:PA23            IMN1 : SN-60209012352008T #14            PowerSetting : 0.2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.56</td> <td>49.35</td> <td>-34.40</td> <td>74.00</td> <td>45.88</td> <td>33.00</td> <td>7.28</td> <td>36.81</td> <td>257</td> <td>278</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2492.56	49.35	-34.40	74.00	45.88	33.00	7.28	36.81	257	278	Peak	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	2492.56	49.35	-34.40	74.00	45.88	33.00	7.28	36.81	257	278	Peak	HORIZONTAL																			
<p><b>Avg.</b></p>	<p>Site : 030905-K3            Condition : FCC PART 15C (AVG) 3m 3117 SN 75957 HORIZONTAL            Project : RBM 1000 000MHz VBW 3000 000kHz SFT Auto            Model : FRI260819-01            Mode : E            Plane : E            Full-directivity:PA23            IMN1 : SN-60209012352008T #14            PowerSetting : 0.2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.22</td> <td>38.85</td> <td>-15.15</td> <td>54.00</td> <td>35.38</td> <td>33.00</td> <td>7.28</td> <td>36.81</td> <td>257</td> <td>278</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2499.22	38.85	-15.15	54.00	35.38	33.00	7.28	36.81	257	278	Average	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	2499.22	38.85	-15.15	54.00	35.38	33.00	7.28	36.81	257	278	Average	HORIZONTAL																			



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																							
ANT	BLE CH19 2440MHz - L																																																							
2	Vertical	Fundamental																																																						
Peak	<p>Site : 030905-K3            Condition : FCC PART 15C 3m 3117 SM 75957 VERTICAL            Project : FR260819-01            Mode : Z            Plane : Full-directivityPA23            MEI : SN:40209012352008T #14            PowerRating : 6.2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/PoS</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2389.95</td> <td>49.00</td> <td>-25.00</td> <td>74.00</td> <td>45.88</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>100 154 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/PoS	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	deg			1 * 2389.95	49.00	-25.00	74.00	45.88	32.88	7.10	36.86	100 154 Peak VERTICAL	<p>Site : 030905-K3            Condition : FCC PART 15C 3m 3117 SM 75957 VERTICAL            Project : FR260819-01            Mode : Z            Plane : Full-directivityPA23            MEI : SN:40209012352008T #14            PowerRating : 6.2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/PoS</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2440.00</td> <td>102.82</td> <td>28.82</td> <td>74.00</td> <td>99.53</td> <td>32.94</td> <td>7.19</td> <td>36.84</td> <td>100 154 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/PoS	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	deg			1 * 2440.00	102.82	28.82	74.00	99.53	32.94	7.19	36.84	100 154 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/PoS	T/Pos	Remark	Pol/Phas																																																
MHz	dBm	dB	dBm	dB	dB	deg																																																		
1 * 2389.95	49.00	-25.00	74.00	45.88	32.88	7.10	36.86	100 154 Peak VERTICAL																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/PoS	T/Pos	Remark	Pol/Phas																																																
MHz	dBm	dB	dBm	dB	dB	deg																																																		
1 * 2440.00	102.82	28.82	74.00	99.53	32.94	7.19	36.84	100 154 Peak VERTICAL																																																
Avg.	<p>Site : 030905-K3            Condition : FCC PART 15C (AVG) 3m 3117 SM 75957 VERTICAL            Project : FR260819-01            Mode : Z            Plane : Full-directivityPA23            MEI : SN:40209012352008T #14            PowerRating : 6.2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/PoS</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2375.13</td> <td>38.62</td> <td>-15.38</td> <td>54.00</td> <td>35.56</td> <td>32.86</td> <td>7.07</td> <td>36.87</td> <td>100 154 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/PoS	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	deg			1 * 2375.13	38.62	-15.38	54.00	35.56	32.86	7.07	36.87	100 154 Average VERTICAL	<p>Site : 030905-K3            Condition : FCC PART 15C (AVG) 3m 3117 SM 75957 VERTICAL            Project : FR260819-01            Mode : Z            Plane : Full-directivityPA23            MEI : SN:40209012352008T #14            PowerRating : 6.2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/PoS</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2440.00</td> <td>100.46</td> <td>46.46</td> <td>54.00</td> <td>97.17</td> <td>32.94</td> <td>7.19</td> <td>36.84</td> <td>100 154 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/PoS	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	deg			1 * 2440.00	100.46	46.46	54.00	97.17	32.94	7.19	36.84	100 154 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/PoS	T/Pos	Remark	Pol/Phas																																																
MHz	dBm	dB	dBm	dB	dB	deg																																																		
1 * 2375.13	38.62	-15.38	54.00	35.56	32.86	7.07	36.87	100 154 Average VERTICAL																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/PoS	T/Pos	Remark	Pol/Phas																																																
MHz	dBm	dB	dBm	dB	dB	deg																																																		
1 * 2440.00	100.46	46.46	54.00	97.17	32.94	7.19	36.84	100 154 Average VERTICAL																																																



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																														
ANT	BLE CH19 2440MHz - R																														
2	Vertical	Fundamental																													
<p><b>Peak</b></p>	 <p>Site : 03085-K3            Condition : ECU SHWT 15C 3m 3117 SN 75957 VERTICAL            Project : RBM 1000 000MHz VSW 3000 000MHz DBT Auto            Model : FRI260819-01            Mode : E            Plane : Z            Full-directivityPA23            IMN1 : SN-6020901232008T #14            PowerRating : 6/2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.50</td> <td>48.66</td> <td>-25.34</td> <td>74.00</td> <td>45.22</td> <td>33.00</td> <td>7.25</td> <td>36.81</td> <td>100</td> <td>154</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2489.50	48.66	-25.34	74.00	45.22	33.00	7.25	36.81	100	154	Peak	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	2489.50	48.66	-25.34	74.00	45.22	33.00	7.25	36.81	100	154	Peak	VERTICAL																			
<p><b>Avg.</b></p>	 <p>Site : 03085-K3            Condition : FCC PART 15C (AVG) 3m 3117 SN 75957 VERTICAL            Project : RBM 1000 000MHz VSW 3000 000MHz DBT Auto            Model : FRI260819-01            Mode : E            Plane : Z            Full-directivityPA23            IMN1 : SN-6020901232008T #14            PowerRating : 6/2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.62</td> <td>38.77</td> <td>-15.23</td> <td>54.00</td> <td>35.33</td> <td>33.00</td> <td>7.25</td> <td>36.81</td> <td>100</td> <td>154</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2489.62	38.77	-15.23	54.00	35.33	33.00	7.25	36.81	100	154	Average	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	2489.62	38.77	-15.23	54.00	35.33	33.00	7.25	36.81	100	154	Average	VERTICAL																			





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	BLE CH39 2480MHZ																																																											
2	Horizontal	Fundamental																																																										
<p><b>Peak</b></p>	<p>Site : 030905-K3          Condition : FCC PART 15C 3m 3117 SN 75957 HORIZONTAL          Project : RSM 1000.000MHz VSW: 3000.000MHz SRT: Auto          Mode : (FR) 240819-01          Plane : Z          Full-directivityPA23          SN: 602208012323008T #14          ME1          PowerSetting : 6/2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>51.34</td> <td>-22.60</td> <td>74.00</td> <td>47.93</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>100</td> <td>277</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg	1	2483.50	51.34	-22.60	74.00	47.93	32.98	7.25	36.82	100	277	Peak	HORIZONTAL	<p>Site : 030905-K3          Condition : FCC PART 15C 3m 3117 SN 75957 HORIZONTAL          Project : RSM 1000.000MHz VSW: 3000.000MHz SRT: Auto          Mode : (FR) 240819-01          Plane : Z          Full-directivityPA23          SN: 602208012323008T #14          ME1          PowerSetting : 6/2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.80</td> <td>28.80</td> <td>74.00</td> <td>99.39</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>100</td> <td>277</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg	1	2480.00	102.80	28.80	74.00	99.39	32.98	7.25	36.82	100	277	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																					
1	2483.50	51.34	-22.60	74.00	47.93	32.98	7.25	36.82	100	277	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																					
1	2480.00	102.80	28.80	74.00	99.39	32.98	7.25	36.82	100	277	Peak	HORIZONTAL																																																
<p><b>Avg.</b></p>	<p>Site : 030905-K3          Condition : FCC PART 15C (AVG) 3m 3117 SN 75957 HORIZONTAL          Project : RSM 1000.000MHz VSW: 1.000MHz SRT: Auto          Mode : (FR) 240819-01          Plane : Z          Full-directivityPA23          SN: 602208012323008T #14          ME1          PowerSetting : 6/2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>43.46</td> <td>-10.54</td> <td>54.00</td> <td>40.05</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>100</td> <td>277</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg	1	2483.50	43.46	-10.54	54.00	40.05	32.98	7.25	36.82	100	277	Average	HORIZONTAL	<p>Site : 030905-K3          Condition : FCC PART 15C (AVG) 3m 3117 SN 75957 HORIZONTAL          Project : RSM 1000.000MHz VSW: 1.000MHz SRT: Auto          Mode : (FR) 240819-01          Plane : Z          Full-directivityPA23          SN: 602208012323008T #14          ME1          PowerSetting : 6/2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.43</td> <td>46.43</td> <td>54.00</td> <td>97.02</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>100</td> <td>277</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg	1	2480.00	100.43	46.43	54.00	97.02	32.98	7.25	36.82	100	277	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																					
1	2483.50	43.46	-10.54	54.00	40.05	32.98	7.25	36.82	100	277	Average	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																					
1	2480.00	100.43	46.43	54.00	97.02	32.98	7.25	36.82	100	277	Average	HORIZONTAL																																																





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	BLE CH39 2480MHZ																																																											
2	Vertical	Fundamental																																																										
Peak	<p>Site : 030905-K3 Condition : FCC PART 15C 3m 3117 5M 75957 VERTICAL Project : RSM 1000 000MHz VSW 3000 000MHz SRT Auto Mode : Z Plane : Z MEI : Full-directivityPA23 PowerRating : SN-60209012352008T #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>51.69</td> <td>-22.31</td> <td>74.00</td> <td>48.28</td> <td>32.98</td> <td>7.25 36.82</td> <td>113</td> <td>154 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg			1	2483.50	51.69	-22.31	74.00	48.28	32.98	7.25 36.82	113	154 Peak	VERTICAL	<p>Site : 030905-K3 Condition : FCC PART 15C 3m 3117 5M 75957 VERTICAL Project : RSM 1000 000MHz VSW 3000 000MHz SRT Auto Mode : Z Plane : Z MEI : Full-directivityPA23 PowerRating : SN-60209012352008T #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.93</td> <td>28.93</td> <td>74.00</td> <td>99.02</td> <td>32.98</td> <td>7.25 36.82</td> <td>113</td> <td>154 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg			1	2480.00	102.93	28.93	74.00	99.02	32.98	7.25 36.82	113	154 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg																																																						
1	2483.50	51.69	-22.31	74.00	48.28	32.98	7.25 36.82	113	154 Peak	VERTICAL																																																		
Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg																																																						
1	2480.00	102.93	28.93	74.00	99.02	32.98	7.25 36.82	113	154 Peak	VERTICAL																																																		
Avg.	<p>Site : 030905-K3 Condition : FCC PART 15C (AVG) 3m 3117 5M 75957 VERTICAL Project : RSM 1000 000MHz VSW 1.0000MHz SRT Auto Mode : Z Plane : Z MEI : Full-directivityPA23 PowerRating : SN-60209012352008T #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>43.32</td> <td>-10.68</td> <td>54.00</td> <td>39.91</td> <td>32.98</td> <td>7.25 36.82</td> <td>113</td> <td>154 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg			1	2483.50	43.32	-10.68	54.00	39.91	32.98	7.25 36.82	113	154 Average	VERTICAL	<p>Site : 030905-K3 Condition : FCC PART 15C (AVG) 3m 3117 5M 75957 VERTICAL Project : RSM 1000 000MHz VSW 1.0000MHz SRT Auto Mode : Z Plane : Z MEI : Full-directivityPA23 PowerRating : SN-60209012352008T #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.60</td> <td>46.60</td> <td>54.00</td> <td>97.19</td> <td>32.98</td> <td>7.25 36.82</td> <td>113</td> <td>154 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg			1	2480.00	100.60	46.60	54.00	97.19	32.98	7.25 36.82	113	154 Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg																																																						
1	2483.50	43.32	-10.68	54.00	39.91	32.98	7.25 36.82	113	154 Average	VERTICAL																																																		
Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg																																																						
1	2480.00	100.60	46.60	54.00	97.19	32.98	7.25 36.82	113	154 Average	VERTICAL																																																		



2.4GHz 2400~2483.5MHz  
BLE-2Mbps (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																															
ANT	BLE CH00 2402MHz																																																																															
2	Horizontal	Vertical																																																																														
Peak Avg.	 <p>Site Condition: 03D05-K3, FCC PART 15C, 3m, 3117, 20, 70957 HORIZONTAL, RBW 1000, 00000, YBR 3000, 00000, SET Auto, Project: FRU260819-01, Mode: 2, Plane: Z, Full-directivityPA23, MEI: 0N, 000000126000001 #14, PowerSetting: 0.2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>Factor</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4800.00</td> <td>39.78</td> <td>-34.22</td> <td>74.00</td> <td>60.76</td> <td>34.19</td> <td>10.20</td> <td>65.37</td> <td>300</td> <td></td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Loss	Factor	A/Poa	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg				1	4800.00	39.78	-34.22	74.00	60.76	34.19	10.20	65.37	300		0 Peak	HORIZONTAL	 <p>Site Condition: 03D05-K3, FCC PART 15C, 3m, 3117, 20, 70957 VERTICAL, RBW 1000, 00000, YBR 3000, 00000, SET Auto, Project: FRU260819-01, Mode: 2, Plane: Z, Full-directivityPA23, MEI: 0N, 000000126000001 #14, PowerSetting: 0.2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>Factor</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4800.00</td> <td>39.75</td> <td>-34.25</td> <td>74.00</td> <td>60.73</td> <td>34.19</td> <td>10.20</td> <td>65.37</td> <td>100</td> <td></td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Loss	Factor	A/Poa	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg				1	4800.00	39.75	-34.25	74.00	60.73	34.19	10.20	65.37	100		0 Peak	VERTICAL
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Loss	Factor	A/Poa	T/Pos	Remark	Pol/Phas																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	4800.00	39.78	-34.22	74.00	60.76	34.19	10.20	65.37	300		0 Peak	HORIZONTAL																																																																				
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Loss	Factor	A/Poa	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	4800.00	39.75	-34.25	74.00	60.73	34.19	10.20	65.37	100		0 Peak	VERTICAL																																																																				



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	BLE CH19 2440MHz																																																																																	
2	Horizontal	Vertical																																																																																
<p><b>Peak</b></p> <p><b>Avg.</b></p>	 <p>Site : 030905-K5            Condition : FCC PART 15C @ 3117 5M 75957 HORIZONTAL            Project : RSM 1000.000MHz VSW:3000.000MHz SRT:Auto            Mode : 8            Plane : Z            Full In-directivity PA23            MEI : SN:000000012603081 #14            PowerRating : 0.2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>39.16</td> <td>-34.24</td> <td>74.00</td> <td>60.66</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>42.28</td> <td>-31.72</td> <td>74.00</td> <td>59.65</td> <td>35.87</td> <td>12.72</td> <td>65.96</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				1	4875.00	39.16	-34.24	74.00	60.66	34.23	10.29	65.42	300	0 Peak	HORIZONTAL	2	7320.00	42.28	-31.72	74.00	59.65	35.87	12.72	65.96	300	0 Peak	HORIZONTAL	 <p>Site : 030905-K5            Condition : FCC PART 15C @ 3117 5M 75957 VERTICAL            Project : RSM 1000.000MHz VSW:3000.000MHz SRT:Auto            Mode : 8            Plane : Z            Full In-directivity PA23            MEI : SN:000000012603081 #14            PowerRating : 0.2/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>39.64</td> <td>-34.36</td> <td>74.00</td> <td>60.54</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>42.77</td> <td>-31.23</td> <td>74.00</td> <td>60.14</td> <td>35.87</td> <td>12.72</td> <td>65.96</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				1	4875.00	39.64	-34.36	74.00	60.54	34.23	10.29	65.42	100	0 Peak	VERTICAL	2	7320.00	42.77	-31.23	74.00	60.14	35.87	12.72	65.96	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																																																																										
Freq	Level	Limit	Level Factor	Loss Factor																																																																														
1	4875.00	39.16	-34.24	74.00	60.66	34.23	10.29	65.42	300	0 Peak	HORIZONTAL																																																																							
2	7320.00	42.28	-31.72	74.00	59.65	35.87	12.72	65.96	300	0 Peak	HORIZONTAL																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																																																																											
Freq	Level	Limit	Level Factor	Loss Factor																																																																														
1	4875.00	39.64	-34.36	74.00	60.54	34.23	10.29	65.42	100	0 Peak	VERTICAL																																																																							
2	7320.00	42.77	-31.23	74.00	60.14	35.87	12.72	65.96	100	0 Peak	VERTICAL																																																																							



BLE	2.4GHz 2400-2483.5MHz Harmonic @ 3m																																																																																	
ANT	BLE CH39 2480MHz																																																																																	
2	Horizontal	Vertical																																																																																
<p><b>Peak</b></p>	<p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China Tel: +86-512-77900158 Fax: +86-512-77900958 http://www.sporton.com.cn</p> <p>Site : 030H05-K5 Condition : Full Part 15C @ 3117 5M 75957 HORIZONTAL Project : FR260819-01 Mode : Z Plane : Z Full Directivity PA23 S8.60000812303048T #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4965.00</td> <td>40.53</td> <td>-33.48</td> <td>74.00</td> <td>61.30</td> <td>34.28</td> <td>10.41</td> <td>65.47</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>41.85</td> <td>-32.15</td> <td>74.00</td> <td>59.48</td> <td>35.89</td> <td>12.79</td> <td>66.31</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss Factor	dB	dB	1	4965.00	40.53	-33.48	74.00	61.30	34.28	10.41	65.47	300	0 Peak	HORIZONTAL	2	7440.00	41.85	-32.15	74.00	59.48	35.89	12.79	66.31	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China Tel: +86-512-77900158 Fax: +86-512-77900958 http://www.sporton.com.cn</p> <p>Site : 030H05-K5 Condition : Full Part 15C @ 3117 5M 75957 VERTICAL Project : FR260819-01 Mode : Z Plane : Z Full Directivity PA23 S8.60000812303048T #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4965.00</td> <td>40.48</td> <td>-33.53</td> <td>74.00</td> <td>61.30</td> <td>34.28</td> <td>10.41</td> <td>65.47</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.90</td> <td>-31.10</td> <td>74.00</td> <td>60.53</td> <td>35.89</td> <td>12.79</td> <td>66.31</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss Factor	dB	dB	1	4965.00	40.48	-33.53	74.00	61.30	34.28	10.41	65.47	100	0 Peak	VERTICAL	2	7440.00	42.90	-31.10	74.00	60.53	35.89	12.79	66.31	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																																																																											
Freq	Level	Limit	Level	Factor	Loss Factor	dB	dB																																																																											
1	4965.00	40.53	-33.48	74.00	61.30	34.28	10.41	65.47	300	0 Peak	HORIZONTAL																																																																							
2	7440.00	41.85	-32.15	74.00	59.48	35.89	12.79	66.31	300	0 Peak	HORIZONTAL																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																																																																											
Freq	Level	Limit	Level	Factor	Loss Factor	dB	dB																																																																											
1	4965.00	40.48	-33.53	74.00	61.30	34.28	10.41	65.47	100	0 Peak	VERTICAL																																																																							
2	7440.00	42.90	-31.10	74.00	60.53	35.89	12.79	66.31	100	0 Peak	VERTICAL																																																																							





Emission below 1GHz

2.4GHz BLE (LF)


BLE	2.4GHz 2400~2483.5MHz																																																																																																																																																																																	
ANT	BLE LF																																																																																																																																																																																	
2	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	<p>Site : 03CR06-ES Condition : FCC PART 15C In CE61110 CR2180 HORIZONTAL Project : RW 100.000MHz YEW 300.000MHz SPT:Auto File : 07050819-01 PLine : 1 Full-directivity:0dB IMEI Powersetting : 0/2/E</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>48.47</td> <td>24.52</td> <td>-15.48</td> <td>49.00</td> <td>41.36</td> <td>15.64</td> <td>1.95</td> <td>32.93</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>108.71</td> <td>24.00</td> <td>-15.58</td> <td>43.58</td> <td>38.81</td> <td>16.84</td> <td>1.98</td> <td>32.83</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>357.86</td> <td>36.43</td> <td>-9.57</td> <td>46.00</td> <td>45.84</td> <td>28.42</td> <td>2.88</td> <td>32.91</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>444.19</td> <td>34.60</td> <td>-11.08</td> <td>46.00</td> <td>41.78</td> <td>22.43</td> <td>3.22</td> <td>32.83</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>498.75</td> <td>31.14</td> <td>-14.86</td> <td>46.00</td> <td>37.38</td> <td>23.40</td> <td>3.39</td> <td>32.95</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>724.52</td> <td>30.13</td> <td>-15.87</td> <td>46.00</td> <td>31.43</td> <td>25.52</td> <td>4.12</td> <td>32.94</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	48.47	24.52	-15.48	49.00	41.36	15.64	1.95	32.93	Peak	HORIZONTAL	2	108.71	24.00	-15.58	43.58	38.81	16.84	1.98	32.83	Peak	HORIZONTAL	3	357.86	36.43	-9.57	46.00	45.84	28.42	2.88	32.91	Peak	HORIZONTAL	4	444.19	34.60	-11.08	46.00	41.78	22.43	3.22	32.83	Peak	HORIZONTAL	5	498.75	31.14	-14.86	46.00	37.38	23.40	3.39	32.95	Peak	HORIZONTAL	6	724.52	30.13	-15.87	46.00	31.43	25.52	4.12	32.94	Peak	HORIZONTAL	<p>Site : 03CR06-KS Condition : FCC PART 15C In CE61110 CR2180 VERTICAL Project : RW 100.000MHz YEW 300.000MHz SPT:Auto File : 07050819-01 PLine : 1 Full-directivity:0dB IMEI Powersetting : 0/2/E</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>38.73</td> <td>32.88</td> <td>-7.82</td> <td>49.00</td> <td>45.24</td> <td>19.78</td> <td>9.89</td> <td>32.93</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>62.88</td> <td>32.48</td> <td>-7.52</td> <td>49.00</td> <td>51.72</td> <td>12.48</td> <td>1.19</td> <td>32.91</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>125.86</td> <td>29.88</td> <td>-14.42</td> <td>43.58</td> <td>43.58</td> <td>16.74</td> <td>1.69</td> <td>32.85</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>238.85</td> <td>27.48</td> <td>-18.52</td> <td>46.00</td> <td>40.82</td> <td>17.18</td> <td>2.31</td> <td>32.88</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>531.49</td> <td>32.43</td> <td>-13.57</td> <td>46.00</td> <td>37.40</td> <td>24.55</td> <td>3.52</td> <td>33.84</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>837.59</td> <td>27.89</td> <td>-18.11</td> <td>46.00</td> <td>31.72</td> <td>25.22</td> <td>3.92</td> <td>32.96</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	38.73	32.88	-7.82	49.00	45.24	19.78	9.89	32.93	Peak	VERTICAL	2	62.88	32.48	-7.52	49.00	51.72	12.48	1.19	32.91	Peak	VERTICAL	3	125.86	29.88	-14.42	43.58	43.58	16.74	1.69	32.85	Peak	VERTICAL	4	238.85	27.48	-18.52	46.00	40.82	17.18	2.31	32.88	Peak	VERTICAL	5	531.49	32.43	-13.57	46.00	37.40	24.55	3.52	33.84	Peak	VERTICAL	6	837.59	27.89	-18.11	46.00	31.72	25.22	3.92	32.96	Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	48.47	24.52	-15.48	49.00	41.36	15.64	1.95	32.93	Peak	HORIZONTAL																																																																																																																																																																								
2	108.71	24.00	-15.58	43.58	38.81	16.84	1.98	32.83	Peak	HORIZONTAL																																																																																																																																																																								
3	357.86	36.43	-9.57	46.00	45.84	28.42	2.88	32.91	Peak	HORIZONTAL																																																																																																																																																																								
4	444.19	34.60	-11.08	46.00	41.78	22.43	3.22	32.83	Peak	HORIZONTAL																																																																																																																																																																								
5	498.75	31.14	-14.86	46.00	37.38	23.40	3.39	32.95	Peak	HORIZONTAL																																																																																																																																																																								
6	724.52	30.13	-15.87	46.00	31.43	25.52	4.12	32.94	Peak	HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	38.73	32.88	-7.82	49.00	45.24	19.78	9.89	32.93	Peak	VERTICAL																																																																																																																																																																								
2	62.88	32.48	-7.52	49.00	51.72	12.48	1.19	32.91	Peak	VERTICAL																																																																																																																																																																								
3	125.86	29.88	-14.42	43.58	43.58	16.74	1.69	32.85	Peak	VERTICAL																																																																																																																																																																								
4	238.85	27.48	-18.52	46.00	40.82	17.18	2.31	32.88	Peak	VERTICAL																																																																																																																																																																								
5	531.49	32.43	-13.57	46.00	37.40	24.55	3.52	33.84	Peak	VERTICAL																																																																																																																																																																								
6	837.59	27.89	-18.11	46.00	31.72	25.22	3.92	32.96	Peak	VERTICAL																																																																																																																																																																								







CO-location:

WIFI 802.11g & BLE--2Mbps  
 2.4GHz 2400~2483.5MHz  
 BLE-2Mbps (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
	BLE CH39 2480MHz																																																											
	Horizontal	Fundamental																																																										
Peak	<p>Site : 030405-K3        Condition : FCC Part 15C 3m 3117.0M 00318442 HORIZONTAL        Project : RBW 1000.000000 YBR 3000.000000 SMT Auto        Mode : S3        Plane : Z        MEI : Full-directivityLA23        PowerSetting : 0M-0000000125000001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MW</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>58.01</td> <td>-15.99</td> <td>74.00</td> <td>55.44</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>315</td> <td>253</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MW	dBm/m	dB	dBm/m	dB	dB	cm	deg	1	2483.68	58.01	-15.99	74.00	55.44	32.34	7.25	37.02	315	253	Peak	HORIZONTAL	<p>Site : 030405-K3        Condition : FCC Part 15C 3m 3117.0M 00318442 HORIZONTAL        Project : RBW 1000.000000 YBR 3000.000000 SMT Auto        Mode : S3        Plane : Z        MEI : Full-directivityLA23        PowerSetting : 0M-0000000125000001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MW</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.68</td> <td>27.68</td> <td>74.00</td> <td>99.11</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>315</td> <td>253</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MW	dBm/m	dB	dBm/m	dB	dB	cm	deg	1	2480.00	101.68	27.68	74.00	99.11	32.34	7.25	37.02	315	253	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MW	dBm/m	dB	dBm/m	dB	dB	cm	deg																																																					
1	2483.68	58.01	-15.99	74.00	55.44	32.34	7.25	37.02	315	253	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MW	dBm/m	dB	dBm/m	dB	dB	cm	deg																																																					
1	2480.00	101.68	27.68	74.00	99.11	32.34	7.25	37.02	315	253	Peak	HORIZONTAL																																																





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
BLE CH39 2480MHz																																																																				
Vertical		Fundamental																																																																		
Peak	 <p>Site : 030905-K3            Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL            Project : RSM 1000.000MHz VSW:3.000MHz SRT:Auto            Mode : Z            Plane : Full-directivityLA23            MEI : SN:600208012352008T #14            PowerSetting : BT Q39P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2483.62</td> <td>53.99</td> <td>-20.41</td> <td>74.00</td> <td>51.02</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>110</td> <td>148 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 * 2483.62	53.99	-20.41	74.00	51.02	32.34	7.25	37.02	110	148 Peak	VERTICAL	 <p>Site : 030905-K3            Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL            Project : RSM 1000.000MHz VSW:3.000MHz SRT:Auto            Mode : Z            Plane : Full-directivityLA23            MEI : SN:600208012352008T #14            PowerSetting : BT Q39P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>99.35</td> <td>25.35</td> <td>74.00</td> <td>96.78</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>110</td> <td>148 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 * 2480.00	99.35	25.35	74.00	96.78	32.34	7.25	37.02	110	148 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 * 2483.62	53.99	-20.41	74.00	51.02	32.34	7.25	37.02	110	148 Peak	VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 * 2480.00	99.35	25.35	74.00	96.78	32.34	7.25	37.02	110	148 Peak	VERTICAL																																																										
Avg.	 <p>Site : 030905-K3            Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL            Project : RSM 1000.000MHz VSW:1.000MHz SRT:Auto            Mode : Z            Plane : Full-directivityLA23            MEI : SN:600208012352008T #14            PowerSetting : BT Q39P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2483.50</td> <td>43.82</td> <td>-10.18</td> <td>54.00</td> <td>41.25</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>110</td> <td>148 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 * 2483.50	43.82	-10.18	54.00	41.25	32.34	7.25	37.02	110	148 Average	VERTICAL	 <p>Site : 030905-K3            Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL            Project : RSM 1000.000MHz VSW:1.000MHz SRT:Auto            Mode : Z            Plane : Full-directivityLA23            MEI : SN:600208012352008T #14            PowerSetting : BT Q39P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>96.89</td> <td>42.89</td> <td>54.00</td> <td>94.32</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>110</td> <td>148 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 * 2480.00	96.89	42.89	54.00	94.32	32.34	7.25	37.02	110	148 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 * 2483.50	43.82	-10.18	54.00	41.25	32.34	7.25	37.02	110	148 Average	VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 * 2480.00	96.89	42.89	54.00	94.32	32.34	7.25	37.02	110	148 Average	VERTICAL																																																										



2.4GHz 2400~2483.5MHz  
BLE-2Mbps (Harmonic @ 3m)





BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
	BLE CH39 2480MHz																																																																																					
	Horizontal	Vertical																																																																																				
Peak	<p>Site: 1098, Project: North Road Kunshan Economic &amp; Technical Development Zone, Jiangsu, China No. 1098, Project: North Road Kunshan Economic &amp; Technical Development Zone, Jiangsu, China</p> <p>Site Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL FIM 1000 000MHz YBR 3000 000MHz SRT:Auto Project: (FR)260819-01 Mode: CS Plane: Z Full-directivity:L423 IME1: SN:000209012302008T #14 PowerSetting: 14.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>39.76</td> <td>-34.24</td> <td>74.00</td> <td>00.67</td> <td>34.00</td> <td>10.41</td> <td>65.32</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>40.47</td> <td>-33.53</td> <td>74.00</td> <td>09.03</td> <td>35.79</td> <td>12.79</td> <td>67.14</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	1	4950.00	39.76	-34.24	74.00	00.67	34.00	10.41	65.32	300	0 Peak	HORIZONTAL	2	7440.00	40.47	-33.53	74.00	09.03	35.79	12.79	67.14	300	0 Peak	HORIZONTAL	<p>Site: 1098, Project: North Road Kunshan Economic &amp; Technical Development Zone, Jiangsu, China No. 1098, Project: North Road Kunshan Economic &amp; Technical Development Zone, Jiangsu, China</p> <p>Site Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL FIM 1000 000MHz YBR 3000 000MHz SRT:Auto Project: (FR)260819-01 Mode: CS Plane: Z Full-directivity:L423 IME1: SN:000209012302008T #14 PowerSetting: 14.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>40.00</td> <td>-33.95</td> <td>74.00</td> <td>00.98</td> <td>34.00</td> <td>10.39</td> <td>65.32</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>40.68</td> <td>-33.32</td> <td>74.00</td> <td>09.24</td> <td>35.79</td> <td>12.79</td> <td>67.14</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	1	4950.00	40.00	-33.95	74.00	00.98	34.00	10.39	65.32	100	0 Peak	VERTICAL	2	7440.00	40.68	-33.32	74.00	09.24	35.79	12.79	67.14	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB																																																																														
1	4950.00	39.76	-34.24	74.00	00.67	34.00	10.41	65.32	300	0 Peak	HORIZONTAL																																																																											
2	7440.00	40.47	-33.53	74.00	09.03	35.79	12.79	67.14	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB																																																																														
1	4950.00	40.00	-33.95	74.00	00.98	34.00	10.39	65.32	100	0 Peak	VERTICAL																																																																											
2	7440.00	40.68	-33.32	74.00	09.24	35.79	12.79	67.14	100	0 Peak	VERTICAL																																																																											



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

Table with 4 quadrants: Peak Horizontal, Peak Fundamental, Avg. Horizontal, Avg. Fundamental. Each quadrant contains a graph of Level (dBuV/m) vs Frequency (MHz) and a data table with columns for Freq, Level, Limit, ReadAntenna, Cable Preamp, A/Pos, T/Pos, Remark, Pol/Phas.



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																									
802.11g CH12 2467MHz																																																																										
Vertical		Fundamental																																																																								
Peak	 <p>Site : 030905-K3            Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL            Project : RSM 1000.000MHz VSW: 3000.000MHz SRT: Auto            Mode : (FR) 240819-01            Plane : Z            Full-directivity: LA23            SN: 400208012352008T #14            ME1 : 14.5            PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>59.68</td> <td>-14.32</td> <td>74.00</td> <td>57.11</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>349</td> <td>71 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2483.56	59.68	-14.32	74.00	57.11	32.34	7.25	37.02	349	71 Peak	VERTICAL	 <p>Site : 030905-K3            Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL            Project : RSM 1000.000MHz VSW: 3000.000MHz SRT: Auto            Mode : (FR) 240819-01            Plane : Z            Full-directivity: LA23            SN: 400208012352008T #14            ME1 : 14.5            PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2468.00</td> <td>103.61</td> <td>29.61</td> <td>74.00</td> <td>100.95</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>349</td> <td>71 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2468.00	103.61	29.61	74.00	100.95	32.36	7.22	36.92	349	71 Peak	VERTICAL
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																	
1	2483.56	59.68	-14.32	74.00	57.11	32.34	7.25	37.02	349	71 Peak	VERTICAL																																																															
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																	
1	2468.00	103.61	29.61	74.00	100.95	32.36	7.22	36.92	349	71 Peak	VERTICAL																																																															
Avg.	 <p>Site : 030905-K3            Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL            Project : RSM 1000.000MHz VSW: 0.0108MHz SRT: Auto            Mode : (FR) 240819-01            Plane : Z            Full-directivity: LA23            SN: 400208012352008T #14            ME1 : 14.5            PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>46.29</td> <td>-7.71</td> <td>54.00</td> <td>43.72</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>349</td> <td>71 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2483.50	46.29	-7.71	54.00	43.72	32.34	7.25	37.02	349	71 Average	VERTICAL	 <p>Site : 030905-K3            Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL            Project : RSM 1000.000MHz VSW: 0.0108MHz SRT: Auto            Mode : (FR) 240819-01            Plane : Z            Full-directivity: LA23            SN: 400208012352008T #14            ME1 : 14.5            PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2468.00</td> <td>96.54</td> <td>42.54</td> <td>54.00</td> <td>93.88</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>349</td> <td>71 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2468.00	96.54	42.54	54.00	93.88	32.36	7.22	36.92	349	71 Average	VERTICAL
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																	
1	2483.50	46.29	-7.71	54.00	43.72	32.34	7.25	37.02	349	71 Average	VERTICAL																																																															
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																	
1	2468.00	96.54	42.54	54.00	93.88	32.36	7.22	36.92	349	71 Average	VERTICAL																																																															



2.4GHz 2400~2483.5MHz  
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																			
	802.11g CH12 2467MHz																																																																			
	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site Condition: 030305-K3 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: FR260819-01 Mode: CS Plane: Z Full-directivity: L423 IME1: SN 000209012302008T #14 PowerSetting: 14.5</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>41.15</td> <td>-32.85</td> <td>74.00</td> <td>62.08</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7395.00</td> <td>42.09</td> <td>-31.91</td> <td>74.00</td> <td>60.54</td> <td>35.78</td> <td>12.73</td> <td>66.96</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Item	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	4934.00	41.15	-32.85	74.00	62.08	34.00	10.37	65.30	300	0 Peak HORIZONTAL	2	7395.00	42.09	-31.91	74.00	60.54	35.78	12.73	66.96	300	0 Peak HORIZONTAL	<p>Site Condition: 030305-K3 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: FR260819-01 Mode: CS Plane: Z Full-directivity: L423 IME1: SN 000209012302008T #14 PowerSetting: 14.5</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>41.29</td> <td>-32.61</td> <td>74.00</td> <td>62.32</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>40.77</td> <td>-33.23</td> <td>74.00</td> <td>59.28</td> <td>35.78</td> <td>12.73</td> <td>67.02</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Item	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	4935.00	41.29	-32.61	74.00	62.32	34.00	10.37	65.30	100	0 Peak VERTICAL	2	7401.00	40.77	-33.23	74.00	59.28	35.78	12.73	67.02	100	0 Peak VERTICAL
Item	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
1	4934.00	41.15	-32.85	74.00	62.08	34.00	10.37	65.30	300	0 Peak HORIZONTAL																																																										
2	7395.00	42.09	-31.91	74.00	60.54	35.78	12.73	66.96	300	0 Peak HORIZONTAL																																																										
Item	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
1	4935.00	41.29	-32.61	74.00	62.32	34.00	10.37	65.30	100	0 Peak VERTICAL																																																										
2	7401.00	40.77	-33.23	74.00	59.28	35.78	12.73	67.02	100	0 Peak VERTICAL																																																										






### Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	60.65	0.380	2.634	2.7KHz
Bluetooth LE 2Mbps	56.61	1.068	0.936	1KHz

#### Bluetooth LE 1Mbps



#### Bluetooth LE 2Mbps

