







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11g CH01 2412MHz																																																											
1	Vertical	Fundamental																																																										
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : FRU260819-01 Plane : 13 JMEI : Full-directivityLA23 SN:4060880712503081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>55.94</td> <td>-18.06</td> <td>74.00</td> <td>52.82</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>116</td> <td>260</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	cm	deg		1	2389.69	55.94	-18.06	74.00	52.82	32.88	7.10	36.86	116	260	Peak	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : FRU260819-01 Plane : 13 JMEI : Full-directivityLA23 SN:4060880712503081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2410.00</td> <td>108.37</td> <td>34.37</td> <td>74.00</td> <td>105.19</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>116</td> <td>260</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	cm	deg		1	2410.00	108.37	34.37	74.00	105.19	32.90	7.13	36.85	116	260	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBV/m	dB	dBV/m	dB	cm	deg																																																						
1	2389.69	55.94	-18.06	74.00	52.82	32.88	7.10	36.86	116	260	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	cm	deg																																																						
1	2410.00	108.37	34.37	74.00	105.19	32.90	7.13	36.85	116	260	Peak	VERTICAL																																																
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VBR 0.01000u SMT Auto Mode : FRU260819-01 Plane : 13 JMEI : Full-directivityLA23 SN:4060880712503081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2372.01</td> <td>45.32</td> <td>-8.68</td> <td>54.00</td> <td>42.26</td> <td>32.86</td> <td>7.07</td> <td>36.87</td> <td>116</td> <td>260</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	cm	deg		1	2372.01	45.32	-8.68	54.00	42.26	32.86	7.07	36.87	116	260	Average	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VBR 0.01000u SMT Auto Mode : FRU260819-01 Plane : 13 JMEI : Full-directivityLA23 SN:4060880712503081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2410.00</td> <td>101.00</td> <td>47.00</td> <td>54.00</td> <td>97.82</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>116</td> <td>260</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	cm	deg		1	2410.00	101.00	47.00	54.00	97.82	32.90	7.13	36.85	116	260	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBV/m	dB	dBV/m	dB	cm	deg																																																						
1	2372.01	45.32	-8.68	54.00	42.26	32.86	7.07	36.87	116	260	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	cm	deg																																																						
1	2410.00	101.00	47.00	54.00	97.82	32.90	7.13	36.85	116	260	Average	VERTICAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11g CH06 2437MHz - L																																																																			
1	Horizontal	Fundamental																																																																		
Peak	 <p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79957 HORIZONTAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT Auto Mode : FR1260819-01 Plane : 14 IPEI : Full-directivityLA23 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.35</td> <td>53.56</td> <td>-20.44</td> <td>74.00</td> <td>50.44</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>312</td> <td>220</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2387.35	53.56	-20.44	74.00	50.44	32.88	7.10	36.86	312	220	Peak	HORIZONTAL	 <p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79957 HORIZONTAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT Auto Mode : FR1260819-01 Plane : 14 IPEI : Full-directivityLA23 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>110.29</td> <td>36.29</td> <td>74.00</td> <td>107.00</td> <td>32.94</td> <td>7.19</td> <td>36.84</td> <td>312</td> <td>220</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2438.00	110.29	36.29	74.00	107.00	32.94	7.19	36.84	312	220	Peak	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																													
1	2387.35	53.56	-20.44	74.00	50.44	32.88	7.10	36.86	312	220	Peak	HORIZONTAL																																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																													
1	2438.00	110.29	36.29	74.00	107.00	32.94	7.19	36.84	312	220	Peak	HORIZONTAL																																																								
Avg.	 <p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79957 HORIZONTAL Project : RSM 1000 000KHz VBR 0.0100KHz SMT Auto Mode : FR1260819-01 Plane : 14 IPEI : Full-directivityLA23 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.56</td> <td>42.57</td> <td>-11.43</td> <td>54.00</td> <td>39.45</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>312</td> <td>220</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2389.56	42.57	-11.43	54.00	39.45	32.88	7.10	36.86	312	220	Average	HORIZONTAL	 <p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79957 HORIZONTAL Project : RSM 1000 000KHz VBR 0.0100KHz SMT Auto Mode : FR1260819-01 Plane : 14 IPEI : Full-directivityLA23 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>102.83</td> <td>48.83</td> <td>54.00</td> <td>99.94</td> <td>32.94</td> <td>7.19</td> <td>36.84</td> <td>312</td> <td>220</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2438.00	102.83	48.83	54.00	99.94	32.94	7.19	36.84	312	220	Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																													
1	2389.56	42.57	-11.43	54.00	39.45	32.88	7.10	36.86	312	220	Average	HORIZONTAL																																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																													
1	2438.00	102.83	48.83	54.00	99.94	32.94	7.19	36.84	312	220	Average	HORIZONTAL																																																								





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																	
ANT	802.11g CH06 2437MHz - R																																	
1	Horizontal	Fundamental																																
<p>Peak</p>	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79597 HORIZONTAL Project : RBM 1000 000MHz V98 3000 000MHz SRT Auto Model : FR260819-01 Plane : 14 MEI : Full-directivity1L273 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>53.78</td> <td>-20.22</td> <td>74.00</td> <td>50.37</td> <td>32.98</td> <td>7.25</td> <td>30.82</td> <td>312</td> <td>220 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2483.68	53.78	-20.22	74.00	50.37	32.98	7.25	30.82	312	220 Peak	HORIZONTAL	<p>Left blank</p>
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	2483.68	53.78	-20.22	74.00	50.37	32.98	7.25	30.82	312	220 Peak	HORIZONTAL																							
<p>Avg.</p>	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 HORIZONTAL Project : RBM 1000 000MHz V98 0.0100MHz SRT Auto Model : FR260819-01 Plane : 14 MEI : Full-directivity1L273 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>42.47</td> <td>-11.53</td> <td>54.00</td> <td>39.06</td> <td>32.98</td> <td>7.25</td> <td>30.82</td> <td>312</td> <td>220 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2483.56	42.47	-11.53	54.00	39.06	32.98	7.25	30.82	312	220 Average	HORIZONTAL	<p>Left blank</p>
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	2483.56	42.47	-11.53	54.00	39.06	32.98	7.25	30.82	312	220 Average	HORIZONTAL																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11g CH06 2437MHz - L																																																											
1	Vertical	Fundamental																																																										
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117.5N 75957 VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR260819-01 Plane : 14 JMEI : Full-directivityLA23 SN:4060880712503081 #14 Powerstting : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>52.44</td> <td>-21.56</td> <td>74.00</td> <td>49.32</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>133</td> <td>260</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV	dB/m	dB	cm	deg	1	2388.52	52.44	-21.56	74.00	49.32	32.88	7.10	36.86	133	260	Peak	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117.5N 75957 VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR260819-01 Plane : 14 JMEI : Full-directivityLA23 SN:4060880712503081 #14 Powerstting : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2436.00</td> <td>108.82</td> <td>34.82</td> <td>74.00</td> <td>105.56</td> <td>32.92</td> <td>7.19</td> <td>36.85</td> <td>133</td> <td>260</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV	dB/m	dB	cm	deg	1	2436.00	108.82	34.82	74.00	105.56	32.92	7.19	36.85	133	260	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBV/m	dB	dBV	dB/m	dB	cm	deg																																																					
1	2388.52	52.44	-21.56	74.00	49.32	32.88	7.10	36.86	133	260	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV	dB/m	dB	cm	deg																																																					
1	2436.00	108.82	34.82	74.00	105.56	32.92	7.19	36.85	133	260	Peak	VERTICAL																																																
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117.5N 75957 VERTICAL Project : RSM 1000.000MHz VBR 0.0100MHz SMT Auto Mode : FR260819-01 Plane : 14 JMEI : Full-directivityLA23 SN:4060880712503081 #14 Powerstting : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>42.08</td> <td>-11.92</td> <td>54.00</td> <td>38.96</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>133</td> <td>260</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV	dB/m	dB	cm	deg	1	2389.95	42.08	-11.92	54.00	38.96	32.88	7.10	36.86	133	260	Average	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117.5N 75957 VERTICAL Project : RSM 1000.000MHz VBR 0.0100MHz SMT Auto Mode : FR260819-01 Plane : 14 JMEI : Full-directivityLA23 SN:4060880712503081 #14 Powerstting : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2436.00</td> <td>101.34</td> <td>47.34</td> <td>54.00</td> <td>98.08</td> <td>32.92</td> <td>7.19</td> <td>36.85</td> <td>133</td> <td>260</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV	dB/m	dB	cm	deg	1	2436.00	101.34	47.34	54.00	98.08	32.92	7.19	36.85	133	260	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBV/m	dB	dBV	dB/m	dB	cm	deg																																																					
1	2389.95	42.08	-11.92	54.00	38.96	32.88	7.10	36.86	133	260	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV	dB/m	dB	cm	deg																																																					
1	2436.00	101.34	47.34	54.00	98.08	32.92	7.19	36.85	133	260	Average	VERTICAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																														
ANT	802.11g CH06 2437MHz - R																														
1	Vertical	Fundamental																													
<p>Peak</p>	 <p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 5N 75957 VERTICAL Project : RBM 1000 000MHz V98 3000 000MHz SRF Auto Model : FR260819-01 Plane : 14 MEI : Full-directivityLA23 PowerSetting : 17.5 SW : 0308050723030817 014</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>50.54</td> <td>-23.46</td> <td>74.00</td> <td>47.13</td> <td>32.98</td> <td>7.25</td> <td>30.82</td> <td>133</td> <td>260</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2483.50	50.54	-23.46	74.00	47.13	32.98	7.25	30.82	133	260	Peak	VERTICAL	<p>Left Blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	2483.50	50.54	-23.46	74.00	47.13	32.98	7.25	30.82	133	260	Peak	VERTICAL																			
<p>Avg.</p>	 <p>Site : 030805-K3 Condition : FCC PART 15C (Ave) 3m 3117 5N 75957 VERTICAL Project : RBM 1000 000MHz V98 3000 000MHz SRF Auto Model : FR260819-01 Plane : 14 MEI : Full-directivityLA23 PowerSetting : 17.5 SW : 0308050723030817 014</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>40.22</td> <td>-13.78</td> <td>54.00</td> <td>36.81</td> <td>32.98</td> <td>7.25</td> <td>30.82</td> <td>133</td> <td>260</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2483.50	40.22	-13.78	54.00	36.81	32.98	7.25	30.82	133	260	Average	VERTICAL	<p>Left Blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	2483.50	40.22	-13.78	54.00	36.81	32.98	7.25	30.82	133	260	Average	VERTICAL																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11g CH11 2462MHz																																																																			
1	Horizontal	Fundamental																																																																		
<p>Peak</p>	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Mode : FRU 260819-01 Plane : 15 IMEI : Full-directivityLA23 SN 4060880122030081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>40.15</td> <td>-13.85</td> <td>74.00</td> <td>54.74</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>311</td> <td>135</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2483.50	40.15	-13.85	74.00	54.74	32.98	7.25	36.82	311	135	Peak	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Mode : FRU 260819-01 Plane : 15 IMEI : Full-directivityLA23 SN 4060880122030081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>110.88</td> <td>36.88</td> <td>74.00</td> <td>107.53</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>311</td> <td>135</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2462.00	110.88	36.88	74.00	107.53	32.96	7.22	36.83	311	135	Peak	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																													
1	2483.50	40.15	-13.85	74.00	54.74	32.98	7.25	36.82	311	135	Peak	HORIZONTAL																																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																													
1	2462.00	110.88	36.88	74.00	107.53	32.96	7.22	36.83	311	135	Peak	HORIZONTAL																																																								
<p>Avg.</p>	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 0.010000 SMT Auto Mode : FRU 260819-01 Plane : 15 IMEI : Full-directivityLA23 SN 4060880122030081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.80</td> <td>47.30</td> <td>-6.70</td> <td>54.00</td> <td>43.89</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>311</td> <td>135</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2483.80	47.30	-6.70	54.00	43.89	32.98	7.25	36.82	311	135	Average	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 0.010000 SMT Auto Mode : FRU 260819-01 Plane : 15 IMEI : Full-directivityLA23 SN 4060880122030081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.16</td> <td>49.16</td> <td>54.00</td> <td>99.81</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>311</td> <td>135</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2462.00	103.16	49.16	54.00	99.81	32.96	7.22	36.83	311	135	Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																													
1	2483.80	47.30	-6.70	54.00	43.89	32.98	7.25	36.82	311	135	Average	HORIZONTAL																																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																													
1	2462.00	103.16	49.16	54.00	99.81	32.96	7.22	36.83	311	135	Average	HORIZONTAL																																																								



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11g CH11 2462MHz																																																																			
1	Vertical	Fundamental																																																																		
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117.5N 79597 VERTICAL Project : RSM 1000.000MHz YBR 3000.000MHz SMT Auto Mode : FRU 260819-01 Plane : 15 IMEI : Full-directivityLA23 SN:4805880712503081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.74</td> <td>54.48</td> <td>-19.92</td> <td>74.00</td> <td>51.07</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>129</td> <td>265</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg			1	2463.74	54.48	-19.92	74.00	51.07	32.98	7.25	36.82	129	265	Peak	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117.5N 79597 VERTICAL Project : RSM 1000.000MHz YBR 3000.000MHz SMT Auto Mode : FRU 260819-01 Plane : 15 IMEI : Full-directivityLA23 SN:4805880712503081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.90</td> <td>33.90</td> <td>74.00</td> <td>104.55</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>129</td> <td>265</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg			1	2462.00	102.90	33.90	74.00	104.55	32.96	7.22	36.83	129	265	Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																													
1	2463.74	54.48	-19.92	74.00	51.07	32.98	7.25	36.82	129	265	Peak	VERTICAL																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																													
1	2462.00	102.90	33.90	74.00	104.55	32.96	7.22	36.83	129	265	Peak	VERTICAL																																																								
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117.5N 79597 VERTICAL Project : RSM 1000.000MHz YBR 0.010MHz SMT Auto Mode : FRU 260819-01 Plane : 15 IMEI : Full-directivityLA23 SN:4805880712503081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.50</td> <td>42.71</td> <td>-11.29</td> <td>54.00</td> <td>39.30</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>129</td> <td>265</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg			1	2463.50	42.71	-11.29	54.00	39.30	32.98	7.25	36.82	129	265	Average	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117.5N 79597 VERTICAL Project : RSM 1000.000MHz YBR 0.010MHz SMT Auto Mode : FRU 260819-01 Plane : 15 IMEI : Full-directivityLA23 SN:4805880712503081 #14 PowerRating : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.81</td> <td>46.81</td> <td>54.00</td> <td>97.46</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>129</td> <td>265</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg			1	2462.00	100.81	46.81	54.00	97.46	32.96	7.22	36.83	129	265	Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																													
1	2463.50	42.71	-11.29	54.00	39.30	32.98	7.25	36.82	129	265	Average	VERTICAL																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																													
1	2462.00	100.81	46.81	54.00	97.46	32.96	7.22	36.83	129	265	Average	VERTICAL																																																								



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																													
ANT	802.11g CH12 2467MHz																																																																													
1	Horizontal	Fundamental																																																																												
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Mode : FR260819-01 Plane : Z JMEI : Full-directivityLA23 PowerRating : SN 4003880122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.58</td> <td>64.18</td> <td>-9.82</td> <td>74.00</td> <td>60.77</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>311</td> <td>138</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2464.58	64.18	-9.82	74.00	60.77	32.98	7.25	36.82	311	138	Peak	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Mode : FR260819-01 Plane : Z JMEI : Full-directivityLA23 PowerRating : SN 4003880122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2468.00</td> <td>107.80</td> <td>33.80</td> <td>74.00</td> <td>104.45</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>311</td> <td>138</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2468.00	107.80	33.80	74.00	104.45	32.96	7.22	36.83	311	138	Peak	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2464.58	64.18	-9.82	74.00	60.77	32.98	7.25	36.82	311	138	Peak	HORIZONTAL																																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2468.00	107.80	33.80	74.00	104.45	32.96	7.22	36.83	311	138	Peak	HORIZONTAL																																																																		
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 0.0100kHz SMT Auto Mode : FR260819-01 Plane : Z JMEI : Full-directivityLA23 PowerRating : SN 4003880122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>50.91</td> <td>-3.09</td> <td>54.00</td> <td>47.50</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>311</td> <td>138</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2483.50	50.91	-3.09	54.00	47.50	32.98	7.25	36.82	311	138	Average	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 0.0100kHz SMT Auto Mode : FR260819-01 Plane : Z JMEI : Full-directivityLA23 PowerRating : SN 4003880122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2468.00</td> <td>100.57</td> <td>46.57</td> <td>54.00</td> <td>97.22</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>311</td> <td>138</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2468.00	100.57	46.57	54.00	97.22	32.96	7.22	36.83	311	138	Average	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2483.50	50.91	-3.09	54.00	47.50	32.98	7.25	36.82	311	138	Average	HORIZONTAL																																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2468.00	100.57	46.57	54.00	97.22	32.96	7.22	36.83	311	138	Average	HORIZONTAL																																																																		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11g CH12 2467MHz																																																											
1	Vertical	Fundamental																																																										
<p>Peak</p>	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Mode : FR1260819-01 Plane : Z JMEI : Full-directivityLA23 PowerRating : SN 0000000122030001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.58</td> <td>61.64</td> <td>-12.36</td> <td>74.00</td> <td>58.23</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>394</td> <td>77</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2464.58	61.64	-12.36	74.00	58.23	32.98	7.25	36.82	394	77	Peak	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Mode : FR1260819-01 Plane : Z JMEI : Full-directivityLA23 PowerRating : SN 0000000122030001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2470.00</td> <td>106.14</td> <td>32.14</td> <td>74.00</td> <td>102.79</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>394</td> <td>77</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2470.00	106.14	32.14	74.00	102.79	32.96	7.22	36.83	394	77	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																					
1	2464.58	61.64	-12.36	74.00	58.23	32.98	7.25	36.82	394	77	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																					
1	2470.00	106.14	32.14	74.00	102.79	32.96	7.22	36.83	394	77	Peak	VERTICAL																																																
<p>Avg.</p>	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RBM 1000 000MHz YBR 0.010000 SMT Auto Mode : FR1260819-01 Plane : Z JMEI : Full-directivityLA23 PowerRating : SN 0000000122030001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.50</td> <td>49.48</td> <td>-4.52</td> <td>54.00</td> <td>46.07</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>394</td> <td>77</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2463.50	49.48	-4.52	54.00	46.07	32.98	7.25	36.82	394	77	Average	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RBM 1000 000MHz YBR 0.010000 SMT Auto Mode : FR1260819-01 Plane : Z JMEI : Full-directivityLA23 PowerRating : SN 0000000122030001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2468.00</td> <td>98.27</td> <td>44.27</td> <td>54.00</td> <td>94.92</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>394</td> <td>77</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2468.00	98.27	44.27	54.00	94.92	32.96	7.22	36.83	394	77	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																					
1	2463.50	49.48	-4.52	54.00	46.07	32.98	7.25	36.82	394	77	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																					
1	2468.00	98.27	44.27	54.00	94.92	32.96	7.22	36.83	394	77	Average	VERTICAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
1	Horizontal	Fundamental
<p>Peak</p>		
<p>Avg.</p>		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11g CH13 2472MHz																																																											
1	Vertical	Fundamental																																																										
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79597 VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR260819-01 Plane : 00 IMEI : Full-directivityLA23 SN 4805880712503081 #14 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.86</td> <td>59.61</td> <td>-14.29</td> <td>74.00</td> <td>54.20</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>395</td> <td>78</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dBm	cm	deg			1	2483.86	59.61	-14.29	74.00	54.20	32.98	7.25	36.82	395	78	Peak	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79597 VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR260819-01 Plane : 00 IMEI : Full-directivityLA23 SN 4805880712503081 #14 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>103.80</td> <td>29.80</td> <td>74.00</td> <td>100.42</td> <td>32.98</td> <td>7.22</td> <td>36.82</td> <td>395</td> <td>78</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dBm	cm	deg			1	2472.00	103.80	29.80	74.00	100.42	32.98	7.22	36.82	395	78	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
dBm	dBm	dBm	dBm	cm	deg																																																							
1	2483.86	59.61	-14.29	74.00	54.20	32.98	7.25	36.82	395	78	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
dBm	dBm	dBm	dBm	cm	deg																																																							
1	2472.00	103.80	29.80	74.00	100.42	32.98	7.22	36.82	395	78	Peak	VERTICAL																																																
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 VERTICAL Project : RSM 1000.000MHz VBR 0.01000MHz SMT Auto Mode : FR260819-01 Plane : 00 IMEI : Full-directivityLA23 SN 4805880712503081 #14 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.22</td> <td>49.52</td> <td>-4.48</td> <td>54.00</td> <td>46.11</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>395</td> <td>78</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dBm	cm	deg			1	2484.22	49.52	-4.48	54.00	46.11	32.98	7.25	36.82	395	78	Average	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 VERTICAL Project : RSM 1000.000MHz VBR 0.01000MHz SMT Auto Mode : FR260819-01 Plane : 00 IMEI : Full-directivityLA23 SN 4805880712503081 #14 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>95.84</td> <td>41.84</td> <td>54.00</td> <td>92.66</td> <td>32.98</td> <td>7.22</td> <td>36.82</td> <td>395</td> <td>78</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dBm	cm	deg			1	2472.00	95.84	41.84	54.00	92.66	32.98	7.22	36.82	395	78	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
dBm	dBm	dBm	dBm	cm	deg																																																							
1	2484.22	49.52	-4.48	54.00	46.11	32.98	7.25	36.82	395	78	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
dBm	dBm	dBm	dBm	cm	deg																																																							
1	2472.00	95.84	41.84	54.00	92.66	32.98	7.22	36.82	395	78	Average	VERTICAL																																																



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11n HT20 CH01 2412MHz																																																											
1	Horizontal	Fundamental																																																										
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 5M 75957 HORIZONTAL Project : RSM 1000 000KHz VBR 3000 000KHz SRT Auto Mode : (FR)260819-01 Plane : Z Full-directivity:LA23 SN:600208012352008T #14 IMEI : Powerstting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.39</td> <td>58.85</td> <td>-15.15</td> <td>74.00</td> <td>55.73</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>357</td> <td>139</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	deg	deg		1	2388.39	58.85	-15.15	74.00	55.73	32.88	7.10	36.86	357	139	Peak	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 5M 75957 HORIZONTAL Project : RSM 1000 000KHz VBR 3000 000KHz SRT Auto Mode : (FR)260819-01 Plane : Z Full-directivity:LA23 SN:600208012352008T #14 IMEI : Powerstting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2414.00</td> <td>110.69</td> <td>36.69</td> <td>74.00</td> <td>107.51</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>357</td> <td>139</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	deg	deg		1	2414.00	110.69	36.69	74.00	107.51	32.90	7.13	36.85	357	139	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	deg	deg																																																						
1	2388.39	58.85	-15.15	74.00	55.73	32.88	7.10	36.86	357	139	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	deg	deg																																																						
1	2414.00	110.69	36.69	74.00	107.51	32.90	7.13	36.85	357	139	Peak	HORIZONTAL																																																
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 5M 75957 HORIZONTAL Project : RSM 1000 000KHz VBR 3000 000KHz SRT Auto Mode : (FR)260819-01 Plane : Z Full-directivity:LA23 SN:600208012352008T #14 IMEI : Powerstting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>47.09</td> <td>-6.91</td> <td>54.00</td> <td>43.97</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>357</td> <td>139</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	deg	deg		1	2389.95	47.09	-6.91	54.00	43.97	32.88	7.10	36.86	357	139	Average	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 5M 75957 HORIZONTAL Project : RSM 1000 000KHz VBR 3000 000KHz SRT Auto Mode : (FR)260819-01 Plane : Z Full-directivity:LA23 SN:600208012352008T #14 IMEI : Powerstting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.02</td> <td>49.02</td> <td>54.00</td> <td>99.84</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>357</td> <td>139</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	deg	deg		1	2412.00	103.02	49.02	54.00	99.84	32.90	7.13	36.85	357	139	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	deg	deg																																																						
1	2389.95	47.09	-6.91	54.00	43.97	32.88	7.10	36.86	357	139	Average	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	deg	deg																																																						
1	2412.00	103.02	49.02	54.00	99.84	32.90	7.13	36.85	357	139	Average	HORIZONTAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11n HT20 CH01 2412MHz																																																																			
1	Vertical	Fundamental																																																																		
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : FRU 260819-01 Plane : 10 Z : 2 Full-directivityL23 SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>PowerRating</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.10</td> <td>54.76</td> <td>-19.24</td> <td>74.00</td> <td>51.67</td> <td>32.86</td> <td>7.10</td> <td>36.87</td> <td>116</td> <td>258 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	PowerRating	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg			1	2384.10	54.76	-19.24	74.00	51.67	32.86	7.10	36.87	116	258 Peak VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : FRU 260819-01 Plane : 10 Z : 2 Full-directivityL23 SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>PowerRating</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2414.00</td> <td>107.78</td> <td>33.78</td> <td>74.00</td> <td>104.40</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>116</td> <td>258 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	PowerRating	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg			1	2414.00	107.78	33.78	74.00	104.40	32.90	7.13	36.85	116	258 Peak VERTICAL
	MEI	PowerRating	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg																																																												
1	2384.10	54.76	-19.24	74.00	51.67	32.86	7.10	36.87	116	258 Peak VERTICAL																																																										
MEI	PowerRating	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg																																																												
1	2414.00	107.78	33.78	74.00	104.40	32.90	7.13	36.85	116	258 Peak VERTICAL																																																										
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VBR 0.0100Hz SMT Auto Mode : FRU 260819-01 Plane : 10 Z : 2 Full-directivityL23 SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>PowerRating</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>43.99</td> <td>-10.01</td> <td>54.00</td> <td>40.87</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>116</td> <td>258 Average VERTICAL</td> </tr> </tbody> </table>	MEI	PowerRating	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg			1	2389.95	43.99	-10.01	54.00	40.87	32.88	7.10	36.86	116	258 Average VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VBR 0.0100Hz SMT Auto Mode : FRU 260819-01 Plane : 10 Z : 2 Full-directivityL23 SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>PowerRating</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>100.18</td> <td>46.18</td> <td>54.00</td> <td>97.00</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>116</td> <td>258 Average VERTICAL</td> </tr> </tbody> </table>	MEI	PowerRating	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg			1	2412.00	100.18	46.18	54.00	97.00	32.90	7.13	36.85	116	258 Average VERTICAL
	MEI	PowerRating	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg																																																												
1	2389.95	43.99	-10.01	54.00	40.87	32.88	7.10	36.86	116	258 Average VERTICAL																																																										
MEI	PowerRating	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg																																																												
1	2412.00	100.18	46.18	54.00	97.00	32.90	7.13	36.85	116	258 Average VERTICAL																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11n HT20 CH06 2437MHz - L																																																											
1	Horizontal	Fundamental																																																										
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79597 HORIZONTAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : (FR)260819-01 Plane : 17 IMEI : Full-directivityLA23 PowerRating : SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.56</td> <td>53.01</td> <td>-20.99</td> <td>74.00</td> <td>49.89</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>312</td> <td>220</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2389.56	53.01	-20.99	74.00	49.89	32.88	7.10	36.86	312	220	Peak	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79597 HORIZONTAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : (FR)260819-01 Plane : 17 IMEI : Full-directivityLA23 PowerRating : SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>108.76</td> <td>34.76</td> <td>74.00</td> <td>105.47</td> <td>32.94</td> <td>7.19</td> <td>36.84</td> <td>312</td> <td>220</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2438.00	108.76	34.76	74.00	105.47	32.94	7.19	36.84	312	220	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																					
1	2389.56	53.01	-20.99	74.00	49.89	32.88	7.10	36.86	312	220	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																					
1	2438.00	108.76	34.76	74.00	105.47	32.94	7.19	36.84	312	220	Peak	HORIZONTAL																																																
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 HORIZONTAL Project : RSM 1000 000MHz VBR 0.01000u SMT Auto Mode : (FR)260819-01 Plane : 17 IMEI : Full-directivityLA23 PowerRating : SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>42.77</td> <td>-11.23</td> <td>54.00</td> <td>39.65</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>312</td> <td>220</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2389.95	42.77	-11.23	54.00	39.65	32.88	7.10	36.86	312	220	Average	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 HORIZONTAL Project : RSM 1000 000MHz VBR 0.01000u SMT Auto Mode : (FR)260819-01 Plane : 17 IMEI : Full-directivityLA23 PowerRating : SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>101.99</td> <td>47.99</td> <td>54.00</td> <td>98.70</td> <td>32.94</td> <td>7.19</td> <td>36.84</td> <td>312</td> <td>220</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2438.00	101.99	47.99	54.00	98.70	32.94	7.19	36.84	312	220	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																					
1	2389.95	42.77	-11.23	54.00	39.65	32.88	7.10	36.86	312	220	Average	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																					
1	2438.00	101.99	47.99	54.00	98.70	32.94	7.19	36.84	312	220	Average	HORIZONTAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																														
ANT	802.11n HT20 CH06 2437MHz - R																														
1	Horizontal	Fundamental																													
<p>Peak</p>	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RBM 1000 000MHz V98 3000 000MHz SRT Auto Model : FR260819-01 Plane : 17 MEI : Full-directivityLA23 PowerRating : SN 080208072303081 414</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>53.94</td> <td>-20.06</td> <td>74.00</td> <td>50.53</td> <td>32.98</td> <td>7.25</td> <td>30.82</td> <td>312</td> <td>220</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2483.50	53.94	-20.06	74.00	50.53	32.98	7.25	30.82	312	220	Peak	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	2483.50	53.94	-20.06	74.00	50.53	32.98	7.25	30.82	312	220	Peak	HORIZONTAL																			
<p>Avg.</p>	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RBM 1000 000MHz V98 0.0100MHz SRT Auto Model : FR260819-01 Plane : 17 MEI : Full-directivityLA23 PowerRating : SN 080208072303081 414</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>42.45</td> <td>-11.55</td> <td>54.00</td> <td>39.04</td> <td>32.98</td> <td>7.25</td> <td>30.82</td> <td>312</td> <td>220</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2483.50	42.45	-11.55	54.00	39.04	32.98	7.25	30.82	312	220	Average	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	2483.50	42.45	-11.55	54.00	39.04	32.98	7.25	30.82	312	220	Average	HORIZONTAL																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT20 CH06 2437MHz - L																																																																					
1	Vertical	Fundamental																																																																				
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79597 VERTICAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : FR260819-01 Plane : 17 IMEI : Full-directivityLA23 SN:000000122030081 #14 Powerstting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.13</td> <td>52.30</td> <td>-21.70</td> <td>74.00</td> <td>49.16</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>133</td> <td>260 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	cm	deg	cm	deg	1	2388.13	52.30	-21.70	74.00	49.16	32.88	7.10	36.86	133	260 Peak	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79597 VERTICAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : FR260819-01 Plane : 17 IMEI : Full-directivityLA23 SN:000000122030081 #14 Powerstting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2436.00</td> <td>102.90</td> <td>33.90</td> <td>74.00</td> <td>104.64</td> <td>32.92</td> <td>7.19</td> <td>36.85</td> <td>133</td> <td>260 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	cm	deg	cm	deg	1	2436.00	102.90	33.90	74.00	104.64	32.92	7.19	36.85	133	260 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	cm	deg	cm	deg																																																												
1	2388.13	52.30	-21.70	74.00	49.16	32.88	7.10	36.86	133	260 Peak	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	cm	deg	cm	deg																																																												
1	2436.00	102.90	33.90	74.00	104.64	32.92	7.19	36.85	133	260 Peak	VERTICAL																																																											
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79597 VERTICAL Project : RSM 1000 000MHz VBR 0.01000u SMT Auto Mode : FR260819-01 Plane : 17 IMEI : Full-directivityLA23 SN:000000122030081 #14 Powerstting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>42.04</td> <td>-11.90</td> <td>54.00</td> <td>38.92</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>133</td> <td>260 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	cm	deg	cm	deg	1	2389.95	42.04	-11.90	54.00	38.92	32.88	7.10	36.86	133	260 Average	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79597 VERTICAL Project : RSM 1000 000MHz VBR 0.01000u SMT Auto Mode : FR260819-01 Plane : 17 IMEI : Full-directivityLA23 SN:000000122030081 #14 Powerstting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2436.00</td> <td>100.58</td> <td>46.58</td> <td>54.00</td> <td>97.32</td> <td>32.92</td> <td>7.19</td> <td>36.85</td> <td>133</td> <td>260 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	cm	deg	cm	deg	1	2436.00	100.58	46.58	54.00	97.32	32.92	7.19	36.85	133	260 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	cm	deg	cm	deg																																																												
1	2389.95	42.04	-11.90	54.00	38.92	32.88	7.10	36.86	133	260 Average	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	cm	deg	cm	deg																																																												
1	2436.00	100.58	46.58	54.00	97.32	32.92	7.19	36.85	133	260 Average	VERTICAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH06 2437MHz - R																																
1	Vertical	Fundamental																															
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VSW: 3000.000MHz SMT Auto FR260819-01 Mode : 17 Plane : Full-dipole IMEI : SN:082080723203087 414</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>50.48</td> <td>-23.52</td> <td>74.00</td> <td>47.07</td> <td>32.98</td> <td>7.25</td> <td>30.82</td> <td>133</td> <td>260</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg		1	2483.74	50.48	-23.52	74.00	47.07	32.98	7.25	30.82	133	260	Peak	VERTICAL	<p>Left Blank</p>
PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																										
1	2483.74	50.48	-23.52	74.00	47.07	32.98	7.25	30.82	133	260	Peak	VERTICAL																					
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000MHz VSW: 3.0100MHz SMT Auto FR260819-01 Mode : 17 Plane : Full-dipole IMEI : SN:082080723203087 414</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>40.18</td> <td>-13.82</td> <td>54.00</td> <td>36.77</td> <td>32.98</td> <td>7.25</td> <td>30.82</td> <td>133</td> <td>260</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg		1	2483.55	40.18	-13.82	54.00	36.77	32.98	7.25	30.82	133	260	Average	VERTICAL	<p>Left Blank</p>
PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																										
1	2483.55	40.18	-13.82	54.00	36.77	32.98	7.25	30.82	133	260	Average	VERTICAL																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																									
ANT	802.11n HT20 CH11 2462MHz																																									
1	Horizontal	Fundamental																																								
<p>Peak</p>	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>2462.34</td> <td>59.34</td> <td>-14.66</td> <td>74.00</td> <td>55.93</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>310</td> <td>146 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	2462.34	59.34	-14.66	74.00	55.93	32.98	7.25	36.82	310	146 Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>2462.00</td> <td>110.69</td> <td>36.69</td> <td>74.00</td> <td>107.34</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>310</td> <td>146 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	2462.00	110.69	36.69	74.00	107.34	32.96	7.22	36.83	310	146 Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																	
2462.34	59.34	-14.66	74.00	55.93	32.98	7.25	36.82	310	146 Peak																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																	
2462.00	110.69	36.69	74.00	107.34	32.96	7.22	36.83	310	146 Peak																																	
<p>Avg.</p>	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>2463.74</td> <td>46.93</td> <td>-7.07</td> <td>54.00</td> <td>43.52</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>310</td> <td>146 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	2463.74	46.93	-7.07	54.00	43.52	32.98	7.25	36.82	310	146 Average	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>2462.00</td> <td>102.79</td> <td>48.79</td> <td>54.00</td> <td>99.44</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>310</td> <td>146 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	2462.00	102.79	48.79	54.00	99.44	32.96	7.22	36.83	310	146 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																	
2463.74	46.93	-7.07	54.00	43.52	32.98	7.25	36.82	310	146 Average																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																	
2462.00	102.79	48.79	54.00	99.44	32.96	7.22	36.83	310	146 Average																																	



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																	
ANT	802.11n HT20 CH11 2462MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117.5N 79957 VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR260819-01 Plane : 18 JMEI : Full-directivityLA23 PowerSetting : SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.80</td> <td>55.00</td> <td>-19.00</td> <td>74.00</td> <td>51.99</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>127</td> <td>264 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2463.80	55.00	-19.00	74.00	51.99	32.98	7.25	36.82	127	264 Peak	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117.5N 79957 VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR260819-01 Plane : 18 JMEI : Full-directivityLA23 PowerSetting : SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.00</td> <td>107.39</td> <td>33.39</td> <td>74.00</td> <td>104.04</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>127</td> <td>264 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2464.00	107.39	33.39	74.00	104.04	32.96	7.22	36.83	127	264 Peak	VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	2463.80	55.00	-19.00	74.00	51.99	32.98	7.25	36.82	127	264 Peak	VERTICAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	2464.00	107.39	33.39	74.00	104.04	32.96	7.22	36.83	127	264 Peak	VERTICAL																																																							
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117.5N 79957 VERTICAL Project : RSM 1000.000MHz VBR 0.0100MHz SMT Auto Mode : FR260819-01 Plane : 18 JMEI : Full-directivityLA23 PowerSetting : SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.56</td> <td>42.52</td> <td>-11.48</td> <td>54.00</td> <td>39.11</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>127</td> <td>264 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2463.56	42.52	-11.48	54.00	39.11	32.98	7.25	36.82	127	264 Average	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117.5N 79957 VERTICAL Project : RSM 1000.000MHz VBR 0.0100MHz SMT Auto Mode : FR260819-01 Plane : 18 JMEI : Full-directivityLA23 PowerSetting : SN 0000000122030081 #14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.00</td> <td>100.50</td> <td>46.50</td> <td>54.00</td> <td>97.15</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>127</td> <td>264 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2464.00	100.50	46.50	54.00	97.15	32.96	7.22	36.83	127	264 Average	VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	2463.56	42.52	-11.48	54.00	39.11	32.98	7.25	36.82	127	264 Average	VERTICAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	2464.00	100.50	46.50	54.00	97.15	32.96	7.22	36.83	127	264 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11n HT20 CH12 2467MHz																																																													
1	Horizontal	Fundamental																																																												
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Mode : 01 Plane : 2 IMEI : Full-directivityLA23 SN 4063880122630081 #14 PowerRating : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2485.06</td> <td>63.45</td> <td>-10.55</td> <td>74.00</td> <td>60.04</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>312 144 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2485.06	63.45	-10.55	74.00	60.04	32.98	7.25	36.82	312 144 Peak	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Mode : 01 Plane : 2 IMEI : Full-directivityLA23 SN 4063880122630081 #14 PowerRating : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2462.00</td> <td>107.50</td> <td>33.50</td> <td>74.00</td> <td>104.15</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>312 144 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2462.00	107.50	33.50	74.00	104.15	32.96	7.22	36.83	312 144 Peak	HORIZONTAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2485.06	63.45	-10.55	74.00	60.04	32.98	7.25	36.82	312 144 Peak	HORIZONTAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2462.00	107.50	33.50	74.00	104.15	32.96	7.22	36.83	312 144 Peak	HORIZONTAL																																																					
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Mode : 01 Plane : 2 IMEI : Full-directivityLA23 SN 4063880122630081 #14 PowerRating : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>50.85</td> <td>-3.15</td> <td>54.00</td> <td>47.44</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>312 144 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2483.50	50.85	-3.15	54.00	47.44	32.98	7.25	36.82	312 144 Average	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Mode : 01 Plane : 2 IMEI : Full-directivityLA23 SN 4063880122630081 #14 PowerRating : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2466.00</td> <td>99.79</td> <td>45.79</td> <td>54.00</td> <td>96.44</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>312 144 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2466.00	99.79	45.79	54.00	96.44	32.96	7.22	36.83	312 144 Average	HORIZONTAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2483.50	50.85	-3.15	54.00	47.44	32.98	7.25	36.82	312 144 Average	HORIZONTAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2466.00	99.79	45.79	54.00	96.44	32.96	7.22	36.83	312 144 Average	HORIZONTAL																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11n HT20 CH12 2467MHz																																																											
1	Vertical	Fundamental																																																										
Peak	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79597 VERTICAL Project : RBM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : (FR)260819-01 Plane : 01 IMEI : Full-directivityLA23 SN 0000000122030081 #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.86</td> <td>40.97</td> <td>-13.03</td> <td>74.00</td> <td>57.56</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>392</td> <td>79</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg		1	2483.86	40.97	-13.03	74.00	57.56	32.98	7.25	36.82	392	79	Peak	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3m 3117 SN 79597 VERTICAL Project : RBM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : (FR)260819-01 Plane : 01 IMEI : Full-directivityLA23 SN 0000000122030081 #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2470.00</td> <td>105.66</td> <td>31.06</td> <td>74.00</td> <td>101.71</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>392</td> <td>79</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg		1	2470.00	105.66	31.06	74.00	101.71	32.96	7.22	36.83	392	79	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dBm	cm	deg																																																						
1	2483.86	40.97	-13.03	74.00	57.56	32.98	7.25	36.82	392	79	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	cm	deg																																																						
1	2470.00	105.66	31.06	74.00	101.71	32.96	7.22	36.83	392	79	Peak	VERTICAL																																																
Avg.	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 VERTICAL Project : RBM 1000 000MHz VBR 0.010000 SMT Auto Mode : (FR)260819-01 Plane : 01 IMEI : Full-directivityLA23 SN 0000000122030081 #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>48.74</td> <td>-5.26</td> <td>54.00</td> <td>45.33</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>392</td> <td>79</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg		1	2483.50	48.74	-5.26	54.00	45.33	32.98	7.25	36.82	392	79	Average	VERTICAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 VERTICAL Project : RBM 1000 000MHz VBR 0.010000 SMT Auto Mode : (FR)260819-01 Plane : 01 IMEI : Full-directivityLA23 SN 0000000122030081 #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2468.00</td> <td>97.25</td> <td>43.25</td> <td>54.00</td> <td>93.90</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>392</td> <td>79</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg		1	2468.00	97.25	43.25	54.00	93.90	32.96	7.22	36.83	392	79	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dBm	cm	deg																																																						
1	2483.50	48.74	-5.26	54.00	45.33	32.98	7.25	36.82	392	79	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	cm	deg																																																						
1	2468.00	97.25	43.25	54.00	93.90	32.96	7.22	36.83	392	79	Average	VERTICAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11n HT20 CH13 2472MHz																																																																	
1	Horizontal	Fundamental																																																																
<p>Peak</p>	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117.5N 79567 HORIZONTAL Project : RBM 1000.000MHz YBR 3000.000MHz SMT Auto Mode : (FR)260819-01 Plane : 02 IMEI : Full-directivityLA23 SN:000000122030081 #14 PowerRating : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.94</td> <td>60.86</td> <td>-13.14</td> <td>74.00</td> <td>57.45</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>275</td> <td>136 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2484.94	60.86	-13.14	74.00	57.45	32.98	7.25	36.82	275	136 Peak	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117.5N 79567 HORIZONTAL Project : RBM 1000.000MHz YBR 3000.000MHz SMT Auto Mode : (FR)260819-01 Plane : 02 IMEI : Full-directivityLA23 SN:000000122030081 #14 PowerRating : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>100.98</td> <td>26.98</td> <td>74.00</td> <td>97.57</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>275</td> <td>136 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2474.00	100.98	26.98	74.00	97.57	32.98	7.25	36.82	275	136 Peak	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	2484.94	60.86	-13.14	74.00	57.45	32.98	7.25	36.82	275	136 Peak	HORIZONTAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	2474.00	100.98	26.98	74.00	97.57	32.98	7.25	36.82	275	136 Peak	HORIZONTAL																																																							
<p>Avg.</p>	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117.5N 79567 HORIZONTAL Project : RBM 1000.000MHz YBR 3000.000MHz SMT Auto Mode : (FR)260819-01 Plane : 02 IMEI : Full-directivityLA23 SN:000000122030081 #14 PowerRating : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>50.37</td> <td>-3.63</td> <td>54.00</td> <td>46.96</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>275</td> <td>136 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2483.50	50.37	-3.63	54.00	46.96	32.98	7.25	36.82	275	136 Average	HORIZONTAL	<p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117.5N 79567 HORIZONTAL Project : RBM 1000.000MHz YBR 3000.000MHz SMT Auto Mode : (FR)260819-01 Plane : 02 IMEI : Full-directivityLA23 SN:000000122030081 #14 PowerRating : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2470.00</td> <td>93.66</td> <td>39.66</td> <td>54.00</td> <td>90.31</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>275</td> <td>136 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	2470.00	93.66	39.66	54.00	90.31	32.96	7.22	36.83	275	136 Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	2483.50	50.37	-3.63	54.00	46.96	32.98	7.25	36.82	275	136 Average	HORIZONTAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																											
1	2470.00	93.66	39.66	54.00	90.31	32.96	7.22	36.83	275	136 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11n HT20 CH13 2472MHz																																																											
1	Vertical	Fundamental																																																										
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 5N 79957 VERTICAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : (FR)260819-01 Plane : 02 FME : Full-directivityLA23 PowerSetting : 7.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBµV/m</th> <th>dB</th> <th>dBµV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.02</td> <td>60.96</td> <td>-13.04</td> <td>74.00</td> <td>57.55</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>394</td> <td>77</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBµV/m	dB	dBµV/m	dB	dB	cm	deg	1	2483.02	60.96	-13.04	74.00	57.55	32.98	7.25	36.82	394	77	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-K3 Condition : FCC PART 15C 3e 3117 5N 79957 VERTICAL Project : RSM 1000 000MHz VBR 3000 000MHz SMT Auto Mode : (FR)260819-01 Plane : 02 FME : Full-directivityLA23 PowerSetting : 7.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBµV/m</th> <th>dB</th> <th>dBµV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>100.59</td> <td>26.59</td> <td>74.00</td> <td>97.21</td> <td>32.98</td> <td>7.22</td> <td>36.82</td> <td>394</td> <td>77</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBµV/m	dB	dBµV/m	dB	dB	cm	deg	1	2472.00	100.59	26.59	74.00	97.21	32.98	7.22	36.82	394	77	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBµV/m	dB	dBµV/m	dB	dB	cm	deg																																																					
1	2483.02	60.96	-13.04	74.00	57.55	32.98	7.25	36.82	394	77	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBµV/m	dB	dBµV/m	dB	dB	cm	deg																																																					
1	2472.00	100.59	26.59	74.00	97.21	32.98	7.22	36.82	394	77	Peak	VERTICAL																																																
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 5N 79957 VERTICAL Project : RSM 1000 000MHz VBR 0.0100MHz SMT Auto Mode : (FR)260819-01 Plane : 02 FME : Full-directivityLA23 PowerSetting : 7.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBµV/m</th> <th>dB</th> <th>dBµV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>49.50</td> <td>-4.50</td> <td>54.00</td> <td>46.09</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>394</td> <td>77</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBµV/m	dB	dBµV/m	dB	dB	cm	deg	1	2483.50	49.50	-4.50	54.00	46.09	32.98	7.25	36.82	394	77	Average	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-K3 Condition : FCC PART 15C (AVG) 3e 3117 5N 79957 VERTICAL Project : RSM 1000 000MHz VBR 0.0100MHz SMT Auto Mode : (FR)260819-01 Plane : 02 FME : Full-directivityLA23 PowerSetting : 7.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBµV/m</th> <th>dB</th> <th>dBµV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>91.70</td> <td>37.70</td> <td>54.00</td> <td>88.32</td> <td>32.98</td> <td>7.22</td> <td>36.82</td> <td>394</td> <td>77</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBµV/m	dB	dBµV/m	dB	dB	cm	deg	1	2472.00	91.70	37.70	54.00	88.32	32.98	7.22	36.82	394	77	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBµV/m	dB	dBµV/m	dB	dB	cm	deg																																																					
1	2483.50	49.50	-4.50	54.00	46.09	32.98	7.25	36.82	394	77	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBµV/m	dB	dBµV/m	dB	dB	cm	deg																																																					
1	2472.00	91.70	37.70	54.00	88.32	32.98	7.22	36.82	394	77	Average	VERTICAL																																																



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																									
ANT	802.11b CH01 2412MHz																																																									
1	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 75957 HORIZONTAL Project : RSM 1000 000KHz VSR 3000 000KHz SRT Auto Mode : FR260819-01 Plane : Z Full-directivity:LA23 SN 000000123030001 #14 IWEI PowerSetting : 19.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>44.69</td> <td>-29.31</td> <td>74.00</td> <td>65.62</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	1	4830.00	44.69	-29.31	74.00	65.62	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 75957 VERTICAL Project : RSM 1000 000KHz VSR 3000 000KHz SRT Auto Mode : FR260819-01 Plane : Z Full-directivity:LA23 SN 000000123030001 #14 IWEI PowerSetting : 19.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>46.42</td> <td>-27.58</td> <td>74.00</td> <td>67.35</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	1	4830.00	46.42	-27.58	74.00	67.35	34.20	10.25	65.38	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																			
1	4830.00	44.69	-29.31	74.00	65.62	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																			
1	4830.00	46.42	-27.58	74.00	67.35	34.20	10.25	65.38	100	0 Peak	VERTICAL																																															



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																						
ANT	802.11b CH06 2437MHz																																																																																																						
1	Horizontal	Vertical																																																																																																					
Peak Avg.	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTA Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Model : EFD 100819-01 Plane : 1 Full-directivity: LA23 IMEI : 86 300308112333001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>46.15</td> <td>-27.85</td> <td>74.00</td> <td>67.05</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>51.26</td> <td>-22.74</td> <td>74.00</td> <td>68.59</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>217</td> <td>330</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>3</td> <td>7305.00</td> <td>46.99</td> <td>-17.01</td> <td>54.00</td> <td>64.32</td> <td>30.66</td> <td>12.72</td> <td>65.91</td> <td>217</td> <td>330</td> <td>Average</td> <td>HORIZONT</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Model : EFD 100819-01 Plane : 2 Full-directivity: LA23 IMEI : 86 300308112333001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>47.30</td> <td>-26.70</td> <td>74.00</td> <td>68.20</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>46.89</td> <td>-27.11</td> <td>74.00</td> <td>64.22</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table> </div> </div>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg	1	4875.00	46.15	-27.85	74.00	67.05	34.23	10.29	65.42	300	0	Peak	HORIZONT	2	7305.00	51.26	-22.74	74.00	68.59	35.86	12.72	65.91	217	330	Peak	HORIZONT	3	7305.00	46.99	-17.01	54.00	64.32	30.66	12.72	65.91	217	330	Average	HORIZONT	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg	1	4875.00	47.30	-26.70	74.00	68.20	34.23	10.29	65.42	100	0	Peak	VERTICAL	2	7305.00	46.89	-27.11	74.00	64.22	35.86	12.72	65.91	100	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg																																																																																															
1	4875.00	46.15	-27.85	74.00	67.05	34.23	10.29	65.42	300	0	Peak	HORIZONT																																																																																											
2	7305.00	51.26	-22.74	74.00	68.59	35.86	12.72	65.91	217	330	Peak	HORIZONT																																																																																											
3	7305.00	46.99	-17.01	54.00	64.32	30.66	12.72	65.91	217	330	Average	HORIZONT																																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg																																																																																															
1	4875.00	47.30	-26.70	74.00	68.20	34.23	10.29	65.42	100	0	Peak	VERTICAL																																																																																											
2	7305.00	46.89	-27.11	74.00	64.22	35.86	12.72	65.91	100	0	Peak	VERTICAL																																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																															
ANT	802.11b CH11 2462MHz																																																																																															
1	Horizontal	Vertical																																																																																														
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000kHz VBR 3000 000kHz SMT Auto Mode : 12 Plane : Z Full-directivityL423 IMEI : 86 300080122030081 #14</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>10.5</th> </tr> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>47.50</td> <td>-26.50</td> <td>74.00</td> <td>68.35</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>51.98</td> <td>-22.63</td> <td>74.00</td> <td>68.88</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>175</td> <td>331 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>7380.00</td> <td>46.92</td> <td>-11.98</td> <td>54.00</td> <td>64.42</td> <td>30.88</td> <td>12.73</td> <td>66.11</td> <td>175</td> <td>331 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	PowerSetting	10.5	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	1	4920.00	47.50	-26.50	74.00	68.35	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2	7380.00	51.98	-22.63	74.00	68.88	35.88	12.73	66.11	175	331 Peak	HORIZONTAL	3	7380.00	46.92	-11.98	54.00	64.42	30.88	12.73	66.11	175	331 Average	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000kHz VBR 3000 000kHz SMT Auto Mode : 12 Plane : Z Full-directivityL423 IMEI : 86 300080122030081 #14</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>10.5</th> </tr> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>48.84</td> <td>-25.16</td> <td>74.00</td> <td>69.69</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>47.50</td> <td>-26.44</td> <td>74.00</td> <td>65.06</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	PowerSetting	10.5	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	1	4920.00	48.84	-25.16	74.00	69.69	34.26	10.34	65.45	100	0 Peak	VERTICAL	2	7380.00	47.50	-26.44	74.00	65.06	35.88	12.73	66.11	100	0 Peak	VERTICAL
	PowerSetting	10.5																																																																																														
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																									
1	4920.00	47.50	-26.50	74.00	68.35	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																																					
2	7380.00	51.98	-22.63	74.00	68.88	35.88	12.73	66.11	175	331 Peak	HORIZONTAL																																																																																					
3	7380.00	46.92	-11.98	54.00	64.42	30.88	12.73	66.11	175	331 Average	HORIZONTAL																																																																																					
PowerSetting	10.5																																																																																															
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																									
1	4920.00	48.84	-25.16	74.00	69.69	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																																					
2	7380.00	47.50	-26.44	74.00	65.06	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11b CH12 2467MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : ESD 100819-01 Plane : 2 Full-directivityLAD3 IM1 : 08 00000012203001 #14 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>45.76</td> <td>-28.24</td> <td>74.00</td> <td>66.58</td> <td>34.26</td> <td>10.37</td> <td>65.45</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>47.26</td> <td>-26.74</td> <td>74.00</td> <td>64.86</td> <td>35.88</td> <td>12.73</td> <td>66.21</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	1	4935.00	45.76	-28.24	74.00	66.58	34.26	10.37	65.45	300	0	Peak	HORIZONTAL	2	7401.00	47.26	-26.74	74.00	64.86	35.88	12.73	66.21	300	0	Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : ESD 100819-01 Plane : 2 Full-directivityLAD3 IM1 : 08 00000012203001 #14 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>46.12</td> <td>-27.88</td> <td>74.00</td> <td>66.94</td> <td>34.26</td> <td>10.37</td> <td>65.45</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>45.48</td> <td>-28.52</td> <td>74.00</td> <td>63.08</td> <td>35.88</td> <td>12.73</td> <td>66.21</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	1	4935.00	46.12	-27.88	74.00	66.94	34.26	10.37	65.45	100	0	Peak	VERTICAL	2	7401.00	45.48	-28.52	74.00	63.08	35.88	12.73	66.21	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB																																																																																		
1	4935.00	45.76	-28.24	74.00	66.58	34.26	10.37	65.45	300	0	Peak	HORIZONTAL																																																																														
2	7401.00	47.26	-26.74	74.00	64.86	35.88	12.73	66.21	300	0	Peak	HORIZONTAL																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB																																																																																		
1	4935.00	46.12	-27.88	74.00	66.94	34.26	10.37	65.45	100	0	Peak	VERTICAL																																																																														
2	7401.00	45.48	-28.52	74.00	63.08	35.88	12.73	66.21	100	0	Peak	VERTICAL																																																																														



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11b CH13 2472MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 HORIZONTAL Project : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto FR260819-01 Mode : SB Plane : Z Full-directivity:LA23 SB:0002080122030001 #14 IMEI : PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm/1m</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>42.43</td> <td>-31.57</td> <td>74.00</td> <td>63.23</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>43.37</td> <td>-30.63</td> <td>74.00</td> <td>60.94</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm/1m	dBm/1m	dB	dB	dB	cm	deg			1	4950.00	42.43	-31.57	74.00	63.23	34.27	10.39	65.46	300	0	Peak	HORIZONTAL	2	7416.00	43.37	-30.63	74.00	60.94	35.88	12.76	66.21	300	0	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 VERTICAL Project : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto FR260819-01 Mode : SB Plane : Z Full-directivity:LA23 SB:0002080122030001 #14 IMEI : PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm/1m</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>43.22</td> <td>-30.71</td> <td>74.00</td> <td>64.09</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.72</td> <td>-31.28</td> <td>74.00</td> <td>60.29</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm/1m	dBm/1m	dB	dB	dB	cm	deg			1	4950.00	43.22	-30.71	74.00	64.09	34.27	10.39	65.46	100	0	Peak	VERTICAL	2	7416.00	42.72	-31.28	74.00	60.29	35.88	12.76	66.21	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
dBm/1m	dBm/1m	dB	dB	dB	cm	deg																																																																																				
1	4950.00	42.43	-31.57	74.00	63.23	34.27	10.39	65.46	300	0	Peak	HORIZONTAL																																																																														
2	7416.00	43.37	-30.63	74.00	60.94	35.88	12.76	66.21	300	0	Peak	HORIZONTAL																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
dBm/1m	dBm/1m	dB	dB	dB	cm	deg																																																																																				
1	4950.00	43.22	-30.71	74.00	64.09	34.27	10.39	65.46	100	0	Peak	VERTICAL																																																																														
2	7416.00	42.72	-31.28	74.00	60.29	35.88	12.76	66.21	100	0	Peak	VERTICAL																																																																														
	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 HORIZONTAL Project : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto FR260819-01 Mode : SB Plane : Z Full-directivity:LA23 SB:0002080122030001 #14 IMEI : PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm/1m</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>42.43</td> <td>-31.57</td> <td>74.00</td> <td>63.23</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>300</td> <td>0</td> <td>Avg.</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>43.37</td> <td>-30.63</td> <td>74.00</td> <td>60.94</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0</td> <td>Avg.</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm/1m	dBm/1m	dB	dB	dB	cm	deg			1	4950.00	42.43	-31.57	74.00	63.23	34.27	10.39	65.46	300	0	Avg.	HORIZONTAL	2	7416.00	43.37	-30.63	74.00	60.94	35.88	12.76	66.21	300	0	Avg.	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 VERTICAL Project : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto FR260819-01 Mode : SB Plane : Z Full-directivity:LA23 SB:0002080122030001 #14 IMEI : PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm/1m</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>43.22</td> <td>-30.71</td> <td>74.00</td> <td>64.09</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0</td> <td>Avg.</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.72</td> <td>-31.28</td> <td>74.00</td> <td>60.29</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>100</td> <td>0</td> <td>Avg.</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm/1m	dBm/1m	dB	dB	dB	cm	deg			1	4950.00	43.22	-30.71	74.00	64.09	34.27	10.39	65.46	100	0	Avg.	VERTICAL	2	7416.00	42.72	-31.28	74.00	60.29	35.88	12.76	66.21	100	0	Avg.	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
dBm/1m	dBm/1m	dB	dB	dB	cm	deg																																																																																				
1	4950.00	42.43	-31.57	74.00	63.23	34.27	10.39	65.46	300	0	Avg.	HORIZONTAL																																																																														
2	7416.00	43.37	-30.63	74.00	60.94	35.88	12.76	66.21	300	0	Avg.	HORIZONTAL																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
dBm/1m	dBm/1m	dB	dB	dB	cm	deg																																																																																				
1	4950.00	43.22	-30.71	74.00	64.09	34.27	10.39	65.46	100	0	Avg.	VERTICAL																																																																														
2	7416.00	42.72	-31.28	74.00	60.29	35.88	12.76	66.21	100	0	Avg.	VERTICAL																																																																														



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																									
ANT	802.11g CH01 2412MHz																																																									
1	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 SN 79597 HORIZONTAL Project : RBM 1000 000KHz YBR 3000 000KHz SRT Auto Mode : I3 Plane : Z Full-directivity:LA23 SN:000000123030001 #14 IMEI PowerSetting : 12.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.00</td> <td>42.77</td> <td>-31.23</td> <td>74.00</td> <td>63.70</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Factor	Loss	Factor	dB	deg	1	43.00	42.77	-31.23	74.00	63.70	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 SN 79597 VERTICAL Project : RBM 1000 000KHz YBR 3000 000KHz SRT Auto Mode : I3 Plane : Z Full-directivity:LA23 SN:000000123030001 #14 IMEI PowerSetting : 12.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.00</td> <td>43.07</td> <td>-30.93</td> <td>74.00</td> <td>64.00</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Factor	Loss	Factor	dB	deg	1	43.00	43.07	-30.93	74.00	64.00	34.20	10.25	65.38	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
Level	Line	Level	Factor	Loss	Factor	dB	deg																																																			
1	43.00	42.77	-31.23	74.00	63.70	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
Level	Line	Level	Factor	Loss	Factor	dB	deg																																																			
1	43.00	43.07	-30.93	74.00	64.00	34.20	10.25	65.38	100	0 Peak	VERTICAL																																															



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																						
ANT	802.11g CH06 2437MHz																																																																																																						
1	Horizontal	Vertical																																																																																																					
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000kHz VBR 3000 000kHz SMT Auto Mode : 2 Plane : 14 Full-directivity:LA23 IMEI : 863008012203001 #14 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>42.45</td> <td>-31.55</td> <td>74.00</td> <td>63.35</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>62.55</td> <td>-21.45</td> <td>74.00</td> <td>69.88</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>225</td> <td>330</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>7305.00</td> <td>40.19</td> <td>-13.81</td> <td>54.00</td> <td>57.52</td> <td>30.66</td> <td>12.72</td> <td>65.91</td> <td>225</td> <td>330</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4875.00	42.45	-31.55	74.00	63.35	34.23	10.29	65.42	300	0	Peak	HORIZONTAL	2	7305.00	62.55	-21.45	74.00	69.88	35.86	12.72	65.91	225	330	Peak	HORIZONTAL	3	7305.00	40.19	-13.81	54.00	57.52	30.66	12.72	65.91	225	330	Average	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000kHz VBR 3000 000kHz SMT Auto Mode : 2 Plane : 14 Full-directivity:LA23 IMEI : 863008012203001 #14 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>43.70</td> <td>-30.30</td> <td>74.00</td> <td>64.60</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>45.78</td> <td>-28.22</td> <td>74.00</td> <td>63.11</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4875.00	43.70	-30.30	74.00	64.60	34.23	10.29	65.42	100	0	Peak	VERTICAL	2	7305.00	45.78	-28.22	74.00	63.11	35.86	12.72	65.91	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																															
1	4875.00	42.45	-31.55	74.00	63.35	34.23	10.29	65.42	300	0	Peak	HORIZONTAL																																																																																											
2	7305.00	62.55	-21.45	74.00	69.88	35.86	12.72	65.91	225	330	Peak	HORIZONTAL																																																																																											
3	7305.00	40.19	-13.81	54.00	57.52	30.66	12.72	65.91	225	330	Average	HORIZONTAL																																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																															
1	4875.00	43.70	-30.30	74.00	64.60	34.23	10.29	65.42	100	0	Peak	VERTICAL																																																																																											
2	7305.00	45.78	-28.22	74.00	63.11	35.86	12.72	65.91	100	0	Peak	VERTICAL																																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11g CH11 2462MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Mode : 15 Plane : Z Full-directivity:LA23 IMEI : 86 300080122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>45.37</td> <td>-28.43</td> <td>74.00</td> <td>66.22</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>51.28</td> <td>-22.72</td> <td>74.00</td> <td>68.78</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>345</td> <td>310 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>7380.00</td> <td>40.38</td> <td>-13.72</td> <td>54.00</td> <td>57.78</td> <td>30.88</td> <td>12.73</td> <td>66.11</td> <td>345</td> <td>310 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Mode : 15 Plane : Z Full-directivity:LA23 IMEI : 86 300080122030081 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>45.42</td> <td>-28.38</td> <td>74.00</td> <td>66.47</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>46.72</td> <td>-27.29</td> <td>74.00</td> <td>64.22</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table> </div> </div>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	1	4920.00	45.37	-28.43	74.00	66.22	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2	7380.00	51.28	-22.72	74.00	68.78	35.88	12.73	66.11	345	310 Peak	HORIZONTAL	3	7380.00	40.38	-13.72	54.00	57.78	30.88	12.73	66.11	345	310 Average	HORIZONTAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	1	4920.00	45.42	-28.38	74.00	66.47	34.26	10.34	65.45	100	0 Peak	VERTICAL	2	7380.00	46.72	-27.29	74.00	64.22	35.88	12.73	66.11	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB																																																																																										
1	4920.00	45.37	-28.43	74.00	66.22	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																																							
2	7380.00	51.28	-22.72	74.00	68.78	35.88	12.73	66.11	345	310 Peak	HORIZONTAL																																																																																							
3	7380.00	40.38	-13.72	54.00	57.78	30.88	12.73	66.11	345	310 Average	HORIZONTAL																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB																																																																																										
1	4920.00	45.42	-28.38	74.00	66.47	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																																							
2	7380.00	46.72	-27.29	74.00	64.22	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11g CH12 2467MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Model : FRS 100819-01 Plane : Z Full-directivity: LA23 IMEI : 86 3002081123330081 #14 Power setting : 14.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>42.03</td> <td>-31.97</td> <td>74.00</td> <td>62.85</td> <td>34.26</td> <td>10.37</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>44.04</td> <td>-29.96</td> <td>74.00</td> <td>61.64</td> <td>35.88</td> <td>12.73</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4935.00	42.03	-31.97	74.00	62.85	34.26	10.37	65.45	300	0 Peak	HORIZONTAL	2	7401.00	44.04	-29.96	74.00	61.64	35.88	12.73	66.21	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Model : FRS 100819-01 Plane : Z Full-directivity: LA23 IMEI : 86 3002081123330081 #14 Power setting : 14.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>41.88</td> <td>-32.12</td> <td>74.00</td> <td>62.70</td> <td>34.26</td> <td>10.37</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>42.42</td> <td>-31.58</td> <td>74.00</td> <td>60.02</td> <td>35.88</td> <td>12.73</td> <td>66.21</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4935.00	41.88	-32.12	74.00	62.70	34.26	10.37	65.45	100	0 Peak	VERTICAL	2	7401.00	42.42	-31.58	74.00	60.02	35.88	12.73	66.21	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																													
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4935.00	42.03	-31.97	74.00	62.85	34.26	10.37	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7401.00	44.04	-29.96	74.00	61.64	35.88	12.73	66.21	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4935.00	41.88	-32.12	74.00	62.70	34.26	10.37	65.45	100	0 Peak	VERTICAL																																																																											
2	7401.00	42.42	-31.58	74.00	60.02	35.88	12.73	66.21	100	0 Peak	VERTICAL																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH13 2472MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Model : FRS260819-01 Plane : 2 Full-directivity: LA23 IMEI : 863008012203001 #14 Power setting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>40.48</td> <td>-33.52</td> <td>74.00</td> <td>61.28</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.04</td> <td>-31.96</td> <td>74.00</td> <td>59.61</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	dBm	dBm	dBm	dB	dB	cm	deg			1	4950.00	40.48	-33.52	74.00	61.28	34.27	10.39	65.46	300	0	Peak	HORIZONTAL	2	7416.00	42.04	-31.96	74.00	59.61	35.88	12.76	66.21	300	0	Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000kHz YBR 3000 000kHz SMT Auto Model : FRS260819-01 Plane : 2 Full-directivity: LA23 IMEI : 863008012203001 #14 Power setting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>40.41</td> <td>-33.59</td> <td>74.00</td> <td>61.21</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.15</td> <td>-31.85</td> <td>74.00</td> <td>59.72</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	dBm	dBm	dBm	dB	dB	cm	deg			1	4950.00	40.41	-33.59	74.00	61.21	34.27	10.39	65.46	100	0	Peak	VERTICAL	2	7416.00	42.15	-31.85	74.00	59.72	35.88	12.76	66.21	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																	
dBm	dBm	dBm	dB	dB	cm	deg																																																																																				
1	4950.00	40.48	-33.52	74.00	61.28	34.27	10.39	65.46	300	0	Peak	HORIZONTAL																																																																														
2	7416.00	42.04	-31.96	74.00	59.61	35.88	12.76	66.21	300	0	Peak	HORIZONTAL																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																		
dBm	dBm	dBm	dB	dB	cm	deg																																																																																				
1	4950.00	40.41	-33.59	74.00	61.21	34.27	10.39	65.46	100	0	Peak	VERTICAL																																																																														
2	7416.00	42.15	-31.85	74.00	59.72	35.88	12.76	66.21	100	0	Peak	VERTICAL																																																																														



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																							
ANT	802.11n HT20 CH01 2412MHz																																																							
1	Horizontal	Vertical																																																						
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 75957 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SRT Auto Mode : FR260819-01 Plane : Z Full In-directivity: LA23 S8 6003080123030001 #14 IMEI PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>43.00</td> <td>42.61</td> <td>-31.29</td> <td>74.00</td> <td>63.54</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Loss Factor					43.00	42.61	-31.29	74.00	63.54	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 75957 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SRT Auto Mode : FR260819-01 Plane : Z Full In-directivity: LA23 S8 6003080123030001 #14 IMEI PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>43.00</td> <td>41.81</td> <td>-32.19</td> <td>74.00</td> <td>62.74</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Loss Factor					43.00	41.81	-32.19	74.00	62.74	34.20	10.25	65.38	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
Level	Line	Level	Loss Factor																																																					
43.00	42.61	-31.29	74.00	63.54	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																	
Level	Line	Level	Loss Factor																																																					
43.00	41.81	-32.19	74.00	62.74	34.20	10.25	65.38	100	0 Peak	VERTICAL																																														



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11n HT20 CH06 2437MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : FSD 100819-01 Plane : 17 Full-directivity:LA23 IMEI : 86 800208112323001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>41.76</td> <td>-32.24</td> <td>74.00</td> <td>62.66</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>47.77</td> <td>-26.23</td> <td>74.00</td> <td>65.10</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dB	dB	dB	cm	deg		deg	1	4875.00	41.76	-32.24	74.00	62.66	34.23	10.29	65.42	300	0 Peak	HORIZONTAL	2	7305.00	47.77	-26.23	74.00	65.10	35.86	12.72	65.91	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : FSD 100819-01 Plane : 17 Full-directivity:LA23 IMEI : 86 800208112323001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>43.50</td> <td>-30.50</td> <td>74.00</td> <td>64.40</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>45.31</td> <td>-28.69</td> <td>74.00</td> <td>62.64</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dB	dB	dB	cm	deg		deg	1	4875.00	43.50	-30.50	74.00	64.40	34.23	10.29	65.42	100	0 Peak	VERTICAL	2	7305.00	45.31	-28.69	74.00	62.64	35.86	12.72	65.91	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
dBm	dBm	dB	dB	dB	cm	deg		deg																																																																														
1	4875.00	41.76	-32.24	74.00	62.66	34.23	10.29	65.42	300	0 Peak	HORIZONTAL																																																																											
2	7305.00	47.77	-26.23	74.00	65.10	35.86	12.72	65.91	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
dBm	dBm	dB	dB	dB	cm	deg		deg																																																																														
1	4875.00	43.50	-30.50	74.00	64.40	34.23	10.29	65.42	100	0 Peak	VERTICAL																																																																											
2	7305.00	45.31	-28.69	74.00	62.64	35.86	12.72	65.91	100	0 Peak	VERTICAL																																																																											
	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : FSD 100819-01 Plane : 17 Full-directivity:LA23 IMEI : 86 800208112323001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>41.76</td> <td>-32.24</td> <td>74.00</td> <td>62.66</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>47.77</td> <td>-26.23</td> <td>74.00</td> <td>65.10</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dB	dB	dB	cm	deg		deg	1	4875.00	41.76	-32.24	74.00	62.66	34.23	10.29	65.42	300	0 Peak	HORIZONTAL	2	7305.00	47.77	-26.23	74.00	65.10	35.86	12.72	65.91	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : FSD 100819-01 Plane : 17 Full-directivity:LA23 IMEI : 86 800208112323001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>43.50</td> <td>-30.50</td> <td>74.00</td> <td>64.40</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>45.31</td> <td>-28.69</td> <td>74.00</td> <td>62.64</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dB	dB	dB	cm	deg		deg	1	4875.00	43.50	-30.50	74.00	64.40	34.23	10.29	65.42	100	0 Peak	VERTICAL	2	7305.00	45.31	-28.69	74.00	62.64	35.86	12.72	65.91	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
dBm	dBm	dB	dB	dB	cm	deg		deg																																																																														
1	4875.00	41.76	-32.24	74.00	62.66	34.23	10.29	65.42	300	0 Peak	HORIZONTAL																																																																											
2	7305.00	47.77	-26.23	74.00	65.10	35.86	12.72	65.91	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
dBm	dBm	dB	dB	dB	cm	deg		deg																																																																														
1	4875.00	43.50	-30.50	74.00	64.40	34.23	10.29	65.42	100	0 Peak	VERTICAL																																																																											
2	7305.00	45.31	-28.69	74.00	62.64	35.86	12.72	65.91	100	0 Peak	VERTICAL																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11n HT20 CH11 2462MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : ESD 100819-01 Plane : Z Full-directivity:LA23 IMEI : 86 800208012203001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>45.83</td> <td>-28.17</td> <td>74.00</td> <td>66.68</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>48.85</td> <td>-25.15</td> <td>74.00</td> <td>66.35</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dB	dB	cm	deg			1	4920.00	45.83	-28.17	74.00	66.68	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2	7380.00	48.85	-25.15	74.00	66.35	35.88	12.73	66.11	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : ESD 100819-01 Plane : Z Full-directivity:LA23 IMEI : 86 800208012203001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>44.24</td> <td>-29.66</td> <td>74.00</td> <td>65.19</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>46.05</td> <td>-27.95</td> <td>74.00</td> <td>63.55</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dB	dB	cm	deg			1	4920.00	44.24	-29.66	74.00	65.19	34.26	10.34	65.45	100	0 Peak	VERTICAL	2	7380.00	46.05	-27.95	74.00	63.55	35.88	12.73	66.11	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
dBm	dBm	dBm	dB	dB	cm	deg																																																																																
1	4920.00	45.83	-28.17	74.00	66.68	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7380.00	48.85	-25.15	74.00	66.35	35.88	12.73	66.11	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
dBm	dBm	dBm	dB	dB	cm	deg																																																																																
1	4920.00	44.24	-29.66	74.00	65.19	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																											
2	7380.00	46.05	-27.95	74.00	63.55	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																											
	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : ESD 100819-01 Plane : Z Full-directivity:LA23 IMEI : 86 800208012203001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>45.83</td> <td>-28.17</td> <td>74.00</td> <td>66.68</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>48.85</td> <td>-25.15</td> <td>74.00</td> <td>66.35</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dB	dB	cm	deg			1	4920.00	45.83	-28.17	74.00	66.68	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2	7380.00	48.85	-25.15	74.00	66.35	35.88	12.73	66.11	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBM 1000 000MHz YBR 3000 000MHz SMT Auto Model : ESD 100819-01 Plane : Z Full-directivity:LA23 IMEI : 86 800208012203001 #14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>44.24</td> <td>-29.66</td> <td>74.00</td> <td>65.19</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>46.05</td> <td>-27.95</td> <td>74.00</td> <td>63.55</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dB	dB	cm	deg			1	4920.00	44.24	-29.66	74.00	65.19	34.26	10.34	65.45	100	0 Peak	VERTICAL	2	7380.00	46.05	-27.95	74.00	63.55	35.88	12.73	66.11	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
dBm	dBm	dBm	dB	dB	cm	deg																																																																																
1	4920.00	45.83	-28.17	74.00	66.68	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7380.00	48.85	-25.15	74.00	66.35	35.88	12.73	66.11	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
dBm	dBm	dBm	dB	dB	cm	deg																																																																																
1	4920.00	44.24	-29.66	74.00	65.19	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																											
2	7380.00	46.05	-27.95	74.00	63.55	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11n HT20 CH12 2462MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 HORIZONTAL Project : RBM 1000 000MHz YBR:3000 000MHz SMT:Auto Model : E1 Plane : 2 Full-directivity:LA23 IMEI : 86 00000012203001 #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>41.06</td> <td>-32.94</td> <td>74.00</td> <td>61.88</td> <td>34.26</td> <td>10.37</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>43.88</td> <td>-30.12</td> <td>74.00</td> <td>61.48</td> <td>35.88</td> <td>12.73</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4935.00	41.06	-32.94	74.00	61.88	34.26	10.37	65.45	300	0 Peak	HORIZONTAL	2	7401.00	43.88	-30.12	74.00	61.48	35.88	12.73	66.21	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 VERTICAL Project : RBM 1000 000MHz YBR:3000 000MHz SMT:Auto Model : E1 Plane : 2 Full-directivity:LA23 IMEI : 86 00000012203001 #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>41.85</td> <td>-32.15</td> <td>74.00</td> <td>62.67</td> <td>34.26</td> <td>10.37</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>42.96</td> <td>-31.04</td> <td>74.00</td> <td>60.56</td> <td>35.88</td> <td>12.73</td> <td>66.21</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4935.00	41.85	-32.15	74.00	62.67	34.26	10.37	65.45	100	0 Peak	VERTICAL	2	7401.00	42.96	-31.04	74.00	60.56	35.88	12.73	66.21	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4935.00	41.06	-32.94	74.00	61.88	34.26	10.37	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7401.00	43.88	-30.12	74.00	61.48	35.88	12.73	66.21	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4935.00	41.85	-32.15	74.00	62.67	34.26	10.37	65.45	100	0 Peak	VERTICAL																																																																											
2	7401.00	42.96	-31.04	74.00	60.56	35.88	12.73	66.21	100	0 Peak	VERTICAL																																																																											
	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 HORIZONTAL Project : RBM 1000 000MHz YBR:3000 000MHz SMT:Auto Model : E1 Plane : 2 Full-directivity:LA23 IMEI : 86 00000012203001 #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>41.06</td> <td>-32.94</td> <td>74.00</td> <td>61.88</td> <td>34.26</td> <td>10.37</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>43.88</td> <td>-30.12</td> <td>74.00</td> <td>61.48</td> <td>35.88</td> <td>12.73</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4935.00	41.06	-32.94	74.00	61.88	34.26	10.37	65.45	300	0 Peak	HORIZONTAL	2	7401.00	43.88	-30.12	74.00	61.48	35.88	12.73	66.21	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 VERTICAL Project : RBM 1000 000MHz YBR:3000 000MHz SMT:Auto Model : E1 Plane : 2 Full-directivity:LA23 IMEI : 86 00000012203001 #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>41.85</td> <td>-32.15</td> <td>74.00</td> <td>62.67</td> <td>34.26</td> <td>10.37</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>42.96</td> <td>-31.04</td> <td>74.00</td> <td>60.56</td> <td>35.88</td> <td>12.73</td> <td>66.21</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4935.00	41.85	-32.15	74.00	62.67	34.26	10.37	65.45	100	0 Peak	VERTICAL	2	7401.00	42.96	-31.04	74.00	60.56	35.88	12.73	66.21	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4935.00	41.06	-32.94	74.00	61.88	34.26	10.37	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7401.00	43.88	-30.12	74.00	61.48	35.88	12.73	66.21	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4935.00	41.85	-32.15	74.00	62.67	34.26	10.37	65.45	100	0 Peak	VERTICAL																																																																											
2	7401.00	42.96	-31.04	74.00	60.56	35.88	12.73	66.21	100	0 Peak	VERTICAL																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11n HT20 CH13 2472MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 HORIZONTAL Project : RBM 1000 000MHz YBR:3000 000MHz SMT:Auto Mode : 2 Plane : 2 Full-directivity:LA23 IMEI : 35 480208012203001 #14 PowerSetting : 7.0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>41.40</td> <td>-32.40</td> <td>74.00</td> <td>62.20</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.95</td> <td>-32.05</td> <td>74.00</td> <td>59.52</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Factor	Loss	Factor	Factor	Factor	Factor	1	4950.00	41.40	-32.40	74.00	62.20	34.27	10.39	65.46	300	0 Peak	HORIZONTAL	2	7416.00	41.95	-32.05	74.00	59.52	35.88	12.76	66.21	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 VERTICAL Project : RBM 1000 000MHz YBR:3000 000MHz SMT:Auto Mode : 2 Plane : 2 Full-directivity:LA23 IMEI : 35 480208012203001 #14 PowerSetting : 7.0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>40.21</td> <td>-33.49</td> <td>74.00</td> <td>61.11</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.36</td> <td>-31.64</td> <td>74.00</td> <td>59.93</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Factor	Loss	Factor	Factor	Factor	Factor	1	4950.00	40.21	-33.49	74.00	61.11	34.27	10.39	65.46	100	0 Peak	VERTICAL	2	7416.00	42.36	-31.64	74.00	59.93	35.88	12.76	66.21	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
Level	Level	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																														
1	4950.00	41.40	-32.40	74.00	62.20	34.27	10.39	65.46	300	0 Peak	HORIZONTAL																																																																											
2	7416.00	41.95	-32.05	74.00	59.52	35.88	12.76	66.21	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Level	Level	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																														
1	4950.00	40.21	-33.49	74.00	61.11	34.27	10.39	65.46	100	0 Peak	VERTICAL																																																																											
2	7416.00	42.36	-31.64	74.00	59.93	35.88	12.76	66.21	100	0 Peak	VERTICAL																																																																											
	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 HORIZONTAL Project : RBM 1000 000MHz YBR:3000 000MHz SMT:Auto Mode : 2 Plane : 2 Full-directivity:LA23 IMEI : 35 480208012203001 #14 PowerSetting : 7.0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>41.40</td> <td>-32.40</td> <td>74.00</td> <td>62.20</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.95</td> <td>-32.05</td> <td>74.00</td> <td>59.52</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Factor	Loss	Factor	Factor	Factor	Factor	1	4950.00	41.40	-32.40	74.00	62.20	34.27	10.39	65.46	300	0 Peak	HORIZONTAL	2	7416.00	41.95	-32.05	74.00	59.52	35.88	12.76	66.21	300	0 Peak	HORIZONTAL	<p>Site : 030805-K5 Condition : FCC PART 15C @ 3117.5M 79957 VERTICAL Project : RBM 1000 000MHz YBR:3000 000MHz SMT:Auto Mode : 2 Plane : 2 Full-directivity:LA23 IMEI : 35 480208012203001 #14 PowerSetting : 7.0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>40.21</td> <td>-33.49</td> <td>74.00</td> <td>61.11</td> <td>34.27</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.36</td> <td>-31.64</td> <td>74.00</td> <td>59.93</td> <td>35.88</td> <td>12.76</td> <td>66.21</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Factor	Loss	Factor	Factor	Factor	Factor	1	4950.00	40.21	-33.49	74.00	61.11	34.27	10.39	65.46	100	0 Peak	VERTICAL	2	7416.00	42.36	-31.64	74.00	59.93	35.88	12.76	66.21	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Level	Level	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																														
1	4950.00	41.40	-32.40	74.00	62.20	34.27	10.39	65.46	300	0 Peak	HORIZONTAL																																																																											
2	7416.00	41.95	-32.05	74.00	59.52	35.88	12.76	66.21	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Level	Level	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																														
1	4950.00	40.21	-33.49	74.00	61.11	34.27	10.39	65.46	100	0 Peak	VERTICAL																																																																											
2	7416.00	42.36	-31.64	74.00	59.93	35.88	12.76	66.21	100	0 Peak	VERTICAL																																																																											



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)


WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																	
ANT	802.11g LF																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
QP / Peak	<p>Site : 03C809-ES Condition : FCC PART 15C 2a CEM111D CM23188 HORIZONTAL Project : RSH 100.000MHz YPW 300.000MHz SWT Auto Mode : OFDM80211G Plane : 0 Full-identivty:MLAG3 IMEI : SW:G06228012320007 #14 PowerSetting : 14.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>57.16</td> <td>25.91</td> <td>-16.88</td> <td>46.00</td> <td>44.50</td> <td>1.13</td> <td>32.01</td> </tr> <tr> <td>2</td> <td>167.74</td> <td>23.94</td> <td>-19.56</td> <td>43.50</td> <td>38.74</td> <td>16.96</td> <td>32.83</td> </tr> <tr> <td>3</td> <td>337.49</td> <td>32.22</td> <td>-13.78</td> <td>46.00</td> <td>42.17</td> <td>28.35</td> <td>2.88</td> </tr> <tr> <td>4</td> <td>612.89</td> <td>35.29</td> <td>-10.71</td> <td>46.00</td> <td>42.15</td> <td>21.93</td> <td>1.13</td> </tr> <tr> <td>5</td> <td>648.87</td> <td>35.63</td> <td>-10.37</td> <td>46.00</td> <td>42.95</td> <td>22.50</td> <td>3.23</td> </tr> <tr> <td>6</td> <td>808.18</td> <td>32.02</td> <td>-13.78</td> <td>46.00</td> <td>34.38</td> <td>26.26</td> <td>4.32</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	dB	dBm/100MHz	dBm/100MHz	dB	ca	deg	1	57.16	25.91	-16.88	46.00	44.50	1.13	32.01	2	167.74	23.94	-19.56	43.50	38.74	16.96	32.83	3	337.49	32.22	-13.78	46.00	42.17	28.35	2.88	4	612.89	35.29	-10.71	46.00	42.15	21.93	1.13	5	648.87	35.63	-10.37	46.00	42.95	22.50	3.23	6	808.18	32.02	-13.78	46.00	34.38	26.26	4.32	<p>Site : 03C809-ES Condition : FCC PART 15C 2a CEM111D CM23188 VERTICAL Project : RSH 100.000MHz YPW 300.000MHz SWT Auto Mode : OFDM80211G Plane : 0 Full-identivty:MLAG3 IMEI : SW:G06228012320007 #14 PowerSetting : 14.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>58.73</td> <td>23.88</td> <td>-16.91</td> <td>46.00</td> <td>45.35</td> <td>19.78</td> <td>6.89</td> </tr> <tr> <td>2</td> <td>187.68</td> <td>38.62</td> <td>-12.85</td> <td>43.50</td> <td>44.95</td> <td>16.96</td> <td>3.97</td> </tr> <tr> <td>3</td> <td>275.47</td> <td>33.96</td> <td>-12.84</td> <td>46.00</td> <td>45.39</td> <td>18.84</td> <td>2.52</td> </tr> <tr> <td>4</td> <td>478.64</td> <td>27.79</td> <td>-16.23</td> <td>46.00</td> <td>35.42</td> <td>21.18</td> <td>3.16</td> </tr> <tr> <td>5</td> <td>558.65</td> <td>29.11</td> <td>-16.89</td> <td>46.00</td> <td>33.52</td> <td>25.68</td> <td>3.61</td> </tr> <tr> <td>6</td> <td>851.59</td> <td>29.68</td> <td>-16.48</td> <td>46.00</td> <td>38.91</td> <td>26.59</td> <td>4.46</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	dB	dBm/100MHz	dBm/100MHz	dB	ca	deg	1	58.73	23.88	-16.91	46.00	45.35	19.78	6.89	2	187.68	38.62	-12.85	43.50	44.95	16.96	3.97	3	275.47	33.96	-12.84	46.00	45.39	18.84	2.52	4	478.64	27.79	-16.23	46.00	35.42	21.18	3.16	5	558.65	29.11	-16.89	46.00	33.52	25.68	3.61	6	851.59	29.68	-16.48	46.00	38.91	26.59	4.46
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
Freq	Level	dB	dBm/100MHz	dBm/100MHz	dB	ca	deg																																																																																																																											
1	57.16	25.91	-16.88	46.00	44.50	1.13	32.01																																																																																																																											
2	167.74	23.94	-19.56	43.50	38.74	16.96	32.83																																																																																																																											
3	337.49	32.22	-13.78	46.00	42.17	28.35	2.88																																																																																																																											
4	612.89	35.29	-10.71	46.00	42.15	21.93	1.13																																																																																																																											
5	648.87	35.63	-10.37	46.00	42.95	22.50	3.23																																																																																																																											
6	808.18	32.02	-13.78	46.00	34.38	26.26	4.32																																																																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
Freq	Level	dB	dBm/100MHz	dBm/100MHz	dB	ca	deg																																																																																																																											
1	58.73	23.88	-16.91	46.00	45.35	19.78	6.89																																																																																																																											
2	187.68	38.62	-12.85	43.50	44.95	16.96	3.97																																																																																																																											
3	275.47	33.96	-12.84	46.00	45.39	18.84	2.52																																																																																																																											
4	478.64	27.79	-16.23	46.00	35.42	21.18	3.16																																																																																																																											
5	558.65	29.11	-16.89	46.00	33.52	25.68	3.61																																																																																																																											
6	851.59	29.68	-16.48	46.00	38.91	26.59	4.46																																																																																																																											



Appendix E. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10HZ
802.11g	100	-	-	10HZ
802.11n HT20	100	-	-	10HZ

802.11b





802.11g



802.11n HT20

