



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH60 5300MHz - R	
SISO	Vertical	Fundamental
<p>Peak</p>		<p>Left blank</p>
<p>Avg.</p>		<p>Left blank</p>



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ac VHT20 CH64 5320MHz																																																																							
SISO	Horizontal	Fundamental																																																																						
<p>Peak</p>	<p>Site : 03906-KS Condition : SG BAND 1-3 @ 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FFS 260819-01 Plane : X IMEI : Full-directivity LA33MA #13 8002680122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.20</td> <td>55.85</td> <td>-18.15</td> <td>74.00</td> <td>43.22</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>120</td> <td>186</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg	1	5320.20	55.85	-18.15	74.00	43.22	34.65	9.91	31.93	120	186	Peak	HORIZONTAL	<p>Site : 03906-KS Condition : SG BAND 1-3 @ 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FFS 260819-01 Plane : X IMEI : Full-directivity LA33MA #13 8002680122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.75</td> <td>39.45</td> <td>68.30</td> <td>95.21</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>120</td> <td>186</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>101.58</td> <td>-----</td> <td>89.04</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>120</td> <td>186</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg	1	5320.00	102.75	39.45	68.30	95.21	34.55	9.89	31.90	120	186	Peak	HORIZONTAL	2	5320.00	101.58	-----	89.04	34.55	9.89	31.90	120	186	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																																	
1	5320.20	55.85	-18.15	74.00	43.22	34.65	9.91	31.93	120	186	Peak	HORIZONTAL																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																																	
1	5320.00	102.75	39.45	68.30	95.21	34.55	9.89	31.90	120	186	Peak	HORIZONTAL																																																												
2	5320.00	101.58	-----	89.04	34.55	9.89	31.90	120	186	Average	HORIZONTAL																																																													
<p>Avg.</p>	<p>Site : 03906-KS Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000kHz VBR 0.0100kHz SRT Auto Mode : FFS 260819-01 Plane : X IMEI : Full-directivity LA33MA #13 8002680122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>46.57</td> <td>-7.43</td> <td>54.00</td> <td>33.94</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>120</td> <td>186</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg	1	5350.00	46.57	-7.43	54.00	33.94	34.65	9.91	31.93	120	186	Average	HORIZONTAL	<p>Left blank</p>																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																																	
1	5350.00	46.57	-7.43	54.00	33.94	34.65	9.91	31.93	120	186	Average	HORIZONTAL																																																												



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																				
ANT	802.11ac VHT20 CH64 5320MHz																																																																				
SISO	Vertical	Fundamental																																																																			
<p>Peak</p>	<p>Site : 032806-KS Condition : SG BAND 1-3 @ 3117 SN 00218662- VERTICAL Project : RBW:1000,000KHz VBR:3000,000KHz SRT:Auto Mode : (FR) 260819-01 Plane : X IPE1 : Full-directivity LA23NA #13 8002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>54.51</td> <td>-19.49</td> <td>74.00</td> <td>41.88</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>101</td> <td>5 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	1	5350.80	54.51	-19.49	74.00	41.88	34.65	9.91	31.93	101	5 Peak	VERTICAL	<p>Site : 032806-KS Condition : SG BAND 1-3 @ 3117 SN 00218662- VERTICAL Project : RBW:1000,000KHz VBR:3000,000KHz SRT:Auto Mode : (FR) 260819-01 Plane : X IPE1 : Full-directivity LA23NA #13 8002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>104.22</td> <td>35.92</td> <td>68.30</td> <td>91.68</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>101</td> <td>5 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>97.73</td> <td>-----</td> <td>85.19</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>101</td> <td>5 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	1	5320.00	104.22	35.92	68.30	91.68	34.55	9.89	31.90	101	5 Peak	VERTICAL	2	5320.00	97.73	-----	85.19	34.55	9.89	31.90	101	5 Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																														
1	5350.80	54.51	-19.49	74.00	41.88	34.65	9.91	31.93	101	5 Peak	VERTICAL																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																														
1	5320.00	104.22	35.92	68.30	91.68	34.55	9.89	31.90	101	5 Peak	VERTICAL																																																										
2	5320.00	97.73	-----	85.19	34.55	9.89	31.90	101	5 Average	VERTICAL																																																											
<p>Avg.</p>	<p>Site : 032806-KS Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218662- VERTICAL Project : RBW:1000,000KHz VBR:0,01000KHz SRT:Auto Mode : (FR) 260819-01 Plane : X IPE1 : Full-directivity LA23NA #13 8002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>44.26</td> <td>-9.74</td> <td>54.00</td> <td>31.63</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>101</td> <td>5 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	1	5350.00	44.26	-9.74	54.00	31.63	34.65	9.91	31.93	101	5 Average	VERTICAL	<p>Left blank</p>																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																														
1	5350.00	44.26	-9.74	54.00	31.63	34.65	9.91	31.93	101	5 Average	VERTICAL																																																										



UNII-2A 5250~5350MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																								
ANT	802.11ac VHT40 CH54 5270 - L																																																																								
SISO	Horizontal	Fundamental																																																																							
Peak	<p>Site: 030806-KS Condition: SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 3000.0000MHz SWT Auto Mode: 21 Plane: 2 Full-directivity LAZ3MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.28</td> <td>53.40</td> <td>-20.60</td> <td>74.00</td> <td>41.31</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>216</td> <td>187</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5141.28	53.40	-20.60	74.00	41.31	34.10	9.78	31.79	216	187	Peak	HORIZONTAL	<p>Site: 030806-KS Condition: SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 3000.0000MHz SWT Auto Mode: 21 Plane: 2 Full-directivity LAZ3MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5266.00</td> <td>104.94</td> <td>36.64</td> <td>68.30</td> <td>92.67</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>216</td> <td>187</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5266.00</td> <td>108.42</td> <td>86.95</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>216</td> <td>187</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5266.00	104.94	36.64	68.30	92.67	34.37	9.87	31.87	216	187	Peak	HORIZONTAL	2	5266.00	108.42	86.95	34.37	9.87	31.87	216	187	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																	
1	5141.28	53.40	-20.60	74.00	41.31	34.10	9.78	31.79	216	187	Peak	HORIZONTAL																																																													
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																	
1	5266.00	104.94	36.64	68.30	92.67	34.37	9.87	31.87	216	187	Peak	HORIZONTAL																																																													
2	5266.00	108.42	86.95	34.37	9.87	31.87	216	187	Average	HORIZONTAL																																																															
Avg.	<p>Site: 030806-KS Condition: SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 0.0100MHz SWT Auto Mode: 21 Plane: 2 Full-directivity LAZ3MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>43.03</td> <td>-10.97</td> <td>54.00</td> <td>30.96</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>216</td> <td>187</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5150.00	43.03	-10.97	54.00	30.96	34.10	9.78	31.81	216	187	Average	HORIZONTAL	Left blank																																									
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																	
1	5150.00	43.03	-10.97	54.00	30.96	34.10	9.78	31.81	216	187	Average	HORIZONTAL																																																													



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																														
ANT	802.11ac VHT40 CH54 5270 - R																														
SISO	Horizontal	Fundamental																													
<p>Peak</p>	<p>Site : 032805-KS Condition : 5G BAND 1-3 @ 3117 SN 00218662- HORIZONTAL Project : RRM-1000-000004-VBR-3000-000004-SRT-Auto Mode : (FR) 260819-01 Plane : Z IPEI : Full-directivity LA33MA #13 8002088122520049 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.80</td> <td>53.49</td> <td>-20.51</td> <td>74.00</td> <td>40.80</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>216</td> <td>187</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5360.80	53.49	-20.51	74.00	40.80	34.70	9.92	31.93	216	187	Peak	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5360.80	53.49	-20.51	74.00	40.80	34.70	9.92	31.93	216	187	Peak	HORIZONTAL																			
<p>Avg.</p>	<p>Site : 032805-KS Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218662- HORIZONTAL Project : RRM-1000-000004-VBR-3000-000004-SRT-Auto Mode : (FR) 260819-01 Plane : Z IPEI : Full-directivity LA33MA #13 8002088122520049 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.70</td> <td>43.66</td> <td>-10.34</td> <td>54.00</td> <td>31.03</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>216</td> <td>187</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5350.70	43.66	-10.34	54.00	31.03	34.65	9.91	31.93	216	187	Average	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5350.70	43.66	-10.34	54.00	31.03	34.65	9.91	31.93	216	187	Average	HORIZONTAL																			



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																																							
ANT	802.11ac VHT40 CH54 5270 - L																																																																																																							
SISO	Vertical	Fundamental																																																																																																						
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FRF: 260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 6002080122520049</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IMEI</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.44</td> <td>53.21</td> <td>-20.79</td> <td>74.00</td> <td>41.12</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>209</td> <td>208 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss	MHz	dBm	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg	1	5141.44	53.21	-20.79	74.00	41.12	34.10	9.78	31.79	209	208 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FRF: 260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 6002080122520049</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IMEI</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5272.00</td> <td>102.67</td> <td>34.37</td> <td>68.30</td> <td>90.31</td> <td>34.37</td> <td>9.87</td> <td>31.88</td> <td>209</td> <td>208 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5272.00</td> <td>95.87</td> <td>-----</td> <td>-----</td> <td>83.51</td> <td>34.37</td> <td>9.87</td> <td>31.88</td> <td>209</td> <td>208 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss	MHz	dBm	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg	1	5272.00	102.67	34.37	68.30	90.31	34.37	9.87	31.88	209	208 Peak	VERTICAL	2	5272.00	95.87	-----	-----	83.51	34.37	9.87	31.88	209	208 Average	VERTICAL
IMEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss																																																																																														
MHz	dBm	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg																																																																																														
1	5141.44	53.21	-20.79	74.00	41.12	34.10	9.78	31.79	209	208 Peak	VERTICAL																																																																																													
IMEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss																																																																																														
MHz	dBm	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg																																																																																														
1	5272.00	102.67	34.37	68.30	90.31	34.37	9.87	31.88	209	208 Peak	VERTICAL																																																																																													
2	5272.00	95.87	-----	-----	83.51	34.37	9.87	31.88	209	208 Average	VERTICAL																																																																																													
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBR: 0.0100kHz SRT: Auto FRF: 260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 6002080122520049</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IMEI</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.84</td> <td>42.64</td> <td>-11.36</td> <td>54.00</td> <td>30.56</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>209</td> <td>208 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss	MHz	dBm	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg	1	5127.84	42.64	-11.36	54.00	30.56	34.10	9.77	31.79	209	208 Average	VERTICAL	<p>Left blank</p>																																																									
IMEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss																																																																																														
MHz	dBm	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg																																																																																														
1	5127.84	42.64	-11.36	54.00	30.56	34.10	9.77	31.79	209	208 Average	VERTICAL																																																																																													



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																														
ANT	802.11ac VHT40 CH54 5270 - R																														
SISO	Vertical	Fundamental																													
<p>Peak</p>	<p>Site : 032805-KS Condition : 5G BAND 1----3 In 3117 SN 00218663- VERTICAL Project : RRM-1000-000004-VBR-3000-000004-SRT-Auto Mode : (FR) 260819-01 Plane : Z IMEI : Full-directivity LA33MA #13-800398812250069 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5390.80</td> <td>53.09</td> <td>-20.91</td> <td>74.00</td> <td>40.36</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>209</td> <td>208</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5390.80	53.09	-20.91	74.00	40.36	34.75	9.93	31.95	209	208	Peak	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5390.80	53.09	-20.91	74.00	40.36	34.75	9.93	31.95	209	208	Peak	VERTICAL																			
<p>Avg.</p>	<p>Site : 032805-KS Condition : 5G BAND 1----3 (AVG) In 3117 SN 00218662- VERTICAL Project : RRM-1000-000004-VBR-0-010004-SRT-Auto Mode : (FR) 260819-01 Plane : Z IMEI : Full-directivity LA33MA #13-800398812250069 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.00</td> <td>42.84</td> <td>-11.16</td> <td>54.00</td> <td>30.21</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>209</td> <td>208</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5353.00	42.84	-11.16	54.00	30.21	34.65	9.91	31.93	209	208	Average	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5353.00	42.84	-11.16	54.00	30.21	34.65	9.91	31.93	209	208	Average	VERTICAL																			

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11ac VHT40 CH62 5310 - L																																																																									
SISO	Horizontal	Fundamental																																																																								
<p>Peak</p>	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : SG BAND 1----3 3e 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FFS 260819-01 Plane : 22 Antenna : Full-directivity LA33MA #13 000208012320049 IME1 : #13 000208012320049 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5140.64</td> <td>53.70</td> <td>-20.30</td> <td>74.00</td> <td>41.61</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>216</td> <td>184 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	1	5140.64	53.70	-20.30	74.00	41.61	34.10	9.78	31.79	216	184 Peak	HORIZONTAL	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : SG BAND 1----3 3e 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FFS 260819-01 Plane : 22 Antenna : Full-directivity LA33MA #13 000208012320049 IME1 : #13 000208012320049 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5314.00</td> <td>105.22</td> <td>36.92</td> <td>68.30</td> <td>92.68</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>216</td> <td>184 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5314.00</td> <td>98.03</td> <td>-----</td> <td>65.49</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>216</td> <td>184</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	1 *	5314.00	105.22	36.92	68.30	92.68	34.55	9.89	31.90	216	184 Peak	HORIZONTAL	2	5314.00	98.03	-----	65.49	34.55	9.89	31.90	216	184	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg																																																																		
1	5140.64	53.70	-20.30	74.00	41.61	34.10	9.78	31.79	216	184 Peak	HORIZONTAL																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg																																																																		
1 *	5314.00	105.22	36.92	68.30	92.68	34.55	9.89	31.90	216	184 Peak	HORIZONTAL																																																															
2	5314.00	98.03	-----	65.49	34.55	9.89	31.90	216	184	Average	HORIZONTAL																																																															
<p>Avg.</p>	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : SG BAND 1----3 (AVG) 3e 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FFS 260819-01 Plane : 22 Antenna : Full-directivity LA33MA #13 000208012320049 IME1 : #13 000208012320049 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5116.68</td> <td>42.91</td> <td>-11.09</td> <td>54.00</td> <td>30.83</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>216</td> <td>184 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	1	5116.68	42.91	-11.09	54.00	30.83	34.10	9.76	31.78	216	184 Average	HORIZONTAL	<p>Left blank</p>																																										
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg																																																																		
1	5116.68	42.91	-11.09	54.00	30.83	34.10	9.76	31.78	216	184 Average	HORIZONTAL																																																															



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																	
ANT	802.11ac VHT40 CH62 5310 - R																																	
SISO	Horizontal	Fundamental																																
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : 5G BAND 1-3 @ 3117 SN 00218602- HORIZONTAL Project : RRM-1000-000004-VBR-3000-000004-SRT-Auto FR260819-01 Mode : Z Plane : X Full-directivity LA33MA #13-8002080122520049</p> <p>Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos #13-8002080122520049</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.50</td> <td>55.95</td> <td>-18.05</td> <td>74.00</td> <td>43.32</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>216</td> <td>184 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	1	5362.50	55.95	-18.05	74.00	43.32	34.65	9.91	31.93	216	184 Peak	HORIZONTAL	<p>Left blank</p>
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																									
1	5362.50	55.95	-18.05	74.00	43.32	34.65	9.91	31.93	216	184 Peak	HORIZONTAL																							
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218602- HORIZONTAL Project : RRM-1000-000004-VBR-0-010004-SRT-Auto FR260819-01 Mode : Z Plane : X Full-directivity LA33MA #13-8002080122520049</p> <p>Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos #13-8002080122520049</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>46.61</td> <td>-7.39</td> <td>54.00</td> <td>33.98</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>216</td> <td>184 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	1	5350.20	46.61	-7.39	54.00	33.98	34.65	9.91	31.93	216	184 Average	HORIZONTAL	<p>Left blank</p>
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																									
1	5350.20	46.61	-7.39	54.00	33.98	34.65	9.91	31.93	216	184 Average	HORIZONTAL																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																								
ANT	802.11ac VHT40 CH62 5310 - L																																								
SISO	Vertical	Fundamental																																							
Peak	<p>Site : 030806-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 8002080122520049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas MHz dBV/m dB dBV/m dBV dBV dB dB dB deg</p> <table border="1"> <tr> <td>1</td> <td>5139.68</td> <td>53.46</td> <td>-20.54</td> <td>74.00</td> <td>41.37</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>246</td> <td>204</td> <td>Peak</td> <td>VERTICAL</td> </tr> </table>	1	5139.68	53.46	-20.54	74.00	41.37	34.10	9.78	31.79	246	204	Peak	VERTICAL	<p>Site : 030806-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 8002080122520049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas MHz dBV/m dB dBV/m dBV dBV dB dB dB deg</p> <table border="1"> <tr> <td>1</td> <td>5308.00</td> <td>102.24</td> <td>33.94</td> <td>68.30</td> <td>89.75</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>246</td> <td>204</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5308.00</td> <td>95.62</td> <td>-----</td> <td>-----</td> <td>83.13</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>246</td> <td>204</td> <td>Average</td> <td>VERTICAL</td> </tr> </table>	1	5308.00	102.24	33.94	68.30	89.75	34.50	9.89	31.90	246	204	Peak	VERTICAL	2	5308.00	95.62	-----	-----	83.13	34.50	9.89	31.90	246	204	Average	VERTICAL
1	5139.68	53.46	-20.54	74.00	41.37	34.10	9.78	31.79	246	204	Peak	VERTICAL																													
1	5308.00	102.24	33.94	68.30	89.75	34.50	9.89	31.90	246	204	Peak	VERTICAL																													
2	5308.00	95.62	-----	-----	83.13	34.50	9.89	31.90	246	204	Average	VERTICAL																													
Avg.	<p>Site : 030806-KS Condition : SG BAND 1----3 (AVG) In 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 0.01000kHz SRT: Auto FR260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 8002080122520049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas MHz dBV/m dB dBV/m dBV dBV dB dB dB deg</p> <table border="1"> <tr> <td>1</td> <td>5116.64</td> <td>42.72</td> <td>-11.28</td> <td>54.00</td> <td>30.64</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>246</td> <td>204</td> <td>Average</td> <td>VERTICAL</td> </tr> </table>	1	5116.64	42.72	-11.28	54.00	30.64	34.10	9.76	31.78	246	204	Average	VERTICAL	Left blank																										
1	5116.64	42.72	-11.28	54.00	30.64	34.10	9.76	31.78	246	204	Average	VERTICAL																													



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ac VHT40 CH62 5310 - R														
SISO	Vertical	Fundamental													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : 5G BAND 1-3 @ 3117 SN 00218662- VERTICAL Project : RRM-1000-000004-VBR-3000-000004-SRT-Auto Mode : (FR) 260819-01 Plane : Z Plane : X Full-directivity LA33MA #13 8002080122500049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dBuV/m dB cm deg</p> <table border="1"> <tr> <td>1</td> <td>5350.00</td> <td>54.35</td> <td>-19.65</td> <td>74.00</td> <td>41.72</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>246</td> <td>204</td> <td>Peak</td> <td>VERTICAL</td> </tr> </table>	1	5350.00	54.35	-19.65	74.00	41.72	34.65	9.91	31.93	246	204	Peak	VERTICAL	<p>Left blank</p>
1	5350.00	54.35	-19.65	74.00	41.72	34.65	9.91	31.93	246	204	Peak	VERTICAL			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218662- VERTICAL Project : RRM-1000-000004-VBR-3000-000004-SRT-Auto Mode : (FR) 260819-01 Plane : Z Plane : X Full-directivity LA33MA #13 8002080122500049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dBuV/m dB cm deg</p> <table border="1"> <tr> <td>1</td> <td>5350.00</td> <td>44.85</td> <td>-9.15</td> <td>54.00</td> <td>32.22</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>246</td> <td>204</td> <td>Average</td> <td>VERTICAL</td> </tr> </table>	1	5350.00	44.85	-9.15	54.00	32.22	34.65	9.91	31.93	246	204	Average	VERTICAL	<p>Left blank</p>
1	5350.00	44.85	-9.15	54.00	32.22	34.65	9.91	31.93	246	204	Average	VERTICAL			



**UNII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ac VHT80 CH58 5290MHz - L																																																																																	
SISO	Horizontal	Fundamental																																																																																
Peak	<p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 3000.0000MHz SWT:Auto Mode: 27 Plane: 2 IMEI: Full-directivity LA23MA Powersetting: #13 0002080123520049</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5130.08</td> <td>52.51</td> <td>-21.49</td> <td>74.00</td> <td>40.43</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>239</td> <td>185 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	on	deg			1	5130.08	52.51	-21.49	74.00	40.43	34.10	9.77	31.79	239	185 Peak	HORIZONTAL	<p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 3000.0000MHz SWT:Auto Mode: 27 Plane: 2 IMEI: Full-directivity LA23MA Powersetting: #13 0002080123520049</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5296.00</td> <td>98.83</td> <td>30.53</td> <td>68.30</td> <td>86.32</td> <td>34.50</td> <td>9.89</td> <td>31.88</td> <td>239</td> <td>185 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5296.00</td> <td>102.15</td> <td></td> <td></td> <td>79.64</td> <td>34.50</td> <td>9.89</td> <td>31.88</td> <td>239</td> <td>185 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	on	deg			1	5296.00	98.83	30.53	68.30	86.32	34.50	9.89	31.88	239	185 Peak	HORIZONTAL	2	5296.00	102.15			79.64	34.50	9.89	31.88	239	185 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	on	deg																																																																										
1	5130.08	52.51	-21.49	74.00	40.43	34.10	9.77	31.79	239	185 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	on	deg																																																																										
1	5296.00	98.83	30.53	68.30	86.32	34.50	9.89	31.88	239	185 Peak	HORIZONTAL																																																																							
2	5296.00	102.15			79.64	34.50	9.89	31.88	239	185 Average	HORIZONTAL																																																																							
Avg.	<p>Site: 030906-KS Condition: SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 0.0100MHz SWT:Auto Mode: 27 Plane: 2 IMEI: Full-directivity LA23MA Powersetting: #13 0002080123520049</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>42.61</td> <td>-11.39</td> <td>54.00</td> <td>30.54</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>239</td> <td>185 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	on	deg			1	5149.92	42.61	-11.39	54.00	30.54	34.10	9.78	31.81	239	185 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	on	deg																																																																										
1	5149.92	42.61	-11.39	54.00	30.54	34.10	9.78	31.81	239	185 Average	HORIZONTAL																																																																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																		
ANT	802.11ac VHT80 CH58 5290MHz - R																																		
SISO	Horizontal	Fundamental																																	
<p>Peak</p>	<p>Site : 032805-KS Condition : 5G BAND 1-3 @ 3117 SN 00218602- HORIZONTAL Project : RRM 1000 000004 VBR 3000 000004 SRT-Auto Mode : (FR) 260819-01 Plane : X MEI : Full-directivity LA33MA #13 800398812250069 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.50</td> <td>56.57</td> <td>-17.43</td> <td>74.00</td> <td>43.94</td> <td>34.65</td> <td>9.91</td> <td>31.93 239 185 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm deg	1 5350.50	56.57	-17.43	74.00	43.94	34.65	9.91	31.93 239 185 Peak	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																												
Freq	Level	Limit	Level	Factor	Loss	Factor																													
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm deg																												
1 5350.50	56.57	-17.43	74.00	43.94	34.65	9.91	31.93 239 185 Peak	HORIZONTAL																											
<p>Avg.</p>	<p>Site : 032805-KS Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218602- HORIZONTAL Project : RRM 1000 000004 VBR 3000 000004 SRT-Auto Mode : (FR) 260819-01 Plane : X MEI : Full-directivity LA33MA #13 800398812250069 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>47.98</td> <td>-6.02</td> <td>54.00</td> <td>35.35</td> <td>34.65</td> <td>9.91</td> <td>31.93 239 185 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm deg	1 5350.00	47.98	-6.02	54.00	35.35	34.65	9.91	31.93 239 185 Average	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																												
Freq	Level	Limit	Level	Factor	Loss	Factor																													
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm deg																												
1 5350.00	47.98	-6.02	54.00	35.35	34.65	9.91	31.93 239 185 Average	HORIZONTAL																											



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																								
ANT	802.11ac VHT80 CH58 5290MHz - L																																																																								
SISO	Vertical	Fundamental																																																																							
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032006-KS Condition : SG BAND 1-3 @ 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : 27 Plane : X Full-directivity LA23NA #13 0002080122520049 IMEI : Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5134.40</td> <td>53.85</td> <td>-20.15</td> <td>74.00</td> <td>41.77</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>225</td> <td>213</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5134.40	53.85	-20.15	74.00	41.77	34.10	9.77	31.79	225	213	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032006-KS Condition : SG BAND 1-3 @ 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : 27 Plane : X Full-directivity LA23NA #13 0002080122520049 IMEI : Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.28</td> <td>28.99</td> <td>68.30</td> <td>84.85</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>225</td> <td>213</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>90.64</td> <td>-----</td> <td>-----</td> <td>78.21</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>225</td> <td>213</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5290.00	97.28	28.99	68.30	84.85	34.43	9.88	31.88	225	213	Peak	VERTICAL	2	5290.00	90.64	-----	-----	78.21	34.43	9.88	31.88	225	213	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																		
1	5134.40	53.85	-20.15	74.00	41.77	34.10	9.77	31.79	225	213	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																		
1	5290.00	97.28	28.99	68.30	84.85	34.43	9.88	31.88	225	213	Peak	VERTICAL																																																													
2	5290.00	90.64	-----	-----	78.21	34.43	9.88	31.88	225	213	Average	VERTICAL																																																													
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032006-KS Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 0.01000kHz SRT: Auto FR260819-01 Mode : 27 Plane : X Full-directivity LA23NA #13 0002080122520049 IMEI : Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>42.61</td> <td>-11.39</td> <td>54.00</td> <td>30.54</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>225</td> <td>213</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5149.60	42.61	-11.39	54.00	30.54	34.10	9.78	31.81	225	213	Average	VERTICAL	<p>Left blank</p>																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																		
1	5149.60	42.61	-11.39	54.00	30.54	34.10	9.78	31.81	225	213	Average	VERTICAL																																																													





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ac VHT80 CH58 5290MHz - R														
SISO	Vertical	Fundamental													
Peak	<p>Site : 032805-KS Condition : 5G BAND 1-3 @ 3117 SN 00218663- VERTICAL Project : RRM-1000-000004-VBR-3000-000004-SRT-Auto Model : FR260819-01 Mode : 27 Plane : X Full-directivity LA23MA #13 8003988122530049 Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV/m dB dBuV/m cm deg</p> <table border="1"> <tr> <td>1</td> <td>5351.20</td> <td>53.93</td> <td>-20.07</td> <td>74.00</td> <td>41.30</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>225</td> <td>213</td> <td>Peak</td> <td>VERTICAL</td> </tr> </table>	1	5351.20	53.93	-20.07	74.00	41.30	34.65	9.91	31.93	225	213	Peak	VERTICAL	Left blank
1	5351.20	53.93	-20.07	74.00	41.30	34.65	9.91	31.93	225	213	Peak	VERTICAL			
Avg.	<p>Site : 032805-KS Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218662- VERTICAL Project : RRM-1000-000004-VBR-3000-000004-SRT-Auto Model : FR260819-01 Mode : 27 Plane : X Full-directivity LA23MA #13 8003988122530049 Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV/m dB dBuV/m cm deg</p> <table border="1"> <tr> <td>1</td> <td>5350.10</td> <td>45.87</td> <td>-8.13</td> <td>54.00</td> <td>33.24</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>225</td> <td>213</td> <td>Average</td> <td>VERTICAL</td> </tr> </table>	1	5350.10	45.87	-8.13	54.00	33.24	34.65	9.91	31.93	225	213	Average	VERTICAL	Left blank
1	5350.10	45.87	-8.13	54.00	33.24	34.65	9.91	31.93	225	213	Average	VERTICAL			



UNII-2A - 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																					
ANT	802.11a CH52 5260MHz																																																																																					
SISO	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 030906-KS Condition : 5G BAND 1-3 @ 3117 SW 00318652- HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FFS 260819-01 Plane : X IPEI : Full-directivity LA23NA #13 600000012350040 Power setting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>53.84</td> <td>-14.46</td> <td>06.30</td> <td>63.64</td> <td>37.71</td> <td>14.24</td> <td>61.75</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Factor	Loss Factor	dB	dB	dB	dB	1	10520.00	53.84	-14.46	06.30	63.64	37.71	14.24	61.75	300	0 Peak	HORIZONTAL	<p>Site : 030906-KS Condition : 5G BAND 1-3 @ 3117 SW 00318652- VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FFS 260819-01 Plane : X IPEI : Full-directivity LA23NA #13 600000012350040 Power setting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>53.13</td> <td>-15.17</td> <td>06.30</td> <td>62.93</td> <td>37.71</td> <td>14.24</td> <td>61.75</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>15789.00</td> <td>65.99</td> <td>-18.01</td> <td>74.00</td> <td>29.26</td> <td>40.59</td> <td>17.64</td> <td>61.50</td> <td>312</td> <td>350 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>15789.00</td> <td>63.96</td> <td>-16.02</td> <td>54.00</td> <td>47.26</td> <td>40.59</td> <td>17.64</td> <td>61.50</td> <td>312</td> <td>350 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Factor	Loss Factor	dB	dB	dB	dB	1	10520.00	53.13	-15.17	06.30	62.93	37.71	14.24	61.75	100	0 Peak	VERTICAL	2	15789.00	65.99	-18.01	74.00	29.26	40.59	17.64	61.50	312	350 Peak	VERTICAL	3	15789.00	63.96	-16.02	54.00	47.26	40.59	17.64	61.50	312	350 Average	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
Level	Level	Level	Factor	Loss Factor	dB	dB	dB	dB																																																																														
1	10520.00	53.84	-14.46	06.30	63.64	37.71	14.24	61.75	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Level	Level	Level	Factor	Loss Factor	dB	dB	dB	dB																																																																														
1	10520.00	53.13	-15.17	06.30	62.93	37.71	14.24	61.75	100	0 Peak	VERTICAL																																																																											
2	15789.00	65.99	-18.01	74.00	29.26	40.59	17.64	61.50	312	350 Peak	VERTICAL																																																																											
3	15789.00	63.96	-16.02	54.00	47.26	40.59	17.64	61.50	312	350 Average	VERTICAL																																																																											



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																																			
ANT	802.11a CH60 5300MHz																																																																																																																			
SISO	Horizontal	Vertical																																																																																																																		
Peak Avg.	 <p>Site : 03906-KS Condition : SG BAND 1---3 @ 3117 SN 002186G2- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto Mode : FREQ260819-01 Plane : X Full-directivity LAZ3NA #13 8002080132020049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10608.00</td> <td>55.66</td> <td>-18.34</td> <td>74.00</td> <td>65.35</td> <td>37.76</td> <td>14.29</td> <td>61.74</td> <td>320</td> <td>335</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>10608.00</td> <td>45.39</td> <td>-8.61</td> <td>54.00</td> <td>55.08</td> <td>37.76</td> <td>14.29</td> <td>61.74</td> <td>320</td> <td>335</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level	Factor	Loss	Factor			1	10608.00	55.66	-18.34	74.00	65.35	37.76	14.29	61.74	320	335	Peak	HORIZONTAL	2	10608.00	45.39	-8.61	54.00	55.08	37.76	14.29	61.74	320	335	Average	HORIZONTAL	 <p>Site : 03906-KS Condition : SG BAND 1---3 @ 3117 SN 002186G2- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto Mode : FREQ260819-01 Plane : X Full-directivity LAZ3NA #13 8002080132020049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.01</td> <td>54.59</td> <td>-19.41</td> <td>74.00</td> <td>64.28</td> <td>37.76</td> <td>14.29</td> <td>61.74</td> <td>312</td> <td>312</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>10600.01</td> <td>44.99</td> <td>-9.01</td> <td>54.00</td> <td>54.68</td> <td>37.76</td> <td>14.29</td> <td>61.74</td> <td>312</td> <td>312</td> <td>Average</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>15910.00</td> <td>55.59</td> <td>-18.50</td> <td>74.00</td> <td>58.56</td> <td>38.83</td> <td>17.71</td> <td>61.50</td> <td>298</td> <td>351</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>15910.00</td> <td>44.58</td> <td>-9.42</td> <td>54.00</td> <td>47.54</td> <td>40.83</td> <td>17.71</td> <td>61.50</td> <td>298</td> <td>351</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level	Factor	Loss	Factor			1	10600.01	54.59	-19.41	74.00	64.28	37.76	14.29	61.74	312	312	Peak	VERTICAL	2	10600.01	44.99	-9.01	54.00	54.68	37.76	14.29	61.74	312	312	Average	VERTICAL	3	15910.00	55.59	-18.50	74.00	58.56	38.83	17.71	61.50	298	351	Peak	VERTICAL	4	15910.00	44.58	-9.42	54.00	47.54	40.83	17.71	61.50	298	351	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																												
Freq	Level	Level	Level	Factor	Loss	Factor																																																																																																														
1	10608.00	55.66	-18.34	74.00	65.35	37.76	14.29	61.74	320	335	Peak	HORIZONTAL																																																																																																								
2	10608.00	45.39	-8.61	54.00	55.08	37.76	14.29	61.74	320	335	Average	HORIZONTAL																																																																																																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																												
Freq	Level	Level	Level	Factor	Loss	Factor																																																																																																														
1	10600.01	54.59	-19.41	74.00	64.28	37.76	14.29	61.74	312	312	Peak	VERTICAL																																																																																																								
2	10600.01	44.99	-9.01	54.00	54.68	37.76	14.29	61.74	312	312	Average	VERTICAL																																																																																																								
3	15910.00	55.59	-18.50	74.00	58.56	38.83	17.71	61.50	298	351	Peak	VERTICAL																																																																																																								
4	15910.00	44.58	-9.42	54.00	47.54	40.83	17.71	61.50	298	351	Average	VERTICAL																																																																																																								



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																																																									
ANT	802.11a CH64 5320MHz																																																																																																									
SISO	Horizontal	Vertical																																																																																																								
Peak Avg.	<p>Site : 03906-KS Condition : 5G BAND 1---3 @ 3117 SN 00218627- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto Mode : 6 Plane : X Full-directivity LAZ3NA #13 8002080132020408 IMEI : Powersetting : 18 <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10641.00</td> <td>55.40</td> <td>-18.40</td> <td>74.00</td> <td>65.04</td> <td>37.78</td> <td>14.32</td> <td>61.74</td> <td>295</td> <td>335</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 10641.00</td> <td>44.76</td> <td>-9.24</td> <td>54.00</td> <td>54.40</td> <td>37.78</td> <td>14.32</td> <td>61.74</td> <td>295</td> <td>335</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </p>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		1 10641.00	55.40	-18.40	74.00	65.04	37.78	14.32	61.74	295	335	Peak	HORIZONTAL	2 10641.00	44.76	-9.24	54.00	54.40	37.78	14.32	61.74	295	335	Average	HORIZONTAL	<p>Site : 03906-KS Condition : 5G BAND 1---3 @ 3117 SN 00218627- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto Mode : 6 Plane : X Full-directivity LAZ3NA #13 8002080132020408 IMEI : Powersetting : 18 <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10641.00</td> <td>51.55</td> <td>-22.45</td> <td>74.00</td> <td>61.19</td> <td>37.78</td> <td>14.32</td> <td>61.74</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 10641.00</td> <td>44.50</td> <td>-9.50</td> <td>54.00</td> <td>54.14</td> <td>37.78</td> <td>14.32</td> <td>61.74</td> <td>298</td> <td>353</td> <td>Average</td> <td>VERTICAL</td> </tr> <tr> <td>3 19554.00</td> <td>56.00</td> <td>-11.99</td> <td>74.00</td> <td>58.80</td> <td>38.90</td> <td>17.73</td> <td>61.50</td> <td>329</td> <td>355</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4 19554.00</td> <td>45.37</td> <td>-8.63</td> <td>54.00</td> <td>48.21</td> <td>40.93</td> <td>17.73</td> <td>61.50</td> <td>329</td> <td>355</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table> </p>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		1 10641.00	51.55	-22.45	74.00	61.19	37.78	14.32	61.74	100	0	Peak	VERTICAL	2 10641.00	44.50	-9.50	54.00	54.14	37.78	14.32	61.74	298	353	Average	VERTICAL	3 19554.00	56.00	-11.99	74.00	58.80	38.90	17.73	61.50	329	355	Peak	VERTICAL	4 19554.00	45.37	-8.63	54.00	48.21	40.93	17.73	61.50	329	355	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																																				
1 10641.00	55.40	-18.40	74.00	65.04	37.78	14.32	61.74	295	335	Peak	HORIZONTAL																																																																																															
2 10641.00	44.76	-9.24	54.00	54.40	37.78	14.32	61.74	295	335	Average	HORIZONTAL																																																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																																				
1 10641.00	51.55	-22.45	74.00	61.19	37.78	14.32	61.74	100	0	Peak	VERTICAL																																																																																															
2 10641.00	44.50	-9.50	54.00	54.14	37.78	14.32	61.74	298	353	Average	VERTICAL																																																																																															
3 19554.00	56.00	-11.99	74.00	58.80	38.90	17.73	61.50	329	355	Peak	VERTICAL																																																																																															
4 19554.00	45.37	-8.63	54.00	48.21	40.93	17.73	61.50	329	355	Average	VERTICAL																																																																																															





UNII-2A 5250~5350MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT20 CH52 5260MHz																																																																			
SISO	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 030004-KS Condition : SG BAND 1-3 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-000004-V08-3000-000004-08T-Auto Mode : 17 Plane : X Antenna : Full-directivity LA23NA MEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>52.49</td> <td>-15.81</td> <td>68.30</td> <td>62.29</td> <td>37.71</td> <td>14.24</td> <td>61.75</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	10520.00	52.49	-15.81	68.30	62.29	37.71	14.24	61.75	300	0 Peak HORIZONTAL	<p>Site : 030004-KS Condition : SG BAND 1-3 3m 3117 SN 00218662- VERTICAL Project : R08-1000-000004-V08-3000-000004-08T-Auto Mode : 17 Plane : X Antenna : Full-directivity LA23NA MEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10531.00</td> <td>50.94</td> <td>-17.36</td> <td>68.30</td> <td>60.72</td> <td>37.72</td> <td>14.25</td> <td>61.75</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	10531.00	50.94	-17.36	68.30	60.72	37.72	14.25	61.75	100	0 Peak VERTICAL
	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	10520.00	52.49	-15.81	68.30	62.29	37.71	14.24	61.75	300	0 Peak HORIZONTAL																																																										
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	10531.00	50.94	-17.36	68.30	60.72	37.72	14.25	61.75	100	0 Peak VERTICAL																																																										



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11ac VHT20 CH60 5300MHz	
SISO	Horizontal	Vertical
Peak Avg.	<p>Site : 03906-KS Condition : SG BAND 1---3 3e 3117 SN 002186G2- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : 14 Plane : X Full-directivity LAZ3NA #13 8002080132020049 IMEI : PowerSetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 10400.01 49.83 -24.17 74.00 69.62 37.76 14.29 61.74 300 0 Peak HORIZONTAL</p>	<p>Site : 03906-KS Condition : SG BAND 1---3 3e 3117 SN 002186G2- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : 14 Plane : X Full-directivity LAZ3NA #13 8002080132020049 IMEI : PowerSetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 10400.01 53.46 -20.64 74.00 63.15 37.76 14.29 61.74 291 84 Peak VERTICAL 2 10400.01 43.52 -10.48 54.00 53.21 37.76 14.29 61.74 291 84 Average VERTICAL</p>





WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																													
ANT	802.11ac VHT20 CH64 5320MHz																																																													
SISO	Horizontal	Vertical																																																												
Peak Avg.	 <p>Site : 03906-KS Condition : SG BAND 1---3 @ 3117 SN 002186G2- HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz SRT Auto Mode : FFS260819-01 Plane : X Full-directivity LAZ3NA #13 8002080132020408 IMEI : Powersetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>1</th> <th>10641.00</th> <th>49.47</th> <th>-24.53</th> <th>74.00</th> <th>69.11</th> <th>37.78</th> <th>14.32</th> <th>61.74</th> <th>300</th> <th>0 Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	10641.00	49.47	-24.53	74.00	69.11	37.78	14.32	61.74	300	0 Peak	HORIZONTAL	 <p>Site : 03906-KS Condition : SG BAND 1---3 @ 3117 SN 002186G2- VERTICAL Project : RBW 1000.000kHz VBW 3000.000kHz SRT Auto Mode : FFS260819-01 Plane : X Full-directivity LAZ3NA #13 8002080132020408 IMEI : Powersetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>1</th> <th>10641.00</th> <th>53.93</th> <th>-20.07</th> <th>74.00</th> <th>63.57</th> <th>37.78</th> <th>14.32</th> <th>61.74</th> <th>299</th> <th>84 Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>10641.00</th> <th>43.20</th> <th>-10.74</th> <th>54.00</th> <th>52.90</th> <th>37.78</th> <th>14.32</th> <th>61.74</th> <th>299</th> <th>84 Average</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>15965.00</th> <th>44.06</th> <th>-10.35</th> <th>74.00</th> <th>57.89</th> <th>40.93</th> <th>17.73</th> <th>61.50</th> <th>370</th> <th>354 Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>15965.00</th> <th>43.51</th> <th>-10.49</th> <th>54.00</th> <th>46.35</th> <th>40.93</th> <th>17.73</th> <th>61.50</th> <th>370</th> <th>354 Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	10641.00	53.93	-20.07	74.00	63.57	37.78	14.32	61.74	299	84 Peak	VERTICAL	2	10641.00	43.20	-10.74	54.00	52.90	37.78	14.32	61.74	299	84 Average	VERTICAL	3	15965.00	44.06	-10.35	74.00	57.89	40.93	17.73	61.50	370	354 Peak	VERTICAL	4	15965.00	43.51	-10.49	54.00	46.35	40.93	17.73	61.50	370	354 Average	VERTICAL
1	10641.00	49.47	-24.53	74.00	69.11	37.78	14.32	61.74	300	0 Peak	HORIZONTAL																																																			
1	10641.00	53.93	-20.07	74.00	63.57	37.78	14.32	61.74	299	84 Peak	VERTICAL																																																			
2	10641.00	43.20	-10.74	54.00	52.90	37.78	14.32	61.74	299	84 Average	VERTICAL																																																			
3	15965.00	44.06	-10.35	74.00	57.89	40.93	17.73	61.50	370	354 Peak	VERTICAL																																																			
4	15965.00	43.51	-10.49	54.00	46.35	40.93	17.73	61.50	370	354 Average	VERTICAL																																																			



UNII-2A 5250~5350MHz
WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT40 CH54 5270																																																																			
SISO	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 030004-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-0000MHz-V08-3000-0000MHz-08T-Auto Mode : 21 Plane : 2 Antenna : Full-directivity LA23NA MEI : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10542.00</td> <td>48.11</td> <td>-20.19</td> <td>68.30</td> <td>57.89</td> <td>37.72</td> <td>14.25</td> <td>61.75</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10542.00	48.11	-20.19	68.30	57.89	37.72	14.25	61.75	300	0 Peak HORIZONTAL	<p>Site : 030004-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : R08-1000-0000MHz-V08-3000-0000MHz-08T-Auto Mode : 21 Plane : 2 Antenna : Full-directivity LA23NA MEI : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10542.00</td> <td>48.39</td> <td>-19.91</td> <td>68.30</td> <td>58.17</td> <td>37.72</td> <td>14.25</td> <td>61.75</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10542.00	48.39	-19.91	68.30	58.17	37.72	14.25	61.75	100	0 Peak VERTICAL
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10542.00	48.11	-20.19	68.30	57.89	37.72	14.25	61.75	300	0 Peak HORIZONTAL																																																										
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10542.00	48.39	-19.91	68.30	58.17	37.72	14.25	61.75	100	0 Peak VERTICAL																																																										



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																													
ANT	802.11ac VHT40 CH62 5310																																													
SISO	Horizontal	Vertical																																												
Peak Avg.	 <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Site : 03906-KS Condition : SG BAND 1-3 @ 3117 SN 00218652- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : 27 Plane : X Full-directivity LAZ3NA #13: 6002080123250049 IMEI : Power setting : 16 Over Limit : Frag Level Limit Line Level Factor Loss Factor</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10630.00</td> <td>47.71</td> <td>-26.29</td> <td>74.00</td> <td>57.37</td> <td>37.77</td> <td>14.31</td> <td>61.74</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	1	10630.00	47.71	-26.29	74.00	57.37	37.77	14.31	61.74	300	0 Peak HORIZONTAL	 <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Site : 03906-KS Condition : SG BAND 1-3 @ 3117 SN 00218652- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : 27 Plane : X Full-directivity LAZ3NA #13: 6002080123250049 IMEI : Power setting : 16 Over Limit : Frag Level Limit Line Level Factor Loss Factor</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10619.00</td> <td>48.67</td> <td>-25.33</td> <td>74.00</td> <td>58.33</td> <td>37.77</td> <td>14.31</td> <td>61.74</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	1	10619.00	48.67	-25.33	74.00	58.33	37.77	14.31	61.74	100	0 Peak VERTICAL
1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																				
1	10630.00	47.71	-26.29	74.00	57.37	37.77	14.31	61.74	300	0 Peak HORIZONTAL																																				
1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																				
1	10619.00	48.67	-25.33	74.00	58.33	37.77	14.31	61.74	100	0 Peak VERTICAL																																				



UNII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT80 CH58 5290MHz																																																																			
SISO	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03060-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-0000Hz V08-3000-0000Hz CRT-Auto Mode : 27 Plane : X Antenna : Full-directivity LA23MA MEI : #13 0002080123520049 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10575.00</td> <td>44.75</td> <td>-23.55</td> <td>68.30</td> <td>54.48</td> <td>37.74</td> <td>14.27</td> <td>61.74</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg			1	10575.00	44.75	-23.55	68.30	54.48	37.74	14.27	61.74	300	0 Peak HORIZONTAL	<p>Site : 03060-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- VERTICAL Project : R08-1000-0000Hz V08-3000-0000Hz CRT-Auto Mode : 27 Plane : X Antenna : Full-directivity LA23MA MEI : #13 0002080123520049 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10575.00</td> <td>45.51</td> <td>-22.79</td> <td>68.30</td> <td>55.24</td> <td>37.74</td> <td>14.27</td> <td>61.74</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg			1	10575.00	45.51	-22.79	68.30	55.24	37.74	14.27	61.74	100	0 Peak VERTICAL
MEI	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																												
1	10575.00	44.75	-23.55	68.30	54.48	37.74	14.27	61.74	300	0 Peak HORIZONTAL																																																										
MEI	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																												
1	10575.00	45.51	-22.79	68.30	55.24	37.74	14.27	61.74	100	0 Peak VERTICAL																																																										

Note: Pre-scanned for 18GHz to 26GHz, there are no signals, thus only test data below 18GHz are shown in the report.



UNII-2C - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)


WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH100 5500MHz																																																																																				
SISO	Horizontal	Fundamental																																																																																			
Peak	<p>Site : 030806-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTA Project : RRM 1000.000000 VSW 3000.000000 SRT Auto Mode : (FR) 260819-01 Plane : 7 P : Full-directivity LA23NA #13 6002080123520049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.92</td> <td>55.11</td> <td>-18.89</td> <td>74.00</td> <td>42.28</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>100</td> <td>182</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5469.08</td> <td>59.17</td> <td>-9.13</td> <td>68.30</td> <td>46.32</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>100</td> <td>182</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level Factor	Loss Factor	dB	deg		1	5455.92	55.11	-18.89	74.00	42.28	34.80	10.02	31.99	100	182	Peak	HORIZONT	2	5469.08	59.17	-9.13	68.30	46.32	34.80	10.04	31.99	100	182	Peak	HORIZONT	<p>Site : 030806-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTA Project : RRM 1000.000000 VSW 3000.000000 SRT Auto Mode : (FR) 260819-01 Plane : 7 P : Full-directivity LA23NA #13 6002080123520049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.91</td> <td>41.61</td> <td>68.30</td> <td>97.03</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>100</td> <td>182</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>103.21</td> <td>-----</td> <td>90.33</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>100</td> <td>182</td> <td>Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level Factor	Loss Factor	dB	deg		1	5500.00	109.91	41.61	68.30	97.03	34.80	10.09	32.01	100	182	Peak	HORIZONT	2	5500.00	103.21	-----	90.33	34.80	10.09	32.01	100	182	Average	HORIZONT
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	Level	Line	Level Factor	Loss Factor	dB	deg																																																																															
1	5455.92	55.11	-18.89	74.00	42.28	34.80	10.02	31.99	100	182	Peak	HORIZONT																																																																									
2	5469.08	59.17	-9.13	68.30	46.32	34.80	10.04	31.99	100	182	Peak	HORIZONT																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	Level	Line	Level Factor	Loss Factor	dB	deg																																																																															
1	5500.00	109.91	41.61	68.30	97.03	34.80	10.09	32.01	100	182	Peak	HORIZONT																																																																									
2	5500.00	103.21	-----	90.33	34.80	10.09	32.01	100	182	Average	HORIZONT																																																																										
Avg.	<p>Site : 030806-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTA Project : RRM 1000.000000 VSW 0.010800 SRT Auto Mode : (FR) 260819-01 Plane : 7 P : Full-directivity LA23NA #13 6002080123520049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>46.07</td> <td>-7.93</td> <td>54.00</td> <td>33.24</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>100</td> <td>182</td> <td>Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level Factor	Loss Factor	dB	deg		1	5460.00	46.07	-7.93	54.00	33.24	34.80	10.02	31.99	100	182	Average	HORIZONT	Left blank																																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	Level	Line	Level Factor	Loss Factor	dB	deg																																																																															
1	5460.00	46.07	-7.93	54.00	33.24	34.80	10.02	31.99	100	182	Average	HORIZONT																																																																									






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																																												
ANT	802.11a CH100 5500MHz																																																																																																																																												
SISO	Vertical	Fundamental																																																																																																																																											
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 In 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto Mode : (FREQ)260819-01 Plane : X Antenna : Full-directivity LA23NA IMEI : #13 8002980123520049</p> <table border="1"> <thead> <tr> <th colspan="11">Powersetting</th> </tr> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.88</td> <td>54.03</td> <td>-19.97</td> <td>74.00</td> <td>41.19</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>216</td> <td>112</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>54.57</td> <td>-13.73</td> <td>68.30</td> <td>41.72</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>216</td> <td>112</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Powersetting											Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg		MHz	dBm	dB	dB	dB	dB	dB	dB	dB	dB	cn	1	5448.88	54.03	-19.97	74.00	41.19	34.80	10.02	31.99	216	112	Peak	VERTICAL	2	5469.52	54.57	-13.73	68.30	41.72	34.80	10.04	31.99	216	112	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 In 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto Mode : (FREQ)260819-01 Plane : X Antenna : Full-directivity LA23NA IMEI : #13 8002980123520049</p> <table border="1"> <thead> <tr> <th colspan="11">Powersetting</th> </tr> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.78</td> <td>36.48</td> <td>68.30</td> <td>91.90</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>216</td> <td>112</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>98.12</td> <td>-----</td> <td>85.24</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>216</td> <td>112</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Powersetting											Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg		MHz	dBm	dB	dB	dB	dB	dB	dB	dB	dB	cn	1	5500.00	104.78	36.48	68.30	91.90	34.80	10.09	32.01	216	112	Peak	VERTICAL	2	5500.00	98.12	-----	85.24	34.80	10.09	32.01	216	112	Average	VERTICAL
Powersetting																																																																																																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg																																																																																																																																				
MHz	dBm	dB	dB	dB	dB	dB	dB	dB	dB	cn																																																																																																																																			
1	5448.88	54.03	-19.97	74.00	41.19	34.80	10.02	31.99	216	112	Peak	VERTICAL																																																																																																																																	
2	5469.52	54.57	-13.73	68.30	41.72	34.80	10.04	31.99	216	112	Peak	VERTICAL																																																																																																																																	
Powersetting																																																																																																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg																																																																																																																																				
MHz	dBm	dB	dB	dB	dB	dB	dB	dB	dB	cn																																																																																																																																			
1	5500.00	104.78	36.48	68.30	91.90	34.80	10.09	32.01	216	112	Peak	VERTICAL																																																																																																																																	
2	5500.00	98.12	-----	85.24	34.80	10.09	32.01	216	112	Average	VERTICAL																																																																																																																																		
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 (AVG) In 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBW: 0.0100kHz SRT: Auto Mode : (FREQ)260819-01 Plane : X Antenna : Full-directivity LA23NA IMEI : #13 8002980123520049</p> <table border="1"> <thead> <tr> <th colspan="11">Powersetting</th> </tr> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>43.69</td> <td>-10.31</td> <td>54.00</td> <td>30.86</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>216</td> <td>112</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Powersetting											Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg		MHz	dBm	dB	dB	dB	dB	dB	dB	dB	dB	cn	1	5460.00	43.69	-10.31	54.00	30.86	34.80	10.02	31.99	216	112	Average	VERTICAL	<p>Left blank</p>																																																																																		
Powersetting																																																																																																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg																																																																																																																																				
MHz	dBm	dB	dB	dB	dB	dB	dB	dB	dB	cn																																																																																																																																			
1	5460.00	43.69	-10.31	54.00	30.86	34.80	10.02	31.99	216	112	Average	VERTICAL																																																																																																																																	




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																													
ANT	802.11a CH116 5580MHz - L																																																													
SISO	Horizontal	Fundamental																																																												
<p>Peak</p>	<p>Site : 032806-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : RBW:1000.000kHz VBW:3000.000kHz SRT:Auto FR260819-01 Mode : S Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : Powersetting : 18 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5468.64</td> <td>53.34</td> <td>-20.66</td> <td>74.00</td> <td>40.51</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>112 180 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5470.00</td> <td>53.70</td> <td>-14.60</td> <td>68.30</td> <td>40.85</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>112 180 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	5468.64	53.34	-20.66	74.00	40.51	34.80	10.02	31.99	112 180 Peak	HORIZONTAL	5470.00	53.70	-14.60	68.30	40.85	34.80	10.04	31.99	112 180 Peak	HORIZONTAL	<p>Site : 032806-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : RBW:1000.000kHz VBW:3000.000kHz SRT:Auto FR260819-01 Mode : S Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : Powersetting : 18 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5584.00</td> <td>110.49</td> <td>42.19</td> <td>68.30</td> <td>97.71</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>112 180 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5584.00</td> <td>103.97</td> <td>-----</td> <td>-----</td> <td>91.19</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>112 180 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	5584.00	110.49	42.19	68.30	97.71	34.63	10.22	32.07	112 180 Peak	HORIZONTAL	5584.00	103.97	-----	-----	91.19	34.63	10.22	32.07	112 180 Average	HORIZONTAL
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
5468.64	53.34	-20.66	74.00	40.51	34.80	10.02	31.99	112 180 Peak	HORIZONTAL																																																					
5470.00	53.70	-14.60	68.30	40.85	34.80	10.04	31.99	112 180 Peak	HORIZONTAL																																																					
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
5584.00	110.49	42.19	68.30	97.71	34.63	10.22	32.07	112 180 Peak	HORIZONTAL																																																					
5584.00	103.97	-----	-----	91.19	34.63	10.22	32.07	112 180 Average	HORIZONTAL																																																					
<p>Avg.</p>	<p>Site : 032806-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218662- HORIZONTAL Project : RBW:1000.000kHz VBW:0.0100kHz SRT:Auto FR260819-01 Mode : S Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : Powersetting : 18 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5469.92</td> <td>43.59</td> <td>-10.41</td> <td>54.00</td> <td>30.76</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>112 180 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	5469.92	43.59	-10.41	54.00	30.76	34.80	10.02	31.99	112 180 Average	HORIZONTAL	<p>Left blank</p>																																								
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
5469.92	43.59	-10.41	54.00	30.76	34.80	10.02	31.99	112 180 Average	HORIZONTAL																																																					

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH116 5580MHz - R	
SISO	Horizontal	Fundamental
Peak	 <p style="text-align: right;">Left blank</p>	



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11a CH116 5580MHz - L																																																																																																	
SISO	Vertical	Fundamental																																																																																																
<p>Peak</p>	 <p>Site : 03906-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- VERTICAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto FR260819-01 Mode : S Plane : X Full-directivity LA23NA #13 6002080122520049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5448.56</td> <td>52.55</td> <td>-21.45</td> <td>74.00</td> <td>39.71</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>279</td> <td>86</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5466.32</td> <td>52.63</td> <td>-15.67</td> <td>68.30</td> <td>39.78</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>279</td> <td>86</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	1 5448.56	52.55	-21.45	74.00	39.71	34.80	10.02	31.99	279	86	Peak	VERTICAL	2 5466.32	52.63	-15.67	68.30	39.78	34.80	10.04	31.99	279	86	Peak	VERTICAL	 <p>Site : 03906-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- VERTICAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto FR260819-01 Mode : S Plane : X Full-directivity LA23NA #13 6002080122520049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5584.00</td> <td>106.05</td> <td>37.75</td> <td>68.30</td> <td>93.27</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>279</td> <td>86</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5584.00</td> <td>99.56</td> <td>-----</td> <td>-----</td> <td>86.78</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>279</td> <td>86</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	1 * 5584.00	106.05	37.75	68.30	93.27	34.63	10.22	32.07	279	86	Peak	VERTICAL	2 5584.00	99.56	-----	-----	86.78	34.63	10.22	32.07	279	86	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg																																																																																											
1 5448.56	52.55	-21.45	74.00	39.71	34.80	10.02	31.99	279	86	Peak	VERTICAL																																																																																							
2 5466.32	52.63	-15.67	68.30	39.78	34.80	10.04	31.99	279	86	Peak	VERTICAL																																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg																																																																																											
1 * 5584.00	106.05	37.75	68.30	93.27	34.63	10.22	32.07	279	86	Peak	VERTICAL																																																																																							
2 5584.00	99.56	-----	-----	86.78	34.63	10.22	32.07	279	86	Average	VERTICAL																																																																																							
<p>Avg.</p>	 <p>Site : 03906-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218662- VERTICAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto FR260819-01 Mode : S Plane : X Full-directivity LA23NA #13 6002080122520049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.92</td> <td>42.61</td> <td>-11.39</td> <td>54.00</td> <td>29.78</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>279</td> <td>86</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	1 5459.92	42.61	-11.39	54.00	29.78	34.80	10.02	31.99	279	86	Average	VERTICAL	<p>Left blank</p>																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg																																																																																											
1 5459.92	42.61	-11.39	54.00	29.78	34.80	10.02	31.99	279	86	Average	VERTICAL																																																																																							



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11a CH116 5580MHz - R																														
SISO	Vertical	Fundamental																													
Peak	 <table border="1" data-bbox="432 772 815 884"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>802.11a</td> <td>-85</td> <td>802.11a</td> <td>-85.30</td> <td>-85.30</td> <td>-85</td> <td>ca</td> <td>090</td> </tr> <tr> <td>1</td> <td>5759.32</td> <td>52.79</td> <td>-15.51</td> <td>68.30</td> <td>39.84</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>279</td> <td>86</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	802.11a	-85	802.11a	-85.30	-85.30	-85	ca	090	1	5759.32	52.79	-15.51	68.30	39.84	34.57	10.37	31.99	279	86	Peak	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																								
802.11a	-85	802.11a	-85.30	-85.30	-85	ca	090																								
1	5759.32	52.79	-15.51	68.30	39.84	34.57	10.37	31.99	279	86	Peak	VERTICAL																			



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH140 5700MHz	
SISO	Horizontal	Fundamental
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1---3 @ 3117 SN 00218AG2- HORIZONTAL Project : FR260819-01 Mode : 9 Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : Powersetting : 18 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 1 5720.04 63.99 -4.31 68.30 51.15 34.53 10.35 32.04 100 175 Peak HORIZONTAL</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1---3 @ 3117 SN 00218AG2- HORIZONTAL Project : FR260819-01 Mode : 9 Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : Powersetting : 18 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 * 5698.00 110.57 42.27 68.30 97.81 34.50 10.32 32.06 100 175 Peak HORIZONTAL 2 5698.00 102.28 ----- 89.52 34.50 10.32 32.06 100 175 Average HORIZONTAL</p>



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH140 5700MHz	
SISO	Vertical	Fundamental
Peak	<p>Site : 03906-KS Condition : SG BAND 1---3 3e 3117 SN 002186G2- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto Mode : FREQ: 260819-01 Plane : X Full-directivity LAZ3NA #13: 8002080123250049 IMEI : Power setting : 18 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 5725.08 61.10 -7.20 68.30 48.26 34.53 10.35 32.04 215 105 Peak VERTICAL</p>	<p>Site : 03906-KS Condition : SG BAND 1---3 3e 3117 SN 002186G2- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto Mode : FREQ: 260819-01 Plane : X Full-directivity LAZ3NA #13: 8002080123250049 IMEI : Power setting : 18 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 + 5704.00 104.72 38.42 68.30 93.93 34.52 10.33 32.06 215 105 Peak VERTICAL 2 5704.00 100.25 ----- 67.46 34.52 10.33 32.06 215 105 Average VERTICAL</p>



**UNII-2C 5470~5725MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ac VHT20 CH100 5500MHz																																																																																									
SISO	Horizontal	Fundamental																																																																																								
Peak	<p>Site : 030906-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 Mode : 10 Plane : X Full-directivity LA23MA IMEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAttenu</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5439.12</td> <td>54.82</td> <td>-19.18</td> <td>74.00</td> <td>42.01</td> <td>34.80</td> <td>0.99</td> <td>31.98</td> <td>101</td> <td>178</td> <td>Peak</td> </tr> <tr> <td>5467.00</td> <td>57.46</td> <td>-10.86</td> <td>68.30</td> <td>44.01</td> <td>34.80</td> <td>10.54</td> <td>31.99</td> <td>101</td> <td>178</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAttenu	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5439.12	54.82	-19.18	74.00	42.01	34.80	0.99	31.98	101	178	Peak	5467.00	57.46	-10.86	68.30	44.01	34.80	10.54	31.99	101	178	Peak	<p>Site : 030906-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 Mode : 10 Plane : X Full-directivity LA23MA IMEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAttenu</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5500.00</td> <td>109.79</td> <td>41.49</td> <td>68.30</td> <td>96.01</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>101</td> <td>178</td> <td>Peak</td> </tr> <tr> <td>5500.00</td> <td>102.76</td> <td>34.66</td> <td>68.30</td> <td>90.08</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>101</td> <td>178</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAttenu	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5500.00	109.79	41.49	68.30	96.01	34.80	10.09	32.01	101	178	Peak	5500.00	102.76	34.66	68.30	90.08	34.80	10.09	32.01	101	178	Average
Freq	Level	Over	Limit	ReadAttenu	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
5439.12	54.82	-19.18	74.00	42.01	34.80	0.99	31.98	101	178	Peak																																																																																
5467.00	57.46	-10.86	68.30	44.01	34.80	10.54	31.99	101	178	Peak																																																																																
Freq	Level	Over	Limit	ReadAttenu	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
5500.00	109.79	41.49	68.30	96.01	34.80	10.09	32.01	101	178	Peak																																																																																
5500.00	102.76	34.66	68.30	90.08	34.80	10.09	32.01	101	178	Average																																																																																
Avg.	<p>Site : 030906-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 Mode : 10 Plane : X Full-directivity LA23MA IMEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAttenu</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5460.00</td> <td>45.45</td> <td>-8.55</td> <td>54.00</td> <td>32.62</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>101</td> <td>178</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAttenu	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5460.00	45.45	-8.55	54.00	32.62	34.80	10.02	31.99	101	178	Peak	Left blank																																																							
Freq	Level	Over	Limit	ReadAttenu	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
5460.00	45.45	-8.55	54.00	32.62	34.80	10.02	31.99	101	178	Peak																																																																																



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																				
ANT	802.11ac VHT20 CH100 5500MHz																																																																																																				
SISO	Vertical	Fundamental																																																																																																			
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR1: 260819-01 Mode : 16 Plane : X Full-directivity LA23NA #13 6002080122520049 IMEI : Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.48</td> <td>53.64</td> <td>-20.36</td> <td>74.00</td> <td>40.95</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>306</td> <td>75</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5467.28</td> <td>53.24</td> <td>-15.06</td> <td>68.30</td> <td>40.39</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>306</td> <td>75</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	deg	MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg	1	5366.48	53.64	-20.36	74.00	40.95	34.70	9.92	31.93	306	75	Peak	VERTICAL	2	5467.28	53.24	-15.06	68.30	40.39	34.80	10.04	31.99	306	75	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR1: 260819-01 Mode : 16 Plane : X Full-directivity LA23NA #13 6002080122520049 IMEI : Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.85</td> <td>36.55</td> <td>68.30</td> <td>91.97</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>306</td> <td>75</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>97.87</td> <td>-----</td> <td>84.99</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>306</td> <td>75</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	deg	MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg	1	5500.00	104.85	36.55	68.30	91.97	34.80	10.09	32.01	306	75	Peak	VERTICAL	2	5500.00	97.87	-----	84.99	34.80	10.09	32.01	306	75	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	deg																																																																																														
MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg																																																																																														
1	5366.48	53.64	-20.36	74.00	40.95	34.70	9.92	31.93	306	75	Peak	VERTICAL																																																																																									
2	5467.28	53.24	-15.06	68.30	40.39	34.80	10.04	31.99	306	75	Peak	VERTICAL																																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	deg																																																																																														
MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg																																																																																														
1	5500.00	104.85	36.55	68.30	91.97	34.80	10.09	32.01	306	75	Peak	VERTICAL																																																																																									
2	5500.00	97.87	-----	84.99	34.80	10.09	32.01	306	75	Average	VERTICAL																																																																																										
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218662- VERTICAL Project : RBW: 1000.000kHz VBR: 0.0100kHz SRT: Auto FR1: 260819-01 Mode : 16 Plane : X Full-directivity LA23NA #13 6002080122520049 IMEI : Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>43.64</td> <td>-10.36</td> <td>54.00</td> <td>30.81</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>306</td> <td>75</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	deg	MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg	1	5460.00	43.64	-10.36	54.00	30.81	34.80	10.02	31.99	306	75	Average	VERTICAL	<p>Left blank</p>																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	deg																																																																																														
MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg																																																																																														
1	5460.00	43.64	-10.36	54.00	30.81	34.80	10.02	31.99	306	75	Average	VERTICAL																																																																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																								
ANT	802.11ac VHT20 CH116 5580MHz - L																																																																																																								
SISO	Horizontal	Fundamental																																																																																																							
<p>Peak</p>	<p>Site : 032806-KS Condition : SG BAND 1----3 In 3117 SN 00218662- HORIZONTAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto Mode : FFS:260819-01 Plane : X IPE1 : Full-directivity LA23NA #13 6002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.44</td> <td>53.13</td> <td>-20.87</td> <td>74.00</td> <td>40.32</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>109</td> <td>179</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5465.04</td> <td>54.63</td> <td>-13.67</td> <td>68.30</td> <td>41.78</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>109</td> <td>179</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5443.44	53.13	-20.87	74.00	40.32	34.80	9.99	31.98	109	179	Peak	HORIZONTAL	2	5465.04	54.63	-13.67	68.30	41.78	34.80	10.04	31.99	109	179	Peak	HORIZONTAL	<p>Site : 032806-KS Condition : SG BAND 1----3 In 3117 SN 00218662- HORIZONTAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto Mode : FFS:260819-01 Plane : X IPE1 : Full-directivity LA23NA #13 6002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5578.00</td> <td>110.31</td> <td>42.01</td> <td>68.30</td> <td>97.51</td> <td>34.67</td> <td>10.20</td> <td>32.07</td> <td>109</td> <td>179</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5578.00</td> <td>103.60</td> <td>-----</td> <td>90.80</td> <td>34.67</td> <td>10.20</td> <td>32.07</td> <td>109</td> <td>179</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5578.00	110.31	42.01	68.30	97.51	34.67	10.20	32.07	109	179	Peak	HORIZONTAL	2	5578.00	103.60	-----	90.80	34.67	10.20	32.07	109	179	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5443.44	53.13	-20.87	74.00	40.32	34.80	9.99	31.98	109	179	Peak	HORIZONTAL																																																																																													
2	5465.04	54.63	-13.67	68.30	41.78	34.80	10.04	31.99	109	179	Peak	HORIZONTAL																																																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5578.00	110.31	42.01	68.30	97.51	34.67	10.20	32.07	109	179	Peak	HORIZONTAL																																																																																													
2	5578.00	103.60	-----	90.80	34.67	10.20	32.07	109	179	Average	HORIZONTAL																																																																																														
<p>Avg.</p>	<p>Site : 032806-KS Condition : SG BAND 1----3 (AVG) In 3117 SN 00218662- HORIZONTAL Project : RBW:1000.000kHz VBR:0.01000kHz SRT:Auto Mode : FFS:260819-01 Plane : X IPE1 : Full-directivity LA23NA #13 6002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>44.67</td> <td>-9.33</td> <td>54.00</td> <td>31.84</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>109</td> <td>179</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.67	-9.33	54.00	31.84	34.80	10.02	31.99	109	179	Average	HORIZONTAL	<p>Left blank</p>																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5459.92	44.67	-9.33	54.00	31.84	34.80	10.02	31.99	109	179	Average	HORIZONTAL																																																																																													



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH116 5580MHz - R	
SISO	Horizontal	Fundamental
Peak	<p> No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn </p> <p> Data: 4 Level (dBm/100kHz) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 0 5685 5700 5710 5720 5730 5740 5750 5760 5765 Frequency (MHz) </p> <p> Site : 039906-KS Position : SG BAND 1-----3 3m 3117 SN 00218663- HORIZONTAL Project : RRM 1000 000kHz VSW 3000 000kHz SRT :Auto Band : FCC 2.4GHz-01 Mode : 17 Plane : X Antenna : Full-directivity LA23MA IMEI : #13 800208012330309 Power setting : 17 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phase 1 5728.84 54.07 -14.23 68.30 41.23 34.53 10.35 32.04 100 179 Peak HORIZONTAL </p>	Left blank



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																				
ANT	802.11ac VHT20 CH116 5580MHz - L																																																																																																				
SISO	Vertical	Fundamental																																																																																																			
Peak	<p>Site : 030906-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto Mode : FFS:260819-01 Plane : X IPEI : Full-directivity LA23NA #13 6002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5473.28</td> <td>51.97</td> <td>-22.03</td> <td>74.00</td> <td>39.16</td> <td>34.80</td> <td>9.97</td> <td>31.96</td> <td>283</td> <td>87</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5468.40</td> <td>52.13</td> <td>-16.17</td> <td>68.30</td> <td>39.28</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>283</td> <td>87</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	1	5473.28	51.97	-22.03	74.00	39.16	34.80	9.97	31.96	283	87	Peak	VERTICAL	2	5468.40	52.13	-16.17	68.30	39.28	34.80	10.04	31.99	283	87	Peak	VERTICAL	<p>Site : 030906-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto Mode : FFS:260819-01 Plane : X IPEI : Full-directivity LA23NA #13 6002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5584.00</td> <td>105.97</td> <td>37.47</td> <td>68.30</td> <td>93.19</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>283</td> <td>87</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5584.00</td> <td>99.01</td> <td>-----</td> <td>86.23</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>283</td> <td>87</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	1	5584.00	105.97	37.47	68.30	93.19	34.63	10.22	32.07	283	87	Peak	VERTICAL	2	5584.00	99.01	-----	86.23	34.63	10.22	32.07	283	87	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg																																																																																														
1	5473.28	51.97	-22.03	74.00	39.16	34.80	9.97	31.96	283	87	Peak	VERTICAL																																																																																									
2	5468.40	52.13	-16.17	68.30	39.28	34.80	10.04	31.99	283	87	Peak	VERTICAL																																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg																																																																																														
1	5584.00	105.97	37.47	68.30	93.19	34.63	10.22	32.07	283	87	Peak	VERTICAL																																																																																									
2	5584.00	99.01	-----	86.23	34.63	10.22	32.07	283	87	Average	VERTICAL																																																																																										
Avg.	<p>Site : 030906-KS Condition : SG BAND 1----3 (AVG) In 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:0,01000kHz SRT:Auto Mode : FFS:260819-01 Plane : X IPEI : Full-directivity LA23NA #13 6002080122520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5479.92</td> <td>43.08</td> <td>-10.92</td> <td>54.00</td> <td>30.25</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>283</td> <td>87</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	1	5479.92	43.08	-10.92	54.00	30.25	34.80	10.02	31.99	283	87	Average	VERTICAL	Left blank																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg																																																																																														
1	5479.92	43.08	-10.92	54.00	30.25	34.80	10.02	31.99	283	87	Average	VERTICAL																																																																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																															
ANT	802.11ac VHT20 CH116 5580MHz - R																															
SISO	Vertical	Fundamental																														
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1 ---3 @ 3117.5K 00218663- VERTICAL Power : RBW: 1000.000KHz; VBW: 3000.000KHz; SMT: Auto Project : FCC260819-01 Bode : X Plane : X Full-directivity LAZ3MA #13: 8002080123303000</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5760.68</td> <td>54.06</td> <td>-14.24</td> <td>68.30</td> <td>41.11</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>283</td> <td>87 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Line	Level	Factor	Loss	Factor			1	5760.68	54.06	-14.24	68.30	41.11	34.57	10.37	31.99	283	87 Peak	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																								
Freq	Level	Line	Level	Factor	Loss	Factor																										
1	5760.68	54.06	-14.24	68.30	41.11	34.57	10.37	31.99	283	87 Peak	VERTICAL																					



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																							
ANT	802.11ac VHT20 CH140 5700MHz																																																																							
SISO	Horizontal	Fundamental																																																																						
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1---3 3e 3117 SN 002186G2- HORIZONTAL Project : RRM-1000-000KHz VBR-3000-000KHz SRT-Auto Freq : FFS260819-01 Mode : IS Plane : X Full-directivity LAZ3NA #13 8002080132020409 IME1 : Powersetting : #17 8002080132020409</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 1</td> <td>5727.24</td> <td>65.06</td> <td>-3.24</td> <td>68.30</td> <td>52.22</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>175</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Line	Level Factor	Loss Factor				1 1	5727.24	65.06	-3.24	68.30	52.22	34.53	10.35	32.04	100	175	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1---3 3e 3117 SN 002186G2- HORIZONTAL Project : RRM-1000-000KHz VBR-3000-000KHz SRT-Auto Freq : FFS260819-01 Mode : IS Plane : X Full-directivity LAZ3NA #17 8002080132020409 IME1 : Powersetting : #17 8002080132020409</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5698.00</td> <td>110.46</td> <td>42.16</td> <td>68.30</td> <td>97.70</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>100</td> <td>175</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>103.61</td> <td>-----</td> <td>90.85</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>100</td> <td>175</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Line	Level Factor	Loss Factor				1 *	5698.00	110.46	42.16	68.30	97.70	34.50	10.32	32.06	100	175	Peak	HORIZONTAL	2	5698.00	103.61	-----	90.85	34.50	10.32	32.06	100	175	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																	
Freq	Level	Line	Level Factor	Loss Factor																																																																				
1 1	5727.24	65.06	-3.24	68.30	52.22	34.53	10.35	32.04	100	175	Peak	HORIZONTAL																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																	
Freq	Level	Line	Level Factor	Loss Factor																																																																				
1 *	5698.00	110.46	42.16	68.30	97.70	34.50	10.32	32.06	100	175	Peak	HORIZONTAL																																																												
2	5698.00	103.61	-----	90.85	34.50	10.32	32.06	100	175	Average	HORIZONTAL																																																													



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH140 5700MHZ	
SISO	Vertical	Fundamental
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1-----3 3m 3117.5N 00218AG2- VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Freq: 5725.000 Mode : IS Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : PowerSetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 5725.56 40.19 -8.11 68.30 47.35 34.53 10.35 32.04 116 72 Peak VERTICAL</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1-----3 3m 3117.5N 00218AG2- VERTICAL Project : RRM-1000.000KHz VBR-3000.000KHz SRT-Auto Freq: 5725.000 Mode : IS Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : PowerSetting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 + 5698.00 104.48 38.18 68.30 93.72 34.50 10.32 32.06 116 72 Peak VERTICAL 2 5698.00 99.05 ----- 86.29 34.50 10.32 32.06 116 72 Average VERTICAL</p>



**UNII-2C 5470~5725MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																												
ANT	802.11ac VHT40 CH102 5510MHz - L																																																																												
SISO	Horizontal	Fundamental																																																																											
Peak	<p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project: FR260819-01 Mode: 23 Plane: 2 Full-directivity LA23MA IMEI: #13 0062080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5438.00</td> <td>55.19</td> <td>-18.81</td> <td>74.00</td> <td>42.38</td> <td>34.80</td> <td>0.99</td> <td>31.98</td> <td>108</td> <td>182 Peak</td> </tr> <tr> <td>5470.00</td> <td>58.00</td> <td>-10.30</td> <td>68.30</td> <td>45.15</td> <td>34.80</td> <td>10.54</td> <td>31.99</td> <td>108</td> <td>182 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		5438.00	55.19	-18.81	74.00	42.38	34.80	0.99	31.98	108	182 Peak	5470.00	58.00	-10.30	68.30	45.15	34.80	10.54	31.99	108	182 Peak	<p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project: FR260819-01 Mode: 23 Plane: 2 Full-directivity LA23MA IMEI: #13 0062080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5512.00</td> <td>104.97</td> <td>36.67</td> <td>68.30</td> <td>92.10</td> <td>34.80</td> <td>10.09</td> <td>32.02</td> <td>108</td> <td>182 Peak</td> </tr> <tr> <td>5512.00</td> <td>108.36</td> <td>-----</td> <td>80.49</td> <td>34.80</td> <td>10.09</td> <td>32.02</td> <td>108</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		5512.00	104.97	36.67	68.30	92.10	34.80	10.09	32.02	108	182 Peak	5512.00	108.36	-----	80.49	34.80	10.09	32.02	108	182 Average
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
5438.00	55.19	-18.81	74.00	42.38	34.80	0.99	31.98	108	182 Peak																																																																				
5470.00	58.00	-10.30	68.30	45.15	34.80	10.54	31.99	108	182 Peak																																																																				
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
5512.00	104.97	36.67	68.30	92.10	34.80	10.09	32.02	108	182 Peak																																																																				
5512.00	108.36	-----	80.49	34.80	10.09	32.02	108	182 Average																																																																					
Avg.	<p>Site: 030906-KS Condition: SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project: FR260819-01 Mode: 23 Plane: 2 Full-directivity LA23MA IMEI: #13 0062080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5460.00</td> <td>45.70</td> <td>-8.30</td> <td>54.00</td> <td>32.87</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>108</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		5460.00	45.70	-8.30	54.00	32.87	34.80	10.02	31.99	108	182 Average	Left blank																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
5460.00	45.70	-8.30	54.00	32.87	34.80	10.02	31.99	108	182 Average																																																																				

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT40 CH102 5510MHz - R	
SISO	Horizontal	Fundamental
Peak	<p> <small> No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 Http://www.sporton.com.cn </small> </p> <p> <small> Data: 4 Level (dBm/100m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 0 5685 5700 5715 5730 5745 5760 5765 Frequency (MHz) </small> </p> <p> <small> Site : 039906-KS Session : SG BAND 1-----3 3m 3117 SN 00218463- HORIZONTAL Project : RRM 1000 000KHz VSW 3000 000KHz SRT :Auto Mode : FREQ 260819-01 Bede : 23 Plane : X Antenna : Full-directivity LA23MA #13 8002080123303050 IMEI : Power setting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phase ----- 1 5768.28 53.92 -14.28 68.30 40.97 34.57 10.37 31.99 108 102 Peak HORIZONTAL </small> </p>	Left blank






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ac VHT40 CH102 5510MHz - L																																																																																								
SISO	Vertical	Fundamental																																																																																							
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto FR260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 6002080122520049</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IMEI</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>52.86</td> <td>-21.14</td> <td>74.00</td> <td>40.03</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>243</td> <td>112 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>54.04</td> <td>-14.26</td> <td>68.30</td> <td>41.19</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>243</td> <td>112 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg	1	5455.12	52.86	-21.14	74.00	40.03	34.80	10.02	31.99	243	112 Peak	VERTICAL	2	5468.72	54.04	-14.26	68.30	41.19	34.80	10.04	31.99	243	112 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto FR260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 6002080122520049</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IMEI</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5506.00</td> <td>99.97</td> <td>31.67</td> <td>68.30</td> <td>87.10</td> <td>34.80</td> <td>10.09</td> <td>32.02</td> <td>243</td> <td>112 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5506.00</td> <td>93.25</td> <td>-----</td> <td>80.38</td> <td>34.80</td> <td>10.09</td> <td>32.02</td> <td>243</td> <td>112 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg	1	5506.00	99.97	31.67	68.30	87.10	34.80	10.09	32.02	243	112 Peak	VERTICAL	2	5506.00	93.25	-----	80.38	34.80	10.09	32.02	243	112 Average	VERTICAL
IMEI	Powersetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg																																																																																
1	5455.12	52.86	-21.14	74.00	40.03	34.80	10.02	31.99	243	112 Peak	VERTICAL																																																																														
2	5468.72	54.04	-14.26	68.30	41.19	34.80	10.04	31.99	243	112 Peak	VERTICAL																																																																														
IMEI	Powersetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg																																																																																
1	5506.00	99.97	31.67	68.30	87.10	34.80	10.09	32.02	243	112 Peak	VERTICAL																																																																														
2	5506.00	93.25	-----	80.38	34.80	10.09	32.02	243	112 Average	VERTICAL																																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218662- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto FR260819-01 Mode : Z Plane : X Full-directivity LA23NA #13 6002080122520049</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IMEI</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>43.17</td> <td>-10.83</td> <td>54.00</td> <td>30.34</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>243</td> <td>112 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg	1	5459.92	43.17	-10.83	54.00	30.34	34.80	10.02	31.99	243	112 Average	VERTICAL	<p>Left blank</p>																																																							
IMEI	Powersetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
IMEI	Level	Limit	Line	Level	Factor	Loss	Factor	cn	deg																																																																																
1	5459.92	43.17	-10.83	54.00	30.34	34.80	10.02	31.99	243	112 Average	VERTICAL																																																																														




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																								
ANT	802.11ac VHT40 CH102 5510MHz - R																								
SISO	Vertical	Fundamental																							
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03P06-KS Condition : SG BAND 1----3 @ 3117.5N 00218463- VERTICAL Power : RRM: 1000.000MHz VSW: 3000.000kHz SRT: Auto Project : FCC260819-01 Bode : 23 Plane : X Plane : Full-directivity LA23MA #13: 8002080123303030</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Power</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>1</th> <th>5748.60</th> <th>52.98</th> <th>-15.32</th> <th>68.30</th> <th>40.08</th> <th>34.55</th> <th>10.34</th> <th>32.01</th> <th>243</th> <th>112 Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	IME1	Power	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	1	5748.60	52.98	-15.32	68.30	40.08	34.55	10.34	32.01	243	112 Peak	VERTICAL	Left blank
IME1	Power	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase															
1	5748.60	52.98	-15.32	68.30	40.08	34.55	10.34	32.01	243	112 Peak	VERTICAL														



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																				
ANT	802.11ac VHT40 CH110 5550MHz - L																																																																																																				
SISO	Horizontal	Fundamental																																																																																																			
<p>Peak</p>	 <p>Site : 03906-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto Mode : FFS:260819-01 Plane : 24 IPEI : Full-directivity LA23NA #13 8002080123250049 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.84</td> <td>53.83</td> <td>-20.17</td> <td>74.00</td> <td>41.00</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>113</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5460.72</td> <td>52.85</td> <td>-15.45</td> <td>68.30</td> <td>40.02</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>113</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	5449.84	53.83	-20.17	74.00	41.00	34.80	10.02	31.99	113	182	Peak	HORIZONTAL	2	5460.72	52.85	-15.45	68.30	40.02	34.80	10.02	31.99	113	182	Peak	HORIZONTAL	 <p>Site : 03906-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto Mode : FFS:260819-01 Plane : 24 IPEI : Full-directivity LA23NA #13 8002080123250049 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5548.00</td> <td>105.98</td> <td>37.68</td> <td>68.30</td> <td>93.15</td> <td>34.70</td> <td>10.17</td> <td>32.04</td> <td>113</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5548.00</td> <td>98.72</td> <td>-----</td> <td>85.89</td> <td>34.70</td> <td>10.17</td> <td>32.04</td> <td>113</td> <td>182</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	5548.00	105.98	37.68	68.30	93.15	34.70	10.17	32.04	113	182	Peak	HORIZONTAL	2	5548.00	98.72	-----	85.89	34.70	10.17	32.04	113	182	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																																																														
1	5449.84	53.83	-20.17	74.00	41.00	34.80	10.02	31.99	113	182	Peak	HORIZONTAL																																																																																									
2	5460.72	52.85	-15.45	68.30	40.02	34.80	10.02	31.99	113	182	Peak	HORIZONTAL																																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																																																														
1	5548.00	105.98	37.68	68.30	93.15	34.70	10.17	32.04	113	182	Peak	HORIZONTAL																																																																																									
2	5548.00	98.72	-----	85.89	34.70	10.17	32.04	113	182	Average	HORIZONTAL																																																																																										
<p>Avg.</p>	 <p>Site : 03906-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218662- HORIZONTAL Project : RBW:1000,000kHz VBR:0,01000kHz SRT:Auto Mode : FFS:260819-01 Plane : 24 IPEI : Full-directivity LA23NA #13 8002080123250049 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>43.75</td> <td>-10.25</td> <td>54.00</td> <td>30.92</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>113</td> <td>182</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	5459.28	43.75	-10.25	54.00	30.92	34.80	10.02	31.99	113	182	Average	HORIZONTAL	<p>Left blank</p>																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																																																														
1	5459.28	43.75	-10.25	54.00	30.92	34.80	10.02	31.99	113	182	Average	HORIZONTAL																																																																																									




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT40 CH110 5550MHz - R	
SISO	Horizontal	Fundamental
Peak	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 039906-KS Condition : SG (dAnt) 1---3 @ 3117.5N 00218463- HORIZONTAL Project : RRM 1000.000MHz VSW: 3000.000kHz SRT: Auto Bode : FREQ:260819-01 Bode : 24 Plane : X Plane : Full-directivity LA23MA IME1 : #13: 8002080123303030 PowerSetting : 10 Over Limit : ReadAntenna Cable Preamp A/Pos T/Pos Frag Level Limit Line Level Factor Loss Factor Remark Pol/Phase 1 5745.80 53.38 -14.92 68.30 40.48 34.55 10.34 32.01 113 102 Peak HORIZONTAL</p>	Left blank






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ac VHT40 CH110 5550MHz - L																																																					
SISO	Vertical	Fundamental																																																				
<p>Peak</p>	<p>Site : 032805-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SRT:Auto FR1:260819-01 Mode : 24 Plane : X Full-directivity LA23NA #13 0002080123250049 IMEI : Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>1</th> <th>5354.64</th> <th>53.37</th> <th>-20.43</th> <th>74.00</th> <th>40.74</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>215</th> <th>91</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5461.68</th> <th>52.01</th> <th>-16.29</th> <th>68.30</th> <th>39.18</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>215</th> <th>91</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5354.64	53.37	-20.43	74.00	40.74	34.65	9.91	31.93	215	91	Peak	VERTICAL	2	5461.68	52.01	-16.29	68.30	39.18	34.80	10.02	31.99	215	91	Peak	VERTICAL	<p>Site : 032805-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SRT:Auto FR1:260819-01 Mode : 24 Plane : X Full-directivity LA23NA #13 0002080123250049 IMEI : Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>1</th> <th>5554.00</th> <th>101.06</th> <th>32.76</th> <th>68.30</th> <th>88.24</th> <th>34.70</th> <th>10.17</th> <th>32.05</th> <th>215</th> <th>91</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5554.00</th> <th>94.06</th> <th>-----</th> <th>-----</th> <th>81.24</th> <th>34.70</th> <th>10.17</th> <th>32.05</th> <th>215</th> <th>91</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5554.00	101.06	32.76	68.30	88.24	34.70	10.17	32.05	215	91	Peak	VERTICAL	2	5554.00	94.06	-----	-----	81.24	34.70	10.17	32.05	215	91	Average	VERTICAL
1	5354.64	53.37	-20.43	74.00	40.74	34.65	9.91	31.93	215	91	Peak	VERTICAL																																										
2	5461.68	52.01	-16.29	68.30	39.18	34.80	10.02	31.99	215	91	Peak	VERTICAL																																										
1	5554.00	101.06	32.76	68.30	88.24	34.70	10.17	32.05	215	91	Peak	VERTICAL																																										
2	5554.00	94.06	-----	-----	81.24	34.70	10.17	32.05	215	91	Average	VERTICAL																																										
<p>Avg.</p>	<p>Site : 032805-KS Condition : SG BAND 1----3 (AVG) In 3117 SN 00218602- VERTICAL Project : RBW:1000.000kHz VBW:0.01000kHz SRT:Auto FR1:260819-01 Mode : 24 Plane : X Full-directivity LA23NA #13 0002080123250049 IMEI : Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>1</th> <th>5458.96</th> <th>42.64</th> <th>-11.36</th> <th>54.00</th> <th>29.81</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>215</th> <th>91</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5458.96	42.64	-11.36	54.00	29.81	34.80	10.02	31.99	215	91	Average	VERTICAL	<p>Left blank</p>																																							
1	5458.96	42.64	-11.36	54.00	29.81	34.80	10.02	31.99	215	91	Average	VERTICAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																					
ANT	802.11ac VHT40 CH110 5550MHz - R																					
SISO	Vertical	Fundamental																				
Peak	 <p data-bbox="430 772 813 884"> Site : 03P006-KS Location : SG BAND 1----3 3m 3117 SN 00218663- VERTICAL Project : RRM 1000 000MHz VSW 3000 000MHz SRT Auto Band : FCC 2.45GHz-01 Mode : 24 Plane : X Antenna : Full-directivity LA23MA #13 8002080123303030 Power setting : 10 <table border="1" data-bbox="430 828 813 884"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>5741.40</td> <td>54.75</td> <td>-13.55</td> <td>68.30</td> <td>41.85</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>215</td> <td>91 Peak VERTICAL</td> </tr> </tbody> </table> </p>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	5741.40	54.75	-13.55	68.30	41.85	34.55	10.34	32.01	215	91 Peak VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase													
5741.40	54.75	-13.55	68.30	41.85	34.55	10.34	32.01	215	91 Peak VERTICAL													



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																				
ANT	802.11ac VHT40 CH134 5670MHz - L																																																				
SISO	Horizontal	Fundamental																																																			
<p>Peak</p>	 <p>Site : 030906-KS Condition : SG BAND 1----3 3m 3117 SN 00218602- HORIZONTAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto FR1:260819-01 Mode : 25 Plane : X Full-directivity LA23NA #13 0002080122030049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dB dB deg deg</p> <table border="1"> <tr> <td>1</td> <td>5451.92</td> <td>53.13</td> <td>-20.87</td> <td>74.00</td> <td>40.30</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>104</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5463.44</td> <td>52.70</td> <td>-15.60</td> <td>68.30</td> <td>39.85</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>104</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </table>	1	5451.92	53.13	-20.87	74.00	40.30	34.80	10.02	31.99	104	182	Peak	HORIZONTAL	2	5463.44	52.70	-15.60	68.30	39.85	34.80	10.04	31.99	104	182	Peak	HORIZONTAL	 <p>Site : 030906-KS Condition : SG BAND 1----3 3m 3117 SN 00218602- HORIZONTAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto FR1:260819-01 Mode : 25 Plane : X Full-directivity LA23NA #13 0002080122030049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dB dB deg deg</p> <table border="1"> <tr> <td>1</td> <td>5474.00</td> <td>106.87</td> <td>38.57</td> <td>68.30</td> <td>94.13</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>104</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5674.00</td> <td>100.37</td> <td>-----</td> <td>67.63</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>104</td> <td>182</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </table>	1	5474.00	106.87	38.57	68.30	94.13	34.52	10.30	32.08	104	182	Peak	HORIZONTAL	2	5674.00	100.37	-----	67.63	34.52	10.30	32.08	104	182	Average	HORIZONTAL
1	5451.92	53.13	-20.87	74.00	40.30	34.80	10.02	31.99	104	182	Peak	HORIZONTAL																																									
2	5463.44	52.70	-15.60	68.30	39.85	34.80	10.04	31.99	104	182	Peak	HORIZONTAL																																									
1	5474.00	106.87	38.57	68.30	94.13	34.52	10.30	32.08	104	182	Peak	HORIZONTAL																																									
2	5674.00	100.37	-----	67.63	34.52	10.30	32.08	104	182	Average	HORIZONTAL																																										
<p>Avg.</p>	 <p>Site : 030906-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : RBW:1000.000kHz VBR:0.0100kHz SRT:Auto FR1:260819-01 Mode : 25 Plane : X Full-directivity LA23NA #13 0002080122030049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor MHz dBuV/m dB dBuV/m dBuV/m dB dB dB deg deg</p> <table border="1"> <tr> <td>1</td> <td>5460.00</td> <td>42.62</td> <td>-11.38</td> <td>54.00</td> <td>29.79</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>104</td> <td>182</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </table>	1	5460.00	42.62	-11.38	54.00	29.79	34.80	10.02	31.99	104	182	Average	HORIZONTAL	<p>Left blank</p>																																						
1	5460.00	42.62	-11.38	54.00	29.79	34.80	10.02	31.99	104	182	Average	HORIZONTAL																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																	
ANT	802.11ac VHT40 CH134 5670MHz - R																																	
SISO	Horizontal	Fundamental																																
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 039806-KS Condition : SG BAND 1-----3 3m 3117 SN 00218463- HORIZONTAL Power : RRM 1000.000MHz VSW 3000.000kHz SRT: Auto Project : FCC260819-01 Bode : 25 Plane : X Full-directivity LA23MA #13 8002080123303030</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5730.44</td> <td>59.46</td> <td>-8.84</td> <td>68.30</td> <td>46.59</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> <td>104</td> <td>103 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Line	Level	Factor	Loss	Factor				1	5730.44	59.46	-8.84	68.30	46.59	34.53	10.35	32.01	104	103 Peak	HORIZONTAL	Left blank
IMEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																									
Freq	Level	Line	Level	Factor	Loss	Factor																												
1	5730.44	59.46	-8.84	68.30	46.59	34.53	10.35	32.01	104	103 Peak	HORIZONTAL																							






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																													
ANT	802.11ac VHT40 CH134 5670MHz - L																																																													
SISO	Vertical	Fundamental																																																												
<p>Peak</p>	<p>Site : 030906-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto (FR) 260819-01 Mode : 25 Plane : X Full-directivity LA23NA #13 0002080122520049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5371.28</td> <td>52.49</td> <td>-21.51</td> <td>74.00</td> <td>39.80</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>229</td> <td>99 Peak VERTICAL</td> </tr> <tr> <td>5464.72</td> <td>52.04</td> <td>-16.26</td> <td>68.30</td> <td>39.19</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>229</td> <td>99 Peak VERTICAL</td> </tr> </tbody> </table>	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	5371.28	52.49	-21.51	74.00	39.80	34.70	9.92	31.93	229	99 Peak VERTICAL	5464.72	52.04	-16.26	68.30	39.19	34.80	10.04	31.99	229	99 Peak VERTICAL	<p>Site : 030906-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto (FR) 260819-01 Mode : 25 Plane : X Full-directivity LA23NA #13 0002080122520049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5662.00</td> <td>103.26</td> <td>34.96</td> <td>68.30</td> <td>90.51</td> <td>34.54</td> <td>10.29</td> <td>32.08</td> <td>229</td> <td>99 Peak VERTICAL</td> </tr> <tr> <td>5662.00</td> <td>96.07</td> <td>-----</td> <td>83.32</td> <td>34.54</td> <td>10.29</td> <td>32.08</td> <td>229</td> <td>99 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	5662.00	103.26	34.96	68.30	90.51	34.54	10.29	32.08	229	99 Peak VERTICAL	5662.00	96.07	-----	83.32	34.54	10.29	32.08	229	99 Average	VERTICAL
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
5371.28	52.49	-21.51	74.00	39.80	34.70	9.92	31.93	229	99 Peak VERTICAL																																																					
5464.72	52.04	-16.26	68.30	39.19	34.80	10.04	31.99	229	99 Peak VERTICAL																																																					
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
5662.00	103.26	34.96	68.30	90.51	34.54	10.29	32.08	229	99 Peak VERTICAL																																																					
5662.00	96.07	-----	83.32	34.54	10.29	32.08	229	99 Average	VERTICAL																																																					
<p>Avg.</p>	<p>Site : 030906-KS Condition : SG BAND 1----3 (AVG) In 3117 SN 00218602- VERTICAL Project : RBW:1000.000kHz VBR:3000.000kHz SRT:Auto (FR) 260819-01 Mode : 25 Plane : X Full-directivity LA23NA #13 0002080122520049 IMEI : Powersetting : 10 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5459.28</td> <td>42.26</td> <td>-11.74</td> <td>54.00</td> <td>29.43</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>229</td> <td>99 Average VERTICAL</td> </tr> </tbody> </table>	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	5459.28	42.26	-11.74	54.00	29.43	34.80	10.02	31.99	229	99 Average VERTICAL	<p>Left blank</p>																																								
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																					
5459.28	42.26	-11.74	54.00	29.43	34.80	10.02	31.99	229	99 Average VERTICAL																																																					



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																					
ANT	802.11ac VHT40 CH134 5670MHz - R																																					
SISO	Vertical	Fundamental																																				
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 039806-KS Condition : SG BAND 1----3 3m 3117 SN 00218463- VERTICAL Power : RRM 1000.000MHz VSW 3000.000kHz SRT Auto Project : FCC260819-01 Bode : 25 Plane : X Antenna : Full-directivity LA23MA #13 8002080123303030</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Power setting</th> <th>FB</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Prag</th> <th>Level</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.08</td> <td>55.99</td> <td>-12.31</td> <td>68.30</td> <td>43.15</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>229</td> <td>99 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Power setting	FB	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Prag	Level	Level	Line	Level	Factor	Loss	Factor					1	5725.08	55.99	-12.31	68.30	43.15	34.53	10.35	32.04	229	99 Peak	VERTICAL	Left blank
IMEI	Power setting	FB	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																											
Prag	Level	Level	Line	Level	Factor	Loss	Factor																															
1	5725.08	55.99	-12.31	68.30	43.15	34.53	10.35	32.04	229	99 Peak	VERTICAL																											



**UNII-2C 5470~5725MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																									
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																																									
SISO	Horizontal	Fundamental																																																																																																								
Peak	 <p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project: RRM-1000-0000KHz VBR-3000-0000KHz SWT:Auto Mode: FR2 260819-01 Plane: 29 Antenna: Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.00</td> <td>60.38</td> <td>-12.45</td> <td>74.00</td> <td>47.55</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>116</td> <td>183</td> <td>Peak</td> <td>HORIZONTAL</td> <td></td> </tr> <tr> <td>2 5469.84</td> <td>61.01</td> <td>-12.29</td> <td>68.30</td> <td>48.16</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>116</td> <td>183</td> <td>Peak</td> <td>HORIZONTAL</td> <td></td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg			1 5458.00	60.38	-12.45	74.00	47.55	34.80	10.02	31.99	116	183	Peak	HORIZONTAL		2 5469.84	61.01	-12.29	68.30	48.16	34.80	10.04	31.99	116	183	Peak	HORIZONTAL		 <p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project: RRM-1000-0000KHz VBR-3000-0000KHz SWT:Auto Mode: FR2 260819-01 Plane: 29 Antenna: Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5542.00</td> <td>102.45</td> <td>34.35</td> <td>68.30</td> <td>89.81</td> <td>34.73</td> <td>10.15</td> <td>32.04</td> <td>116</td> <td>183</td> <td>Peak</td> <td>HORIZONTAL</td> <td></td> </tr> <tr> <td>2 5542.00</td> <td>75.05</td> <td></td> <td></td> <td>82.81</td> <td>34.73</td> <td>10.15</td> <td>32.04</td> <td>116</td> <td>183</td> <td>Average</td> <td>HORIZONTAL</td> <td></td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg			1 5542.00	102.45	34.35	68.30	89.81	34.73	10.15	32.04	116	183	Peak	HORIZONTAL		2 5542.00	75.05			82.81	34.73	10.15	32.04	116	183	Average	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 5458.00	60.38	-12.45	74.00	47.55	34.80	10.02	31.99	116	183	Peak	HORIZONTAL																																																																																															
2 5469.84	61.01	-12.29	68.30	48.16	34.80	10.04	31.99	116	183	Peak	HORIZONTAL																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 5542.00	102.45	34.35	68.30	89.81	34.73	10.15	32.04	116	183	Peak	HORIZONTAL																																																																																															
2 5542.00	75.05			82.81	34.73	10.15	32.04	116	183	Average	HORIZONTAL																																																																																															
Avg.	 <p>Site: 030906-KS Condition: SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project: RRM-1000-0000KHz VBR-0.010KHz SWT:Auto Mode: FR2 260819-01 Plane: 29 Antenna: Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.00</td> <td>50.84</td> <td>-2.16</td> <td>54.00</td> <td>38.01</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>116</td> <td>183</td> <td>Average</td> <td>HORIZONTAL</td> <td></td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg			1 5458.00	50.84	-2.16	54.00	38.01	34.80	10.02	31.99	116	183	Average	HORIZONTAL		Left blank																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 5458.00	50.84	-2.16	54.00	38.01	34.80	10.02	31.99	116	183	Average	HORIZONTAL																																																																																															



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ac VHT80 CH106 5530MHz - R																						
SISO	Horizontal	Fundamental																					
Peak	<p> No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn </p> <p> Data: 4 Level (dBm/100MHz) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 0 </p> <p> 5685 5700 5710 5720 5730 5740 5750 5760 5765 Frequency (MHz) </p> <p> Site : 039806-KS Position : SG BAND 1-----3 @ 3117 SN 00218663- HORIZONTAL Project : RRM 1000 000MHz VSM 3000 000MHz SRT : Auto Band : FCC 2.4GHz-101 Mode : 20 Plane : X Antenna : Full-directivity LA23MA IMEI : #13-8002080123203050 Power setting : IS Over Limit : ReadAntenna Cable Preamp A/Pos T/Pos Prqg Level Limit Line Level Factor Loss Factor Remark Pol/Phase WRC dBm/100MHz dBm/100MHz dBm/100MHz dBm/100MHz ca deg </p> <table border="1"> <thead> <tr> <th>Prqg</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5730.84</td> <td>54.31</td> <td>-13.99</td> <td>68.30</td> <td>41.44</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> <td>116</td> <td>103 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Prqg	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	1	5730.84	54.31	-13.99	68.30	41.44	34.53	10.35	32.01	116	103 Peak	HORIZONTAL	Left blank
Prqg	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase															
1	5730.84	54.31	-13.99	68.30	41.44	34.53	10.35	32.01	116	103 Peak	HORIZONTAL												






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																						
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																																						
SISO	Vertical	Fundamental																																																																																																					
Peak	<p>Site : 030906-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto FRF:260819-01 Mode : 28 Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5462.56</td> <td>55.73</td> <td>-18.27</td> <td>74.00</td> <td>42.90</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>233</td> <td>94</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>57.77</td> <td>-10.53</td> <td>68.30</td> <td>44.92</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>233</td> <td>94</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg	1	5462.56	55.73	-18.27	74.00	42.90	34.80	10.02	31.99	233	94	Peak	VERTICAL	2	5470.00	57.77	-10.53	68.30	44.92	34.80	10.04	31.99	233	94	Peak	VERTICAL	<p>Site : 030906-KS Condition : SG BAND 1----3 In 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto FRF:260819-01 Mode : 28 Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>98.25</td> <td>29.95</td> <td>68.30</td> <td>85.40</td> <td>34.77</td> <td>10.12</td> <td>32.04</td> <td>233</td> <td>94</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>91.60</td> <td>-----</td> <td>78.75</td> <td>34.77</td> <td>10.12</td> <td>32.04</td> <td>233</td> <td>94</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg	1	5530.00	98.25	29.95	68.30	85.40	34.77	10.12	32.04	233	94	Peak	VERTICAL	2	5530.00	91.60	-----	78.75	34.77	10.12	32.04	233	94	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg																																																																																															
1	5462.56	55.73	-18.27	74.00	42.90	34.80	10.02	31.99	233	94	Peak	VERTICAL																																																																																											
2	5470.00	57.77	-10.53	68.30	44.92	34.80	10.04	31.99	233	94	Peak	VERTICAL																																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg																																																																																															
1	5530.00	98.25	29.95	68.30	85.40	34.77	10.12	32.04	233	94	Peak	VERTICAL																																																																																											
2	5530.00	91.60	-----	78.75	34.77	10.12	32.04	233	94	Average	VERTICAL																																																																																												
Avg.	<p>Site : 030906-KS Condition : SG BAND 1----3 (AVG) In 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:0,01000kHz SRT:Auto FRF:260819-01 Mode : 28 Plane : X Full-directivity LA23NA #13 8002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>46.53</td> <td>-7.47</td> <td>54.00</td> <td>33.70</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>233</td> <td>94</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg	1	5468.00	46.53	-7.47	54.00	33.70	34.80	10.02	31.99	233	94	Average	VERTICAL	Left blank																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cn	deg																																																																																															
1	5468.00	46.53	-7.47	54.00	33.70	34.80	10.02	31.99	233	94	Average	VERTICAL																																																																																											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																	
ANT	802.11ac VHT80 CH106 5530MHz - R																	
SISO	Vertical	Fundamental																
Peak	<p> <small>SPORTON LAB</small> <small>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</small> </p> <p> <small>Data: 8</small> <small>Level (dBm/5m)</small> <small>117</small> <small>102.4</small> <small>87.8</small> <small>73.1</small> <small>58.5</small> <small>43.9</small> <small>29.3</small> <small>14.6</small> <small>0</small> <small>5685 5700 5715 5730 5745 5760 5765</small> <small>Frequency (MHz)</small> </p> <p> <small>Site : 030906-KS</small> <small>Session : SG BAND 1 --- 3 On 3117 SN 00218463- VERTICAL</small> <small>Project : RRM 1000 000MHz VBR 3000 000MHz SRT-Auto</small> <small>Mode : FCC 260819-01</small> <small>Plane : Z</small> <small>Plane : Full-directivity LAZ3MA</small> <small>IMEI : #13 8002080123303000</small> <small>Power setting : IS</small> <small>IS</small> <small>Over Limit ReadAntenna Cable Preamp A/Pos T/Pos</small> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>5726.44</td> <td>53.54</td> <td>-14.76</td> <td>68.30</td> <td>40.70</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> </tr> </tbody> </table> </p>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	5726.44	53.54	-14.76	68.30	40.70	34.53	10.35	32.04	Left blank
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase											
5726.44	53.54	-14.76	68.30	40.70	34.53	10.35	32.04											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																																	
SISO	Horizontal	Fundamental																																																																																																
<p>Peak</p>	 <p>Site : 032806-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : RBW 1000.000kHz VBR 3000.000kHz SRT Auto FR1 260819-01 Mode : 29 Plane : X Full-directivity LA23NA #13 6002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5458.48</td> <td>53.39</td> <td>-20.41</td> <td>74.00</td> <td>40.56</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>108</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5469.36</td> <td>53.54</td> <td>-14.76</td> <td>68.30</td> <td>40.69</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>108</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	1 5458.48	53.39	-20.41	74.00	40.56	34.80	10.02	31.99	108	181	Peak	HORIZONTAL	2 5469.36	53.54	-14.76	68.30	40.69	34.80	10.04	31.99	108	181	Peak	HORIZONTAL	 <p>Site : 032806-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : RBW 1000.000kHz VBR 3000.000kHz SRT Auto FR1 260819-01 Mode : 29 Plane : X Full-directivity LA23NA #13 6002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 5608.00</td> <td>102.16</td> <td>33.86</td> <td>68.30</td> <td>89.39</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>108</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5608.00</td> <td>95.48</td> <td>-----</td> <td>-----</td> <td>82.71</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>108</td> <td>181</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	1 * 5608.00	102.16	33.86	68.30	89.39	34.60	10.25	32.08	108	181	Peak	HORIZONTAL	2 5608.00	95.48	-----	-----	82.71	34.60	10.25	32.08	108	181	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																											
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB																																																																																											
1 5458.48	53.39	-20.41	74.00	40.56	34.80	10.02	31.99	108	181	Peak	HORIZONTAL																																																																																							
2 5469.36	53.54	-14.76	68.30	40.69	34.80	10.04	31.99	108	181	Peak	HORIZONTAL																																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																											
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB																																																																																											
1 * 5608.00	102.16	33.86	68.30	89.39	34.60	10.25	32.08	108	181	Peak	HORIZONTAL																																																																																							
2 5608.00	95.48	-----	-----	82.71	34.60	10.25	32.08	108	181	Average	HORIZONTAL																																																																																							
<p>Avg.</p>	 <p>Site : 032806-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218662- HORIZONTAL Project : RBW 1000.000kHz VBR 0.01000kHz SRT Auto FR1 260819-01 Mode : 29 Plane : X Full-directivity LA23NA #13 6002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5460.00</td> <td>43.29</td> <td>-10.71</td> <td>54.00</td> <td>30.46</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>108</td> <td>181</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	1 5460.00	43.29	-10.71	54.00	30.46	34.80	10.02	31.99	108	181	Average	HORIZONTAL	<p>Left blank</p>																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																											
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB																																																																																											
1 5460.00	43.29	-10.71	54.00	30.46	34.80	10.02	31.99	108	181	Average	HORIZONTAL																																																																																							



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ac VHT80 CH122 5610MHz - R																																			
SISO	Horizontal	Fundamental																																		
Peak	<p>SPORTON LAB. No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 4</p> <p>Level (dBm/100Hz)</p> <p>Frequency (MHz)</p> <p>Site : 03P006-KS Condition : SG BAND 1-----3 3m 3117 SN 00218663- HORIZONTAL Project : RRM 1000 000KHz VSW 3000 000KHz SRT :Auto Band : CPE260819-01 Mode : 29 Plane : X Antenna : Full-directivity LA23MA IMEI : #13-800208012330309</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>IS</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Prag</th> <th>Level</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.32</td> <td>54.73</td> <td>-13.57</td> <td>68.30</td> <td>41.89</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>108</td> <td>181 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	PowerSetting	IS	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Prag	Level	Level	Line	Level	Factor	Loss	Factor				1	5725.32	54.73	-13.57	68.30	41.89	34.53	10.35	32.04	108	181 Peak	HORIZONTAL	Left blank
PowerSetting	IS	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																										
Prag	Level	Level	Line	Level	Factor	Loss	Factor																													
1	5725.32	54.73	-13.57	68.30	41.89	34.53	10.35	32.04	108	181 Peak	HORIZONTAL																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																				
SISO	Vertical	Fundamental																																																																																			
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03206-KS Condition : SG BAND 1---3 3m 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : 29 Plane : X Full-directivity LA23NA #13 6002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5464.80</td> <td>52.10</td> <td>-11.90</td> <td>74.00</td> <td>39.27</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>322</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5467.44</td> <td>52.17</td> <td>-16.13</td> <td>68.30</td> <td>39.32</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>322</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg	1	5464.80	52.10	-11.90	74.00	39.27	34.80	10.02	31.99	322	115	Peak	VERTICAL	2	5467.44	52.17	-16.13	68.30	39.32	34.80	10.04	31.99	322	115	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03206-KS Condition : SG BAND 1---3 3m 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : 29 Plane : X Full-directivity LA23NA #13 6002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5414.00</td> <td>76.97</td> <td>28.67</td> <td>68.30</td> <td>84.20</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>322</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5614.00</td> <td>89.99</td> <td>-----</td> <td>77.21</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>322</td> <td>115</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg	1	5414.00	76.97	28.67	68.30	84.20	34.60	10.25	32.08	322	115	Peak	VERTICAL	2	5614.00	89.99	-----	77.21	34.60	10.25	32.08	322	115	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																																														
1	5464.80	52.10	-11.90	74.00	39.27	34.80	10.02	31.99	322	115	Peak	VERTICAL																																																																									
2	5467.44	52.17	-16.13	68.30	39.32	34.80	10.04	31.99	322	115	Peak	VERTICAL																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																																														
1	5414.00	76.97	28.67	68.30	84.20	34.60	10.25	32.08	322	115	Peak	VERTICAL																																																																									
2	5614.00	89.99	-----	77.21	34.60	10.25	32.08	322	115	Average	VERTICAL																																																																										
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03206-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218602- VERTICAL Project : RBW: 1000.000kHz VBR: 0.01000kHz SRT: Auto FR260819-01 Mode : 29 Plane : X Full-directivity LA23NA #13 6002080123250049 IMEI : Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.92</td> <td>42.39</td> <td>-11.61</td> <td>54.00</td> <td>29.56</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>322</td> <td>115</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg	1	5469.92	42.39	-11.61	54.00	29.56	34.80	10.02	31.99	322	115	Average	VERTICAL	<p>Left blank</p>																																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																																														
1	5469.92	42.39	-11.61	54.00	29.56	34.80	10.02	31.99	322	115	Average	VERTICAL																																																																									





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11ac VHT80 CH122 5610MHz - R																														
SISO	Vertical	Fundamental																													
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03P06-KS Condition : SG (dAnt) 1---3 3m 3117 SN 00218463- VERTICAL Project : RRM 1000 000KHz VSW 3000 000KHz SRT :Auto Bode : FREQ:260819-01 Bode : 29 Plane : X Plane : Full-directivity LA23MA IME1 : #13 8002080123303030</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5737.88</td> <td>53.20</td> <td>-15.10</td> <td>68.30</td> <td>40.30</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>322</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Line	Level Factor	Loss Factor				1	5737.88	53.20	-15.10	68.30	40.30	34.55	10.34	32.01	322	115	Peak	VERTICAL	Left blank
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phase																								
Freq	Level	Line	Level Factor	Loss Factor																											
1	5737.88	53.20	-15.10	68.30	40.30	34.55	10.34	32.01	322	115	Peak	VERTICAL																			





UNII-2C - 5470~5725MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																						
ANT	802.11a CH100 5500MHz																																																																																																						
SISO	Horizontal	Vertical																																																																																																					
Peak Avg.	<p>Site : 030806-KS Condition : 5G BAND 1-3 3m 3117 SW 00318652- HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : 7 Plane : X IPEI : Full-directivity LA23NA #13 000200012350040 PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11004.00</td> <td>52.67</td> <td>-21.33</td> <td>74.00</td> <td>01.81</td> <td>38.00</td> <td>14.56</td> <td>63.70</td> <td>291</td> <td>347</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>11004.00</td> <td>62.52</td> <td>-11.48</td> <td>54.00</td> <td>01.66</td> <td>38.00</td> <td>12.56</td> <td>61.70</td> <td>291</td> <td>347</td> <td>Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>10493.00</td> <td>54.38</td> <td>-14.02</td> <td>68.30</td> <td>06.41</td> <td>41.39</td> <td>17.98</td> <td>61.00</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Line	Level	Factor	Loss	Factor	dB	dB	1	11004.00	52.67	-21.33	74.00	01.81	38.00	14.56	63.70	291	347	Peak	HORIZONTAL	2	11004.00	62.52	-11.48	54.00	01.66	38.00	12.56	61.70	291	347	Average	HORIZONTAL	3	10493.00	54.38	-14.02	68.30	06.41	41.39	17.98	61.00	300	0	Peak	HORIZONTAL	<p>Site : 030806-KS Condition : 5G BAND 1-3 3m 3117 SW 00318652- VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : 7 Plane : X IPEI : Full-directivity LA23NA #13 000200012350040 PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11004.00</td> <td>49.26</td> <td>-24.74</td> <td>74.00</td> <td>08.40</td> <td>38.00</td> <td>14.56</td> <td>61.70</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>10004.00</td> <td>56.30</td> <td>-12.00</td> <td>68.30</td> <td>08.42</td> <td>41.40</td> <td>17.98</td> <td>61.00</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Line	Level	Factor	Loss	Factor	dB	dB	1	11004.00	49.26	-24.74	74.00	08.40	38.00	14.56	61.70	100	0	Peak	VERTICAL	2	10004.00	56.30	-12.00	68.30	08.42	41.40	17.98	61.00	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Level	Level	Line	Level	Factor	Loss	Factor	dB	dB																																																																																															
1	11004.00	52.67	-21.33	74.00	01.81	38.00	14.56	63.70	291	347	Peak	HORIZONTAL																																																																																											
2	11004.00	62.52	-11.48	54.00	01.66	38.00	12.56	61.70	291	347	Average	HORIZONTAL																																																																																											
3	10493.00	54.38	-14.02	68.30	06.41	41.39	17.98	61.00	300	0	Peak	HORIZONTAL																																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Level	Level	Line	Level	Factor	Loss	Factor	dB	dB																																																																																															
1	11004.00	49.26	-24.74	74.00	08.40	38.00	14.56	61.70	100	0	Peak	VERTICAL																																																																																											
2	10004.00	56.30	-12.00	68.30	08.42	41.40	17.98	61.00	100	0	Peak	VERTICAL																																																																																											



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																			
ANT	802.11a CH116 5580MHz																																																																																																																			
SISO	Horizontal	Vertical																																																																																																																		
Peak Avg.	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;">  <p>Peak</p> <table border="1" data-bbox="430 772 810 896"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>PowerSetting</th> </tr> </thead> <tbody> <tr> <td>03906-KS</td> <td>SG BAND 1---3 3m 3117 SN 0021862- HORIZONTAL</td> <td>FR260819-01</td> <td>S</td> <td>X</td> <td>#13 800208012325048</td> <td>18</td> </tr> </tbody> </table> <table border="1" data-bbox="430 907 810 1086"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>11158.00</td> <td>53.81</td> <td>-20.19</td> <td>74.00</td> <td>62.60</td> <td>38.10</td> <td>14.68</td> <td>61.57</td> <td>243</td> <td>340 Peak HORIZONTAL</td> </tr> <tr> <td>11158.00</td> <td>64.74</td> <td>-9.26</td> <td>54.00</td> <td>53.53</td> <td>38.10</td> <td>14.68</td> <td>61.57</td> <td>243</td> <td>340 Average HORIZONTAL</td> </tr> <tr> <td>10725.00</td> <td>54.76</td> <td>-13.24</td> <td>68.30</td> <td>57.11</td> <td>41.26</td> <td>18.98</td> <td>61.50</td> <td>200</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table> </div> <div style="width: 48%;">  <p>Peak</p> <table border="1" data-bbox="906 772 1286 896"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>PowerSetting</th> </tr> </thead> <tbody> <tr> <td>03906-KS</td> <td>SG BAND 1---3 3m 3117 SN 0021862- VERTICAL</td> <td>FR260819-01</td> <td>S</td> <td>X</td> <td>#13 800208012325048</td> <td>18</td> </tr> </tbody> </table> <table border="1" data-bbox="906 907 1286 1086"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>11158.00</td> <td>50.11</td> <td>-23.89</td> <td>74.00</td> <td>58.90</td> <td>38.10</td> <td>14.68</td> <td>61.57</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>16735.00</td> <td>53.27</td> <td>-15.03</td> <td>68.30</td> <td>55.42</td> <td>41.26</td> <td>18.09</td> <td>61.50</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table> </div> </div>		Site	Condition	Project	Mode	Plane	IMEI	PowerSetting	03906-KS	SG BAND 1---3 3m 3117 SN 0021862- HORIZONTAL	FR260819-01	S	X	#13 800208012325048	18	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor			11158.00	53.81	-20.19	74.00	62.60	38.10	14.68	61.57	243	340 Peak HORIZONTAL	11158.00	64.74	-9.26	54.00	53.53	38.10	14.68	61.57	243	340 Average HORIZONTAL	10725.00	54.76	-13.24	68.30	57.11	41.26	18.98	61.50	200	0 Peak HORIZONTAL	Site	Condition	Project	Mode	Plane	IMEI	PowerSetting	03906-KS	SG BAND 1---3 3m 3117 SN 0021862- VERTICAL	FR260819-01	S	X	#13 800208012325048	18	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor			11158.00	50.11	-23.89	74.00	58.90	38.10	14.68	61.57	100	0 Peak VERTICAL	16735.00	53.27	-15.03	68.30	55.42	41.26	18.09	61.50	100	0 Peak VERTICAL
Site	Condition	Project	Mode	Plane	IMEI	PowerSetting																																																																																																														
03906-KS	SG BAND 1---3 3m 3117 SN 0021862- HORIZONTAL	FR260819-01	S	X	#13 800208012325048	18																																																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																																														
11158.00	53.81	-20.19	74.00	62.60	38.10	14.68	61.57	243	340 Peak HORIZONTAL																																																																																																											
11158.00	64.74	-9.26	54.00	53.53	38.10	14.68	61.57	243	340 Average HORIZONTAL																																																																																																											
10725.00	54.76	-13.24	68.30	57.11	41.26	18.98	61.50	200	0 Peak HORIZONTAL																																																																																																											
Site	Condition	Project	Mode	Plane	IMEI	PowerSetting																																																																																																														
03906-KS	SG BAND 1---3 3m 3117 SN 0021862- VERTICAL	FR260819-01	S	X	#13 800208012325048	18																																																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																																														
11158.00	50.11	-23.89	74.00	58.90	38.10	14.68	61.57	100	0 Peak VERTICAL																																																																																																											
16735.00	53.27	-15.03	68.30	55.42	41.26	18.09	61.50	100	0 Peak VERTICAL																																																																																																											



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11a CH140 5700MHz	
SISO	Horizontal	Vertical
Peak Avg.	 <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 5 Site : 03906-KS Condition : 5G BAND 1-3 @ 3117 SN 0021862- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : X Plane : X Full-directivity LAZ3NA #13 8002080132520408 IMEI : Power setting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Frag Level Limit Line Level Factor Loss Factor 1 11400.00 55.29 -18.71 74.00 63.68 38.24 14.85 61.38 217 0 Peak HORIZONTAL 2 11400.00 64.55 -9.45 54.00 52.84 38.24 14.85 61.38 217 0 Average HORIZONTAL 3 17109.00 53.33 -14.97 66.30 52.40 41.08 18.28 61.44 200 0 Peak HORIZONTAL</p>	 <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 6 Site : 03906-KS Condition : 5G BAND 1-3 @ 3117 SN 0021862- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : X Plane : X Full-directivity LAZ3NA #13 8002080132520408 IMEI : Power setting : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Frag Level Limit Line Level Factor Loss Factor 1 11400.00 52.84 -21.14 74.00 61.15 38.24 14.85 61.38 284 97 Peak VERTICAL 2 11400.00 63.40 -10.60 54.00 51.69 38.24 14.85 61.38 284 97 Average VERTICAL 3 17098.00 54.06 -14.22 68.30 56.14 41.08 18.28 61.40 100 0 Peak VERTICAL</p>





UNII-2C 5470~5725MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11ac VHT20 CH100 5500MHz																																																																																									
SISO	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 030004-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-000004-V08-3000-000004-08T-Auto Mode : (FR)260819-01 Plane : 16 Antenna : Full-directivity LAZ3MA MEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11004.00</td> <td>48.97</td> <td>-25.93</td> <td>74.00</td> <td>58.11</td> <td>38.00</td> <td>14.56</td> <td>61.70</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>10693.00</td> <td>52.58</td> <td>-15.72</td> <td>68.30</td> <td>54.71</td> <td>41.39</td> <td>17.98</td> <td>61.50</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11004.00	48.97	-25.93	74.00	58.11	38.00	14.56	61.70	300	0 Peak HORIZONTAL	2	10693.00	52.58	-15.72	68.30	54.71	41.39	17.98	61.50	300	0 Peak HORIZONTAL	<p>Site : 030004-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- VERTICAL Project : R08-1000-000004-V08-3000-000004-08T-Auto Mode : (FR)260819-01 Plane : 16 Antenna : Full-directivity LAZ3MA MEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11004.00</td> <td>47.93</td> <td>-24.07</td> <td>74.00</td> <td>57.07</td> <td>38.00</td> <td>14.56</td> <td>61.70</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>10694.00</td> <td>53.75</td> <td>-14.27</td> <td>68.30</td> <td>55.85</td> <td>41.40</td> <td>17.98</td> <td>61.50</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11004.00	47.93	-24.07	74.00	57.07	38.00	14.56	61.70	100	0 Peak VERTICAL	2	10694.00	53.75	-14.27	68.30	55.85	41.40	17.98	61.50	100	0 Peak VERTICAL
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																	
1	11004.00	48.97	-25.93	74.00	58.11	38.00	14.56	61.70	300	0 Peak HORIZONTAL																																																																																
2	10693.00	52.58	-15.72	68.30	54.71	41.39	17.98	61.50	300	0 Peak HORIZONTAL																																																																																
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																	
1	11004.00	47.93	-24.07	74.00	57.07	38.00	14.56	61.70	100	0 Peak VERTICAL																																																																																
2	10694.00	53.75	-14.27	68.30	55.85	41.40	17.98	61.50	100	0 Peak VERTICAL																																																																																



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																																						
ANT	802.11ac VHT20 CH116 5580MHz																																																																																																						
SISO	Horizontal	Vertical																																																																																																					
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1---3 @ 3117.5N 002186G2- HORIZONTAL Project : RBW: 1000.000KHz VBW: 3000.000KHz SRT: Auto FREQ: 260819-01 Mode : 17 Plane : X Full-directivity LAZ3NA #13: 8002080132520408 IMEI : Powersetting : F</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11158.00</td> <td>54.02</td> <td>-19.98</td> <td>74.00</td> <td>62.81</td> <td>38.10</td> <td>14.68</td> <td>61.57</td> <td>289</td> <td>343</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>11158.00</td> <td>63.90</td> <td>-10.10</td> <td>54.00</td> <td>52.69</td> <td>38.10</td> <td>14.68</td> <td>61.57</td> <td>289</td> <td>343</td> <td>Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>10746.00</td> <td>51.19</td> <td>-16.50</td> <td>66.30</td> <td>53.93</td> <td>41.26</td> <td>18.99</td> <td>61.50</td> <td>200</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level	Factor	Loss	Factor			1	11158.00	54.02	-19.98	74.00	62.81	38.10	14.68	61.57	289	343	Peak	HORIZONTAL	2	11158.00	63.90	-10.10	54.00	52.69	38.10	14.68	61.57	289	343	Average	HORIZONTAL	3	10746.00	51.19	-16.50	66.30	53.93	41.26	18.99	61.50	200	0	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-KS Condition : SG BAND 1---3 @ 3117.5N 002186G2- VERTICAL Project : RBW: 1000.000KHz VBW: 3000.000KHz SRT: Auto FREQ: 260819-01 Mode : 17 Plane : X Full-directivity LAZ3NA #13: 8002080132520408 IMEI : Powersetting : F</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11158.00</td> <td>49.21</td> <td>-24.79</td> <td>74.00</td> <td>58.00</td> <td>38.10</td> <td>14.68</td> <td>61.57</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>16746.00</td> <td>52.23</td> <td>-16.07</td> <td>68.30</td> <td>54.38</td> <td>41.26</td> <td>18.09</td> <td>61.50</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level	Factor	Loss	Factor			1	11158.00	49.21	-24.79	74.00	58.00	38.10	14.68	61.57	100	0	Peak	VERTICAL	2	16746.00	52.23	-16.07	68.30	54.38	41.26	18.09	61.50	100	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Level	Level	Factor	Loss	Factor																																																																																																	
1	11158.00	54.02	-19.98	74.00	62.81	38.10	14.68	61.57	289	343	Peak	HORIZONTAL																																																																																											
2	11158.00	63.90	-10.10	54.00	52.69	38.10	14.68	61.57	289	343	Average	HORIZONTAL																																																																																											
3	10746.00	51.19	-16.50	66.30	53.93	41.26	18.99	61.50	200	0	Peak	HORIZONTAL																																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Level	Level	Factor	Loss	Factor																																																																																																	
1	11158.00	49.21	-24.79	74.00	58.00	38.10	14.68	61.57	100	0	Peak	VERTICAL																																																																																											
2	16746.00	52.23	-16.07	68.30	54.38	41.26	18.09	61.50	100	0	Peak	VERTICAL																																																																																											



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																									
ANT	802.11ac VHT20 CH140 5700MHz																																																									
SISO	Horizontal	Vertical																																																								
Peak Avg.	 <p>Site : 03906-KS Condition : SG BAND 1---3 3m 3117 SN 0021862- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : IS Plane : X Full-directivity LAZ3NA #13 800208013202048 IMEI : Powersetting : #17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>53.24</td> <td>-20.76</td> <td>74.00</td> <td>61.53</td> <td>38.24</td> <td>14.85</td> <td>61.38 214 360 Peak HORIZONTAL</td> </tr> <tr> <td>11400.00</td> <td>63.33</td> <td>-10.67</td> <td>54.00</td> <td>51.62</td> <td>38.24</td> <td>14.85</td> <td>61.38 214 360 Average HORIZONTAL</td> </tr> <tr> <td>17109.00</td> <td>52.58</td> <td>-15.72</td> <td>66.30</td> <td>54.60</td> <td>41.08</td> <td>18.28</td> <td>61.44 300 0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	11400.00	53.24	-20.76	74.00	61.53	38.24	14.85	61.38 214 360 Peak HORIZONTAL	11400.00	63.33	-10.67	54.00	51.62	38.24	14.85	61.38 214 360 Average HORIZONTAL	17109.00	52.58	-15.72	66.30	54.60	41.08	18.28	61.44 300 0 Peak HORIZONTAL	 <p>Site : 03906-KS Condition : SG BAND 1---3 3m 3117 SN 0021862- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : IS Plane : X Full-directivity LAZ3NA #13 800208013202048 IMEI : Powersetting : #17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>49.04</td> <td>-24.96</td> <td>74.00</td> <td>57.33</td> <td>38.24</td> <td>14.85</td> <td>61.38 100 0 Peak VERTICAL</td> </tr> <tr> <td>17098.00</td> <td>52.77</td> <td>-15.53</td> <td>68.30</td> <td>54.86</td> <td>41.08</td> <td>18.28</td> <td>61.45 100 0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	11400.00	49.04	-24.96	74.00	57.33	38.24	14.85	61.38 100 0 Peak VERTICAL	17098.00	52.77	-15.53	68.30	54.86	41.08	18.28	61.45 100 0 Peak VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																																			
11400.00	53.24	-20.76	74.00	61.53	38.24	14.85	61.38 214 360 Peak HORIZONTAL																																																			
11400.00	63.33	-10.67	54.00	51.62	38.24	14.85	61.38 214 360 Average HORIZONTAL																																																			
17109.00	52.58	-15.72	66.30	54.60	41.08	18.28	61.44 300 0 Peak HORIZONTAL																																																			
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																																			
11400.00	49.04	-24.96	74.00	57.33	38.24	14.85	61.38 100 0 Peak VERTICAL																																																			
17098.00	52.77	-15.53	68.30	54.86	41.08	18.28	61.45 100 0 Peak VERTICAL																																																			





**UNII-2C 5470~5725MHz
WIFI 802.11ac VHT40 (Harmonic @ 3m)**

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																									
ANT	802.11ac VHT40 CH102 5510MHz																																																																									
SISO	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03000-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-0000MHz-V08-3000-0000MHz-08T-Auto Mode : 23 Plane : X Ant : Full-directivity-LA23NA MEI : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11015.00</td> <td>46.12</td> <td>-27.88</td> <td>74.00</td> <td>55.23</td> <td>38.01</td> <td>14.57</td> <td>61.69</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg			1	11015.00	46.12	-27.88	74.00	55.23	38.01	14.57	61.69	300	0 Peak	HORIZONTAL	<p>Site : 03000-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- VERTICAL Project : R08-1000-0000MHz-V08-3000-0000MHz-08T-Auto Mode : 23 Plane : X Ant : Full-directivity-LA23NA MEI : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11015.00</td> <td>46.01</td> <td>-27.99</td> <td>74.00</td> <td>55.12</td> <td>38.01</td> <td>14.57</td> <td>61.69</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg			1	11015.00	46.01	-27.99	74.00	55.12	38.01	14.57	61.69	100	0 Peak	VERTICAL
MEI	Powersetting	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																	
1	11015.00	46.12	-27.88	74.00	55.23	38.01	14.57	61.69	300	0 Peak	HORIZONTAL																																																															
MEI	Powersetting	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																	
1	11015.00	46.01	-27.99	74.00	55.12	38.01	14.57	61.69	100	0 Peak	VERTICAL																																																															



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ac VHT40 CH110 5550MHZ	
SISO	Horizontal	Vertical
Peak Avg.	<p>Site : 03906-KS Condition : SG BAND 1-3 @ 3117 SN 00218657- HORIZONTAL Project : RBW 1000 000KHz VBW 3000 000KHz SRT Auto Model : FFS260819-01 Mode : 24 Plane : X Full-directivity LAZ3NA #13 8002080123250049 IMEI : Power setting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos 1 11114.00 48.02 -25.98 74.00 56.92 38.07 14.64 61.61 300 0 Peak HORIZONTAL</p>	<p>Site : 03906-KS Condition : SG BAND 1-3 @ 3117 SN 00218657- VERTICAL Project : RBW 1000 000KHz VBW 3000 000KHz SRT Auto Model : FFS260819-01 Mode : 24 Plane : X Full-directivity LAZ3NA #13 8002080123250049 IMEI : Power setting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos 1 11092.00 47.12 -26.88 74.00 56.05 38.06 14.63 61.62 100 0 Peak VERTICAL</p>



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ac VHT40 CH134 5670MHz	
SISO	Horizontal	Vertical
Peak Avg.	 <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 9 Site : 03906-KS Condition : SG BAND 1-3 @ 3117 SN 00218657- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto EPC: 260819-01 Mode : 25 Plane : X Full-directivity LAZ3NA #13: 8002080123250049 IMEI : PowerSetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 11345.00 49.13 -24.87 74.00 57.53 38.21 14.81 65.42 300 0 Peak HORIZONTAL</p>	 <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 10 Site : 03906-KS Condition : SG BAND 1-3 @ 3117 SN 00218657- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto EPC: 260819-01 Mode : 25 Plane : X Full-directivity LAZ3NA #13: 8002080123250049 IMEI : PowerSetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 11345.00 47.04 -26.96 74.00 55.44 38.21 14.81 61.42 100 0 Peak VERTICAL</p>



UNII-2C 5470~5725MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																									
ANT	802.11ac VHT80 CH106 5530MHz																																																																									
SISO	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03060-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL Project : R06-1000-0000K-V06-3000-0000K-08T-Auto Mode : FR2 260819-01 Plane : Z Antenna : Full-directivity LA23NA ME1 : #13 0002080123520049 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>Powersetting</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11059.00</td> <td>45.45</td> <td>-28.55</td> <td>74.00</td> <td>54.45</td> <td>38.04</td> <td>14.61</td> <td>61.65</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	ME1	Powersetting	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg			1	11059.00	45.45	-28.55	74.00	54.45	38.04	14.61	61.65	300	0 Peak	HORIZONTAL	<p>Site : 03060-KS Condition : SG BAND 1---3 3m 3117 SN 00218662- VERTICAL Project : R06-1000-0000K-V06-3000-0000K-08T-Auto Mode : FR2 260819-01 Plane : Z Antenna : Full-directivity LA23NA ME1 : #13 0002080123520049 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>Powersetting</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11059.00</td> <td>45.85</td> <td>-28.15</td> <td>74.00</td> <td>54.85</td> <td>38.04</td> <td>14.61</td> <td>61.65</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	ME1	Powersetting	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg			1	11059.00	45.85	-28.15	74.00	54.85	38.04	14.61	61.65	100	0 Peak	VERTICAL
ME1	Powersetting	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																	
1	11059.00	45.45	-28.55	74.00	54.45	38.04	14.61	61.65	300	0 Peak	HORIZONTAL																																																															
ME1	Powersetting	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																	
1	11059.00	45.85	-28.15	74.00	54.85	38.04	14.61	61.65	100	0 Peak	VERTICAL																																																															





WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ac VHT80 CH122 5610MHZ	
SISO	Horizontal	Vertical
Peak Avg.	<p>Site : 03906-KS Condition : SG BAND 1-3 3e 3117 SN 002186G2- HORIZONTAL Project : RBW 1000 000KHz VBR 3000 000KHz SRT Auto Mode : EPC260819-01 Plane : 29 Full-directivity LA23NA #13 8002080123250049 IMEI : 15 Powersetting : 15 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 11224.00 46.53 -27.47 74.00 55.21 38.13 14.72 61.53 300 0 Peak HORIZONTAL</p>	<p>Site : 03906-KS Condition : SG BAND 1-3 3e 3117 SN 002186G2- VERTICAL Project : RBW 1000 000KHz VBR 3000 000KHz SRT Auto Mode : EPC260819-01 Plane : 29 Full-directivity LA23NA #13 8002080123250049 IMEI : 15 Powersetting : 15 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 11224.00 46.97 -28.03 74.00 54.65 38.13 14.72 61.53 100 0 Peak VERTICAL</p>

Note: Pre-scanned for 18GHz to 26GHz, there are no signals, thus only test data below 18GHz are shown in the report.





UNII-2C - Straddle Channel
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																								
ANT	802.11a CH144 5720MHz - L																																								
SISO	Fundamental Horizontal/ Vertical	-																																							
<p>Peak/ Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM-1000-02000x VSW-3000-02000x SRT-Auto Mode : FR260819-01 Plane : Z F : Full-directivity LA23MA IMEI : #13 6062080123520549 Powersetting : 1B</p> <table border="1"> <thead> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5716.00 110.92</td> <td>42.47</td> <td>68.30</td> <td>98.11</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>400</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5716.00 102.82</td> <td>-----</td> <td>90.01</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>400</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Level	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dB	dB	dB	dB	deg	deg		1 * 5716.00 110.92	42.47	68.30	98.11	34.52	10.33	32.04	400	0 Peak	HORIZONTAL	2 5716.00 102.82	-----	90.01	34.52	10.33	32.04	400	0 Average	HORIZONTAL	<p>Left blank</p>
Level	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
dBm	dBm	dBm	dB	dB	dB	dB	deg	deg																																	
1 * 5716.00 110.92	42.47	68.30	98.11	34.52	10.33	32.04	400	0 Peak	HORIZONTAL																																
2 5716.00 102.82	-----	90.01	34.52	10.33	32.04	400	0 Average	HORIZONTAL																																	
<p>Peak/ Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM-1000-02000x VSW-3000-02000x SRT-Auto Mode : FR260819-01 Plane : F F : Full-directivity LA23MA IMEI : #13 6062080123520549 Powersetting : 1B</p> <table border="1"> <thead> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5722.00 105.87</td> <td>37.57</td> <td>68.30</td> <td>93.03</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5722.00 98.47</td> <td>-----</td> <td>85.63</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Level	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dB	dB	dB	dB	deg	deg		1 * 5722.00 105.87	37.57	68.30	93.03	34.53	10.35	32.04	100	0 Peak	VERTICAL	2 5722.00 98.47	-----	85.63	34.53	10.35	32.04	100	0 Average	VERTICAL	<p>Left blank</p>
Level	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
dBm	dBm	dBm	dB	dB	dB	dB	deg	deg																																	
1 * 5722.00 105.87	37.57	68.30	93.03	34.53	10.35	32.04	100	0 Peak	VERTICAL																																
2 5722.00 98.47	-----	85.63	34.53	10.35	32.04	100	0 Average	VERTICAL																																	



**UNII-2C – Straddle Channel
WIFI 802.11ac VHT20 (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																									
ANT	802.11ac VHT20 CH144 5720MHz																																									
SISO	Fundamental Horizontal/ Vertical	-																																								
Peak/ Avg.	 <p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000 0000RU VBR 3000 0000RU SWT Auto Mode: J1 Plane: Full-directivity LA23MA IMEI: #13 0002080123520049 Power setting: 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5722.00</td> <td>110.64</td> <td>42.34</td> <td>68.30</td> <td>97.80</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5722.00</td> <td>102.09</td> <td></td> <td>89.25</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td></td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5722.00	110.64	42.34	68.30	97.80	34.53	10.35	32.04	0 Peak	HORIZONTAL	2 5722.00	102.09		89.25	34.53	10.35	32.04		0 Average	HORIZONTAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																			
1 * 5722.00	110.64	42.34	68.30	97.80	34.53	10.35	32.04	0 Peak	HORIZONTAL																																	
2 5722.00	102.09		89.25	34.53	10.35	32.04		0 Average	HORIZONTAL																																	
Peak/ Avg.	 <p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project: RRM 1000 0000RU VBR 3000 0000RU SWT Auto Mode: J1 Plane: Full-directivity LA23MA IMEI: #13 0002080123520049 Power setting: 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5722.00</td> <td>104.31</td> <td>36.01</td> <td>68.30</td> <td>91.47</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5722.00</td> <td>95.99</td> <td></td> <td>83.15</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td></td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5722.00	104.31	36.01	68.30	91.47	34.53	10.35	32.04	0 Peak	VERTICAL	2 5722.00	95.99		83.15	34.53	10.35	32.04		0 Average	VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																			
1 * 5722.00	104.31	36.01	68.30	91.47	34.53	10.35	32.04	0 Peak	VERTICAL																																	
2 5722.00	95.99		83.15	34.53	10.35	32.04		0 Average	VERTICAL																																	



**UNII-2C – Straddle Channel
WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																									
ANT	802.11ac VHT40 CH142 5710MHz																																									
SISO	Fundamental Horizontal/ Vertical	-																																								
<p>Peak/ Avg.</p>	<p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL RFR: 1000.000MHz VBR: 3000.000MHz SWT: Auto Project: (FR) 260819-01 Mode: 32 Plane: 2 Ant: Full-directivity LA23MA IMEI: #13 0002080123520549 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5710.00</td> <td>105.19</td> <td>36.99</td> <td>68.30</td> <td>92.38</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>400</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2 5710.00</td> <td>99.33</td> <td></td> <td>86.42</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td></td> <td>400</td> <td>0 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	deg		1 * 5710.00	105.19	36.99	68.30	92.38	34.52	10.33	32.04	400	0 Peak HORIZONTAL	2 5710.00	99.33		86.42	34.52	10.33	32.04		400	0 Average HORIZONTAL	<p align="center">Left blank</p>
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	deg																																		
1 * 5710.00	105.19	36.99	68.30	92.38	34.52	10.33	32.04	400	0 Peak HORIZONTAL																																	
2 5710.00	99.33		86.42	34.52	10.33	32.04		400	0 Average HORIZONTAL																																	
<p>Peak/ Avg.</p>	<p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- VERTICAL RFR: 1000.000MHz VBR: 3000.000MHz SWT: Auto Project: (FR) 260819-01 Mode: 32 Plane: 2 Ant: Full-directivity LA23MA IMEI: #13 0002080123520549 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5710.00</td> <td>100.49</td> <td>32.19</td> <td>68.30</td> <td>87.68</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2 5710.00</td> <td>92.23</td> <td></td> <td>79.42</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td></td> <td>100</td> <td>0 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	deg		1 * 5710.00	100.49	32.19	68.30	87.68	34.52	10.33	32.04	100	0 Peak VERTICAL	2 5710.00	92.23		79.42	34.52	10.33	32.04		100	0 Average VERTICAL	<p align="center">Left blank</p>
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	deg																																		
1 * 5710.00	100.49	32.19	68.30	87.68	34.52	10.33	32.04	100	0 Peak VERTICAL																																	
2 5710.00	92.23		79.42	34.52	10.33	32.04		100	0 Average VERTICAL																																	



UNII-2C – Straddle Channel
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																
ANT	802.11ac CH138 5690MHz																																																
SISO	Fundamental Horizontal/ Vertical	-																																															
<p>Peak/ Avg.</p>	<p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000 0000RU VBR 3000 0000RU SWT.Auto Mode: J3 Plane: Z IPE1: Full-directivity LA23MA IPE2: #13 6062080123520049 Powersetting: 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5688.00</td> <td>102.45</td> <td>34.15</td> <td>68.30</td> <td>89.69</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>400</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2 5686.00</td> <td>92.00</td> <td></td> <td>79.84</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td></td> <td>400</td> <td>0 Average HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg		1 * 5688.00	102.45	34.15	68.30	89.69	34.50	10.32	32.06	400	0 Peak HORIZONTAL	2 5686.00	92.00		79.84	34.50	10.32	32.06		400	0 Average HORIZONTAL	<p align="center">Left blank</p>
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																									
Freq	Level	Line	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																										
1 * 5688.00	102.45	34.15	68.30	89.69	34.50	10.32	32.06	400	0 Peak HORIZONTAL																																								
2 5686.00	92.00		79.84	34.50	10.32	32.06		400	0 Average HORIZONTAL																																								
<p>Peak/ Avg.</p>	<p>Site: 030906-KS Condition: SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project: RRM 1000 0000RU VBR 3000 0000RU SWT.Auto Mode: J3 Plane: Z IPE1: Full-directivity LA23MA IPE2: #13 6062080123520049 Powersetting: 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5692.00</td> <td>95.68</td> <td>27.38</td> <td>68.30</td> <td>82.92</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2 5692.00</td> <td>87.43</td> <td></td> <td>74.67</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td></td> <td>100</td> <td>0 Average VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg		1 * 5692.00	95.68	27.38	68.30	82.92	34.50	10.32	32.06	100	0 Peak VERTICAL	2 5692.00	87.43		74.67	34.50	10.32	32.06		100	0 Average VERTICAL	<p align="center">Left blank</p>
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																									
Freq	Level	Line	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																										
1 * 5692.00	95.68	27.38	68.30	82.92	34.50	10.32	32.06	100	0 Peak VERTICAL																																								
2 5692.00	87.43		74.67	34.50	10.32	32.06		100	0 Average VERTICAL																																								



UNII-2C - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																																																	
ANT	802.11a CH144 5720MHz																																																																																																																	
SISO	Horizontal	Vertical																																																																																																																
Peak Avg.	<p>Site : 030806-KS Condition : 5G BAND 1-3 @ 3117.5M 00318652- HORIZONTA Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FFS 260819-01 Plane : Z IPEI : Full-directivity LA23NA #13 000208012350040</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11433.00</td> <td>54.53</td> <td>-19.47</td> <td>74.00</td> <td>62.75</td> <td>38.26</td> <td>14.87</td> <td>61.35</td> <td>310</td> <td>317 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>11433.00</td> <td>44.21</td> <td>-9.29</td> <td>54.00</td> <td>52.93</td> <td>38.20</td> <td>14.87</td> <td>61.35</td> <td>310</td> <td>317 Average</td> <td>HORIZONT</td> </tr> <tr> <td>3</td> <td>17164.00</td> <td>52.29</td> <td>-16.01</td> <td>68.30</td> <td>54.32</td> <td>41.07</td> <td>18.38</td> <td>61.42</td> <td>300</td> <td>0 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	dB	dB	dB	1	11433.00	54.53	-19.47	74.00	62.75	38.26	14.87	61.35	310	317 Peak	HORIZONT	2	11433.00	44.21	-9.29	54.00	52.93	38.20	14.87	61.35	310	317 Average	HORIZONT	3	17164.00	52.29	-16.01	68.30	54.32	41.07	18.38	61.42	300	0 Peak	HORIZONT	<p>Site : 030806-KS Condition : 5G BAND 1-3 @ 3117.5M 00318652- VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FFS 260819-01 Plane : X IPEI : Full-directivity LA23NA #13 000208012350040</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11433.00</td> <td>52.80</td> <td>-21.20</td> <td>74.00</td> <td>61.02</td> <td>38.26</td> <td>14.87</td> <td>61.35</td> <td>296</td> <td>308 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>11433.00</td> <td>42.90</td> <td>-11.02</td> <td>54.00</td> <td>51.20</td> <td>38.26</td> <td>14.87</td> <td>61.35</td> <td>296</td> <td>308 Average</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>17164.00</td> <td>54.00</td> <td>-14.24</td> <td>68.30</td> <td>56.09</td> <td>41.07</td> <td>18.32</td> <td>61.42</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	dB	dB	dB	1	11433.00	52.80	-21.20	74.00	61.02	38.26	14.87	61.35	296	308 Peak	VERTICAL	2	11433.00	42.90	-11.02	54.00	51.20	38.26	14.87	61.35	296	308 Average	VERTICAL	3	17164.00	54.00	-14.24	68.30	56.09	41.07	18.32	61.42	100	0 Peak	VERTICAL
	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	dB	dB	dB																																																																																																									
1	11433.00	54.53	-19.47	74.00	62.75	38.26	14.87	61.35	310	317 Peak	HORIZONT																																																																																																							
2	11433.00	44.21	-9.29	54.00	52.93	38.20	14.87	61.35	310	317 Average	HORIZONT																																																																																																							
3	17164.00	52.29	-16.01	68.30	54.32	41.07	18.38	61.42	300	0 Peak	HORIZONT																																																																																																							
PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
Freq	Level	Line	Level	Factor	Loss	Factor	dB	dB	dB																																																																																																									
1	11433.00	52.80	-21.20	74.00	61.02	38.26	14.87	61.35	296	308 Peak	VERTICAL																																																																																																							
2	11433.00	42.90	-11.02	54.00	51.20	38.26	14.87	61.35	296	308 Average	VERTICAL																																																																																																							
3	17164.00	54.00	-14.24	68.30	56.09	41.07	18.32	61.42	100	0 Peak	VERTICAL																																																																																																							



UNII-2C – Straddle Channel
WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																																																																	
ANT	802.11ac VHT20 CH144 5720MHz																																																																																																																	
SISO	Horizontal	Vertical																																																																																																																
Peak Avg.	<p>Site : 030004-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL RFR:1000.000MHz VWR:3000.000MHz CRT:Auto Project : (FR)260819-01 Mode : 21 Plane : X Full-directivity LAZ3MA MEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11444.00</td> <td>54.48</td> <td>-19.52</td> <td>74.00</td> <td>62.70</td> <td>38.26</td> <td>14.87</td> <td>61.35</td> <td>299</td> <td>318 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>11444.00</td> <td>43.70</td> <td>-10.18</td> <td>54.00</td> <td>52.12</td> <td>38.26</td> <td>14.87</td> <td>61.35</td> <td>299</td> <td>318 Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>17153.00</td> <td>52.02</td> <td>-16.28</td> <td>68.30</td> <td>54.06</td> <td>41.07</td> <td>18.31</td> <td>61.42</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	11444.00	54.48	-19.52	74.00	62.70	38.26	14.87	61.35	299	318 Peak	HORIZONTAL	2	11444.00	43.70	-10.18	54.00	52.12	38.26	14.87	61.35	299	318 Average	HORIZONTAL	3	17153.00	52.02	-16.28	68.30	54.06	41.07	18.31	61.42	300	0 Peak	HORIZONTAL	<p>Site : 030004-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL RFR:1000.000MHz VWR:3000.000MHz CRT:Auto Project : (FR)260819-01 Mode : 21 Plane : X Full-directivity LAZ3MA MEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11444.00</td> <td>52.90</td> <td>-21.02</td> <td>74.00</td> <td>61.20</td> <td>38.26</td> <td>14.87</td> <td>61.35</td> <td>299</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>11444.00</td> <td>43.40</td> <td>-10.60</td> <td>54.00</td> <td>51.42</td> <td>38.26</td> <td>14.87</td> <td>61.35</td> <td>299</td> <td>360 Average</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>17164.00</td> <td>52.91</td> <td>-15.39</td> <td>68.30</td> <td>54.94</td> <td>41.07</td> <td>18.32</td> <td>61.42</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	11444.00	52.90	-21.02	74.00	61.20	38.26	14.87	61.35	299	360 Peak	VERTICAL	2	11444.00	43.40	-10.60	54.00	51.42	38.26	14.87	61.35	299	360 Average	VERTICAL	3	17164.00	52.91	-15.39	68.30	54.94	41.07	18.32	61.42	100	0 Peak	VERTICAL
	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																																									
1	11444.00	54.48	-19.52	74.00	62.70	38.26	14.87	61.35	299	318 Peak	HORIZONTAL																																																																																																							
2	11444.00	43.70	-10.18	54.00	52.12	38.26	14.87	61.35	299	318 Average	HORIZONTAL																																																																																																							
3	17153.00	52.02	-16.28	68.30	54.06	41.07	18.31	61.42	300	0 Peak	HORIZONTAL																																																																																																							
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																																									
1	11444.00	52.90	-21.02	74.00	61.20	38.26	14.87	61.35	299	360 Peak	VERTICAL																																																																																																							
2	11444.00	43.40	-10.60	54.00	51.42	38.26	14.87	61.35	299	360 Average	VERTICAL																																																																																																							
3	17164.00	52.91	-15.39	68.30	54.94	41.07	18.32	61.42	100	0 Peak	VERTICAL																																																																																																							



UNII-2C – Straddle Channel
WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																	
ANT	802.11ac VHT40 CH142 5710MHZ																																																																	
SISO	Horizontal	Vertical																																																																
Peak Avg.	<p>Site : 03060-KS Condition : SG BAND 1-3 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-0000K-V08-3000-0000K-08T-Auto Mode : 27 Plane : X Ant : Full-directivity LA23NA ME1 : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>ME1</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11422.00</td> <td>49.81</td> <td>-24.19</td> <td>74.00</td> <td>58.07</td> <td>38.25</td> <td>14.86</td> <td>61.37</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	ME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	ME1	Level	Line	Level Factor	Loss Factor	dB	dB	cn	deg		1	11422.00	49.81	-24.19	74.00	58.07	38.25	14.86	61.37	300	0 Peak	HORIZONTAL	<p>Site : 03060-KS Condition : SG BAND 1-3 3m 3117 SN 00218662- VERTICAL Project : R08-1000-0000K-V08-3000-0000K-08T-Auto Mode : 27 Plane : X Ant : Full-directivity LA23NA ME1 : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>ME1</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11411.00</td> <td>47.61</td> <td>-26.39</td> <td>74.00</td> <td>55.90</td> <td>38.24</td> <td>14.85</td> <td>61.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	ME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	ME1	Level	Line	Level Factor	Loss Factor	dB	dB	cn	deg		1	11411.00	47.61	-26.39	74.00	55.90	38.24	14.85	61.38	100	0 Peak	VERTICAL
ME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
ME1	Level	Line	Level Factor	Loss Factor	dB	dB	cn	deg																																																										
1	11422.00	49.81	-24.19	74.00	58.07	38.25	14.86	61.37	300	0 Peak	HORIZONTAL																																																							
ME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
ME1	Level	Line	Level Factor	Loss Factor	dB	dB	cn	deg																																																										
1	11411.00	47.61	-26.39	74.00	55.90	38.24	14.85	61.38	100	0 Peak	VERTICAL																																																							



UNII-2C – Straddle Channel
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																	
ANT	802.11ac VHT80 CH138 5690MHZ																																																																	
SISO	Horizontal	Vertical																																																																
Peak Avg.	<p>Site : 03060-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-0000MHz-V08-3000-0000MHz-08T-Auto Mode : (FR) 260819-01 Plane : 23 Full-directivity LAZ3MA MEI : #13 0002080123520049 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.02</td> <td>-24.99</td> <td>74.00</td> <td>57.31</td> <td>38.24</td> <td>14.85</td> <td>61.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	11400.00	49.02	-24.99	74.00	57.31	38.24	14.85	61.38	300	0 Peak	HORIZONTAL	<p>Site : 03060-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : R08-1000-0000MHz-V08-3000-0000MHz-08T-Auto Mode : (FR) 260819-01 Plane : 23 Full-directivity LAZ3MA MEI : #13 0002080123520049 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11389.00</td> <td>47.35</td> <td>-26.65</td> <td>74.00</td> <td>55.67</td> <td>38.23</td> <td>14.84</td> <td>61.39</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	11389.00	47.35	-26.65	74.00	55.67	38.23	14.84	61.39	100	0 Peak	VERTICAL
MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	11400.00	49.02	-24.99	74.00	57.31	38.24	14.85	61.38	300	0 Peak	HORIZONTAL																																																							
MEI	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	11389.00	47.35	-26.65	74.00	55.67	38.23	14.84	61.39	100	0 Peak	VERTICAL																																																							



Note: Pre-scanned for 18GHz to 26GHz, there are no signals, thus only test data below 18GHz are shown in the report.



Emission below 1GHz
5GHz WIFI 802.11ac VHT80 (LF)

WIFI	5GHz WIFI																																																																																																																																																																				
ANT	802.11ac VHT80 LF																																																																																																																																																																				
SISO	Horizontal	Vertical																																																																																																																																																																			
QP / Peak	<p>Site : 032606-KS Condition : 5G BAND 1-3 3a LF 611D 5MAG63 HORIZONTAL Project : FR260819-01</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>42.98</td> <td>26.87</td> <td>-13.13</td> <td>46.26</td> <td>12.68</td> <td>0.88</td> <td>32.45</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>207.01</td> <td>27.04</td> <td>-14.44</td> <td>43.50</td> <td>42.08</td> <td>1.93</td> <td>32.17</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>342.34</td> <td>32.68</td> <td>-13.32</td> <td>44.00</td> <td>42.12</td> <td>3.49</td> <td>32.30</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>432.55</td> <td>37.49</td> <td>-8.51</td> <td>44.00</td> <td>44.41</td> <td>22.68</td> <td>2.81</td> <td>33.41</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>542.16</td> <td>30.16</td> <td>-15.84</td> <td>44.00</td> <td>34.35</td> <td>25.18</td> <td>3.16</td> <td>32.51</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>820.55</td> <td>30.95</td> <td>-15.05</td> <td>44.00</td> <td>30.39</td> <td>28.00</td> <td>3.87</td> <td>31.96</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	42.98	26.87	-13.13	46.26	12.68	0.88	32.45	---	Peak	HORIZONTAL	2	207.01	27.04	-14.44	43.50	42.08	1.93	32.17	---	Peak	HORIZONTAL	3	342.34	32.68	-13.32	44.00	42.12	3.49	32.30	---	Peak	HORIZONTAL	4	432.55	37.49	-8.51	44.00	44.41	22.68	2.81	33.41	---	Peak	HORIZONTAL	5	542.16	30.16	-15.84	44.00	34.35	25.18	3.16	32.51	---	Peak	HORIZONTAL	6	820.55	30.95	-15.05	44.00	30.39	28.00	3.87	31.96	---	Peak	HORIZONTAL	<p>Site : 032606-KS Condition : 5G BAND 1-3 3a LF 611D 5MAG63 VERTICAL Project : FR260819-01</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>40.87</td> <td>26.68</td> <td>-14.22</td> <td>46.00</td> <td>49.30</td> <td>10.21</td> <td>0.99</td> <td>32.42</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>79.47</td> <td>29.57</td> <td>-10.33</td> <td>46.00</td> <td>47.40</td> <td>13.50</td> <td>1.09</td> <td>32.32</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>157.14</td> <td>31.25</td> <td>-11.30</td> <td>42.50</td> <td>40.78</td> <td>18.66</td> <td>1.73</td> <td>32.17</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>232.94</td> <td>27.71</td> <td>-18.29</td> <td>46.00</td> <td>37.79</td> <td>19.69</td> <td>2.42</td> <td>32.19</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>431.40</td> <td>27.76</td> <td>-18.25</td> <td>46.00</td> <td>35.45</td> <td>26.24</td> <td>2.40</td> <td>32.34</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>827.34</td> <td>40.66</td> <td>-5.34</td> <td>46.00</td> <td>39.90</td> <td>28.80</td> <td>3.88</td> <td>31.92</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	40.87	26.68	-14.22	46.00	49.30	10.21	0.99	32.42	0	Peak	VERTICAL	2	79.47	29.57	-10.33	46.00	47.40	13.50	1.09	32.32	---	Peak	VERTICAL	3	157.14	31.25	-11.30	42.50	40.78	18.66	1.73	32.17	---	Peak	VERTICAL	4	232.94	27.71	-18.29	46.00	37.79	19.69	2.42	32.19	---	Peak	VERTICAL	5	431.40	27.76	-18.25	46.00	35.45	26.24	2.40	32.34	---	Peak	VERTICAL	6	827.34	40.66	-5.34	46.00	39.90	28.80	3.88	31.92	---	Peak	VERTICAL
	Freq	Level	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																										
1	42.98	26.87	-13.13	46.26	12.68	0.88	32.45	---	Peak	HORIZONTAL																																																																																																																																																											
2	207.01	27.04	-14.44	43.50	42.08	1.93	32.17	---	Peak	HORIZONTAL																																																																																																																																																											
3	342.34	32.68	-13.32	44.00	42.12	3.49	32.30	---	Peak	HORIZONTAL																																																																																																																																																											
4	432.55	37.49	-8.51	44.00	44.41	22.68	2.81	33.41	---	Peak	HORIZONTAL																																																																																																																																																										
5	542.16	30.16	-15.84	44.00	34.35	25.18	3.16	32.51	---	Peak	HORIZONTAL																																																																																																																																																										
6	820.55	30.95	-15.05	44.00	30.39	28.00	3.87	31.96	---	Peak	HORIZONTAL																																																																																																																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																											
1	40.87	26.68	-14.22	46.00	49.30	10.21	0.99	32.42	0	Peak	VERTICAL																																																																																																																																																										
2	79.47	29.57	-10.33	46.00	47.40	13.50	1.09	32.32	---	Peak	VERTICAL																																																																																																																																																										
3	157.14	31.25	-11.30	42.50	40.78	18.66	1.73	32.17	---	Peak	VERTICAL																																																																																																																																																										
4	232.94	27.71	-18.29	46.00	37.79	19.69	2.42	32.19	---	Peak	VERTICAL																																																																																																																																																										
5	431.40	27.76	-18.25	46.00	35.45	26.24	2.40	32.34	---	Peak	VERTICAL																																																																																																																																																										
6	827.34	40.66	-5.34	46.00	39.90	28.80	3.88	31.92	---	Peak	VERTICAL																																																																																																																																																										




UNII-3 - 5725~5850MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11a CH149 5745MHz																																																																																																															
SISO	Horizontal	Fundamental																																																																																																														
Peak Avg.	 <p>Site : 030806-KS Condition : 5G BAND4 Ch 3117 SW 00218663- HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 20481P-01 Plane : Z IPEI : Full-directivity LA23NA #13 600030012353040 PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5673.20</td> <td>53.22</td> <td>-15.08</td> <td>06.30</td> <td>40.46</td> <td>34.58</td> <td>10.26</td> <td>32.08</td> <td>113</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5699.20</td> <td>58.02</td> <td>-46.49</td> <td>104.71</td> <td>45.26</td> <td>34.50</td> <td>10.32</td> <td>33.06</td> <td>113</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5719.60</td> <td>66.69</td> <td>-64.10</td> <td>110.79</td> <td>53.85</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>113</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5723.60</td> <td>69.95</td> <td>-49.10</td> <td>119.11</td> <td>57.11</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>113</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss Factor	Loss Factor	dB	dB	dB	1	5673.20	53.22	-15.08	06.30	40.46	34.58	10.26	32.08	113	181	Peak	HORIZONTAL	2	5699.20	58.02	-46.49	104.71	45.26	34.50	10.32	33.06	113	181	Peak	HORIZONTAL	3	5719.60	66.69	-64.10	110.79	53.85	34.53	10.35	33.04	113	181	Peak	HORIZONTAL	4	5723.60	69.95	-49.10	119.11	57.11	34.53	10.35	32.04	113	181	Peak	HORIZONTAL	 <p>Site : 030806-KS Condition : 5G BAND4 Ch 3117 SW 00218663- HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 20481P-01 Plane : Z IPEI : Full-directivity LA23NA #13 600030012353040 PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.00</td> <td>110.08</td> <td>-12.22</td> <td>122.30</td> <td>97.18</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>113</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5746.00</td> <td>104.62</td> <td>-----</td> <td>-----</td> <td>91.72</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>113</td> <td>181</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss Factor	Loss Factor	dB	dB	dB	1	5746.00	110.08	-12.22	122.30	97.18	34.55	10.36	32.01	113	181	Peak	HORIZONTAL	2	5746.00	104.62	-----	-----	91.72	34.55	10.36	32.01	113	181	Average	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
Level	Level	Level	Loss Factor	Loss Factor	dB	dB	dB																																																																																																									
1	5673.20	53.22	-15.08	06.30	40.46	34.58	10.26	32.08	113	181	Peak	HORIZONTAL																																																																																																				
2	5699.20	58.02	-46.49	104.71	45.26	34.50	10.32	33.06	113	181	Peak	HORIZONTAL																																																																																																				
3	5719.60	66.69	-64.10	110.79	53.85	34.53	10.35	33.04	113	181	Peak	HORIZONTAL																																																																																																				
4	5723.60	69.95	-49.10	119.11	57.11	34.53	10.35	32.04	113	181	Peak	HORIZONTAL																																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
Level	Level	Level	Loss Factor	Loss Factor	dB	dB	dB																																																																																																									
1	5746.00	110.08	-12.22	122.30	97.18	34.55	10.36	32.01	113	181	Peak	HORIZONTAL																																																																																																				
2	5746.00	104.62	-----	-----	91.72	34.55	10.36	32.01	113	181	Average	HORIZONTAL																																																																																																				






WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																											
ANT	802.11a CH149 5745MHz																																																																																											
SISO	Vertical	Fundamental																																																																																										
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-A5 Condition : SG BAND4 by 3117 SM 00718653- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SMT: Auto Mode : FREQ: 268819.01 Plane : X IMEI : Full-directivity LA23NA #13: 8002080123250049</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5647.00</td> <td>52.65</td> <td>-15.45</td> <td>68.30</td> <td>39.91</td> <td>34.56</td> <td>10.28</td> <td>179</td> <td>113 Peak</td> </tr> <tr> <td>5660.80</td> <td>52.52</td> <td>-22.80</td> <td>70.32</td> <td>39.77</td> <td>34.54</td> <td>10.29</td> <td>179</td> <td>113 Peak</td> </tr> <tr> <td>5719.00</td> <td>62.09</td> <td>-28.70</td> <td>115.79</td> <td>49.20</td> <td>34.53</td> <td>10.35</td> <td>179</td> <td>113 Peak</td> </tr> <tr> <td>5723.60</td> <td>66.95</td> <td>-52.16</td> <td>119.11</td> <td>54.11</td> <td>34.53</td> <td>10.35</td> <td>179</td> <td>113 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor			5647.00	52.65	-15.45	68.30	39.91	34.56	10.28	179	113 Peak	5660.80	52.52	-22.80	70.32	39.77	34.54	10.29	179	113 Peak	5719.00	62.09	-28.70	115.79	49.20	34.53	10.35	179	113 Peak	5723.60	66.95	-52.16	119.11	54.11	34.53	10.35	179	113 Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-A5 Condition : SG BAND4 by 3117 SM 00718653- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SMT: Auto Mode : FREQ: 268819.01 Plane : X IMEI : Full-directivity LA23NA #13: 8002080123250049</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5746.00</td> <td>106.03</td> <td>-16.27</td> <td>122.30</td> <td>93.13</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>179 113 Peak</td> </tr> <tr> <td>5746.00</td> <td>100.16</td> <td>-----</td> <td>87.28</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>179</td> <td>113 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor			5746.00	106.03	-16.27	122.30	93.13	34.55	10.36	32.01	179 113 Peak	5746.00	100.16	-----	87.28	34.55	10.36	32.01	179	113 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																						
5647.00	52.65	-15.45	68.30	39.91	34.56	10.28	179	113 Peak																																																																																				
5660.80	52.52	-22.80	70.32	39.77	34.54	10.29	179	113 Peak																																																																																				
5719.00	62.09	-28.70	115.79	49.20	34.53	10.35	179	113 Peak																																																																																				
5723.60	66.95	-52.16	119.11	54.11	34.53	10.35	179	113 Peak																																																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																						
5746.00	106.03	-16.27	122.30	93.13	34.55	10.36	32.01	179 113 Peak																																																																																				
5746.00	100.16	-----	87.28	34.55	10.36	32.01	179	113 Average																																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11a CH157 5785MHz																																																																																																															
SISO	Horizontal	Fundamental																																																																																																														
<p>Peak</p> <p>Avg.</p>	 <p>Site : 032805-KS Condition : 5G BAND4 In 3117 SN 00218663- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 RBM: 1000, 000kHz, VBR: 3000, 000kHz, SRT: Auto Mode : 35 Plane : X Full-directivity LA33MA IMEI : #18 8002080123250049 Power setting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.20</td> <td>53.40</td> <td>-14.90</td> <td>68.30</td> <td>40.66</td> <td>34.58</td> <td>10.26</td> <td>32.10</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5694.80</td> <td>55.10</td> <td>-40.31</td> <td>101.47</td> <td>42.40</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5709.00</td> <td>54.49</td> <td>-43.28</td> <td>101.54</td> <td>41.68</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5722.00</td> <td>53.44</td> <td>-42.02</td> <td>115.46</td> <td>40.60</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5631.20	53.40	-14.90	68.30	40.66	34.58	10.26	32.10	100	176	Peak	HORIZONTAL	2	5694.80	55.10	-40.31	101.47	42.40	34.50	10.33	33.06	100	176	Peak	HORIZONTAL	3	5709.00	54.49	-43.28	101.54	41.68	34.52	10.33	33.04	100	176	Peak	HORIZONTAL	4	5722.00	53.44	-42.02	115.46	40.60	34.53	10.35	33.04	100	176	Peak	HORIZONTAL	 <p>Site : 032805-KS Condition : 5G BAND4 In 3117 SN 00218663- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 RBM: 1000, 000kHz, VBR: 3000, 000kHz, SRT: Auto Mode : 35 Plane : X Full-directivity LA33MA IMEI : #18 8002080123250049 Power setting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5782.00</td> <td>110.73</td> <td>-11.57</td> <td>122.30</td> <td>97.73</td> <td>34.58</td> <td>10.39</td> <td>31.97</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5782.00</td> <td>104.33</td> <td>-----</td> <td>-----</td> <td>91.33</td> <td>34.58</td> <td>10.39</td> <td>31.97</td> <td>100</td> <td>176</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5782.00	110.73	-11.57	122.30	97.73	34.58	10.39	31.97	100	176	Peak	HORIZONTAL	2	5782.00	104.33	-----	-----	91.33	34.58	10.39	31.97	100	176	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																																									
1	5631.20	53.40	-14.90	68.30	40.66	34.58	10.26	32.10	100	176	Peak	HORIZONTAL																																																																																																				
2	5694.80	55.10	-40.31	101.47	42.40	34.50	10.33	33.06	100	176	Peak	HORIZONTAL																																																																																																				
3	5709.00	54.49	-43.28	101.54	41.68	34.52	10.33	33.04	100	176	Peak	HORIZONTAL																																																																																																				
4	5722.00	53.44	-42.02	115.46	40.60	34.53	10.35	33.04	100	176	Peak	HORIZONTAL																																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																																									
1	5782.00	110.73	-11.57	122.30	97.73	34.58	10.39	31.97	100	176	Peak	HORIZONTAL																																																																																																				
2	5782.00	104.33	-----	-----	91.33	34.58	10.39	31.97	100	176	Average	HORIZONTAL																																																																																																				
<p>Peak</p>	 <p>Site : 032805-KS Condition : 5G BAND4 In 3117 SN 00218663- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 RBM: 1000, 000kHz, VBR: 3000, 000kHz, SRT: Auto Mode : 35 Plane : X Full-directivity LA33MA IMEI : #18 8002080123250049 Power setting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5884.40</td> <td>52.69</td> <td>-49.58</td> <td>112.27</td> <td>39.29</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5869.00</td> <td>55.15</td> <td>-42.11</td> <td>101.26</td> <td>41.77</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5795.00</td> <td>54.14</td> <td>-38.18</td> <td>85.32</td> <td>40.55</td> <td>35.07</td> <td>10.81</td> <td>31.97</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5951.60</td> <td>53.17</td> <td>-35.16</td> <td>68.30</td> <td>39.45</td> <td>35.00</td> <td>10.53</td> <td>32.01</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5884.40	52.69	-49.58	112.27	39.29	34.87	10.46	31.93	100	176	Peak	HORIZONTAL	2	5869.00	55.15	-42.11	101.26	41.77	34.87	10.46	31.95	100	176	Peak	HORIZONTAL	3	5795.00	54.14	-38.18	85.32	40.55	35.07	10.81	31.97	100	176	Peak	HORIZONTAL	4	5951.60	53.17	-35.16	68.30	39.45	35.00	10.53	32.01	100	176	Peak	HORIZONTAL	<p>Left blank</p>																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																																									
1	5884.40	52.69	-49.58	112.27	39.29	34.87	10.46	31.93	100	176	Peak	HORIZONTAL																																																																																																				
2	5869.00	55.15	-42.11	101.26	41.77	34.87	10.46	31.95	100	176	Peak	HORIZONTAL																																																																																																				
3	5795.00	54.14	-38.18	85.32	40.55	35.07	10.81	31.97	100	176	Peak	HORIZONTAL																																																																																																				
4	5951.60	53.17	-35.16	68.30	39.45	35.00	10.53	32.01	100	176	Peak	HORIZONTAL																																																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																														
ANT	802.11a CH157 5785MHz																																																																																																														
SISO	Vertical	Fundamental																																																																																																													
<p>Peak Avg.</p>	 <p>Site : 030905-KS Condition : 5G BAND4 In 3117 SN 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000MHz, VBR-3000, 000MHz, SRT-Auto FR260819-01 Mode : 35 Plane : X Full-directivity LA33MA #13 800208012320049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.80</td> <td>52.33</td> <td>-15.97</td> <td>68.30</td> <td>39.56</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5880.40</td> <td>52.35</td> <td>-38.48</td> <td>90.83</td> <td>39.09</td> <td>34.52</td> <td>10.30</td> <td>33.06</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5715.60</td> <td>52.83</td> <td>-66.88</td> <td>109.67</td> <td>40.02</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5723.20</td> <td>51.95</td> <td>-66.25</td> <td>118.20</td> <td>39.11</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5608.80	52.33	-15.97	68.30	39.56	34.60	10.25	32.08	208	115	Peak	VERTICAL	2	5880.40	52.35	-38.48	90.83	39.09	34.52	10.30	33.06	208	115	Peak	VERTICAL	3	5715.60	52.83	-66.88	109.67	40.02	34.52	10.33	33.04	208	115	Peak	VERTICAL	4	5723.20	51.95	-66.25	118.20	39.11	34.53	10.35	33.04	208	115	Peak	VERTICAL	 <p>Site : 030905-KS Condition : 5G BAND4 In 3117 SN 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000MHz, VBR-3000, 000MHz, SRT-Auto FR260819-01 Mode : 35 Plane : X Full-directivity LA33MA #13 800208012320049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5788.00</td> <td>105.71</td> <td>-16.99</td> <td>122.30</td> <td>92.68</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5788.00</td> <td>99.70</td> <td>-----</td> <td>86.67</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>208</td> <td>115</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5788.00	105.71	-16.99	122.30	92.68	34.60	10.40	31.97	208	115	Peak	VERTICAL	2	5788.00	99.70	-----	86.67	34.60	10.40	31.97	208	115	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																								
1	5608.80	52.33	-15.97	68.30	39.56	34.60	10.25	32.08	208	115	Peak	VERTICAL																																																																																																			
2	5880.40	52.35	-38.48	90.83	39.09	34.52	10.30	33.06	208	115	Peak	VERTICAL																																																																																																			
3	5715.60	52.83	-66.88	109.67	40.02	34.52	10.33	33.04	208	115	Peak	VERTICAL																																																																																																			
4	5723.20	51.95	-66.25	118.20	39.11	34.53	10.35	33.04	208	115	Peak	VERTICAL																																																																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																								
1	5788.00	105.71	-16.99	122.30	92.68	34.60	10.40	31.97	208	115	Peak	VERTICAL																																																																																																			
2	5788.00	99.70	-----	86.67	34.60	10.40	31.97	208	115	Average	VERTICAL																																																																																																				
<p>Peak</p>	 <p>Site : 030905-KS Condition : 5G BAND4 In 3117 SN 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000MHz, VBR-3000, 000MHz, SRT-Auto FR260819-01 Mode : 35 Plane : X Full-directivity LA33MA #13 800208012320049 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.60</td> <td>52.54</td> <td>-66.11</td> <td>118.05</td> <td>39.23</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5872.40</td> <td>53.56</td> <td>-52.11</td> <td>106.03</td> <td>40.41</td> <td>34.73</td> <td>10.45</td> <td>31.95</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5885.80</td> <td>54.19</td> <td>-58.94</td> <td>89.13</td> <td>40.67</td> <td>35.00</td> <td>10.48</td> <td>31.97</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5884.00</td> <td>53.34</td> <td>-15.06</td> <td>88.30</td> <td>39.38</td> <td>35.33</td> <td>10.54</td> <td>30.03</td> <td>208</td> <td>115</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5851.60	52.54	-66.11	118.05	39.23	34.80	10.44	31.93	208	115	Peak	VERTICAL	2	5872.40	53.56	-52.11	106.03	40.41	34.73	10.45	31.95	208	115	Peak	VERTICAL	3	5885.80	54.19	-58.94	89.13	40.67	35.00	10.48	31.97	208	115	Peak	VERTICAL	4	5884.00	53.34	-15.06	88.30	39.38	35.33	10.54	30.03	208	115	Peak	VERTICAL	<p>Left blank</p>																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																								
1	5851.60	52.54	-66.11	118.05	39.23	34.80	10.44	31.93	208	115	Peak	VERTICAL																																																																																																			
2	5872.40	53.56	-52.11	106.03	40.41	34.73	10.45	31.95	208	115	Peak	VERTICAL																																																																																																			
3	5885.80	54.19	-58.94	89.13	40.67	35.00	10.48	31.97	208	115	Peak	VERTICAL																																																																																																			
4	5884.00	53.34	-15.06	88.30	39.38	35.33	10.54	30.03	208	115	Peak	VERTICAL																																																																																																			



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11a CH165 5825MHz																																																																																																															
SISO	Horizontal	Fundamental																																																																																																														
Peak Avg.	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 2</p> <p style="font-size: x-small;">Site : 03906-K5 Condition : SG BAND4 Ch 3117 SW 00216653- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : 35 Plane : X Full-directivity LAZ3NA #13: 6002080132520049</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>IMEI</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.00</td> <td>66.14</td> <td>-56.16</td> <td>122.30</td> <td>52.83</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>100</td> <td>175 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5855.00</td> <td>62.62</td> <td>-48.11</td> <td>110.73</td> <td>49.22</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>100</td> <td>175 Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5860.00</td> <td>54.14</td> <td>-42.29</td> <td>97.13</td> <td>41.31</td> <td>34.93</td> <td>10.43</td> <td>31.97</td> <td>100</td> <td>175 Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5949.60</td> <td>54.04</td> <td>-14.26</td> <td>68.30</td> <td>40.32</td> <td>35.20</td> <td>10.53</td> <td>32.01</td> <td>100</td> <td>175 Peak HORIZONTAL</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="font-size: x-small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 1</p> <p style="font-size: x-small;">Site : 03906-K5 Condition : SG BAND4 Ch 3117 SW 00216653- HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SRT: Auto FREQ: 260819-01 Mode : 35 Plane : X Full-directivity LAZ3NA #13: 6002080132520049</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>IMEI</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.00</td> <td>111.46</td> <td>-10.84</td> <td>122.30</td> <td>98.25</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>100</td> <td>175 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5824.00</td> <td>104.52</td> <td>-----</td> <td>-----</td> <td>91.31</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>100</td> <td>175 Average HORIZONTAL</td> </tr> </tbody> </table> </div> </div>		IMEI	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	dB	1	5850.00	66.14	-56.16	122.30	52.83	34.80	10.44	31.93	100	175 Peak HORIZONTAL	2	5855.00	62.62	-48.11	110.73	49.22	34.87	10.46	31.93	100	175 Peak HORIZONTAL	3	5860.00	54.14	-42.29	97.13	41.31	34.93	10.43	31.97	100	175 Peak HORIZONTAL	4	5949.60	54.04	-14.26	68.30	40.32	35.20	10.53	32.01	100	175 Peak HORIZONTAL	IMEI	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	dB	1	5824.00	111.46	-10.84	122.30	98.25	34.73	10.43	31.95	100	175 Peak HORIZONTAL	2	5824.00	104.52	-----	-----	91.31	34.73	10.43	31.95	100	175 Average HORIZONTAL
IMEI	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	dB																																																																																																						
1	5850.00	66.14	-56.16	122.30	52.83	34.80	10.44	31.93	100	175 Peak HORIZONTAL																																																																																																						
2	5855.00	62.62	-48.11	110.73	49.22	34.87	10.46	31.93	100	175 Peak HORIZONTAL																																																																																																						
3	5860.00	54.14	-42.29	97.13	41.31	34.93	10.43	31.97	100	175 Peak HORIZONTAL																																																																																																						
4	5949.60	54.04	-14.26	68.30	40.32	35.20	10.53	32.01	100	175 Peak HORIZONTAL																																																																																																						
IMEI	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	dB																																																																																																						
1	5824.00	111.46	-10.84	122.30	98.25	34.73	10.43	31.95	100	175 Peak HORIZONTAL																																																																																																						
2	5824.00	104.52	-----	-----	91.31	34.73	10.43	31.95	100	175 Average HORIZONTAL																																																																																																						



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																		
ANT	802.11a CH165 5825MHz																																																																																																																		
SISO	Vertical	Fundamental																																																																																																																	
<p>Peak Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-A5 Condition : 5G BAND4 by 3117 SW 00718652- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SMT: Auto Mode : FREQ: 260819-01 Plane : X Antenna : Full-directivity LA23NA #13 8002080123250408 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm/100Hz</th> <th>dBm/100Hz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.80</td> <td>59.40</td> <td>-56.52</td> <td>115.92</td> <td>46.09</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>194</td> <td>103</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5854.80</td> <td>57.16</td> <td>-53.35</td> <td>110.51</td> <td>43.76</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>194</td> <td>103</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5909.20</td> <td>54.53</td> <td>-55.43</td> <td>75.16</td> <td>40.84</td> <td>35.07</td> <td>10.51</td> <td>31.99</td> <td>194</td> <td>103</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5977.60</td> <td>53.76</td> <td>-14.54</td> <td>68.30</td> <td>39.90</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>194</td> <td>103</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm/100Hz	dBm/100Hz	dBm	dB	dB	cm	deg			1	5852.80	59.40	-56.52	115.92	46.09	34.80	10.44	31.93	194	103	Peak	VERTICAL	2	5854.80	57.16	-53.35	110.51	43.76	34.87	10.46	31.93	194	103	Peak	VERTICAL	3	5909.20	54.53	-55.43	75.16	40.84	35.07	10.51	31.99	194	103	Peak	VERTICAL	4	5977.60	53.76	-14.54	68.30	39.90	35.33	10.56	32.03	194	103	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-A5 Condition : 5G BAND4 by 3117 SW 00718652- VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SMT: Auto Mode : FREQ: 260819-01 Plane : X Antenna : Full-directivity LA23NA #13 8002080123250408 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm/100Hz</th> <th>dBm/100Hz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.00</td> <td>104.44</td> <td>-15.86</td> <td>122.30</td> <td>93.33</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>194</td> <td>103</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5824.00</td> <td>100.52</td> <td>-----</td> <td>87.31</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>194</td> <td>103</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm/100Hz	dBm/100Hz	dBm	dB	dB	cm	deg			1	5824.00	104.44	-15.86	122.30	93.33	34.73	10.43	31.95	194	103	Peak	VERTICAL	2	5824.00	100.52	-----	87.31	34.73	10.43	31.95	194	103	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																										
dBm/100Hz	dBm/100Hz	dBm	dB	dB	cm	deg																																																																																																													
1	5852.80	59.40	-56.52	115.92	46.09	34.80	10.44	31.93	194	103	Peak	VERTICAL																																																																																																							
2	5854.80	57.16	-53.35	110.51	43.76	34.87	10.46	31.93	194	103	Peak	VERTICAL																																																																																																							
3	5909.20	54.53	-55.43	75.16	40.84	35.07	10.51	31.99	194	103	Peak	VERTICAL																																																																																																							
4	5977.60	53.76	-14.54	68.30	39.90	35.33	10.56	32.03	194	103	Peak	VERTICAL																																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																											
dBm/100Hz	dBm/100Hz	dBm	dB	dB	cm	deg																																																																																																													
1	5824.00	104.44	-15.86	122.30	93.33	34.73	10.43	31.95	194	103	Peak	VERTICAL																																																																																																							
2	5824.00	100.52	-----	87.31	34.73	10.43	31.95	194	103	Average	VERTICAL																																																																																																								



**UNII-3 5725~5850MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ac VHT20 CH149 5745MHz																																																																																																															
SISO	Horizontal	Fundamental																																																																																																														
Peak Avg.	<p>Site: 03060-ES Condition: SG BAND4 3m 3117 SN 00218662- HORIZONTAL Project: R08-1000-000004- V08-3000-000004- CRT-Auto Mode: (FR)260819-01 Plane: 27 Power: 2 Full-directivity LA23MA MEI: #13 0002080123520049 Powersetting: #17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.20</td> <td>53.90</td> <td>-14.40</td> <td>68.30</td> <td>41.14</td> <td>34.58</td> <td>10.24</td> <td>33.08</td> <td>114</td> <td>180 Peak</td> </tr> <tr> <td>2</td> <td>5699.80</td> <td>55.14</td> <td>-8.48</td> <td>104.42</td> <td>43.18</td> <td>34.50</td> <td>10.32</td> <td>33.06</td> <td>114</td> <td>180 Peak</td> </tr> <tr> <td>3</td> <td>5725.00</td> <td>65.14</td> <td>-8.76</td> <td>110.90</td> <td>52.30</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>114</td> <td>180 Peak</td> </tr> <tr> <td>4</td> <td>5744.80</td> <td>68.08</td> <td>-8.74</td> <td>121.84</td> <td>55.24</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>114</td> <td>180 Peak</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg	1	5625.20	53.90	-14.40	68.30	41.14	34.58	10.24	33.08	114	180 Peak	2	5699.80	55.14	-8.48	104.42	43.18	34.50	10.32	33.06	114	180 Peak	3	5725.00	65.14	-8.76	110.90	52.30	34.53	10.35	33.04	114	180 Peak	4	5744.80	68.08	-8.74	121.84	55.24	34.53	10.35	33.04	114	180 Peak	<p>Site: 03060-ES Condition: SG BAND4 3m 3117 SN 00218662- HORIZONTAL Project: R08-1000-000004- V08-3000-000004- CRT-Auto Mode: (FR)260819-01 Plane: 27 Power: 2 Full-directivity LA23MA MEI: #13 0002080123520049 Powersetting: #17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.00</td> <td>109.97</td> <td>-12.33</td> <td>122.30</td> <td>97.07</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>114</td> <td>180 Peak</td> </tr> <tr> <td>2</td> <td>5746.00</td> <td>103.47</td> <td></td> <td></td> <td>90.57</td> <td>34.50</td> <td>10.36</td> <td>32.01</td> <td>114</td> <td>180 Average</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg	1	5746.00	109.97	-12.33	122.30	97.07	34.55	10.36	32.01	114	180 Peak	2	5746.00	103.47			90.57	34.50	10.36	32.01	114	180 Average
MEI	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
	MHz	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg																																																																																																						
1	5625.20	53.90	-14.40	68.30	41.14	34.58	10.24	33.08	114	180 Peak																																																																																																						
2	5699.80	55.14	-8.48	104.42	43.18	34.50	10.32	33.06	114	180 Peak																																																																																																						
3	5725.00	65.14	-8.76	110.90	52.30	34.53	10.35	33.04	114	180 Peak																																																																																																						
4	5744.80	68.08	-8.74	121.84	55.24	34.53	10.35	33.04	114	180 Peak																																																																																																						
MEI	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
	MHz	dBm	dBm	dBm	dB	dB	dB	dB	dB	deg																																																																																																						
1	5746.00	109.97	-12.33	122.30	97.07	34.55	10.36	32.01	114	180 Peak																																																																																																						
2	5746.00	103.47			90.57	34.50	10.36	32.01	114	180 Average																																																																																																						






WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																
ANT	802.11ac VHT20 CH149 5745MHz																																																																																																
SISO	Vertical	Fundamental																																																																																															
Peak Avg.	<p>Site : 03906-A5 Condition : SG BAND4 by 3117 SW 00718653- VERTICAL Project : RBW:1000.000KHz VBR:3000.000KHz SRT:Auto Mode : FREQ:5745.000 Plane : X IMEI : Full-directivity LA23NA #13 800208012325048 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5660.00</td> <td>52.09</td> <td>-16.21</td> <td>68.30</td> <td>39.36</td> <td>34.54</td> <td>10.29</td> <td>32.10</td> <td>178</td> <td>114 Peak</td> </tr> <tr> <td>5674.40</td> <td>52.48</td> <td>-32.92</td> <td>86.40</td> <td>39.74</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>178</td> <td>114 Peak</td> </tr> <tr> <td>5718.40</td> <td>60.49</td> <td>-28.98</td> <td>115.42</td> <td>47.60</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>178</td> <td>114 Peak</td> </tr> <tr> <td>5724.40</td> <td>64.69</td> <td>-56.24</td> <td>120.93</td> <td>51.85</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>178</td> <td>114 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level	Level	Loss	Factor			5660.00	52.09	-16.21	68.30	39.36	34.54	10.29	32.10	178	114 Peak	5674.40	52.48	-32.92	86.40	39.74	34.52	10.30	32.08	178	114 Peak	5718.40	60.49	-28.98	115.42	47.60	34.53	10.35	32.04	178	114 Peak	5724.40	64.69	-56.24	120.93	51.85	34.53	10.35	32.04	178	114 Peak	<p>Site : 03906-A5 Condition : SG BAND4 by 3117 SW 00718653- VERTICAL Project : RBW:1000.000KHz VBR:3000.000KHz SRT:Auto Mode : FREQ:5745.000 Plane : X IMEI : Full-directivity LA23NA #13 800208012325048 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5746.00</td> <td>105.48</td> <td>-16.82</td> <td>122.30</td> <td>92.58</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>178</td> <td>114 Peak</td> </tr> <tr> <td>5746.00</td> <td>99.02</td> <td>-----</td> <td>86.12</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>178</td> <td>114 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level	Level	Loss	Factor			5746.00	105.48	-16.82	122.30	92.58	34.55	10.36	32.01	178	114 Peak	5746.00	99.02	-----	86.12	34.55	10.36	32.01	178	114 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																									
Freq	Level	Level	Level	Level	Loss	Factor																																																																																											
5660.00	52.09	-16.21	68.30	39.36	34.54	10.29	32.10	178	114 Peak																																																																																								
5674.40	52.48	-32.92	86.40	39.74	34.52	10.30	32.08	178	114 Peak																																																																																								
5718.40	60.49	-28.98	115.42	47.60	34.53	10.35	32.04	178	114 Peak																																																																																								
5724.40	64.69	-56.24	120.93	51.85	34.53	10.35	32.04	178	114 Peak																																																																																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																									
Freq	Level	Level	Level	Level	Loss	Factor																																																																																											
5746.00	105.48	-16.82	122.30	92.58	34.55	10.36	32.01	178	114 Peak																																																																																								
5746.00	99.02	-----	86.12	34.55	10.36	32.01	178	114 Average																																																																																									



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																																	
ANT	802.11ac VHT20 CH157 5785MHz																																																																																																																																	
SISO	Horizontal	Fundamental																																																																																																																																
<p>Peak</p> <p>Avg.</p>	<p>Site : 03060-KS Condition : SG BAND3 In 3117 SN 00218602- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000MHz, VBR-3000, 000kHz, SRT-Auto FR260819-01 Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 1</p> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>PowerSetting</th> </tr> </thead> <tbody> <tr> <td>03060-KS</td> <td>SG BAND3 In 3117 SN 00218602- HORIZONTAL</td> <td>RRM-1000, 000MHz, VBR-3000, 000kHz, SRT-Auto</td> <td>FR260819-01</td> <td>38</td> <td>X</td> <td>Full-directivity LA33MA #13 800268012320049</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.00</td> <td>53.45</td> <td>-14.85</td> <td>68.30</td> <td>40.71</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5696.00</td> <td>53.08</td> <td>-49.27</td> <td>102.35</td> <td>40.32</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5712.00</td> <td>54.14</td> <td>-46.99</td> <td>110.23</td> <td>41.40</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>54.07</td> <td>-57.74</td> <td>111.81</td> <td>41.23</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	PowerSetting	03060-KS	SG BAND3 In 3117 SN 00218602- HORIZONTAL	RRM-1000, 000MHz, VBR-3000, 000kHz, SRT-Auto	FR260819-01	38	X	Full-directivity LA33MA #13 800268012320049	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5644.00	53.45	-14.85	68.30	40.71	34.56	10.28	32.10	101	177	Peak	HORIZONTAL	2	5696.00	53.08	-49.27	102.35	40.32	34.50	10.33	33.06	101	177	Peak	HORIZONTAL	3	5712.00	54.14	-46.99	110.23	41.40	34.53	10.35	32.04	101	177	Peak	HORIZONTAL	4	5720.00	54.07	-57.74	111.81	41.23	34.53	10.35	32.04	101	177	Peak	HORIZONTAL	<p>Site : 03060-KS Condition : SG BAND3 In 3117 SN 00218602- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000MHz, VBR-3000, 000kHz, SRT-Auto FR260819-01 Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5788.00</td> <td>110.20</td> <td>-12.10</td> <td>122.30</td> <td>97.17</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5788.00</td> <td>103.57</td> <td>-----</td> <td>-----</td> <td>90.54</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>101</td> <td>177</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5788.00	110.20	-12.10	122.30	97.17	34.60	10.40	31.97	101	177	Peak	HORIZONTAL	2	5788.00	103.57	-----	-----	90.54	34.60	10.40	31.97	101	177	Average	HORIZONTAL
Site	Condition	Project	Mode	Plane	IMEI	PowerSetting																																																																																																																												
03060-KS	SG BAND3 In 3117 SN 00218602- HORIZONTAL	RRM-1000, 000MHz, VBR-3000, 000kHz, SRT-Auto	FR260819-01	38	X	Full-directivity LA33MA #13 800268012320049																																																																																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																																									
1	5644.00	53.45	-14.85	68.30	40.71	34.56	10.28	32.10	101	177	Peak	HORIZONTAL																																																																																																																						
2	5696.00	53.08	-49.27	102.35	40.32	34.50	10.33	33.06	101	177	Peak	HORIZONTAL																																																																																																																						
3	5712.00	54.14	-46.99	110.23	41.40	34.53	10.35	32.04	101	177	Peak	HORIZONTAL																																																																																																																						
4	5720.00	54.07	-57.74	111.81	41.23	34.53	10.35	32.04	101	177	Peak	HORIZONTAL																																																																																																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																																									
1	5788.00	110.20	-12.10	122.30	97.17	34.60	10.40	31.97	101	177	Peak	HORIZONTAL																																																																																																																						
2	5788.00	103.57	-----	-----	90.54	34.60	10.40	31.97	101	177	Average	HORIZONTAL																																																																																																																						
<p>Peak</p>	<p>Site : 03060-KS Condition : SG BAND3 In 3117 SN 00218602- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000MHz, VBR-3000, 000kHz, SRT-Auto FR260819-01 Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 3</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.80</td> <td>54.05</td> <td>-61.87</td> <td>115.92</td> <td>40.74</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5897.20</td> <td>56.11</td> <td>-68.17</td> <td>110.28</td> <td>42.71</td> <td>34.87</td> <td>10.46</td> <td>31.92</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5877.60</td> <td>54.35</td> <td>-49.01</td> <td>102.37</td> <td>40.91</td> <td>34.83</td> <td>10.43</td> <td>31.95</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5978.00</td> <td>53.39</td> <td>-14.74</td> <td>68.30</td> <td>39.53</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>101</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg	1	5882.80	54.05	-61.87	115.92	40.74	34.80	10.44	31.93	101	177	Peak	HORIZONTAL	2	5897.20	56.11	-68.17	110.28	42.71	34.87	10.46	31.92	101	177	Peak	HORIZONTAL	3	5877.60	54.35	-49.01	102.37	40.91	34.83	10.43	31.95	101	177	Peak	HORIZONTAL	4	5978.00	53.39	-14.74	68.30	39.53	35.33	10.56	32.03	101	177	Peak	HORIZONTAL	<p>Left blank</p>																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	Level	Line	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																																									
1	5882.80	54.05	-61.87	115.92	40.74	34.80	10.44	31.93	101	177	Peak	HORIZONTAL																																																																																																																						
2	5897.20	56.11	-68.17	110.28	42.71	34.87	10.46	31.92	101	177	Peak	HORIZONTAL																																																																																																																						
3	5877.60	54.35	-49.01	102.37	40.91	34.83	10.43	31.95	101	177	Peak	HORIZONTAL																																																																																																																						
4	5978.00	53.39	-14.74	68.30	39.53	35.33	10.56	32.03	101	177	Peak	HORIZONTAL																																																																																																																						



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																															
ANT	802.11ac VHT20 CH157 5785MHz																																																																																																																															
SISO	Vertical	Fundamental																																																																																																																														
<p>Peak Avg.</p>	 <p>Site : 030906-KS Condition : 5G BAND4 3x 3117 5M 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000KHz, VBR-3000, 000KHz, SRT-Auto FR260819-01 Mode : 38 Plane : X Full-directivity LA23MA #13 600208012203049 IMEI : Power setting : #7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5679.20</td> <td>51.93</td> <td>-16.37</td> <td>68.30</td> <td>39.19</td> <td>34.58</td> <td>10.26</td> <td>32.10</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5688.40</td> <td>52.21</td> <td>-29.74</td> <td>81.95</td> <td>39.47</td> <td>34.52</td> <td>10.30</td> <td>33.08</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5700.80</td> <td>53.61</td> <td>-41.91</td> <td>105.52</td> <td>40.82</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5722.80</td> <td>52.45</td> <td>-44.83</td> <td>117.28</td> <td>39.61</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	1	5679.20	51.93	-16.37	68.30	39.19	34.58	10.26	32.10	124	192	Peak	VERTICAL	2	5688.40	52.21	-29.74	81.95	39.47	34.52	10.30	33.08	124	192	Peak	VERTICAL	3	5700.80	53.61	-41.91	105.52	40.82	34.52	10.33	33.04	124	192	Peak	VERTICAL	4	5722.80	52.45	-44.83	117.28	39.61	34.53	10.35	33.04	124	192	Peak	VERTICAL	 <p>Site : 030906-KS Condition : 5G BAND4 3x 3117 5M 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000KHz, VBR-3000, 000KHz, SRT-Auto FR260819-01 Mode : 38 Plane : X Full-directivity LA23MA #13 600208012203049 IMEI : Power setting : #7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5788.00</td> <td>103.97</td> <td>-18.33</td> <td>122.30</td> <td>90.94</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5788.00</td> <td>97.48</td> <td>-</td> <td>-</td> <td>84.45</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>124</td> <td>192</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	1	5788.00	103.97	-18.33	122.30	90.94	34.60	10.40	31.97	124	192	Peak	VERTICAL	2	5788.00	97.48	-	-	84.45	34.60	10.40	31.97	124	192	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB																																																																																																																									
1	5679.20	51.93	-16.37	68.30	39.19	34.58	10.26	32.10	124	192	Peak	VERTICAL																																																																																																																				
2	5688.40	52.21	-29.74	81.95	39.47	34.52	10.30	33.08	124	192	Peak	VERTICAL																																																																																																																				
3	5700.80	53.61	-41.91	105.52	40.82	34.52	10.33	33.04	124	192	Peak	VERTICAL																																																																																																																				
4	5722.80	52.45	-44.83	117.28	39.61	34.53	10.35	33.04	124	192	Peak	VERTICAL																																																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB																																																																																																																									
1	5788.00	103.97	-18.33	122.30	90.94	34.60	10.40	31.97	124	192	Peak	VERTICAL																																																																																																																				
2	5788.00	97.48	-	-	84.45	34.60	10.40	31.97	124	192	Average	VERTICAL																																																																																																																				
<p>Peak</p>	 <p>Site : 030906-KS Condition : 5G BAND4 3x 3117 5M 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000KHz, VBR-3000, 000KHz, SRT-Auto FR260819-01 Mode : 38 Plane : X Full-directivity LA23MA #13 600208012203049 IMEI : Power setting : #7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.00</td> <td>51.99</td> <td>-40.80</td> <td>117.74</td> <td>38.58</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5890.20</td> <td>52.59</td> <td>-40.40</td> <td>128.04</td> <td>39.21</td> <td>34.81</td> <td>10.46</td> <td>31.95</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5886.80</td> <td>54.34</td> <td>-40.29</td> <td>94.54</td> <td>40.81</td> <td>34.93</td> <td>10.47</td> <td>31.97</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5983.60</td> <td>54.01</td> <td>-44.29</td> <td>98.30</td> <td>40.29</td> <td>35.20</td> <td>10.53</td> <td>33.01</td> <td>124</td> <td>192</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	1	5882.00	51.99	-40.80	117.74	38.58	34.80	10.44	31.93	124	192	Peak	VERTICAL	2	5890.20	52.59	-40.40	128.04	39.21	34.81	10.46	31.95	124	192	Peak	VERTICAL	3	5886.80	54.34	-40.29	94.54	40.81	34.93	10.47	31.97	124	192	Peak	VERTICAL	4	5983.60	54.01	-44.29	98.30	40.29	35.20	10.53	33.01	124	192	Peak	VERTICAL	<p>Left blank</p>																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB																																																																																																																									
1	5882.00	51.99	-40.80	117.74	38.58	34.80	10.44	31.93	124	192	Peak	VERTICAL																																																																																																																				
2	5890.20	52.59	-40.40	128.04	39.21	34.81	10.46	31.95	124	192	Peak	VERTICAL																																																																																																																				
3	5886.80	54.34	-40.29	94.54	40.81	34.93	10.47	31.97	124	192	Peak	VERTICAL																																																																																																																				
4	5983.60	54.01	-44.29	98.30	40.29	35.20	10.53	33.01	124	192	Peak	VERTICAL																																																																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																	
ANT	802.11ac VHT20 CH165 5825MHz																																																																																																																	
SISO	Horizontal	Fundamental																																																																																																																
Peak Avg.	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03906-K5 Condition : SG BAND4 Ch 3117 SW 00216A53- HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz SRT Auto Mode : FREQ260819-01 Plane : X : Full-directivity LA23NA : #13 8002080123203049</p> <table border="1"> <thead> <tr> <th>IF</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.00</td> <td>67.61</td> <td>-54.49</td> <td>122.30</td> <td>54.30</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>100</td> <td>177 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5854.80</td> <td>62.61</td> <td>-47.79</td> <td>110.40</td> <td>49.21</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>100</td> <td>177 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5904.40</td> <td>54.91</td> <td>-38.06</td> <td>85.51</td> <td>41.39</td> <td>35.90</td> <td>10.49</td> <td>31.97</td> <td>100</td> <td>177 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5928.00</td> <td>55.27</td> <td>-13.03</td> <td>68.30</td> <td>41.61</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>100</td> <td>177 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03906-K5 Condition : SG BAND4 Ch 3117 SW 00216A53- HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz SRT Auto Mode : FREQ260819-01 Plane : X : Full-directivity LA23NA : #13 8002080123203049</p> <table border="1"> <thead> <tr> <th>IF</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.00</td> <td>109.87</td> <td>-12.43</td> <td>122.30</td> <td>96.66</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>100</td> <td>177 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5824.00</td> <td>103.67</td> <td>-----</td> <td>-----</td> <td>90.46</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>100</td> <td>177 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </div> </div>		IF	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Limit	Line	Level	Factor	Loss	Factor			1	5850.00	67.61	-54.49	122.30	54.30	34.80	10.44	31.93	100	177 Peak	HORIZONTAL	2	5854.80	62.61	-47.79	110.40	49.21	34.87	10.46	31.93	100	177 Peak	HORIZONTAL	3	5904.40	54.91	-38.06	85.51	41.39	35.90	10.49	31.97	100	177 Peak	HORIZONTAL	4	5928.00	55.27	-13.03	68.30	41.61	35.13	10.52	31.99	100	177 Peak	HORIZONTAL	IF	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Limit	Line	Level	Factor	Loss	Factor			1	5824.00	109.87	-12.43	122.30	96.66	34.73	10.43	31.95	100	177 Peak	HORIZONTAL	2	5824.00	103.67	-----	-----	90.46	34.73	10.43	31.95	100	177 Average	HORIZONTAL
IF	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																											
1	5850.00	67.61	-54.49	122.30	54.30	34.80	10.44	31.93	100	177 Peak	HORIZONTAL																																																																																																							
2	5854.80	62.61	-47.79	110.40	49.21	34.87	10.46	31.93	100	177 Peak	HORIZONTAL																																																																																																							
3	5904.40	54.91	-38.06	85.51	41.39	35.90	10.49	31.97	100	177 Peak	HORIZONTAL																																																																																																							
4	5928.00	55.27	-13.03	68.30	41.61	35.13	10.52	31.99	100	177 Peak	HORIZONTAL																																																																																																							
IF	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																											
1	5824.00	109.87	-12.43	122.30	96.66	34.73	10.43	31.95	100	177 Peak	HORIZONTAL																																																																																																							
2	5824.00	103.67	-----	-----	90.46	34.73	10.43	31.95	100	177 Average	HORIZONTAL																																																																																																							



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																												
ANT	802.11ac VHT20 CH165 5825MHZ																																																																																																												
SISO	Vertical	Fundamental																																																																																																											
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-A5 Condition : 5G BAND4 by 3117 SM 00716A53- VERTICAL Project : RBW: 1000.000KHz VBR: 3000.000KHz SRT: Auto Mode : EPRE20819-01 Plane : X IMEI : Full-directivity LA23NA #13: 8002080123250408</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.00</td> <td>59.96</td> <td>-43.34</td> <td>122.30</td> <td>46.65</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>365</td> <td>87 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5888.80</td> <td>55.73</td> <td>-44.10</td> <td>109.83</td> <td>42.35</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>365</td> <td>87 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5910.00</td> <td>54.34</td> <td>-45.13</td> <td>75.37</td> <td>40.60</td> <td>35.07</td> <td>10.51</td> <td>31.99</td> <td>365</td> <td>87 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5930.80</td> <td>53.70</td> <td>-44.60</td> <td>68.30</td> <td>40.04</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>365</td> <td>87 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level	Level	Loss	Factor	cm	deg	1	5850.00	59.96	-43.34	122.30	46.65	34.80	10.44	31.93	365	87 Peak	VERTICAL	2	5888.80	55.73	-44.10	109.83	42.35	34.87	10.46	31.95	365	87 Peak	VERTICAL	3	5910.00	54.34	-45.13	75.37	40.60	35.07	10.51	31.99	365	87 Peak	VERTICAL	4	5930.80	53.70	-44.60	68.30	40.04	35.13	10.52	31.99	365	87 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-A5 Condition : 5G BAND4 by 3117 SM 00716A53- VERTICAL Project : RBW: 1000.000KHz VBR: 3000.000KHz SRT: Auto Mode : EPRE20819-01 Plane : X IMEI : Full-directivity LA23NA #13: 8002080123250408</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.00</td> <td>105.67</td> <td>-16.63</td> <td>122.30</td> <td>92.46</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>365</td> <td>87 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5824.00</td> <td>99.25</td> <td>-----</td> <td>86.04</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>365</td> <td>87 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level	Level	Loss	Factor	cm	deg	1	5824.00	105.67	-16.63	122.30	92.46	34.73	10.43	31.95	365	87 Peak	VERTICAL	2	5824.00	99.25	-----	86.04	34.73	10.43	31.95	365	87 Average	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																				
Freq	Level	Level	Level	Level	Loss	Factor	cm	deg																																																																																																					
1	5850.00	59.96	-43.34	122.30	46.65	34.80	10.44	31.93	365	87 Peak	VERTICAL																																																																																																		
2	5888.80	55.73	-44.10	109.83	42.35	34.87	10.46	31.95	365	87 Peak	VERTICAL																																																																																																		
3	5910.00	54.34	-45.13	75.37	40.60	35.07	10.51	31.99	365	87 Peak	VERTICAL																																																																																																		
4	5930.80	53.70	-44.60	68.30	40.04	35.13	10.52	31.99	365	87 Peak	VERTICAL																																																																																																		
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
Freq	Level	Level	Level	Level	Loss	Factor	cm	deg																																																																																																					
1	5824.00	105.67	-16.63	122.30	92.46	34.73	10.43	31.95	365	87 Peak	VERTICAL																																																																																																		
2	5824.00	99.25	-----	86.04	34.73	10.43	31.95	365	87 Average	VERTICAL																																																																																																			






UNII-3 5725~5850MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																	
ANT	802.11ac VHT40 CH151 5755MHz																																																																																																																	
SISO	Horizontal	Fundamental																																																																																																																
Peak Avg.	<p>Site: 030906-KS Condition: SS BAND4 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.000MHz VBR 3000.000MHz SWT Auto Mode: FR2 260819-01 Plane: 40 Ant: Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5633.60</td> <td>53.61</td> <td>-14.49</td> <td>68.30</td> <td>40.87</td> <td>34.56</td> <td>10.28</td> <td>33.10</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5699.60</td> <td>60.69</td> <td>-64.52</td> <td>105.01</td> <td>47.73</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5718.40</td> <td>66.56</td> <td>-43.89</td> <td>110.45</td> <td>53.72</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5722.80</td> <td>68.18</td> <td>-40.18</td> <td>117.28</td> <td>55.34</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg	1	5633.60	53.61	-14.49	68.30	40.87	34.56	10.28	33.10	103	178	Peak	HORIZONTAL	2	5699.60	60.69	-64.52	105.01	47.73	34.50	10.32	32.06	103	178	Peak	HORIZONTAL	3	5718.40	66.56	-43.89	110.45	53.72	34.53	10.35	32.04	103	178	Peak	HORIZONTAL	4	5722.80	68.18	-40.18	117.28	55.34	34.53	10.35	32.04	103	178	Peak	HORIZONTAL	<p>Site: 030906-KS Condition: SS BAND4 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.000MHz VBR 3000.000MHz SWT Auto Mode: FR2 260819-01 Plane: 40 Ant: Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5752.00</td> <td>107.40</td> <td>-14.70</td> <td>122.30</td> <td>94.67</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5752.00</td> <td>100.12</td> <td></td> <td></td> <td>87.19</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>103</td> <td>178</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg	1	5752.00	107.40	-14.70	122.30	94.67	34.57	10.37	32.01	103	178	Peak	HORIZONTAL	2	5752.00	100.12			87.19	34.57	10.37	32.01	103	178	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg																																																																																																										
1	5633.60	53.61	-14.49	68.30	40.87	34.56	10.28	33.10	103	178	Peak	HORIZONTAL																																																																																																						
2	5699.60	60.69	-64.52	105.01	47.73	34.50	10.32	32.06	103	178	Peak	HORIZONTAL																																																																																																						
3	5718.40	66.56	-43.89	110.45	53.72	34.53	10.35	32.04	103	178	Peak	HORIZONTAL																																																																																																						
4	5722.80	68.18	-40.18	117.28	55.34	34.53	10.35	32.04	103	178	Peak	HORIZONTAL																																																																																																						
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg																																																																																																										
1	5752.00	107.40	-14.70	122.30	94.67	34.57	10.37	32.01	103	178	Peak	HORIZONTAL																																																																																																						
2	5752.00	100.12			87.19	34.57	10.37	32.01	103	178	Average	HORIZONTAL																																																																																																						
Peak	<p>Site: 030906-KS Condition: SS BAND4 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.000MHz VBR 3000.000MHz SWT Auto Mode: FR2 260819-01 Plane: 40 Ant: Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.80</td> <td>53.46</td> <td>-47.02</td> <td>120.48</td> <td>40.15</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5862.00</td> <td>54.30</td> <td>-46.68</td> <td>108.94</td> <td>40.88</td> <td>34.87</td> <td>10.40</td> <td>31.95</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5879.60</td> <td>54.50</td> <td>-47.35</td> <td>121.88</td> <td>41.50</td> <td>34.93</td> <td>10.40</td> <td>31.95</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5944.40</td> <td>53.03</td> <td>-15.27</td> <td>68.30</td> <td>39.31</td> <td>35.20</td> <td>10.53</td> <td>32.01</td> <td>103</td> <td>178</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg	1	5850.80	53.46	-47.02	120.48	40.15	34.80	10.44	31.93	103	178	Peak	HORIZONTAL	2	5862.00	54.30	-46.68	108.94	40.88	34.87	10.40	31.95	103	178	Peak	HORIZONTAL	3	5879.60	54.50	-47.35	121.88	41.50	34.93	10.40	31.95	103	178	Peak	HORIZONTAL	4	5944.40	53.03	-15.27	68.30	39.31	35.20	10.53	32.01	103	178	Peak	HORIZONTAL	Left blank																																											
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg																																																																																																										
1	5850.80	53.46	-47.02	120.48	40.15	34.80	10.44	31.93	103	178	Peak	HORIZONTAL																																																																																																						
2	5862.00	54.30	-46.68	108.94	40.88	34.87	10.40	31.95	103	178	Peak	HORIZONTAL																																																																																																						
3	5879.60	54.50	-47.35	121.88	41.50	34.93	10.40	31.95	103	178	Peak	HORIZONTAL																																																																																																						
4	5944.40	53.03	-15.27	68.30	39.31	35.20	10.53	32.01	103	178	Peak	HORIZONTAL																																																																																																						






WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																	
ANT	802.11ac VHT40 CH151 5755MHz																																																																																																																	
SISO	Vertical	Fundamental																																																																																																																
<p>Peak</p> <p>Avg.</p>	<p>Site : 032005-KS Condition : 5G BAND4 Ch 3117 SN 00218602- VERTICAL Project : RRM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FFS-200819-01 Plane : X IMEI : Full-directivity LA33MA #13 8002080122030049</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5621.20</td> <td>51.61</td> <td>-16.69</td> <td>68.30</td> <td>38.85</td> <td>34.58</td> <td>10.26</td> <td>32.08</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5695.20</td> <td>54.45</td> <td>-47.31</td> <td>101.76</td> <td>41.69</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5725.00</td> <td>59.82</td> <td>-61.08</td> <td>115.92</td> <td>46.98</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5722.40</td> <td>61.54</td> <td>-64.83</td> <td>116.37</td> <td>48.70</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg	1	5621.20	51.61	-16.69	68.30	38.85	34.58	10.26	32.08	101	193	Peak	VERTICAL	2	5695.20	54.45	-47.31	101.76	41.69	34.50	10.33	33.06	101	193	Peak	VERTICAL	3	5725.00	59.82	-61.08	115.92	46.98	34.53	10.35	32.04	101	193	Peak	VERTICAL	4	5722.40	61.54	-64.83	116.37	48.70	34.53	10.35	32.04	101	193	Peak	VERTICAL	<p>Site : 032005-KS Condition : 5G BAND4 Ch 3117 SN 00218602- VERTICAL Project : RRM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FFS-200819-01 Plane : X IMEI : Full-directivity LA33MA #13 8002080122030049</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5752.00</td> <td>100.49</td> <td>-21.81</td> <td>122.30</td> <td>87.56</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5752.00</td> <td>94.47</td> <td>-----</td> <td>-----</td> <td>81.54</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>101</td> <td>193</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg	1	5752.00	100.49	-21.81	122.30	87.56	34.57	10.37	32.01	101	193	Peak	VERTICAL	2	5752.00	94.47	-----	-----	81.54	34.57	10.37	32.01	101	193	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg																																																																																																										
1	5621.20	51.61	-16.69	68.30	38.85	34.58	10.26	32.08	101	193	Peak	VERTICAL																																																																																																						
2	5695.20	54.45	-47.31	101.76	41.69	34.50	10.33	33.06	101	193	Peak	VERTICAL																																																																																																						
3	5725.00	59.82	-61.08	115.92	46.98	34.53	10.35	32.04	101	193	Peak	VERTICAL																																																																																																						
4	5722.40	61.54	-64.83	116.37	48.70	34.53	10.35	32.04	101	193	Peak	VERTICAL																																																																																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg																																																																																																										
1	5752.00	100.49	-21.81	122.30	87.56	34.57	10.37	32.01	101	193	Peak	VERTICAL																																																																																																						
2	5752.00	94.47	-----	-----	81.54	34.57	10.37	32.01	101	193	Average	VERTICAL																																																																																																						
<p>Peak</p>	<p>Site : 032005-KS Condition : 5G BAND4 Ch 3117 SN 00218602- VERTICAL Project : RRM-1000.000MHz VBR-3000.000MHz SRT-Auto Mode : FFS-200819-01 Plane : X IMEI : Full-directivity LA33MA #13 8002080122030049</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5884.40</td> <td>52.60</td> <td>-99.67</td> <td>112.27</td> <td>39.20</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5895.20</td> <td>52.60</td> <td>-98.74</td> <td>110.84</td> <td>39.20</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5910.80</td> <td>53.68</td> <td>-104.10</td> <td>78.78</td> <td>39.09</td> <td>35.07</td> <td>10.51</td> <td>31.09</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5982.80</td> <td>53.87</td> <td>-114.14</td> <td>68.30</td> <td>40.01</td> <td>35.33</td> <td>10.54</td> <td>30.03</td> <td>101</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg	1	5884.40	52.60	-99.67	112.27	39.20	34.87	10.46	31.93	101	193	Peak	VERTICAL	2	5895.20	52.60	-98.74	110.84	39.20	34.87	10.46	31.93	101	193	Peak	VERTICAL	3	5910.80	53.68	-104.10	78.78	39.09	35.07	10.51	31.09	101	193	Peak	VERTICAL	4	5982.80	53.87	-114.14	68.30	40.01	35.33	10.54	30.03	101	193	Peak	VERTICAL	<p>Left blank</p>																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg																																																																																																										
1	5884.40	52.60	-99.67	112.27	39.20	34.87	10.46	31.93	101	193	Peak	VERTICAL																																																																																																						
2	5895.20	52.60	-98.74	110.84	39.20	34.87	10.46	31.93	101	193	Peak	VERTICAL																																																																																																						
3	5910.80	53.68	-104.10	78.78	39.09	35.07	10.51	31.09	101	193	Peak	VERTICAL																																																																																																						
4	5982.80	53.87	-114.14	68.30	40.01	35.33	10.54	30.03	101	193	Peak	VERTICAL																																																																																																						






WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																							
ANT	802.11ac VHT40 CH159 5795MHz																																																																																																																							
SISO	Horizontal	Fundamental																																																																																																																						
<p>Peak</p> <p>AvG.</p>	 <p>Site : 032805-KS Condition : 5G BAND4 Ch 3117 SW 00218602- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 Mode : 41 Plane : X Full-directivity LA33MA #13 8002080122520049</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>16</th> <th>dB</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.00</td> <td>53.18</td> <td>-15.17</td> <td>68.30</td> <td>40.44</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5692.40</td> <td>54.59</td> <td>-45.11</td> <td>99.70</td> <td>41.83</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>54.45</td> <td>-63.68</td> <td>108.10</td> <td>41.64</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5723.60</td> <td>55.42</td> <td>-63.69</td> <td>119.11</td> <td>42.58</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	16	dB	dBm/100MHz	dBm/100MHz	dB	cm	deg			1	5648.00	53.18	-15.17	68.30	40.44	34.56	10.28	32.10	100	177	Peak	HORIZONTAL	2	5692.40	54.59	-45.11	99.70	41.83	34.50	10.33	33.06	100	177	Peak	HORIZONTAL	3	5710.00	54.45	-63.68	108.10	41.64	34.52	10.33	33.04	100	177	Peak	HORIZONTAL	4	5723.60	55.42	-63.69	119.11	42.58	34.53	10.35	33.04	100	177	Peak	HORIZONTAL	 <p>Site : 032805-KS Condition : 5G BAND4 Ch 3117 SW 00218602- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 Mode : 41 Plane : X Full-directivity LA33MA #13 8002080122520049</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>16</th> <th>dB</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5794.00</td> <td>106.68</td> <td>-15.42</td> <td>122.30</td> <td>93.65</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5794.00</td> <td>100.02</td> <td>-----</td> <td>-----</td> <td>86.99</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>100</td> <td>177</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	16	dB	dBm/100MHz	dBm/100MHz	dB	cm	deg			1	5794.00	106.68	-15.42	122.30	93.65	34.60	10.40	31.97	100	177	Peak	HORIZONTAL	2	5794.00	100.02	-----	-----	86.99	34.60	10.40	31.97	100	177	Average	HORIZONTAL
MEI	PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
1	16	dB	dBm/100MHz	dBm/100MHz	dB	cm	deg																																																																																																																	
1	5648.00	53.18	-15.17	68.30	40.44	34.56	10.28	32.10	100	177	Peak	HORIZONTAL																																																																																																												
2	5692.40	54.59	-45.11	99.70	41.83	34.50	10.33	33.06	100	177	Peak	HORIZONTAL																																																																																																												
3	5710.00	54.45	-63.68	108.10	41.64	34.52	10.33	33.04	100	177	Peak	HORIZONTAL																																																																																																												
4	5723.60	55.42	-63.69	119.11	42.58	34.53	10.35	33.04	100	177	Peak	HORIZONTAL																																																																																																												
MEI	PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
1	16	dB	dBm/100MHz	dBm/100MHz	dB	cm	deg																																																																																																																	
1	5794.00	106.68	-15.42	122.30	93.65	34.60	10.40	31.97	100	177	Peak	HORIZONTAL																																																																																																												
2	5794.00	100.02	-----	-----	86.99	34.60	10.40	31.97	100	177	Average	HORIZONTAL																																																																																																												
<p>Peak</p>	 <p>Site : 032805-KS Condition : 5G BAND4 Ch 3117 SW 00218602- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR260819-01 Mode : 41 Plane : X Full-directivity LA33MA #13 8002080122520049</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>16</th> <th>dB</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5881.20</td> <td>58.02</td> <td>-40.94</td> <td>119.56</td> <td>45.31</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5886.00</td> <td>55.68</td> <td>-62.16</td> <td>121.82</td> <td>42.30</td> <td>34.71</td> <td>10.45</td> <td>31.95</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5884.40</td> <td>54.51</td> <td>-68.81</td> <td>98.32</td> <td>41.68</td> <td>34.63</td> <td>10.43</td> <td>31.97</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5993.20</td> <td>55.02</td> <td>-13.28</td> <td>68.30</td> <td>41.16</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>100</td> <td>177</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	16	dB	dBm/100MHz	dBm/100MHz	dB	cm	deg			1	5881.20	58.02	-40.94	119.56	45.31	34.80	10.44	31.93	100	177	Peak	HORIZONTAL	2	5886.00	55.68	-62.16	121.82	42.30	34.71	10.45	31.95	100	177	Peak	HORIZONTAL	3	5884.40	54.51	-68.81	98.32	41.68	34.63	10.43	31.97	100	177	Peak	HORIZONTAL	4	5993.20	55.02	-13.28	68.30	41.16	35.33	10.56	32.03	100	177	Peak	HORIZONTAL	<p>Left blank</p>																																														
MEI	PowerSetting	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
1	16	dB	dBm/100MHz	dBm/100MHz	dB	cm	deg																																																																																																																	
1	5881.20	58.02	-40.94	119.56	45.31	34.80	10.44	31.93	100	177	Peak	HORIZONTAL																																																																																																												
2	5886.00	55.68	-62.16	121.82	42.30	34.71	10.45	31.95	100	177	Peak	HORIZONTAL																																																																																																												
3	5884.40	54.51	-68.81	98.32	41.68	34.63	10.43	31.97	100	177	Peak	HORIZONTAL																																																																																																												
4	5993.20	55.02	-13.28	68.30	41.16	35.33	10.56	32.03	100	177	Peak	HORIZONTAL																																																																																																												



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																														
ANT	802.11ac VHT40 CH159 5795MHz																																																																																																														
SISO	Vertical	Fundamental																																																																																																													
<p>Peak</p> <p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : 5G BAND4 In 3117 SN 002186A3- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : 41 Plane : X Full-directivity LA33MA #13 600208012320049</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.00</td> <td>51.91</td> <td>-16.39</td> <td>68.30</td> <td>39.15</td> <td>34.58</td> <td>10.26</td> <td>32.08</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5676.80</td> <td>52.62</td> <td>-35.55</td> <td>88.17</td> <td>39.88</td> <td>34.52</td> <td>10.30</td> <td>33.08</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5709.20</td> <td>52.60</td> <td>-35.48</td> <td>101.88</td> <td>39.59</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5723.20</td> <td>52.42</td> <td>-35.78</td> <td>118.20</td> <td>39.58</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	cm	deg	1	5624.00	51.91	-16.39	68.30	39.15	34.58	10.26	32.08	122	193	Peak	VERTICAL	2	5676.80	52.62	-35.55	88.17	39.88	34.52	10.30	33.08	122	193	Peak	VERTICAL	3	5709.20	52.60	-35.48	101.88	39.59	34.52	10.33	33.04	122	193	Peak	VERTICAL	4	5723.20	52.42	-35.78	118.20	39.58	34.53	10.35	32.04	122	193	Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : 5G BAND4 In 3117 SN 002186A3- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : 41 Plane : X Full-directivity LA33MA #13 600208012320049</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5794.00</td> <td>101.15</td> <td>-21.15</td> <td>122.30</td> <td>88.12</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5794.00</td> <td>93.77</td> <td>-----</td> <td>80.74</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>122</td> <td>193</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	cm	deg	1	5794.00	101.15	-21.15	122.30	88.12	34.60	10.40	31.97	122	193	Peak	VERTICAL	2	5794.00	93.77	-----	80.74	34.60	10.40	31.97	122	193	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	cm	deg																																																																																																								
1	5624.00	51.91	-16.39	68.30	39.15	34.58	10.26	32.08	122	193	Peak	VERTICAL																																																																																																			
2	5676.80	52.62	-35.55	88.17	39.88	34.52	10.30	33.08	122	193	Peak	VERTICAL																																																																																																			
3	5709.20	52.60	-35.48	101.88	39.59	34.52	10.33	33.04	122	193	Peak	VERTICAL																																																																																																			
4	5723.20	52.42	-35.78	118.20	39.58	34.53	10.35	32.04	122	193	Peak	VERTICAL																																																																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	cm	deg																																																																																																								
1	5794.00	101.15	-21.15	122.30	88.12	34.60	10.40	31.97	122	193	Peak	VERTICAL																																																																																																			
2	5794.00	93.77	-----	80.74	34.60	10.40	31.97	122	193	Average	VERTICAL																																																																																																				
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : 5G BAND4 In 3117 SN 002186A3- VERTICAL Project : RBW: 1000.000kHz VBR: 3000.000kHz SRT: Auto FR260819-01 Mode : 41 Plane : X Full-directivity LA33MA #13 600208012320049</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5884.00</td> <td>54.35</td> <td>-58.89</td> <td>113.18</td> <td>40.95</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5895.20</td> <td>54.35</td> <td>-58.89</td> <td>113.84</td> <td>40.95</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>54.27</td> <td>-18.95</td> <td>78.22</td> <td>40.41</td> <td>35.13</td> <td>10.53</td> <td>31.09</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5994.80</td> <td>53.83</td> <td>-14.14</td> <td>68.30</td> <td>39.90</td> <td>35.40</td> <td>10.58</td> <td>30.05</td> <td>122</td> <td>193</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	cm	deg	1	5884.00	54.35	-58.89	113.18	40.95	34.87	10.46	31.93	122	193	Peak	VERTICAL	2	5895.20	54.35	-58.89	113.84	40.95	34.87	10.46	31.93	122	193	Peak	VERTICAL	3	5923.60	54.27	-18.95	78.22	40.41	35.13	10.53	31.09	122	193	Peak	VERTICAL	4	5994.80	53.83	-14.14	68.30	39.90	35.40	10.58	30.05	122	193	Peak	VERTICAL	<p>Left blank</p>																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	cm	deg																																																																																																								
1	5884.00	54.35	-58.89	113.18	40.95	34.87	10.46	31.93	122	193	Peak	VERTICAL																																																																																																			
2	5895.20	54.35	-58.89	113.84	40.95	34.87	10.46	31.93	122	193	Peak	VERTICAL																																																																																																			
3	5923.60	54.27	-18.95	78.22	40.41	35.13	10.53	31.09	122	193	Peak	VERTICAL																																																																																																			
4	5994.80	53.83	-14.14	68.30	39.90	35.40	10.58	30.05	122	193	Peak	VERTICAL																																																																																																			



UNII-3 5725~5850MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																			
ANT	802.11ac VHT80 CH155 5775MHz																																																																																																																			
SISO	Horizontal	Fundamental																																																																																																																		
Peak Avg.	 <p>Site: 030906-KS Condition: SS BAND4 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project: FR260819-01 Mode: 42 Plane: 2 Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.20</td> <td>66.92</td> <td>-11.38</td> <td>68.30</td> <td>44.18</td> <td>34.56</td> <td>10.28</td> <td>33.10</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5705.00</td> <td>63.90</td> <td>-11.50</td> <td>105.30</td> <td>51.04</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>67.81</td> <td>-12.87</td> <td>110.68</td> <td>54.97</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>67.47</td> <td>-11.08</td> <td>114.55</td> <td>54.63</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5649.20	66.92	-11.38	68.30	44.18	34.56	10.28	33.10	100	178	Peak	HORIZONT	2	5705.00	63.90	-11.50	105.30	51.04	34.50	10.32	32.06	100	178	Peak	HORIZONT	3	5719.20	67.81	-12.87	110.68	54.97	34.53	10.35	32.04	100	178	Peak	HORIZONT	4	5721.60	67.47	-11.08	114.55	54.63	34.53	10.35	32.04	100	178	Peak	HORIZONT	 <p>Site: 030906-KS Condition: SS BAND4 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project: FR260819-01 Mode: 42 Plane: 2 Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5770.00</td> <td>104.30</td> <td>-18.00</td> <td>122.30</td> <td>61.32</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5770.00</td> <td>106.76</td> <td>-</td> <td>-</td> <td>63.78</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>100</td> <td>178</td> <td>Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5770.00	104.30	-18.00	122.30	61.32	34.58	10.39	31.99	100	178	Peak	HORIZONT	2	5770.00	106.76	-	-	63.78	34.58	10.39	31.99	100	178	Average	HORIZONT
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																												
1	5649.20	66.92	-11.38	68.30	44.18	34.56	10.28	33.10	100	178	Peak	HORIZONT																																																																																																								
2	5705.00	63.90	-11.50	105.30	51.04	34.50	10.32	32.06	100	178	Peak	HORIZONT																																																																																																								
3	5719.20	67.81	-12.87	110.68	54.97	34.53	10.35	32.04	100	178	Peak	HORIZONT																																																																																																								
4	5721.60	67.47	-11.08	114.55	54.63	34.53	10.35	32.04	100	178	Peak	HORIZONT																																																																																																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																												
1	5770.00	104.30	-18.00	122.30	61.32	34.58	10.39	31.99	100	178	Peak	HORIZONT																																																																																																								
2	5770.00	106.76	-	-	63.78	34.58	10.39	31.99	100	178	Average	HORIZONT																																																																																																								
Peak	 <p>Site: 030906-KS Condition: SS BAND4 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project: FR260819-01 Mode: 42 Plane: 2 Full-directivity LA23MA IMEI: #13 0002080123520049 Powersetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.00</td> <td>61.56</td> <td>-17.09</td> <td>118.65</td> <td>48.25</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5860.00</td> <td>67.09</td> <td>-12.41</td> <td>109.50</td> <td>48.71</td> <td>34.87</td> <td>10.40</td> <td>31.95</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>3</td> <td>5879.20</td> <td>57.55</td> <td>-16.12</td> <td>102.18</td> <td>42.56</td> <td>34.73</td> <td>10.42</td> <td>31.95</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>4</td> <td>5925.00</td> <td>53.77</td> <td>-14.53</td> <td>68.30</td> <td>40.11</td> <td>35.13</td> <td>10.57</td> <td>31.99</td> <td>100</td> <td>178</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5851.00	61.56	-17.09	118.65	48.25	34.80	10.44	31.93	100	178	Peak	HORIZONT	2	5860.00	67.09	-12.41	109.50	48.71	34.87	10.40	31.95	100	178	Peak	HORIZONT	3	5879.20	57.55	-16.12	102.18	42.56	34.73	10.42	31.95	100	178	Peak	HORIZONT	4	5925.00	53.77	-14.53	68.30	40.11	35.13	10.57	31.99	100	178	Peak	HORIZONT	Left blank																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																												
1	5851.00	61.56	-17.09	118.65	48.25	34.80	10.44	31.93	100	178	Peak	HORIZONT																																																																																																								
2	5860.00	67.09	-12.41	109.50	48.71	34.87	10.40	31.95	100	178	Peak	HORIZONT																																																																																																								
3	5879.20	57.55	-16.12	102.18	42.56	34.73	10.42	31.95	100	178	Peak	HORIZONT																																																																																																								
4	5925.00	53.77	-14.53	68.30	40.11	35.13	10.57	31.99	100	178	Peak	HORIZONT																																																																																																								





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH155 5775MHz	
SISO	Vertical	Fundamental
<p>Peak Avg.</p>	<p>Site : 030906-KS Condition : 5G BAND4 3m 3117 5M 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000KHz, VBR-3000, 000KHz, SRT-Auto FR260819-01 Mode : 42 Plane : X Full-directivity LA33MA #13 6002080123250049 IMEI : Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Loss Factor cm deg 1 5642.80 52.15 -16.15 68.30 39.41 34.56 10.28 32.10 100 192 Peak VERTICAL 2 5699.00 57.69 -47.32 100.01 44.93 34.50 10.33 33.06 100 192 Peak VERTICAL 3 5717.20 59.42 -40.78 110.12 46.61 34.52 10.33 33.04 100 192 Peak VERTICAL 4 5721.60 60.64 -53.91 114.55 47.80 34.53 10.35 33.04 100 192 Peak VERTICAL</p>	<p>Site : 030906-KS Condition : 5G BAND4 3m 3117 5M 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000KHz, VBR-3000, 000KHz, SRT-Auto FR260819-01 Mode : 42 Plane : X Full-directivity LA33MA #13 6002080123250049 IMEI : Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Loss Factor cm deg 1 5782.00 97.36 -24.94 122.30 84.36 34.58 10.39 31.97 100 192 Peak VERTICAL 2 5782.00 90.30 ----- 77.38 34.58 10.39 31.97 100 192 Average VERTICAL</p>
<p>Peak</p>	<p>Site : 030906-KS Condition : 5G BAND4 3m 3117 5M 00218663- VERTICAL Economic & Technical Development Zone, Jiangsu China Project : RRM-1000, 000KHz, VBR-3000, 000KHz, SRT-Auto FR260819-01 Mode : 42 Plane : X Full-directivity LA33MA #13 6002080123250049 IMEI : Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Loss Factor cm deg 1 5881.60 55.43 -63.22 118.05 42.12 34.80 10.44 31.93 100 192 Peak VERTICAL 2 5888.80 56.33 -63.28 120.83 42.92 34.81 10.46 31.95 100 192 Peak VERTICAL 3 5888.00 54.07 -61.03 95.05 40.60 35.00 10.48 31.97 100 192 Peak VERTICAL 4 5910.00 54.12 -64.18 68.30 40.33 35.07 10.55 32.03 100 192 Peak VERTICAL</p>	<p>Left blank</p>



UNII-3 - 5725~5850MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																																																															
ANT	802.11a CH149 5745MHz																																																																																																															
SISO	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Site : 030806-KS Condition : 5G BAND4 @ 3177 2M 00218662- HORIZONTAL Project : RRM 1000 000KH VBR 3000 000KH SRT Auto Mode : FFS 200819-01 Plane : Z IPEI : Full-directivity LA23NA #13 600030012350049 PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11488.00</td> <td>55.31</td> <td>-18.49</td> <td>74.00</td> <td>63.42</td> <td>38.29</td> <td>14.91</td> <td>61.31</td> <td>291</td> <td>308</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>11488.00</td> <td>45.12</td> <td>-8.88</td> <td>54.00</td> <td>53.23</td> <td>38.29</td> <td>14.91</td> <td>61.31</td> <td>291</td> <td>308</td> <td>Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>17230.00</td> <td>54.49</td> <td>-13.81</td> <td>68.30</td> <td>56.46</td> <td>41.00</td> <td>18.36</td> <td>61.38</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Factor	Loss	Factor	dB	dB	1	11488.00	55.31	-18.49	74.00	63.42	38.29	14.91	61.31	291	308	Peak	HORIZONTAL	2	11488.00	45.12	-8.88	54.00	53.23	38.29	14.91	61.31	291	308	Average	HORIZONTAL	3	17230.00	54.49	-13.81	68.30	56.46	41.00	18.36	61.38	300	0	Peak	HORIZONTAL	<p>Site : 030806-KS Condition : 5G BAND4 @ 3177 2M 00218662- VERTICAL Project : RRM 1000 000KH VBR 3000 000KH SRT Auto Mode : FFS 200819-01 Plane : Z IPEI : Full-directivity LA23NA #13 600030012350049 PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11488.00</td> <td>51.29</td> <td>-22.41</td> <td>74.00</td> <td>59.50</td> <td>38.29</td> <td>14.91</td> <td>61.31</td> <td>292</td> <td>303</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>11488.00</td> <td>43.24</td> <td>-10.76</td> <td>54.00</td> <td>51.30</td> <td>38.29</td> <td>14.91</td> <td>61.31</td> <td>292</td> <td>303</td> <td>Average</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>17230.00</td> <td>54.41</td> <td>-13.89</td> <td>68.30</td> <td>56.38</td> <td>41.00</td> <td>18.36</td> <td>61.38</td> <td>300</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Factor	Loss	Factor	dB	dB	1	11488.00	51.29	-22.41	74.00	59.50	38.29	14.91	61.31	292	303	Peak	VERTICAL	2	11488.00	43.24	-10.76	54.00	51.30	38.29	14.91	61.31	292	303	Average	VERTICAL	3	17230.00	54.41	-13.89	68.30	56.38	41.00	18.36	61.38	300	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
Level	Line	Level	Factor	Loss	Factor	dB	dB																																																																																																									
1	11488.00	55.31	-18.49	74.00	63.42	38.29	14.91	61.31	291	308	Peak	HORIZONTAL																																																																																																				
2	11488.00	45.12	-8.88	54.00	53.23	38.29	14.91	61.31	291	308	Average	HORIZONTAL																																																																																																				
3	17230.00	54.49	-13.81	68.30	56.46	41.00	18.36	61.38	300	0	Peak	HORIZONTAL																																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
Level	Line	Level	Factor	Loss	Factor	dB	dB																																																																																																									
1	11488.00	51.29	-22.41	74.00	59.50	38.29	14.91	61.31	292	303	Peak	VERTICAL																																																																																																				
2	11488.00	43.24	-10.76	54.00	51.30	38.29	14.91	61.31	292	303	Average	VERTICAL																																																																																																				
3	17230.00	54.41	-13.89	68.30	56.38	41.00	18.36	61.38	300	0	Peak	VERTICAL																																																																																																				



WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																																													
ANT	802.11a CH157 5785MHz																																																																																													
SISO	Horizontal	Vertical																																																																																												
Peak Avg.	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-K5 Condition : SG BAND4 Ch 3117 SW 00216652- HORIZONTAL Project : RBW: 1000.000KHz VBW: 3000.000KHz SRT: Auto FREQ: 260819-01 Mode : 35 Plane : X Full-directivity LAZ3NA #13 8002080113252048 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11565.00</td> <td>54.04</td> <td>-19.96</td> <td>74.00</td> <td>62.03</td> <td>38.35</td> <td>14.96</td> <td>61.30</td> <td>283</td> <td>300</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 11565.00</td> <td>64.05</td> <td>-9.95</td> <td>54.00</td> <td>52.04</td> <td>38.35</td> <td>14.96</td> <td>61.30</td> <td>283</td> <td>300</td> <td>Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>3 17361.00</td> <td>51.35</td> <td>-11.05</td> <td>66.30</td> <td>53.10</td> <td>41.03</td> <td>18.44</td> <td>61.32</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		1 11565.00	54.04	-19.96	74.00	62.03	38.35	14.96	61.30	283	300	Peak	HORIZONTAL	2 11565.00	64.05	-9.95	54.00	52.04	38.35	14.96	61.30	283	300	Average	HORIZONTAL	3 17361.00	51.35	-11.05	66.30	53.10	41.03	18.44	61.32	300	0	Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-K5 Condition : SG BAND4 Ch 3117 SW 00216652- VERTICAL Project : RBW: 1000.000KHz VBW: 3000.000KHz SRT: Auto FREQ: 260819-01 Mode : 35 Plane : X Full-directivity LAZ3NA #13 8002080113252048 IMEI : Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11565.00</td> <td>48.97</td> <td>-25.03</td> <td>74.00</td> <td>56.96</td> <td>38.35</td> <td>14.96</td> <td>61.30</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 17362.00</td> <td>51.45</td> <td>-16.85</td> <td>68.30</td> <td>53.30</td> <td>41.03</td> <td>18.44</td> <td>61.32</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		1 11565.00	48.97	-25.03	74.00	56.96	38.35	14.96	61.30	100	0	Peak	VERTICAL	2 17362.00	51.45	-16.85	68.30	53.30	41.03	18.44	61.32	100	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																								
1 11565.00	54.04	-19.96	74.00	62.03	38.35	14.96	61.30	283	300	Peak	HORIZONTAL																																																																																			
2 11565.00	64.05	-9.95	54.00	52.04	38.35	14.96	61.30	283	300	Average	HORIZONTAL																																																																																			
3 17361.00	51.35	-11.05	66.30	53.10	41.03	18.44	61.32	300	0	Peak	HORIZONTAL																																																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																								
1 11565.00	48.97	-25.03	74.00	56.96	38.35	14.96	61.30	100	0	Peak	VERTICAL																																																																																			
2 17362.00	51.45	-16.85	68.30	53.30	41.03	18.44	61.32	100	0	Peak	VERTICAL																																																																																			



WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																																																																																													
ANT	802.11a CH165 5825MHz																																																																																																																																													
SISO	Horizontal	Vertical																																																																																																																																												
Peak Avg.	<table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>Power setting</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>03906-K5</td> <td>SG BAND4 Ch 3117 SW 00216652- HORIZONTAL</td> <td>RFW 1000 000KHz VBR 3000 000KHz SRT Auto</td> <td>39</td> <td>X</td> <td>#13 8002080123250049</td> <td>Full-directivity LA23NA</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>309</td> <td>333 Peak HORIZONTAL</td> </tr> <tr> <td>11663 00</td> <td>54.44</td> <td>-19.54</td> <td>74.00</td> <td>62.25</td> <td>38.46</td> <td>15.03</td> <td>61.30</td> <td>309</td> <td>333 Average HORIZONTAL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11663 00</td> <td>63.95</td> <td>-10.95</td> <td>54.00</td> <td>51.76</td> <td>38.46</td> <td>15.03</td> <td>61.30</td> <td>309</td> <td>333 Peak HORIZONTAL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11663 00</td> <td>51.17</td> <td>-17.17</td> <td>66.30</td> <td>52.90</td> <td>41.00</td> <td>18.52</td> <td>61.25</td> <td>300</td> <td>0 Peak HORIZONTAL</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	Power setting	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	03906-K5	SG BAND4 Ch 3117 SW 00216652- HORIZONTAL	RFW 1000 000KHz VBR 3000 000KHz SRT Auto	39	X	#13 8002080123250049	Full-directivity LA23NA	dB	dB	dB	dB	dB	309	333 Peak HORIZONTAL	11663 00	54.44	-19.54	74.00	62.25	38.46	15.03	61.30	309	333 Average HORIZONTAL					11663 00	63.95	-10.95	54.00	51.76	38.46	15.03	61.30	309	333 Peak HORIZONTAL					11663 00	51.17	-17.17	66.30	52.90	41.00	18.52	61.25	300	0 Peak HORIZONTAL					<table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>Power setting</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>03906-K5</td> <td>SG BAND4 Ch 3117 SW 00216652- VERTICAL</td> <td>RFW 1000 000KHz VBR 3000 000KHz SRT Auto</td> <td>39</td> <td>X</td> <td>#13 8002080123250049</td> <td>Full-directivity LA23NA</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>289</td> <td>311 Peak VERTICAL</td> </tr> <tr> <td>11663 00</td> <td>54.43</td> <td>-19.57</td> <td>74.00</td> <td>62.24</td> <td>38.46</td> <td>15.03</td> <td>61.30</td> <td>289</td> <td>311 Average VERTICAL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11663 00</td> <td>63.97</td> <td>-10.03</td> <td>54.00</td> <td>51.78</td> <td>38.46</td> <td>15.03</td> <td>61.30</td> <td>289</td> <td>311 Peak VERTICAL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11663 00</td> <td>52.74</td> <td>-15.56</td> <td>68.30</td> <td>54.48</td> <td>41.01</td> <td>18.51</td> <td>61.26</td> <td>100</td> <td>0 Peak VERTICAL</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	Power setting	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	03906-K5	SG BAND4 Ch 3117 SW 00216652- VERTICAL	RFW 1000 000KHz VBR 3000 000KHz SRT Auto	39	X	#13 8002080123250049	Full-directivity LA23NA	dB	dB	dB	dB	dB	289	311 Peak VERTICAL	11663 00	54.43	-19.57	74.00	62.24	38.46	15.03	61.30	289	311 Average VERTICAL					11663 00	63.97	-10.03	54.00	51.78	38.46	15.03	61.30	289	311 Peak VERTICAL					11663 00	52.74	-15.56	68.30	54.48	41.01	18.51	61.26	100	0 Peak VERTICAL				
Site	Condition	Project	Mode	Plane	IMEI	Power setting	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																	
03906-K5	SG BAND4 Ch 3117 SW 00216652- HORIZONTAL	RFW 1000 000KHz VBR 3000 000KHz SRT Auto	39	X	#13 8002080123250049	Full-directivity LA23NA	dB	dB	dB	dB	dB	309	333 Peak HORIZONTAL																																																																																																																																	
11663 00	54.44	-19.54	74.00	62.25	38.46	15.03	61.30	309	333 Average HORIZONTAL																																																																																																																																					
11663 00	63.95	-10.95	54.00	51.76	38.46	15.03	61.30	309	333 Peak HORIZONTAL																																																																																																																																					
11663 00	51.17	-17.17	66.30	52.90	41.00	18.52	61.25	300	0 Peak HORIZONTAL																																																																																																																																					
Site	Condition	Project	Mode	Plane	IMEI	Power setting	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																	
03906-K5	SG BAND4 Ch 3117 SW 00216652- VERTICAL	RFW 1000 000KHz VBR 3000 000KHz SRT Auto	39	X	#13 8002080123250049	Full-directivity LA23NA	dB	dB	dB	dB	dB	289	311 Peak VERTICAL																																																																																																																																	
11663 00	54.43	-19.57	74.00	62.24	38.46	15.03	61.30	289	311 Average VERTICAL																																																																																																																																					
11663 00	63.97	-10.03	54.00	51.78	38.46	15.03	61.30	289	311 Peak VERTICAL																																																																																																																																					
11663 00	52.74	-15.56	68.30	54.48	41.01	18.51	61.26	100	0 Peak VERTICAL																																																																																																																																					



UNII-3 5725~5850MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																																																									
ANT	802.11ac VHT20 CH149 5745MHz																																																																																																									
SISO	Horizontal	Vertical																																																																																																								
Peak Avg.	<p>Site : 03000-KS Condition : SG BANDA 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-0000MHz V08-3000-0000MHz CRT-Auto Mode : (FR) 260819-01 Plane : 27 Antenna : 4 Full-directivity LAZ3MA MEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>RadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11488.00</td> <td>54.86</td> <td>-19.14</td> <td>74.00</td> <td>62.97</td> <td>38.29</td> <td>14.91</td> <td>61.31</td> <td>289</td> <td>299 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>11488.00</td> <td>44.10</td> <td>-19.90</td> <td>54.00</td> <td>52.21</td> <td>38.29</td> <td>14.91</td> <td>61.31</td> <td>289</td> <td>299 Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>17241.00</td> <td>52.40</td> <td>-15.90</td> <td>68.30</td> <td>54.37</td> <td>41.00</td> <td>18.30</td> <td>61.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11488.00	54.86	-19.14	74.00	62.97	38.29	14.91	61.31	289	299 Peak	HORIZONTAL	2	11488.00	44.10	-19.90	54.00	52.21	38.29	14.91	61.31	289	299 Average	HORIZONTAL	3	17241.00	52.40	-15.90	68.30	54.37	41.00	18.30	61.38	300	0 Peak	HORIZONTAL	<p>Site : 03000-KS Condition : SG BANDA 3m 3117 SN 00218662- VERTICAL Project : R08-1000-0000MHz V08-3000-0000MHz CRT-Auto Mode : (FR) 260819-01 Plane : 27 Antenna : 4 Full-directivity LAZ3MA MEI : #13 0002080123520049 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>RadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11488.00</td> <td>49.37</td> <td>-14.63</td> <td>74.00</td> <td>57.48</td> <td>38.29</td> <td>14.91</td> <td>61.31</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>17200.00</td> <td>52.07</td> <td>-16.23</td> <td>68.30</td> <td>54.54</td> <td>41.00</td> <td>18.30</td> <td>61.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11488.00	49.37	-14.63	74.00	57.48	38.29	14.91	61.31	100	0 Peak	VERTICAL	2	17200.00	52.07	-16.23	68.30	54.54	41.00	18.30	61.38	100	0 Peak	VERTICAL
MEI	Powersetting	Over	Limit	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																
MHz	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																																	
1	11488.00	54.86	-19.14	74.00	62.97	38.29	14.91	61.31	289	299 Peak	HORIZONTAL																																																																																															
2	11488.00	44.10	-19.90	54.00	52.21	38.29	14.91	61.31	289	299 Average	HORIZONTAL																																																																																															
3	17241.00	52.40	-15.90	68.30	54.37	41.00	18.30	61.38	300	0 Peak	HORIZONTAL																																																																																															
MEI	Powersetting	Over	Limit	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																
MHz	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																																																	
1	11488.00	49.37	-14.63	74.00	57.48	38.29	14.91	61.31	100	0 Peak	VERTICAL																																																																																															
2	17200.00	52.07	-16.23	68.30	54.54	41.00	18.30	61.38	100	0 Peak	VERTICAL																																																																																															



WIFI	UNII-3 5725~5850MHz Harmonic @ 3m	
ANT	802.11ac VHT20 CH157 5785MHz	
SISO	Horizontal	Vertical
Peak Avg.		





WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																																																									
ANT	802.11ac VHT20 CH165 5825MHz																																																																																																									
SISO	Horizontal	Vertical																																																																																																								
Peak Avg.	<p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Site : 030904-K5 Condition : SG BAND4 Ch 3117 SW 00219A57- HORIZONTAL Project : RBW 1000.000KHz VBR 3000.000KHz SRT Auto Mode : EPC260819-01 Plane : 3P Full-directivity LA23NA #13 80020801123250049 IMEI : PowerSetting : T1 T2 T3 T4 T5 T6 T7 T8 T9 T10 T11 T12 T13 T14 T15 T16 T17 T18 T19 T20 T21 T22 T23 T24 T25 T26 T27 T28 T29 T30 T31 T32 T33 T34 T35 T36 T37 T38 T39 T40 T41 T42 T43 T44 T45 T46 T47 T48 T49 T50 T51 T52 T53 T54 T55 T56 T57 T58 T59 T60 T61 T62 T63 T64 T65 T66 T67 T68 T69 T70 T71 T72 T73 T74 T75 T76 T77 T78 T79 T80 T81 T82 T83 T84 T85 T86 T87 T88 T89 T90 T91 T92 T93 T94 T95 T96 T97 T98 T99 T100 T101 T102 T103 T104 T105 T106 T107 T108 T109 T110 T111 T112 T113 T114 T115 T116 T117 T118 T119 T120 T121 T122 T123 T124 T125 T126 T127 T128 T129 T130 T131 T132 T133 T134 T135 T136 T137 T138 T139 T140 T141 T142 T143 T144 T145 T146 T147 T148 T149 T150 T151 T152 T153 T154 T155 T156 T157 T158 T159 T160 T161 T162 T163 T164 T165 T166 T167 T168 T169 T170 T171 T172 T173 T174 T175 T176 T177 T178 T179 T180 T181 T182 T183 T184 T185 T186 T187 T188 T189 T190 T191 T192 T193 T194 T195 T196 T197 T198 T199 T200 T201 T202 T203 T204 T205 T206 T207 T208 T209 T210 T211 T212 T213 T214 T215 T216 T217 T218 T219 T220 T221 T222 T223 T224 T225 T226 T227 T228 T229 T230 T231 T232 T233 T234 T235 T236 T237 T238 T239 T240 T241 T242 T243 T244 T245 T246 T247 T248 T249 T250 T251 T252 T253 T254 T255 T256 T257 T258 T259 T260 T261 T262 T263 T264 T265 T266 T267 T268 T269 T270 T271 T272 T273 T274 T275 T276 T277 T278 T279 T280 T281 T282 T283 T284 T285 T286 T287 T288 T289 T290 T291 T292 T293 T294 T295 T296 T297 T298 T299 T300</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11642.00</td> <td>54.42</td> <td>-19.58</td> <td>74.00</td> <td>62.26</td> <td>38.44</td> <td>15.02</td> <td>61.30</td> <td>284</td> <td>310</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>11642.00</td> <td>43.67</td> <td>-10.33</td> <td>54.00</td> <td>51.51</td> <td>38.44</td> <td>15.02</td> <td>61.30</td> <td>284</td> <td>310</td> <td>Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>11642.00</td> <td>51.96</td> <td>-16.34</td> <td>68.30</td> <td>53.70</td> <td>41.01</td> <td>18.51</td> <td>61.26</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	11642.00	54.42	-19.58	74.00	62.26	38.44	15.02	61.30	284	310	Peak	HORIZONTAL	2	11642.00	43.67	-10.33	54.00	51.51	38.44	15.02	61.30	284	310	Average	HORIZONTAL	3	11642.00	51.96	-16.34	68.30	53.70	41.01	18.51	61.26	300	0	Peak	HORIZONTAL	<p style="font-size: small;">No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Site : 030904-K5 Condition : SG BAND4 Ch 3117 SW 00219A57- VERTICAL Project : RBW 1000.000KHz VBR 3000.000KHz SRT Auto Mode : EPC260819-01 Plane : 3P Full-directivity LA23NA #13 80020801123250049 IMEI : PowerSetting : T1 T2 T3 T4 T5 T6 T7 T8 T9 T10 T11 T12 T13 T14 T15 T16 T17 T18 T19 T20 T21 T22 T23 T24 T25 T26 T27 T28 T29 T30 T31 T32 T33 T34 T35 T36 T37 T38 T39 T40 T41 T42 T43 T44 T45 T46 T47 T48 T49 T50 T51 T52 T53 T54 T55 T56 T57 T58 T59 T60 T61 T62 T63 T64 T65 T66 T67 T68 T69 T70 T71 T72 T73 T74 T75 T76 T77 T78 T79 T80 T81 T82 T83 T84 T85 T86 T87 T88 T89 T90 T91 T92 T93 T94 T95 T96 T97 T98 T99 T100 T101 T102 T103 T104 T105 T106 T107 T108 T109 T110 T111 T112 T113 T114 T115 T116 T117 T118 T119 T120 T121 T122 T123 T124 T125 T126 T127 T128 T129 T130 T131 T132 T133 T134 T135 T136 T137 T138 T139 T140 T141 T142 T143 T144 T145 T146 T147 T148 T149 T150 T151 T152 T153 T154 T155 T156 T157 T158 T159 T160 T161 T162 T163 T164 T165 T166 T167 T168 T169 T170 T171 T172 T173 T174 T175 T176 T177 T178 T179 T180 T181 T182 T183 T184 T185 T186 T187 T188 T189 T190 T191 T192 T193 T194 T195 T196 T197 T198 T199 T200 T201 T202 T203 T204 T205 T206 T207 T208 T209 T210 T211 T212 T213 T214 T215 T216 T217 T218 T219 T220 T221 T222 T223 T224 T225 T226 T227 T228 T229 T230 T231 T232 T233 T234 T235 T236 T237 T238 T239 T240 T241 T242 T243 T244 T245 T246 T247 T248 T249 T250 T251 T252 T253 T254 T255 T256 T257 T258 T259 T260 T261 T262 T263 T264 T265 T266 T267 T268 T269 T270 T271 T272 T273 T274 T275 T276 T277 T278 T279 T280 T281 T282 T283 T284 T285 T286 T287 T288 T289 T290 T291 T292 T293 T294 T295 T296 T297 T298 T299 T300</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11653.00</td> <td>51.86</td> <td>-22.14</td> <td>74.00</td> <td>59.67</td> <td>38.46</td> <td>15.03</td> <td>61.30</td> <td>329</td> <td>268</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>11653.00</td> <td>43.45</td> <td>-10.55</td> <td>54.00</td> <td>51.26</td> <td>38.46</td> <td>15.03</td> <td>61.30</td> <td>329</td> <td>268</td> <td>Average</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>11642.00</td> <td>52.29</td> <td>-15.71</td> <td>68.30</td> <td>54.33</td> <td>41.01</td> <td>18.51</td> <td>61.26</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	11653.00	51.86	-22.14	74.00	59.67	38.46	15.03	61.30	329	268	Peak	VERTICAL	2	11653.00	43.45	-10.55	54.00	51.26	38.46	15.03	61.30	329	268	Average	VERTICAL	3	11642.00	52.29	-15.71	68.30	54.33	41.01	18.51	61.26	100	0	Peak	VERTICAL
Line	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
1	11642.00	54.42	-19.58	74.00	62.26	38.44	15.02	61.30	284	310	Peak	HORIZONTAL																																																																																														
2	11642.00	43.67	-10.33	54.00	51.51	38.44	15.02	61.30	284	310	Average	HORIZONTAL																																																																																														
3	11642.00	51.96	-16.34	68.30	53.70	41.01	18.51	61.26	300	0	Peak	HORIZONTAL																																																																																														
Line	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
1	11653.00	51.86	-22.14	74.00	59.67	38.46	15.03	61.30	329	268	Peak	VERTICAL																																																																																														
2	11653.00	43.45	-10.55	54.00	51.26	38.46	15.03	61.30	329	268	Average	VERTICAL																																																																																														
3	11642.00	52.29	-15.71	68.30	54.33	41.01	18.51	61.26	100	0	Peak	VERTICAL																																																																																														



UNII-3 5725~5850MHz
WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT40 CH151 5755MHz																																																																			
SISO	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 030604-ES Condition : SG BAND4 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-000004- V08-3000-000004- CRT-Auto Mode : (FR) 260819-01 Plane : 40 Antenna : Full-directivity LA23NA MEI : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>49.22</td> <td>-24.78</td> <td>74.00</td> <td>57.30</td> <td>38.30</td> <td>14.92</td> <td>61.30</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11510.00	49.22	-24.78	74.00	57.30	38.30	14.92	61.30	300	0 Peak HORIZONTAL	<p>Site : 030604-ES Condition : SG BAND4 3m 3117 SN 00218662- VERTICAL Project : R08-1000-000004- V08-3000-000004- CRT-Auto Mode : (FR) 260819-01 Plane : 40 Antenna : Full-directivity LA23NA MEI : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11521.00</td> <td>47.33</td> <td>-26.67</td> <td>74.00</td> <td>55.38</td> <td>38.32</td> <td>14.93</td> <td>61.30</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11521.00	47.33	-26.67	74.00	55.38	38.32	14.93	61.30	100	0 Peak VERTICAL
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11510.00	49.22	-24.78	74.00	57.30	38.30	14.92	61.30	300	0 Peak HORIZONTAL																																																										
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11521.00	47.33	-26.67	74.00	55.38	38.32	14.93	61.30	100	0 Peak VERTICAL																																																										



WIFI	UNII-3 5725~5850MHz Harmonic @ 3m	
ANT	802.11ac VHT40 CH159 5795MHz	
SISO	Horizontal	Vertical
Peak Avg.	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-AS Condition : SG BAND4 Ch 3117 SW 00216652- HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz SRT Auto FREQ260819-01 Mode : 41 Plane : X Full-directivity LAZ3NA #13 8002080132020049 IME1 : Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Frag Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 11587.00 46.87 -27.13 74.00 54.80 38.39 14.98 61.30 300 0 Peak HORIZONTAL</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03906-AS Condition : SG BAND4 Ch 3117 SW 00216652- VERTICAL Project : RBW 1000.000KHz VBW 3000.000KHz SRT Auto FREQ260819-01 Mode : 41 Plane : X Full-directivity LAZ3NA #13 8002080132020049 IME1 : Powersetting : 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Frag Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 11587.00 45.74 -28.26 74.00 53.67 38.39 14.98 61.30 100 0 Peak VERTICAL</p>



UNII-3 5725~5850MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT80 CH155 5775MHz																																																																			
SISO	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 030604-ES Condition : 5G BAND4 3e 3117 SN 00218662- HORIZONTAL Project : R06-1000-000004- V06-3000-000004- 08T-Auto Mode : (FR) 260819-01 Plane : 42 Antenna : 2 Full-directivity LA23NA MEI : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11554.00</td> <td>48.19</td> <td>-25.81</td> <td>74.00</td> <td>56.18</td> <td>38.35</td> <td>14.96</td> <td>61.30</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11554.00	48.19	-25.81	74.00	56.18	38.35	14.96	61.30	300	0 Peak HORIZONTAL	<p>Site : 030604-ES Condition : 5G BAND4 3e 3117 SN 00218662- VERTICAL Project : R06-1000-000004- V06-3000-000004- 08T-Auto Mode : (FR) 260819-01 Plane : 42 Antenna : 2 Full-directivity LA23NA MEI : #13 0002080123520049 Powersetting : 16</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11554.00</td> <td>45.90</td> <td>-28.10</td> <td>74.00</td> <td>53.89</td> <td>38.35</td> <td>14.96</td> <td>61.30</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11554.00	45.90	-28.10	74.00	53.89	38.35	14.96	61.30	100	0 Peak VERTICAL
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	11554.00	48.19	-25.81	74.00	56.18	38.35	14.96	61.30	300	0 Peak HORIZONTAL																																																										
MEI	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	11554.00	45.90	-28.10	74.00	53.89	38.35	14.96	61.30	100	0 Peak VERTICAL																																																										

Note: Pre-scanned for 18GHz to 26GHz, there are no signals, thus only test data below 18GHz are shown in the report.



Emission below 1GHz
5GHz WIFI 802.11a (LF)

WIFI	5GHz WIFI																																																																																																																																																																																																			
ANT	802.11a LF																																																																																																																																																																																																			
SISO	Horizontal	Vertical																																																																																																																																																																																																		
QP / Peak	<p>Site : 030806-K3 Condition : 5G BAND4 3m LF 01110 2M44483 HORIZONTAL Economic & Technical Development Zone, Jiangsu China tel : +86-512-57900158 fax : +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR260819-01</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>56.19</td> <td>25.28</td> <td>-14.72</td> <td>46.00</td> <td>44.00</td> <td>12.80</td> <td>0.79</td> <td>32.50</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>77.03</td> <td>23.28</td> <td>-16.42</td> <td>46.00</td> <td>41.56</td> <td>13.30</td> <td>1.04</td> <td>32.34</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>149.68</td> <td>22.57</td> <td>-19.83</td> <td>43.00</td> <td>38.60</td> <td>16.70</td> <td>1.74</td> <td>32.17</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>231.97</td> <td>28.11</td> <td>-17.89</td> <td>46.00</td> <td>38.22</td> <td>19.66</td> <td>2.42</td> <td>33.19</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>444.19</td> <td>37.00</td> <td>-19.03</td> <td>46.00</td> <td>43.67</td> <td>22.96</td> <td>2.86</td> <td>32.47</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>750.71</td> <td>31.28</td> <td>-14.72</td> <td>46.00</td> <td>31.54</td> <td>28.20</td> <td>3.70</td> <td>32.16</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss	Factor	Factor			dB	dB	dB	dB	dB	dB	deg		1	56.19	25.28	-14.72	46.00	44.00	12.80	0.79	32.50	---	Peak	HORIZONTAL	2	77.03	23.28	-16.42	46.00	41.56	13.30	1.04	32.34	---	Peak	HORIZONTAL	3	149.68	22.57	-19.83	43.00	38.60	16.70	1.74	32.17	---	Peak	HORIZONTAL	4	231.97	28.11	-17.89	46.00	38.22	19.66	2.42	33.19	---	Peak	HORIZONTAL	5	444.19	37.00	-19.03	46.00	43.67	22.96	2.86	32.47	---	Peak	HORIZONTAL	6	750.71	31.28	-14.72	46.00	31.54	28.20	3.70	32.16	---	Peak	HORIZONTAL	<p>Site : 030806-K3 Condition : 5G BAND4 3m LF 01110 2M44483 VERTICAL Economic & Technical Development Zone, Jiangsu China tel : +86-512-57900158 fax : +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR260819-01</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>42.61</td> <td>36.58</td> <td>-4.42</td> <td>46.00</td> <td>50.07</td> <td>18.23</td> <td>0.62</td> <td>32.44</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>79.47</td> <td>30.21</td> <td>-9.79</td> <td>40.00</td> <td>47.94</td> <td>13.20</td> <td>1.09</td> <td>32.32</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>149.68</td> <td>25.93</td> <td>-11.57</td> <td>42.50</td> <td>40.66</td> <td>15.70</td> <td>1.74</td> <td>32.17</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>294.81</td> <td>31.42</td> <td>-14.58</td> <td>46.00</td> <td>41.97</td> <td>19.30</td> <td>2.32</td> <td>32.17</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>330.70</td> <td>31.25</td> <td>-14.68</td> <td>46.00</td> <td>41.15</td> <td>18.91</td> <td>2.42</td> <td>32.19</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>708.03</td> <td>29.18</td> <td>-16.82</td> <td>46.00</td> <td>30.89</td> <td>26.94</td> <td>3.60</td> <td>32.25</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss	Factor	Factor			dB	dB	dB	dB	dB	dB	deg		1	42.61	36.58	-4.42	46.00	50.07	18.23	0.62	32.44	100	0	Peak	VERTICAL	2	79.47	30.21	-9.79	40.00	47.94	13.20	1.09	32.32	---	Peak	VERTICAL	3	149.68	25.93	-11.57	42.50	40.66	15.70	1.74	32.17	---	Peak	VERTICAL	4	294.81	31.42	-14.58	46.00	41.97	19.30	2.32	32.17	---	Peak	VERTICAL	5	330.70	31.25	-14.68	46.00	41.15	18.91	2.42	32.19	---	Peak	VERTICAL	6	708.03	29.18	-16.82	46.00	30.89	26.94	3.60	32.25	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																												
Level	Level	Level	Loss	Factor	Factor																																																																																																																																																																																															
dB	dB	dB	dB	dB	dB	deg																																																																																																																																																																																														
1	56.19	25.28	-14.72	46.00	44.00	12.80	0.79	32.50	---	Peak	HORIZONTAL																																																																																																																																																																																									
2	77.03	23.28	-16.42	46.00	41.56	13.30	1.04	32.34	---	Peak	HORIZONTAL																																																																																																																																																																																									
3	149.68	22.57	-19.83	43.00	38.60	16.70	1.74	32.17	---	Peak	HORIZONTAL																																																																																																																																																																																									
4	231.97	28.11	-17.89	46.00	38.22	19.66	2.42	33.19	---	Peak	HORIZONTAL																																																																																																																																																																																									
5	444.19	37.00	-19.03	46.00	43.67	22.96	2.86	32.47	---	Peak	HORIZONTAL																																																																																																																																																																																									
6	750.71	31.28	-14.72	46.00	31.54	28.20	3.70	32.16	---	Peak	HORIZONTAL																																																																																																																																																																																									
Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																													
Level	Level	Level	Loss	Factor	Factor																																																																																																																																																																																															
dB	dB	dB	dB	dB	dB	deg																																																																																																																																																																																														
1	42.61	36.58	-4.42	46.00	50.07	18.23	0.62	32.44	100	0	Peak	VERTICAL																																																																																																																																																																																								
2	79.47	30.21	-9.79	40.00	47.94	13.20	1.09	32.32	---	Peak	VERTICAL																																																																																																																																																																																									
3	149.68	25.93	-11.57	42.50	40.66	15.70	1.74	32.17	---	Peak	VERTICAL																																																																																																																																																																																									
4	294.81	31.42	-14.58	46.00	41.97	19.30	2.32	32.17	---	Peak	VERTICAL																																																																																																																																																																																									
5	330.70	31.25	-14.68	46.00	41.15	18.91	2.42	32.19	---	Peak	VERTICAL																																																																																																																																																																																									
6	708.03	29.18	-16.82	46.00	30.89	26.94	3.60	32.25	100	0	Peak	VERTICAL																																																																																																																																																																																								



Simultaneous transmission

WIFI 802 11ac VHT80 Ch106 Tx+ Bluetooth LE(2Mbps) Tx Ch39
BLE (Band Edge @ 3m)

BLE	Band Edge @ 3m																																																													
ANT	BLE CH39 2480MHz																																																													
-	Horizontal	Fundamental																																																												
Peak	<p>Site : 030806-KS Condition : FCC PART 15C 3m 3117 2M 00218662- HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : OFDM 200819-01 Plane : 43 Plane : 2 Full-directivity LA23NA #13 60020801232050AV IMEI : 15 Powersetting : BT</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>54.87</td> <td>-19.13</td> <td>74.00</td> <td>48.35</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>126</td> <td>267</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg	1	2483.62	54.87	-19.13	74.00	48.35	32.43	6.73	32.64	126	267	Peak	HORIZONTAL	<p>Site : 030806-KS Condition : FCC PART 15C 3m 3117 2M 00218662- HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SRT Auto Mode : OFDM 200819-01 Plane : 43 Plane : 2 Full-directivity LA23NA #13 60020801232050AV IMEI : 15 Powersetting : BT</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.97</td> <td>27.97</td> <td>74.00</td> <td>95.45</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>126</td> <td>267</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg	1	2480.00	101.97	27.97	74.00	95.45	32.43	6.73	32.64	126	267	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg																																																						
1	2483.62	54.87	-19.13	74.00	48.35	32.43	6.73	32.64	126	267	Peak	HORIZONTAL																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg																																																						
1	2480.00	101.97	27.97	74.00	95.45	32.43	6.73	32.64	126	267	Peak	HORIZONTAL																																																		
Avg.	<p>Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 2M 00218662- HORIZONTAL Project : RRM 1000 0000Hz VBR 1 0000Hz SRT Auto Mode : OFDM 200819-01 Plane : 43 Plane : 2 Full-directivity LA23NA #13 60020801232050AV IMEI : 15 Powersetting : BT</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>46.18</td> <td>-7.82</td> <td>54.00</td> <td>39.66</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>126</td> <td>267</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg	1	2483.50	46.18	-7.82	54.00	39.66	32.43	6.73	32.64	126	267	Average	HORIZONTAL	<p>Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 2M 00218662- HORIZONTAL Project : RRM 1000 0000Hz VBR 1 0000Hz SRT Auto Mode : OFDM 200819-01 Plane : 43 Plane : 2 Full-directivity LA23NA #13 60020801232050AV IMEI : 15 Powersetting : BT</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.62</td> <td>45.62</td> <td>54.00</td> <td>93.10</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>126</td> <td>267</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg	1	2480.00	99.62	45.62	54.00	93.10	32.43	6.73	32.64	126	267	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg																																																						
1	2483.50	46.18	-7.82	54.00	39.66	32.43	6.73	32.64	126	267	Average	HORIZONTAL																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg																																																						
1	2480.00	99.62	45.62	54.00	93.10	32.43	6.73	32.64	126	267	Average	HORIZONTAL																																																		