







Test Mode :	802.11b	Test Channel :	13
-------------	---------	----------------	----







Test Mode :	802.11g	Test Channel :	01
-------------	---------	----------------	----






Test Mode :	802.11g	Test Channel :	06
-------------	---------	----------------	----






Test Mode :	802.11g	Test Channel :	11
-------------	---------	----------------	----






Test Mode :	802.11g	Test Channel :	12
-------------	---------	----------------	----






Test Mode :	802.11g	Test Channel :	13
-------------	---------	----------------	----







Test Mode :	802.11n HT20	Test Channel :	01
-------------	--------------	----------------	----







Test Mode :	802.11n HT20	Test Channel :	06
-------------	--------------	----------------	----






Test Mode :	802.11n HT20	Test Channel :	11
-------------	--------------	----------------	----






Test Mode :	802.11n HT20	Test Channel :	12
-------------	--------------	----------------	----






Test Mode :	802.11n HT20	Test Channel :	13
-------------	--------------	----------------	----






Test Mode :	802.11ax HE20	Test Channel :	01 Full RU
-------------	---------------	----------------	------------







Test Mode :	802.11ax HE20	Test Channel :	06 Full RU
-------------	---------------	----------------	------------






Test Mode :	802.11ax HE20	Test Channel :	11 Full RU
-------------	---------------	----------------	------------






Test Mode :	802.11ax HE20	Test Channel :	12 Full RU
-------------	---------------	----------------	------------





Test Mode :	802.11ax HE20	Test Channel :	13 Full Ru
-------------	---------------	----------------	------------






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 2N1818-01
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.172500	48.46	---	64.84	16.38	L1	OFF	19.9
0.172500	---	38.20	54.84	16.64	L1	OFF	19.9
0.201750	49.28	---	63.54	14.26	L1	OFF	19.9
0.201750	---	41.48	53.54	12.06	L1	OFF	19.9
0.381750	38.42	---	58.24	19.82	L1	OFF	19.9
0.381750	---	30.08	48.24	18.16	L1	OFF	19.9
0.390750	37.31	---	58.05	20.74	L1	OFF	19.9
0.390750	---	29.64	48.05	18.41	L1	OFF	19.9
0.404250	40.15	---	57.77	17.62	L1	OFF	19.9
0.404250	---	31.10	47.77	16.67	L1	OFF	19.9
0.426750	41.35	---	57.32	15.97	L1	OFF	19.9
0.426750	---	32.75	47.32	14.57	L1	OFF	19.9
0.469500	41.34	---	56.52	15.18	L1	OFF	19.9
0.469500	---	34.58	46.52	11.94	L1	OFF	19.9
0.476250	44.06	---	56.40	12.34	L1	OFF	19.9
0.476250	---	40.89	46.40	5.51	L1	OFF	19.9
0.519000	41.50	---	56.00	14.50	L1	OFF	19.9
0.519000	---	30.88	46.00	15.12	L1	OFF	19.9
0.665250	35.17	---	56.00	20.83	L1	OFF	19.9
0.665250	---	27.38	46.00	18.62	L1	OFF	19.9
0.989250	35.79	---	56.00	20.21	L1	OFF	19.9

0.989250	---	28.08	46.00	17.92	L1	OFF	19.9
1.200750	37.10	---	56.00	18.90	L1	OFF	19.9
1.200750	---	28.19	46.00	17.81	L1	OFF	19.9
1.299750	37.54	---	56.00	18.46	L1	OFF	19.9
1.299750	---	29.06	46.00	16.94	L1	OFF	19.9
1.509000	41.54	---	56.00	14.46	L1	OFF	19.9
1.509000	---	30.54	46.00	15.46	L1	OFF	19.9
1.641750	37.32	---	56.00	18.68	L1	OFF	19.9
1.641750	---	28.75	46.00	17.25	L1	OFF	19.9
1.756500	39.26	---	56.00	16.74	L1	OFF	19.9
1.756500	---	30.01	46.00	15.99	L1	OFF	19.9
1.853250	37.23	---	56.00	18.77	L1	OFF	19.9
1.853250	---	28.27	46.00	17.73	L1	OFF	19.9
2.089500	35.15	---	56.00	20.85	L1	OFF	19.9
2.089500	---	27.63	46.00	18.37	L1	OFF	19.9
2.361750	32.57	---	56.00	23.43	L1	OFF	19.9
2.361750	---	26.12	46.00	19.88	L1	OFF	19.9
2.685750	32.73	---	56.00	23.27	L1	OFF	19.9
2.685750	---	27.31	46.00	18.69	L1	OFF	19.9
4.310250	38.73	---	56.00	17.27	L1	OFF	20.0
4.310250	---	29.21	46.00	16.79	L1	OFF	20.0
4.600500	33.07	---	56.00	22.93	L1	OFF	20.0
4.600500	---	27.34	46.00	18.66	L1	OFF	20.0
6.571500	35.99	---	60.00	24.01	L1	OFF	20.1
6.571500	---	29.00	50.00	21.00	L1	OFF	20.1

EUT Information

Report NO : 2N1818-01
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.206250	47.30	---	63.36	16.06	N	OFF	19.9
0.206250	---	37.00	53.36	16.36	N	OFF	19.9
0.424500	38.34	---	57.36	19.02	N	OFF	19.9
0.424500	---	26.16	47.36	21.20	N	OFF	19.9
0.476250	42.84	---	56.40	13.56	N	OFF	19.9
0.476250	---	36.49	46.40	9.91	N	OFF	19.9
0.512250	38.10	---	56.00	17.90	N	OFF	19.9
0.512250	---	27.81	46.00	18.19	N	OFF	19.9
1.207500	36.12	---	56.00	19.88	N	OFF	19.9
1.207500	---	27.33	46.00	18.67	N	OFF	19.9
1.596750	34.52	---	56.00	21.48	N	OFF	19.9
1.596750	---	25.70	46.00	20.30	N	OFF	19.9
4.332750	36.23	---	56.00	19.77	N	OFF	20.0
4.332750	---	28.97	46.00	17.03	N	OFF	20.0
4.506000	35.27	---	56.00	20.73	N	OFF	20.0
4.506000	---	28.34	46.00	17.66	N	OFF	20.0
6.366750	41.82	---	60.00	18.18	N	OFF	20.1
6.366750	---	28.20	50.00	21.80	N	OFF	20.1
6.605250	41.48	---	60.00	18.52	N	OFF	20.1
6.605250	---	28.89	50.00	21.11	N	OFF	20.1



Appendix C. Radiated Spurious Emission

Test Engineer :	Rain Lee, Jacky Hung and Mancy Chou	Temperature :	20~26°C
		Relative Humidity :	40~65%

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		2387.056	55.45	-18.55	74	41.44	27.45	14.34	27.78	101	207	P	H
		2386.944	45.46	-8.54	54	31.45	27.45	14.34	27.78	101	207	A	H
	*	2412	107.58	-	-	93.42	27.57	14.36	27.77	101	207	P	H
	*	2412	104.34	-	-	90.18	27.57	14.36	27.77	101	207	A	H
		2387.952	55.13	-18.87	74	41.12	27.45	14.34	27.78	392	293	P	V
		2386.944	44.97	-9.03	54	30.96	27.45	14.34	27.78	392	293	A	V
	*	2412	104.7	-	-	90.54	27.57	14.36	27.77	392	293	P	V
	*	2412	101.48	-	-	87.32	27.57	14.36	27.77	392	293	A	V
802.11b CH 06 2437MHz		2385.18	55.67	-18.33	74	41.67	27.44	14.34	27.78	118	230	P	H
		2382.24	44.46	-9.54	54	30.47	27.43	14.34	27.78	118	230	A	H
	*	2437	110.58	-	-	96.23	27.72	14.39	27.76	118	230	P	H
	*	2437	107.33	-	-	92.98	27.72	14.39	27.76	118	230	A	H
		2496.36	55.46	-18.54	74	40.86	27.89	14.45	27.74	118	230	P	H
		2484.25	44.82	-9.18	54	30.26	27.87	14.44	27.75	118	230	A	H
		2366.98	54.25	-19.75	74	40.35	27.37	14.32	27.79	300	285	P	V
		2386.02	43.97	-10.03	54	29.97	27.44	14.34	27.78	300	285	A	V
	*	2437	105.28	-	-	90.93	27.72	14.39	27.76	300	285	P	V
	*	2437	102.1	-	-	87.75	27.72	14.39	27.76	300	285	A	V
		2485.44	54.88	-19.12	74	40.31	27.87	14.44	27.74	300	285	P	V
		2492.93	44.63	-9.37	54	30.03	27.89	14.45	27.74	300	285	A	V



802.11b CH 11 2462MHz	*	2462	108.33	-	-	93.84	27.82	14.42	27.75	112	236	P	H
	*	2462	105.11	-	-	90.62	27.82	14.42	27.75	112	236	A	H
		2497.04	56.52	-17.48	74	41.92	27.89	14.45	27.74	112	236	P	H
		2486.76	45.15	-8.85	54	30.58	27.87	14.44	27.74	112	236	A	H
	*	2462	105.2	-	-	90.71	27.82	14.42	27.75	365	268	P	V
	*	2462	101.81	-	-	87.32	27.82	14.42	27.75	365	268	A	V
		2484.16	55.57	-18.43	74	41.01	27.87	14.44	27.75	365	268	P	V
		2486.92	45.25	-8.75	54	30.68	27.87	14.44	27.74	365	268	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz	*	2467	102.8	-	-	88.3	27.83	14.42	27.75	116	81	P	H
	*	2467	99.76	-	-	85.26	27.83	14.42	27.75	116	81	A	H
		2485.56	58.37	-15.63	74	43.8	27.87	14.44	27.74	116	81	P	H
		2485.2	49.47	-4.53	54	34.91	27.87	14.44	27.75	116	81	A	H
	*	2467	105.44	-	-	90.94	27.83	14.42	27.75	400	272	P	V
	*	2467	102.21	-	-	87.71	27.83	14.42	27.75	400	272	A	V
		2483.56	57.26	-16.74	74	42.7	27.87	14.44	27.75	400	272	P	V
		2483.92	47.65	-6.35	54	33.09	27.87	14.44	27.75	400	272	A	V
802.11b CH 13 2472MHz	*	2472	104.74	-	-	90.22	27.84	14.43	27.75	106	85	P	H
	*	2472	101.73	-	-	87.21	27.84	14.43	27.75	106	85	A	H
		2488.48	56.8	-17.2	74	42.22	27.88	14.44	27.74	106	85	P	H
		2485.84	47.09	-6.91	54	32.52	27.87	14.44	27.74	106	85	A	H
	*	2472	99.59	-	-	85.07	27.84	14.43	27.75	400	55	P	V
	*	2472	96.38	-	-	81.86	27.84	14.43	27.75	400	55	A	V
		2485.68	58.44	-15.56	74	43.87	27.87	14.44	27.74	400	55	P	V
		2485.64	51.43	-2.57	54	36.86	27.87	14.44	27.74	400	55	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	52.54	-21.46	74	70.1	32.5	7.25	57.31	100	259	P	H
		4824	50.47	-3.53	54	68.03	32.5	7.25	57.31	100	259	A	H
		4824	47.94	-26.06	74	65.5	32.5	7.25	57.31	400	52	P	V
		4824	44.62	-9.38	54	62.18	32.5	7.25	57.31	400	52	A	V

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	52.1	-21.9	74	69.4	32.65	7.28	57.23	100	257	P	H
		4874	49.96	-4.04	54	67.26	32.65	7.28	57.23	100	257	A	H
		7311	45.72	-28.28	74	57.21	36.96	8.88	57.33	-	-	P	H
		4874	47.06	-26.94	74	64.36	32.65	7.28	57.23	392	106	P	V
		4874	44.06	-9.94	54	61.36	32.65	7.28	57.23	392	106	A	V
		7311	45.82	-28.18	74	57.31	36.96	8.88	57.33	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	52.21	-21.79	74	69.21	32.84	7.32	57.16	101	245	P	H
		4924	49.8	-4.2	54	66.8	32.84	7.32	57.16	101	245	A	H
		7386	45.81	-28.19	74	57.69	36.66	8.9	57.44	-	-	P	H
		4924	48.51	-25.49	74	65.51	32.84	7.32	57.16	382	41	P	V
		4924	44.71	-9.29	54	61.71	32.84	7.32	57.16	382	41	A	V
		7386	45.12	-28.88	74	57	36.66	8.9	57.44	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz		4934	53.23	-20.77	74	70.14	32.9	7.33	57.14	104	253	P	H
		4934	50.57	-3.43	54	67.48	32.9	7.33	57.14	104	253	A	H
		7401	44.83	-29.17	74	56.78	36.6	8.91	57.46	-	-	P	H
		4934	48.82	-25.18	74	65.73	32.9	7.33	57.14	382	46	P	V
		4934	44.64	-9.36	54	61.55	32.9	7.33	57.14	382	46	A	V
		7401	45.15	-28.85	74	57.1	36.6	8.91	57.46	-	-	P	V

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 13 2472MHz		4944	49.5	-24.5	74	66.33	32.96	7.34	57.13	100	253	P	H
		4944	46.69	-7.31	54	63.52	32.96	7.34	57.13	100	253	A	H
		7416	44.19	-29.81	74	56.19	36.57	8.91	57.48	-	-	P	H
		4944	42.18	-31.82	74	59.01	32.96	7.34	57.13	-	-	P	V
		7416	43.73	-30.27	74	55.73	36.57	8.91	57.48	-	-	P	V

Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												
---------------	---	--	--	--	--	--	--	--	--	--	--	--	--



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2388.4	62.98	-11.02	74	48.97	27.45	14.34	27.78	100	86	P	H
		2389.52	48.91	-5.09	54	34.89	27.46	14.34	27.78	100	86	A	H
	*	2412	108.76	-	-	94.6	27.57	14.36	27.77	100	86	P	H
	*	2412	100.99	-	-	86.83	27.57	14.36	27.77	100	86	A	H
		2386.832	56.94	-17.06	74	42.93	27.45	14.34	27.78	391	319	P	V
		2389.968	45.45	-8.55	54	31.43	27.46	14.34	27.78	391	319	A	V
	*	2412	105.17	-	-	91.01	27.57	14.36	27.77	391	319	P	V
	*	2412	97.56	-	-	83.4	27.57	14.36	27.77	391	319	A	V
802.11g CH 06 2437MHz		2322.6	56.17	-17.83	74	42.38	27.3	14.29	27.8	116	233	P	H
		2389.94	46.17	-7.83	54	32.15	27.46	14.34	27.78	116	233	A	H
	*	2437	109.58	-	-	95.23	27.72	14.39	27.76	116	233	P	H
	*	2437	102.29	-	-	87.94	27.72	14.39	27.76	116	233	A	H
		2485.16	55.88	-18.12	74	41.32	27.87	14.44	27.75	116	233	P	H
		2483.97	45.42	-8.58	54	30.86	27.87	14.44	27.75	116	233	A	H
		2359.98	54.91	-19.09	74	41.04	27.34	14.32	27.79	292	284	P	V
		2389.8	44.16	-9.84	54	30.14	27.46	14.34	27.78	292	284	A	V
	*	2437	103.67	-	-	89.32	27.72	14.39	27.76	292	284	P	V
	*	2437	96.53	-	-	82.18	27.72	14.39	27.76	292	284	A	V
		2491.95	54.87	-19.13	74	40.28	27.88	14.45	27.74	292	284	P	V
		2489.22	44.72	-9.28	54	30.14	27.88	14.44	27.74	292	284	A	V



802.11g CH 11 2462MHz	*	2462	108.93	-	-	94.44	27.82	14.42	27.75	110	237	P	H
	*	2462	100.71	-	-	86.22	27.82	14.42	27.75	110	237	A	H
		2486.56	59.36	-14.64	74	44.79	27.87	14.44	27.74	110	237	P	H
		2483.52	46.67	-7.33	54	32.11	27.87	14.44	27.75	110	237	A	H
	*	2462	104.69	-	-	90.2	27.82	14.42	27.75	372	53	P	V
	*	2462	97.34	-	-	82.85	27.82	14.42	27.75	372	53	A	V
		2484.24	62.63	-11.37	74	48.07	27.87	14.44	27.75	372	53	P	V
		2483.52	46.95	-7.05	54	32.39	27.87	14.44	27.75	372	53	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 12 2467MHz	*	2467	108.39	-	-	93.89	27.83	14.42	27.75	115	234	P	H
	*	2467	100.46	-	-	85.96	27.83	14.42	27.75	115	234	A	H
		2486	67.17	-6.83	74	52.6	27.87	14.44	27.74	115	234	P	H
		2483.52	48.62	-5.38	54	34.06	27.87	14.44	27.75	115	234	A	H
	*	2467	103.96	-	-	89.46	27.83	14.42	27.75	368	51	P	V
	*	2467	96.81	-	-	82.31	27.83	14.42	27.75	368	51	A	V
		2483.84	71.08	-2.92	74	56.52	27.87	14.44	27.75	368	51	P	V
		2483.68	49.9	-4.1	54	35.34	27.87	14.44	27.75	368	51	A	V
802.11g CH 13 2472MHz	*	2472	104.13	-	-	89.61	27.84	14.43	27.75	115	219	P	H
	*	2472	97.63	-	-	83.11	27.84	14.43	27.75	115	219	A	H
		2483.92	62.26	-11.74	74	47.7	27.87	14.44	27.75	115	219	P	H
		2484.16	51.66	-2.34	54	37.1	27.87	14.44	27.75	115	219	A	H
	*	2472	101.79	-	-	87.27	27.84	14.43	27.75	400	52	P	V
	*	2472	94.14	-	-	79.62	27.84	14.43	27.75	400	52	A	V
		2484.08	61.78	-12.22	74	47.22	27.87	14.44	27.75	400	52	P	V
		2484.16	49.86	-4.14	54	35.3	27.87	14.44	27.75	400	52	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	49.81	-24.19	74	67.37	32.5	7.25	57.31	100	241	P	H
		4824	39.09	-14.91	54	56.65	32.5	7.25	57.31	100	241	A	H
		4824	42.1	-31.9	74	59.66	32.5	7.25	57.31	-	-	P	V

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	49.45	-24.55	74	66.75	32.65	7.28	57.23	102	245	P	H
		4874	39.45	-14.55	54	56.75	32.65	7.28	57.23	102	245	A	H
		7311	46.21	-27.79	74	57.7	36.96	8.88	57.33	-	-	P	H
		4874	43.25	-30.75	74	60.55	32.65	7.28	57.23	-	-	P	V
		7311	46.76	-27.24	74	58.25	36.96	8.88	57.33	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz		4924	50.76	-23.24	74	67.76	32.84	7.32	57.16	100	243	P	H
		4924	40.11	-13.89	54	57.11	32.84	7.32	57.16	100	243	A	H
		7386	45.05	-28.95	74	56.93	36.66	8.9	57.44	-	-	P	H
		4924	43.69	-30.31	74	60.69	32.84	7.32	57.16	-	-	P	V
		7386	45.1	-28.9	74	56.98	36.66	8.9	57.44	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 12 2467MHz		4934	50.2	-23.8	74	67.11	32.9	7.33	57.14	100	242	P	H
		4934	40.08	-13.92	54	56.99	32.9	7.33	57.14	100	242	A	H
		7401	46	-28	74	57.95	36.6	8.91	57.46	-	-	P	H
		4935	43.01	-30.99	74	59.91	32.91	7.33	57.14	-	-	P	V
		7401	45.81	-28.19	74	57.76	36.6	8.91	57.46	-	-	P	V

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 13 2472MHz		4944	43.65	-30.35	74	60.48	32.96	7.34	57.13	-	-	P	H
		7416	44.61	-29.39	74	56.61	36.57	8.91	57.48	-	-	P	H
		4944	41.93	-32.07	74	58.76	32.96	7.34	57.13	-	-	P	V
		7416	44.31	-29.69	74	56.31	36.57	8.91	57.48	-	-	P	V

Remark	<ol style="list-style-type: none"> 1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												
---------------	--	--	--	--	--	--	--	--	--	--	--	--	--



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2388.624	58.36	-15.64	74	44.35	27.45	14.34	27.78	300	226	P	H
		2388.96	47.39	-6.61	54	33.37	27.46	14.34	27.78	300	226	A	H
	*	2412	107.2	-	-	93.04	27.57	14.36	27.77	300	226	P	H
	*	2412	99.56	-	-	85.4	27.57	14.36	27.77	300	226	A	H
		2389.408	62.83	-11.17	74	48.81	27.46	14.34	27.78	335	28	P	V
		2389.968	49.69	-4.31	54	35.67	27.46	14.34	27.78	335	28	A	V
	*	2412	105.17	-	-	91.01	27.57	14.36	27.77	335	28	P	V
	2412	97.31	-	-	83.15	27.57	14.36	27.77	335	28	A	V	
802.11n HT20 CH 06 2437MHz		2335.9	56.17	-17.83	74	42.37	27.3	14.3	27.8	112	235	P	H
		2389.38	45.91	-8.09	54	31.89	27.46	14.34	27.78	112	235	A	H
	*	2437	107.64	-	-	93.29	27.72	14.39	27.76	112	235	P	H
	*	2437	100.49	-	-	86.14	27.72	14.39	27.76	112	235	A	H
		2489.22	56.19	-17.81	74	41.61	27.88	14.44	27.74	112	235	P	H
		2483.76	45.44	-8.56	54	30.88	27.87	14.44	27.75	112	235	A	H
		2327.08	55.51	-18.49	74	41.72	27.3	14.29	27.8	294	285	P	V
		2383.22	44.15	-9.85	54	30.16	27.43	14.34	27.78	294	285	A	V
	*	2437	102.3	-	-	87.95	27.72	14.39	27.76	294	285	P	V
	*	2437	95.17	-	-	80.82	27.72	14.39	27.76	294	285	A	V
		2489.92	55.21	-18.79	74	40.63	27.88	14.44	27.74	294	285	P	V
	2485.65	44.58	-9.42	54	30.01	27.87	14.44	27.74	294	285	A	V	



802.11n HT20 CH 11 2462MHz	*	2462	108.14	-	-	93.65	27.82	14.42	27.75	136	209	P	H
	*	2462	100.2	-	-	85.71	27.82	14.42	27.75	136	209	A	H
		2483.64	61.11	-12.89	74	46.55	27.87	14.44	27.75	136	209	P	H
		2483.52	47.72	-6.28	54	33.16	27.87	14.44	27.75	136	209	A	H
	*	2462	104.9	-	-	90.41	27.82	14.42	27.75	367	30	P	V
	*	2462	97.43	-	-	82.94	27.82	14.42	27.75	367	30	A	V
		2484.36	68.01	-5.99	74	53.45	27.87	14.44	27.75	367	30	P	V
		2483.52	49.57	-4.43	54	35.01	27.87	14.44	27.75	367	30	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 12 2467MHz	*	2470	106.19	-	-	91.68	27.84	14.42	27.75	116	213	P	H
	*	2470	98.29	-	-	83.78	27.84	14.42	27.75	116	213	A	H
		2483.52	63.25	-10.75	74	48.69	27.87	14.44	27.75	116	213	P	H
		2483.6	49.41	-4.59	54	34.85	27.87	14.44	27.75	116	213	A	H
	*	2467	103.54	-	-	89.04	27.83	14.42	27.75	370	31	P	V
	*	2467	96.01	-	-	81.51	27.83	14.42	27.75	370	31	A	V
		2483.84	70.15	-3.85	74	55.59	27.87	14.44	27.75	370	31	P	V
		2483.6	50.4	-3.6	54	35.84	27.87	14.44	27.75	370	31	A	V
802.11n HT20 CH 13 2472MHz	*	2472	103.73	-	-	89.21	27.84	14.43	27.75	100	202	P	H
	*	2472	95.8	-	-	81.28	27.84	14.43	27.75	100	202	A	H
		2483.56	60.49	-13.51	74	45.93	27.87	14.44	27.75	100	202	P	H
		2483.52	51.51	-2.49	54	36.95	27.87	14.44	27.75	100	202	A	H
	*	2472	99.79	-	-	85.27	27.84	14.43	27.75	400	52	P	V
	*	2472	91.96	-	-	77.44	27.84	14.43	27.75	400	52	A	V
		2483.6	58.28	-15.72	74	43.72	27.87	14.44	27.75	400	52	P	V
		2484.04	48.58	-5.42	54	34.02	27.87	14.44	27.75	400	52	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	47.4	-26.6	74	64.96	32.5	7.25	57.31	100	244	P	H
		4824	37.68	-16.32	54	55.24	32.5	7.25	57.31	100	244	A	H
		4824	41.56	-32.44	74	59.12	32.5	7.25	57.31	-	-	P	V

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 06 2437MHz		4874	48.17	-25.83	74	65.47	32.65	7.28	57.23	102	246	P	H
		4874	38.58	-15.42	54	55.88	32.65	7.28	57.23	102	246	A	H
		7311	46.15	-27.85	74	57.64	36.96	8.88	57.33	-	-	P	H
		4874	42.9	-31.1	74	60.2	32.65	7.28	57.23	-	-	P	V
		7311	46.34	-27.66	74	57.83	36.96	8.88	57.33	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 11 2462MHz		4924	50.6	-23.4	74	67.6	32.84	7.32	57.16	100	243	P	H
		4924	39.07	-14.93	54	56.07	32.84	7.32	57.16	100	243	A	H
		7386	46.17	-27.83	74	58.05	36.66	8.9	57.44	-	-	P	H
		4924	42.53	-31.47	74	59.53	32.84	7.32	57.16	-	-	P	V
		7386	45.76	-28.24	74	57.64	36.66	8.9	57.44	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 12 2467MHz		4934	49.86	-24.14	74	66.77	32.9	7.33	57.14	100	249	P	H
		4934	38.84	-15.16	54	55.75	32.9	7.33	57.14	100	249	A	H
		7401	45.29	-28.71	74	57.24	36.6	8.91	57.46	-	-	P	H
		4934	41.86	-32.14	74	58.77	32.9	7.33	57.14	-	-	P	V
		7401	45.43	-28.57	74	57.38	36.6	8.91	57.46	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n		4944	42.2	-31.8	74	59.03	32.96	7.34	57.13	-	-	P	H
HT20		7416	44.41	-29.59	74	56.41	36.57	8.91	57.48	-	-	P	H
CH 13		4944	42.11	-31.89	74	58.94	32.96	7.34	57.13	-	-	P	V
2472MHz		7416	44.04	-29.96	74	56.04	36.57	8.91	57.48	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 2412MHz		2388.288	64.86	-9.14	74	50.85	27.45	14.34	27.78	100	99	P	H
		2389.968	49.79	-4.21	54	35.77	27.46	14.34	27.78	100	99	A	H
	*	2412	107.14	-	-	92.98	27.57	14.36	27.77	100	99	P	H
	*	2412	98.67	-	-	84.51	27.57	14.36	27.77	100	99	A	H
		2388.288	64.25	-9.75	74	50.24	27.45	14.34	27.78	383	62	P	V
		2389.968	48.22	-5.78	54	34.2	27.46	14.34	27.78	383	62	A	V
	*	2412	104.55	-	-	90.39	27.57	14.36	27.77	383	62	P	V
	2412	95.19	-	-	81.03	27.57	14.36	27.77	383	62	A	V	
802.11ax HE20 Full CH 06 2437MHz		2367.4	56.02	-17.98	74	42.12	27.37	14.32	27.79	109	234	P	H
		2388.68	45.98	-8.02	54	31.97	27.45	14.34	27.78	109	234	A	H
	*	2437	109.52	-	-	95.17	27.72	14.39	27.76	109	234	P	H
	*	2437	100.32	-	-	85.97	27.72	14.39	27.76	109	234	A	H
		2485.86	55.82	-18.18	74	41.25	27.87	14.44	27.74	109	234	P	H
		2488.17	45.49	-8.51	54	30.91	27.88	14.44	27.74	109	234	A	H
		2381.4	54.82	-19.18	74	40.83	27.43	14.34	27.78	294	285	P	V
		2385.6	44.18	-9.82	54	30.18	27.44	14.34	27.78	294	285	A	V
	*	2437	103.68	-	-	89.33	27.72	14.39	27.76	294	285	P	V
	*	2437	95.22	-	-	80.87	27.72	14.39	27.76	294	285	A	V
		2484.32	55.24	-18.76	74	40.68	27.87	14.44	27.75	294	285	P	V
	2486.91	44.57	-9.43	54	30	27.87	14.44	27.74	294	285	A	V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz	*	2462	108.23	-	-	93.74	27.82	14.42	27.75	132	205	P	H
	*	2462	98.12	-	-	83.63	27.82	14.42	27.75	132	205	A	H
		2483.96	61.51	-12.49	74	46.95	27.87	14.44	27.75	132	205	P	H
		2483.76	48.05	-5.95	54	33.49	27.87	14.44	27.75	132	205	A	H
	*	2462	102.62	-	-	88.13	27.82	14.42	27.75	400	53	P	V
	*	2462	93.74	-	-	79.25	27.82	14.42	27.75	400	53	A	V
		2484.12	63.47	-10.53	74	48.91	27.87	14.44	27.75	400	53	P	V
		2483.6	47.05	-6.95	54	32.49	27.87	14.44	27.75	400	53	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 12 2467MHz	*	2467	106.96	-	-	92.46	27.83	14.42	27.75	105	203	P	H
	*	2467	98.27	-	-	83.77	27.83	14.42	27.75	105	203	A	H
		2484.6	68.86	-5.14	74	54.3	27.87	14.44	27.75	105	203	P	H
		2483.64	51.27	-2.73	54	36.71	27.87	14.44	27.75	105	203	A	H
	*	2467	104.22	-	-	89.72	27.83	14.42	27.75	400	53	P	V
	*	2467	94.44	-	-	79.94	27.83	14.42	27.75	400	53	A	V
		2484.24	71.94	-2.06	74	57.38	27.87	14.44	27.75	400	53	P	V
		2484.04	50.89	-3.11	54	36.33	27.87	14.44	27.75	400	53	A	V
802.11ax HE20 Full CH 13 2472MHz	*	2472	107.15	-	-	92.63	27.84	14.43	27.75	100	202	P	H
	*	2472	96.91	-	-	82.39	27.84	14.43	27.75	100	202	A	H
		2484.28	64.23	-9.77	74	49.67	27.87	14.44	27.75	100	202	P	H
		2483.96	51.51	-2.49	54	36.95	27.87	14.44	27.75	100	202	A	H
	*	2472	102.85	-	-	88.33	27.84	14.43	27.75	399	54	P	V
	*	2472	93.05	-	-	78.53	27.84	14.43	27.75	399	54	A	V
		2485.44	64.92	-9.08	74	50.35	27.87	14.44	27.74	399	54	P	V
		2484.12	49.25	-4.75	54	34.69	27.87	14.44	27.75	399	54	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax		4824	47.68	-26.32	74	65.24	32.5	7.25	57.31	100	245	P	H
HE20 Full		4824	37.13	-16.87	54	54.69	32.5	7.25	57.31	100	245	A	H
CH 01 2412MHz		4824	42.12	-31.88	74	59.68	32.5	7.25	57.31	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax		4874	47.72	-26.28	74	65.02	32.65	7.28	57.23	100	247	P	H
		4874	37.39	-16.61	54	54.69	32.65	7.28	57.23	100	247	A	H
HE20 Full		7311	45.62	-28.38	74	57.11	36.96	8.88	57.33	-	-	P	H
CH 06		4874	46.63	-27.37	74	63.93	32.65	7.28	57.23	299	39	P	V
2437MHz		4874	35.48	-18.52	54	52.78	32.65	7.28	57.23	299	39	A	V
		7311	45.15	-28.85	74	56.64	36.96	8.88	57.33	-	-	P	V



802.11ax HE20 Full CH 11 2462MHz		4924	48.69	-25.31	74	65.69	32.84	7.32	57.16	100	245	P	H
		4924	37.91	-16.09	54	54.91	32.84	7.32	57.16	100	245	A	H
		7386	45.51	-28.49	74	57.39	36.66	8.9	57.44			P	H
		4924	45.72	-28.28	74	62.72	32.84	7.32	57.16	380	86	P	V
		4924	35.17	-18.83	54	52.17	32.84	7.32	57.16	380	86	A	V
		7386	46.5	-27.5	74	58.38	36.66	8.9	57.44	300	301	P	V
		7386	35.63	-18.37	54	47.51	36.66	8.9	57.44	300	301	A	V
Remark	<ol style="list-style-type: none"> 1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 												



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax		4934	49.45	-24.55	74	66.36	32.9	7.33	57.14	100	244	P	H
		4934	37.64	-16.36	54	54.55	32.9	7.33	57.14	100	244	A	H
HE20 Full		7401	44.81	-29.19	74	56.76	36.6	8.91	57.46	-	-	P	H
CH 12		4934	46.32	-27.68	74	63.23	32.9	7.33	57.14	350	265	P	V
2467MHz		4934	35.04	-18.96	54	51.95	32.9	7.33	57.14	350	265	A	V
		7401	44.23	-29.77	74	56.18	36.6	8.91	57.46	-	-	P	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax		4944	42.72	-31.28	74	59.55	32.96	7.34	57.13	-	-	P	H
HE20 Full		7416	44.63	-29.37	74	56.63	36.57	8.91	57.48	-	-	P	H
CH 13		4944	41.46	-32.54	74	58.29	32.96	7.34	57.13	-	-	P	V
2472MHz		7416	45.05	-28.95	74	57.05	36.57	8.91	57.48	-	-	P	V
Remark	<ol style="list-style-type: none"> 1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/0 CH 01 2412MHz		2325.435	55.22	-18.78	74	41.43	27.3	14.29	27.8	139	224	P	H
		2390	46.93	-7.07	54	32.91	27.46	14.34	27.78	139	224	A	H
	*	2412	106.96	-	-	92.8	27.57	14.36	27.77	139	224	P	H
	*	2412	99.1	-	-	84.94	27.57	14.36	27.77	139	224	A	H
		2333.52	54.47	-19.53	74	40.67	27.3	14.3	27.8	298	332	P	V
		2350.53	47.03	-6.97	54	33.21	27.3	14.31	27.79	298	332	A	V
	*	2412	102.56	-	-	88.4	27.57	14.36	27.77	298	332	P	V
802.11ax HE20 Partial 26/8 CH 11 2462MHz	*	2412	97.07	-	-	82.91	27.57	14.36	27.77	298	332	A	V
	*	2462	108.55	-	-	94.06	27.82	14.42	27.75	114	218	P	H
	*	2462	99.98	-	-	85.49	27.82	14.42	27.75	114	218	A	H
		2484.92	55.55	-18.45	74	40.99	27.87	14.44	27.75	114	218	P	H
		2496.68	47.86	-6.14	54	33.26	27.89	14.45	27.74	114	218	A	H
	*	2462	102.43	-	-	87.94	27.82	14.42	27.75	375	328	P	V
	*	2462	95.88	-	-	81.39	27.82	14.42	27.75	375	328	A	V
	2488.2	55.23	-18.77	74	40.65	27.88	14.44	27.74	375	328	P	V	
	2488.32	47.55	-6.45	54	32.97	27.88	14.44	27.74	375	328	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/8 CH 12 2467MHz	*	2467	105.87	-	-	91.37	27.83	14.42	27.75	100	218	P	H
	*	2467	99.9	-	-	85.4	27.83	14.42	27.75	100	218	A	H
		2488.52	55.43	-18.57	74	40.85	27.88	14.44	27.74	100	218	P	H
		2487.24	47.63	-6.37	54	33.06	27.87	14.44	27.74	100	218	A	H
	*	2467	104.55	-	-	90.05	27.83	14.42	27.75	400	325	P	V
	*	2467	96.03	-	-	81.53	27.83	14.42	27.75	400	325	A	V
		2491.2	55.23	-18.77	74	40.64	27.88	14.45	27.74	400	325	P	V
		2493.96	47.82	-6.18	54	33.22	27.89	14.45	27.74	400	325	A	V
802.11ax HE20 Partial 26/8 CH 13 2472MHz	*	2472	98.22	-	-	83.7	27.84	14.43	27.75	111	237	P	H
	*	2472	90.27	-	-	75.75	27.84	14.43	27.75	111	237	A	H
		2483.56	64.21	-9.79	74	49.65	27.87	14.44	27.75	111	237	P	H
		2483.52	51.14	-2.86	54	36.58	27.87	14.44	27.75	111	237	A	H
	*	2472	94.8	-	-	80.28	27.84	14.43	27.75	366	318	P	V
	*	2472	87.91	-	-	73.39	27.84	14.43	27.75	366	318	A	V
		2483.6	58.88	-15.12	74	44.32	27.87	14.44	27.75	366	318	P	V
		2483.56	49.2	-4.8	54	34.64	27.87	14.44	27.75	366	318	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/37 CH 01 2412MHz		2389.485	56.42	-17.58	74	42.4	27.46	14.34	27.78	143	221	P	H
		2387.385	47.91	-6.09	54	33.9	27.45	14.34	27.78	143	221	A	H
	*	2412	108.75	-	-	94.59	27.57	14.36	27.77	143	221	P	H
	*	2412	100.97	-	-	86.81	27.57	14.36	27.77	143	221	A	H
		2389.38	56.01	-17.99	74	41.99	27.46	14.34	27.78	299	331	P	V
		2389.59	47.37	-6.63	54	33.35	27.46	14.34	27.78	299	331	A	V
	*	2412	106.5	-	-	92.34	27.57	14.36	27.77	299	331	P	V
	*	2412	99.11	-	-	84.95	27.57	14.36	27.77	299	331	A	V
802.11ax HE20 Partial 52/40 CH 11 2462MHz	*	2462	107.26	-	-	92.77	27.82	14.42	27.75	109	217	P	H
	*	2462	99.66	-	-	85.17	27.82	14.42	27.75	109	217	A	H
		2483.52	55.45	-18.55	74	40.89	27.87	14.44	27.75	109	217	P	H
		2491.24	48.28	-5.72	54	33.69	27.88	14.45	27.74	109	217	A	H
	*	2462	103.12	-	-	88.63	27.82	14.42	27.75	372	335	P	V
	*	2462	96.09	-	-	81.6	27.82	14.42	27.75	372	335	A	V
		2493.08	55.92	-18.08	74	41.32	27.89	14.45	27.74	372	335	P	V
		2496.2	47.77	-6.23	54	33.17	27.89	14.45	27.74	372	335	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/40 CH 12 2467MHz	*	2467	107.46	-	-	92.96	27.83	14.42	27.75	110	217	P	H
	*	2467	99.93	-	-	85.43	27.83	14.42	27.75	110	217	A	H
		2490.92	55.44	-18.56	74	40.85	27.88	14.45	27.74	110	217	P	H
		2490.88	47.94	-6.06	54	33.35	27.88	14.45	27.74	110	217	A	H
	*	2467	104.42	-	-	89.92	27.83	14.42	27.75	354	325	P	V
	*	2467	96.67	-	-	82.17	27.83	14.42	27.75	354	325	A	V
		2484.84	55.52	-18.48	74	40.96	27.87	14.44	27.75	354	325	P	V
		2485.64	47.75	-6.25	54	33.18	27.87	14.44	27.74	354	325	A	V
802.11ax HE20 Partial 52/40 CH 13 2472MHz	*	2472	98.99	-	-	84.47	27.84	14.43	27.75	108	221	P	H
	*	2472	88.98	-	-	74.46	27.84	14.43	27.75	108	221	A	H
		2483.84	64.84	-9.16	74	50.28	27.87	14.44	27.75	108	221	P	H
		2483.6	51.13	-2.87	54	36.57	27.87	14.44	27.75	108	221	A	H
	*	2472	92.47	-	-	77.95	27.84	14.43	27.75	368	320	P	V
	*	2472	83.08	-	-	68.56	27.84	14.43	27.75	368	320	A	V
		2483.52	58.69	-15.31	74	44.13	27.87	14.44	27.75	368	320	P	V
		2483.52	46.5	-7.5	54	31.94	27.87	14.44	27.75	368	320	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 2412MHz		2364.915	55.28	-18.72	74	41.39	27.36	14.32	27.79	100	218	P	H
		2385.495	48.13	-5.87	54	34.13	27.44	14.34	27.78	100	218	A	H
	*	2412	108.25	-	-	94.09	27.57	14.36	27.77	100	218	P	H
	*	2412	100.57	-	-	86.41	27.57	14.36	27.77	100	218	A	H
		2387.07	57.19	-16.81	74	43.18	27.45	14.34	27.78	299	330	P	V
		2374.68	47.45	-6.55	54	33.5	27.4	14.33	27.78	299	330	A	V
	*	2412	105.81	-	-	91.65	27.57	14.36	27.77	299	330	P	V
	*	2412	98.63	-	-	84.47	27.57	14.36	27.77	299	330	A	V
802.11ax HE20 Partial 106/54 CH 11 2462MHz	*	2462	108.13	-	-	93.64	27.82	14.42	27.75	110	216	P	H
	*	2462	99.9	-	-	85.41	27.82	14.42	27.75	110	216	A	H
		2490.44	56.85	-17.15	74	42.27	27.88	14.44	27.74	110	216	P	H
		2483.52	49.96	-4.04	54	35.4	27.87	14.44	27.75	110	216	A	H
	*	2462	104.41	-	-	89.92	27.82	14.42	27.75	373	332	P	V
	*	2462	96.04	-	-	81.55	27.82	14.42	27.75	373	332	A	V
		2491.44	59.82	-14.18	74	45.23	27.88	14.45	27.74	373	332	P	V
		2488.28	47.72	-6.28	54	33.14	27.88	14.44	27.74	373	332	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 12 2467MHz	*	2467	107.69	-	-	93.19	27.83	14.42	27.75	112	224	P	H
	*	2467	99.73	-	-	85.23	27.83	14.42	27.75	112	224	A	H
		2488.64	56.54	-17.46	74	41.96	27.88	14.44	27.74	112	224	P	H
		2484	48.76	-5.24	54	34.2	27.87	14.44	27.75	112	224	A	H
	*	2467	104.8	-	-	90.3	27.83	14.42	27.75	369	328	P	V
	*	2467	96.49	-	-	81.99	27.83	14.42	27.75	369	328	A	V
		2484.08	58.46	-15.54	74	43.9	27.87	14.44	27.75	369	328	P	V
		2484.32	49.8	-4.2	54	35.24	27.87	14.44	27.75	369	328	A	V
802.11ax HE20 Partial 106/54 CH 13 2472MHz	*	2472	97.64	-	-	83.12	27.84	14.43	27.75	108	217	P	H
	*	2472	89.22	-	-	74.7	27.84	14.43	27.75	108	217	A	H
		2483.52	64.17	-9.83	74	49.61	27.87	14.44	27.75	108	217	P	H
		2483.52	51.63	-2.37	54	37.07	27.87	14.44	27.75	108	217	A	H
	*	2472	93.76	-	-	79.24	27.84	14.43	27.75	369	318	P	V
	*	2472	85.59	-	-	71.07	27.84	14.43	27.75	369	318	A	V
		2483.6	61.59	-12.41	74	47.03	27.87	14.44	27.75	369	318	P	V
		2483.52	49.53	-4.47	54	34.97	27.87	14.44	27.75	369	318	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission above 18GHz

2.4GHz WIFI 802.11g (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz		24917.4	38.98	-35.02	74	54.86	39.67	-2.58	52.97	-	-	P	H
802.11g SHF		23094.9	38.76	-35.24	74	56.24	39.48	-2.88	54.08	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Emission below 1GHz

2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11g LF		58.13	26.73	-13.27	40	45.58	12.19	1.13	32.17	-	-	P	H
		136.7	34.11	-9.39	43.5	47.13	17.66	1.42	32.1	-	-	P	H
		240.49	30.84	-15.16	46	43.8	17.4	1.7	32.06	-	-	P	H
		306.45	21.68	-24.32	46	32.53	19.34	1.87	32.06	-	-	P	H
		551.86	28.85	-17.15	46	33.24	25.34	2.37	32.1	-	-	P	H
		858.38	31.48	-14.52	46	31.02	29.22	2.84	31.6	-	-	P	H
		30	31.15	-8.85	40	37.76	24.56	0.99	32.16	-	-	P	V
		136.7	27.65	-15.85	43.5	40.67	17.66	1.42	32.1	-	-	P	V
		244.37	24.55	-21.45	46	37.05	17.85	1.71	32.06	-	-	P	V
		551.86	28.7	-17.3	46	33.09	25.34	2.37	32.1	-	-	P	V
		734.22	33.2	-12.8	46	34.83	27.74	2.67	32.04	-	-	P	V
		838.98	30.93	-15.07	46	31.01	28.78	2.8	31.66	-	-	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only. 												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is "PASS".



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Rain Lee, Jacky Hung and Mancy Chou	Temperature :	20~26°C
		Relative Humidity :	40~65%

Note symbol

-L	Low channel location
-R	High channel location







2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0+1	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0+1	Vertical	Fundamental
<p>Peak</p>	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a signal level starting at approximately 100 dBm/100kHz at 2400 MHz and decreasing to about 50 dBm/100kHz by 2462 MHz. A red line indicates the peak level at 2462 MHz, labeled 'PEAK_BE_74'.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a sharp peak at 2462 MHz with a level of approximately 110 dBm/100kHz. A red line indicates the peak level, labeled 'PEAK_74'.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a signal level starting at approximately 100 dBm/100kHz at 2400 MHz and decreasing to about 50 dBm/100kHz by 2462 MHz. A red line indicates the average level at 2462 MHz, labeled 'AVG_BE_54'.</p> <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a sharp peak at 2462 MHz with an average level of approximately 50 dBm/100kHz. A red line indicates the average level, labeled 'AVG_54'.</p> <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 <p>Date: 2023-04-01</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-04-01</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-04-01</p> <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Date: 2023-04-01</p> <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	<p>Date: 2023-04-01</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Date: 2023-04-01</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Date: 2023-04-01</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Date: 2023-04-01</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Peak Vertical. The plot shows a broad signal between 2400 and 2483.5 MHz with a peak level of approximately 100 dBm/100kHz. A red line indicates the peak level at 2472 MHz. The x-axis ranges from 2400 to 2500 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a sharp peak at 2472 MHz with a level of approximately 100 dBm/100kHz. The x-axis ranges from 2400 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Avg Vertical. The plot shows a broad signal between 2400 and 2483.5 MHz with an average level of approximately 90 dBm/100kHz. A red line indicates the average level at 2472 MHz. The x-axis ranges from 2400 to 2500 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a sharp peak at 2472 MHz with an average level of approximately 90 dBm/100kHz. The x-axis ranges from 2400 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



2.4GHz 2400~2483.5MHz





WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	<p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
0+1	Vertical	Fundamental
<p>Peak</p>	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Left Blank</p>
<p>Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Left Blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 <p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
0+1	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
0+1	Vertical	Fundamental
<p>Peak</p>	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left Blank</p>
<p>Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left Blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing a peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 2400 to 2500 MHz. A red vertical line marks the peak at 2462 MHz, labeled 'PEAK_BE_74'.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing a peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2462 MHz, labeled 'PEAK_74'.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing an average level at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 2400 to 2500 MHz. A red vertical line marks the average level at 2462 MHz, labeled 'AVG_BE_54'.</p> <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing an average level at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the average level at 2462 MHz, labeled 'AVG_54'.</p> <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a signal level around 100 dBm/100MHz at 2400 MHz, which drops to approximately 60 dBm/100MHz at 2467 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_BE_74'. The x-axis ranges from 2400 to 2500 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a sharp peak at 2467 MHz with a level of approximately 110 dBm/100MHz. A red vertical line marks the peak, labeled 'PEAK_74'. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a signal level around 90 dBm/100MHz at 2400 MHz, which drops to approximately 50 dBm/100MHz at 2467 MHz. A red vertical line marks the average level at 2467 MHz, labeled 'AVG_BE_54'. The x-axis ranges from 2400 to 2500 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100MHz.</p> <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a sharp peak at 2467 MHz with a level of approximately 100 dBm/100MHz. A red vertical line marks the average level at 2467 MHz, labeled 'AVG_54'. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100MHz.</p> <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot showing a peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBm/100MHz, and the x-axis ranges from 2310 to 2422 MHz. A red vertical line marks the peak at 2412 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot showing a peak at approximately 2412 MHz. The y-axis ranges from 0 to 140 dBm/100MHz, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2412 MHz, labeled 'PEAK_74'.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot showing an average level at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBm/100MHz, and the x-axis ranges from 2310 to 2422 MHz. A red vertical line marks the average level at 2412 MHz.</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot showing an average level at approximately 2412 MHz. The y-axis ranges from 0 to 140 dBm/100MHz, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the average level at 2412 MHz, labeled 'AVG_54'.</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	<p>Date: 2023-04-06</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
0+1	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz





WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Horizontal. The plot shows a signal level rising from approximately 50 dBm/100kHz at 2380 MHz to about 100 dBm/100kHz at 2415 MHz. A red vertical line is at 2412 MHz. The date is 2023-04-13.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Fundamental. The plot shows a sharp peak at approximately 2412 MHz with a level of about 100 dBm/100kHz. A red horizontal line is labeled 'PEAK_74'. The date is 2023-04-13.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Horizontal. The plot shows a signal level rising from approximately 50 dBm/100kHz at 2380 MHz to about 100 dBm/100kHz at 2415 MHz. A red vertical line is at 2412 MHz. The date is 2023-04-13.</p> <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Fundamental. The plot shows a sharp peak at approximately 2412 MHz with a level of about 100 dBm/100kHz. A red horizontal line is labeled 'AVG_54'. The date is 2023-04-13.</p> <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:10.000KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3.300KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3.300KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3.300KHz SWT:Auto</p>



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing a peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak frequency.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line is labeled 'PEAK_74'.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak frequency.</p> <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line is labeled 'AVG_54'.</p> <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SWT:Auto</p>