




11AC80MIMO_Ant1_5610_30~1000




11AC80MIMO_Ant1_5610_1000~40000




11AC80MIMO_Ant2_5610_30~1000




11AC80MIMO_Ant2_5610_1000~40000




11AC80MIMO_Ant1_5775_30~1000




11AC80MIMO_Ant1_5775_1000~40000



11AC80MIMO_Ant2_5775_30~1000



11AC80MIMO_Ant2_5775_1000~40000



7. Frequency Stability

7.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
11N20MIMO	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC20MI MO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5180	NV	NT	40000.00	7.722008	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.722008	20	PASS
	Ant1	5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant2	5200	NV	NT	40000.00	7.692308	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant1	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.816794	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.816794	20	PASS
	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5260	NV	NT	20000.00	3.802281	20	PASS
			LV	NT	20000.00	3.802281	20	PASS
			HV	NT	20000.00	3.802281	20	PASS
Ant1	5280	NV	NT	0.00	0.000000	20	PASS	
		LV	NT	20000.00	3.787879	20	PASS	
		HV	NT	20000.00	3.787879	20	PASS	
Ant2	5280	NV	NT	20000.00	3.787879	20	PASS	
		LV	NT	20000.00	3.787879	20	PASS	
		HV	NT	20000.00	3.787879	20	PASS	
Ant1	5320	NV	NT	0.00	0.000000	20	PASS	
		LV	NT	20000.00	3.759398	20	PASS	

			HV	NT	20000.00	3.759398	20	PASS
	Ant2	5320	NV	NT	20000.00	3.759398	20	PASS
			LV	NT	20000.00	3.759398	20	PASS
			HV	NT	20000.00	3.759398	20	PASS
	Ant1	5500	NV	NT	20000.00	3.636364	20	PASS
			LV	NT	20000.00	3.636364	20	PASS
			HV	NT	20000.00	3.636364	20	PASS
	Ant2	5500	NV	NT	20000.00	3.636364	20	PASS
			LV	NT	20000.00	3.636364	20	PASS
			HV	NT	20000.00	3.636364	20	PASS
	Ant1	5580	NV	NT	20000.00	3.584229	20	PASS
			LV	NT	20000.00	3.584229	20	PASS
			HV	NT	20000.00	3.584229	20	PASS
	Ant2	5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.584229	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5700	NV	NT	20000.00	3.508772	20	PASS
			LV	NT	20000.00	3.508772	20	PASS
			HV	NT	20000.00	3.508772	20	PASS
	Ant2	5700	NV	NT	20000.00	3.508772	20	PASS
			LV	NT	20000.00	3.508772	20	PASS
			HV	NT	20000.00	3.508772	20	PASS
	Ant1	5745	NV	NT	20000.00	3.481288	20	PASS
			LV	NT	20000.00	3.481288	20	PASS
			HV	NT	20000.00	3.481288	20	PASS
	Ant2	5745	NV	NT	40000.00	6.962576	20	PASS
			LV	NT	40000.00	6.962576	20	PASS
			HV	NT	40000.00	6.962576	20	PASS
	Ant1	5785	NV	NT	40000.00	6.914434	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	20000.00	3.457217	20	PASS
	Ant2	5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	20000.00	3.457217	20	PASS
	Ant1	5825	NV	NT	20000.00	3.433476	20	PASS
			LV	NT	20000.00	3.433476	20	PASS
			HV	NT	20000.00	3.433476	20	PASS
	Ant2	5825	NV	NT	40000.00	6.866953	20	PASS
			LV	NT	40000.00	6.866953	20	PASS
			HV	NT	40000.00	6.866953	20	PASS
11AC40MI MO	Ant1	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	40000.00	7.707129	20	PASS
	Ant2	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS

			HV	NT	40000.00	7.707129	20	PASS
Ant1	5230		NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant2	5230		NV	NT	40000.00	7.648184	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant1	5270		NV	NT	80000.00	15.180266	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	80000.00	15.180266	20	PASS
Ant2	5270		NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant1	5310		NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant2	5310		NV	NT	40000.00	7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant1	5510		NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant2	5510		NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant1	5550		NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant2	5550		NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant1	5670		NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant2	5670		NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant1	5755		NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
Ant2	5755		NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
Ant1	5795		NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS

11AC80MI MO	Ant2	5795	HV	NT	-40000.00	-6.902502	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant1	5210	HV	NT	40000.00	6.902502	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-160000.00	0.000000	20	PASS
	Ant2	5210	HV	NT	320000.00	0.000000	20	PASS
			NV	NT	240000.00	0.000000	20	PASS
			LV	NT	400000.00	0.000000	20	PASS
	Ant1	5290	HV	NT	400000.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	80000.00	15.122873	20	PASS
	Ant2	5290	HV	NT	80000.00	15.122873	20	PASS
			NV	NT	160000.00	0.000000	20	PASS
			LV	NT	-320000.00	0.000000	20	PASS
	Ant1	5530	HV	NT	-240000.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-160000.00	0.000000	20	PASS
	Ant2	5530	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-320000.00	0.000000	20	PASS
			LV	NT	-320000.00	0.000000	20	PASS
	Ant1	5610	HV	NT	-240000.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant2	5610	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-320000.00	0.000000	20	PASS
			LV	NT	-320000.00	0.000000	20	PASS
	Ant1	5775	HV	NT	-320000.00	0.000000	20	PASS
			NV	NT	-80000.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
Ant2	5775	HV	NT	-320000.00	0.000000	20	PASS	
		NV	NT	1280000.00	0.000000	20	PASS	
		LV	NT	400000.00	0.000000	20	PASS	
			HV	NT	640000.00	0.000000	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
11N20MIMO	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.861004	20	PASS
			NV	-10	20000.00	3.861004	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.861004	20	PASS
			NV	20	0.00	0.000000	20	PASS

11AC20MI MO	Ant1	5180	NV	-30	20000.00	3.861004	20	PASS
			NV	-20	20000.00	3.861004	20	PASS
			NV	-10	20000.00	3.861004	20	PASS
			NV	0	20000.00	3.861004	20	PASS
			NV	10	40000.00	7.722008	20	PASS
			NV	20	40000.00	7.722008	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	40000.00	7.722008	20	PASS
			NV	50	40000.00	7.722008	20	PASS
	Ant2	5180	NV	-30	20000.00	3.861004	20	PASS
			NV	-20	20000.00	3.861004	20	PASS
			NV	-10	20000.00	3.861004	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.861004	20	PASS
			NV	20	20000.00	3.861004	20	PASS
			NV	30	20000.00	3.861004	20	PASS
			NV	40	40000.00	7.722008	20	PASS
			NV	50	20000.00	3.861004	20	PASS
	Ant1	5200	NV	-30	20000.00	3.846154	20	PASS
			NV	-20	20000.00	3.846154	20	PASS
			NV	-10	20000.00	3.846154	20	PASS
			NV	0	20000.00	3.846154	20	PASS
			NV	10	20000.00	3.846154	20	PASS
			NV	20	40000.00	7.692308	20	PASS
			NV	30	20000.00	3.846154	20	PASS
			NV	40	20000.00	3.846154	20	PASS
			NV	50	20000.00	3.846154	20	PASS
	Ant2	5200	NV	-30	40000.00	7.692308	20	PASS
			NV	-20	20000.00	3.846154	20	PASS
			NV	-10	20000.00	3.846154	20	PASS
			NV	0	20000.00	3.846154	20	PASS
			NV	10	20000.00	3.846154	20	PASS
			NV	20	40000.00	7.692308	20	PASS
			NV	30	20000.00	3.846154	20	PASS
			NV	40	20000.00	3.846154	20	PASS
			NV	50	20000.00	3.846154	20	PASS
Ant1	5240	NV	-30	0.00	0.000000	20	PASS	
		NV	-20	20000.00	3.816794	20	PASS	
		NV	-10	20000.00	3.816794	20	PASS	
		NV	0	20000.00	3.816794	20	PASS	
		NV	10	20000.00	3.816794	20	PASS	
		NV	20	20000.00	3.816794	20	PASS	
		NV	30	20000.00	3.816794	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	20000.00	3.816794	20	PASS	

	Ant2	5240	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.816794	20	PASS
			NV	20	20000.00	3.816794	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	20000.00	3.816794	20	PASS
			NV	50	20000.00	3.816794	20	PASS
	Ant1	5260	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5260	NV	-30	20000.00	3.802281	20	PASS
			NV	-20	20000.00	3.802281	20	PASS
			NV	-10	20000.00	3.802281	20	PASS
			NV	0	20000.00	3.802281	20	PASS
			NV	10	20000.00	3.802281	20	PASS
			NV	20	20000.00	3.802281	20	PASS
			NV	30	20000.00	3.802281	20	PASS
			NV	40	20000.00	3.802281	20	PASS
			NV	50	20000.00	3.802281	20	PASS
	Ant1	5280	NV	-30	20000.00	3.787879	20	PASS
NV			-20	20000.00	3.787879	20	PASS	
NV			-10	20000.00	3.787879	20	PASS	
NV			0	0.00	0.000000	20	PASS	
NV			10	20000.00	3.787879	20	PASS	
NV			20	20000.00	3.787879	20	PASS	
NV			30	0.00	0.000000	20	PASS	
NV			40	20000.00	3.787879	20	PASS	
NV			50	20000.00	3.787879	20	PASS	
Ant2	5280	NV	-30	20000.00	3.787879	20	PASS	
		NV	-20	20000.00	3.787879	20	PASS	
		NV	-10	20000.00	3.787879	20	PASS	
		NV	0	20000.00	3.787879	20	PASS	
		NV	10	20000.00	3.787879	20	PASS	
		NV	20	20000.00	3.787879	20	PASS	
		NV	30	20000.00	3.787879	20	PASS	
		NV	40	20000.00	3.787879	20	PASS	
		NV	50	0.00	0.000000	20	PASS	

Ant1	5320	NV	-30	0.00	0.000000	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	0.00	0.000000	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	-20000.00	-3.759398	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	0.00	0.000000	20	PASS	
	Ant2	5320	NV	-30	40000.00	7.518797	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.759398	20	PASS
			NV	20	20000.00	3.759398	20	PASS
			NV	30	20000.00	3.759398	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	20000.00	3.759398	20	PASS
Ant1	5500	NV	-30	20000.00	3.636364	20	PASS	
		NV	-20	40000.00	7.272727	20	PASS	
		NV	-10	20000.00	3.636364	20	PASS	
		NV	0	20000.00	3.636364	20	PASS	
		NV	10	20000.00	3.636364	20	PASS	
		NV	20	20000.00	3.636364	20	PASS	
		NV	30	20000.00	3.636364	20	PASS	
		NV	40	20000.00	3.636364	20	PASS	
		NV	50	20000.00	3.636364	20	PASS	
Ant2	5500	NV	-30	20000.00	3.636364	20	PASS	
		NV	-20	20000.00	3.636364	20	PASS	
		NV	-10	20000.00	3.636364	20	PASS	
		NV	0	20000.00	3.636364	20	PASS	
		NV	10	20000.00	3.636364	20	PASS	
		NV	20	20000.00	3.636364	20	PASS	
		NV	30	20000.00	3.636364	20	PASS	
		NV	40	20000.00	3.636364	20	PASS	
		NV	50	20000.00	3.636364	20	PASS	
Ant1	5580	NV	-30	20000.00	3.584229	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	20000.00	3.584229	20	PASS	
		NV	0	20000.00	3.584229	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	20000.00	3.584229	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	20000.00	3.584229	20	PASS	
		NV	50	20000.00	3.584229	20	PASS	

	Ant2	5580	NV	-30	20000.00	3.584229	20	PASS
			NV	-20	20000.00	3.584229	20	PASS
			NV	-10	20000.00	3.584229	20	PASS
			NV	0	20000.00	3.584229	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	20000.00	3.584229	20	PASS
			NV	40	20000.00	3.584229	20	PASS
			NV	50	20000.00	3.584229	20	PASS
	Ant1	5700	NV	-30	20000.00	3.508772	20	PASS
			NV	-20	20000.00	3.508772	20	PASS
			NV	-10	20000.00	3.508772	20	PASS
			NV	0	20000.00	3.508772	20	PASS
			NV	10	20000.00	3.508772	20	PASS
			NV	20	20000.00	3.508772	20	PASS
			NV	30	20000.00	3.508772	20	PASS
			NV	40	20000.00	3.508772	20	PASS
			NV	50	20000.00	3.508772	20	PASS
Ant2	5700	NV	-30	20000.00	3.508772	20	PASS	
		NV	-20	20000.00	3.508772	20	PASS	
		NV	-10	20000.00	3.508772	20	PASS	
		NV	0	20000.00	3.508772	20	PASS	
		NV	10	20000.00	3.508772	20	PASS	
		NV	20	20000.00	3.508772	20	PASS	
		NV	30	20000.00	3.508772	20	PASS	
		NV	40	20000.00	3.508772	20	PASS	
		NV	50	20000.00	3.508772	20	PASS	
Ant1	5745	NV	-30	20000.00	3.481288	20	PASS	
		NV	-20	20000.00	3.481288	20	PASS	
		NV	-10	20000.00	3.481288	20	PASS	
		NV	0	20000.00	3.481288	20	PASS	
		NV	10	20000.00	3.481288	20	PASS	
		NV	20	20000.00	3.481288	20	PASS	
		NV	30	20000.00	3.481288	20	PASS	
		NV	40	20000.00	3.481288	20	PASS	
		NV	50	40000.00	6.962576	20	PASS	
Ant2	5745	NV	-30	20000.00	3.481288	20	PASS	
		NV	-20	40000.00	6.962576	20	PASS	
		NV	-10	20000.00	3.481288	20	PASS	
		NV	0	40000.00	6.962576	20	PASS	
		NV	10	20000.00	3.481288	20	PASS	
		NV	20	20000.00	3.481288	20	PASS	
		NV	30	40000.00	6.962576	20	PASS	
		NV	40	40000.00	6.962576	20	PASS	
		NV	50	40000.00	6.962576	20	PASS	

	Ant1	5785	NV	-30	40000.00	6.914434	20	PASS
			NV	-20	20000.00	3.457217	20	PASS
			NV	-10	40000.00	6.914434	20	PASS
			NV	0	40000.00	6.914434	20	PASS
			NV	10	40000.00	6.914434	20	PASS
			NV	20	20000.00	3.457217	20	PASS
			NV	30	20000.00	3.457217	20	PASS
			NV	40	40000.00	6.914434	20	PASS
			NV	50	40000.00	6.914434	20	PASS
	Ant2	5785	NV	-30	20000.00	3.457217	20	PASS
			NV	-20	20000.00	3.457217	20	PASS
			NV	-10	20000.00	3.457217	20	PASS
			NV	0	20000.00	3.457217	20	PASS
			NV	10	20000.00	3.457217	20	PASS
			NV	20	20000.00	3.457217	20	PASS
			NV	30	20000.00	3.457217	20	PASS
			NV	40	20000.00	3.457217	20	PASS
			NV	50	20000.00	3.457217	20	PASS
	Ant1	5825	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.433476	20	PASS
			NV	-10	20000.00	3.433476	20	PASS
			NV	0	20000.00	3.433476	20	PASS
			NV	10	20000.00	3.433476	20	PASS
			NV	20	20000.00	3.433476	20	PASS
			NV	30	20000.00	3.433476	20	PASS
			NV	40	20000.00	3.433476	20	PASS
			NV	50	20000.00	3.433476	20	PASS
	Ant2	5825	NV	-30	40000.00	6.866953	20	PASS
NV			-20	40000.00	6.866953	20	PASS	
NV			-10	40000.00	6.866953	20	PASS	
NV			0	40000.00	6.866953	20	PASS	
NV			10	40000.00	6.866953	20	PASS	
NV			20	40000.00	6.866953	20	PASS	
NV			30	40000.00	6.866953	20	PASS	
NV			40	40000.00	6.866953	20	PASS	
NV			50	40000.00	6.866953	20	PASS	
11AC40MI MO	Ant1	5190	NV	-30	40000.00	7.707129	20	PASS
			NV	-20	40000.00	7.707129	20	PASS
			NV	-10	40000.00	7.707129	20	PASS
			NV	0	40000.00	7.707129	20	PASS
			NV	10	40000.00	7.707129	20	PASS
			NV	20	40000.00	7.707129	20	PASS
			NV	30	40000.00	7.707129	20	PASS
			NV	40	40000.00	7.707129	20	PASS
			NV	50	40000.00	7.707129	20	PASS

	Ant2	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.707129	20	PASS
			NV	-10	40000.00	7.707129	20	PASS
			NV	0	40000.00	7.707129	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant1	5230	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5230	NV	-30	-40000.00	-7.648184	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant1	5270	NV	-30	80000.00	15.180266	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	7.590133	20	PASS
			NV	0	40000.00	7.590133	20	PASS
			NV	10	80000.00	15.180266	20	PASS
			NV	20	40000.00	7.590133	20	PASS
			NV	30	40000.00	7.590133	20	PASS
			NV	40	40000.00	7.590133	20	PASS
			NV	50	40000.00	7.590133	20	PASS
Ant2	5270	NV	-30	0.00	0.000000	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	0.00	0.000000	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	0.00	0.000000	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	0.00	0.000000	20	PASS	

	Ant1	5310	NV	-30	40000.00	7.532957	20	PASS
			NV	-20	40000.00	7.532957	20	PASS
			NV	-10	40000.00	7.532957	20	PASS
			NV	0	40000.00	7.532957	20	PASS
			NV	10	40000.00	7.532957	20	PASS
			NV	20	40000.00	7.532957	20	PASS
			NV	30	40000.00	7.532957	20	PASS
			NV	40	40000.00	7.532957	20	PASS
			NV	50	40000.00	7.532957	20	PASS
	Ant2	5310	NV	-30	40000.00	7.532957	20	PASS
			NV	-20	40000.00	7.532957	20	PASS
			NV	-10	40000.00	7.532957	20	PASS
			NV	0	40000.00	7.532957	20	PASS
			NV	10	40000.00	7.532957	20	PASS
			NV	20	40000.00	7.532957	20	PASS
			NV	30	40000.00	7.532957	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	7.532957	20	PASS
	Ant1	5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	7.259528	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	7.259528	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5510	NV	-30	0.00	0.000000	20	PASS
NV			-20	0.00	0.000000	20	PASS	
NV			-10	0.00	0.000000	20	PASS	
NV			0	0.00	0.000000	20	PASS	
NV			10	0.00	0.000000	20	PASS	
NV			20	0.00	0.000000	20	PASS	
NV			30	0.00	0.000000	20	PASS	
NV			40	0.00	0.000000	20	PASS	
NV			50	-40000.00	-7.259528	20	PASS	
Ant1	5550	NV	-30	0.00	0.000000	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	0.00	0.000000	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	0.00	0.000000	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	0.00	0.000000	20	PASS	

	Ant2	5550	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.207207	20	PASS
	Ant1	5670	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
Ant2	5670	NV	-30	0.00	0.000000	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	0.00	0.000000	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	0.00	0.000000	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	0.00	0.000000	20	PASS	
Ant1	5755	NV	-30	0.00	0.000000	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	0.00	0.000000	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	0.00	0.000000	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	0.00	0.000000	20	PASS	
Ant2	5755	NV	-30	40000.00	6.950478	20	PASS	
		NV	-20	40000.00	6.950478	20	PASS	
		NV	-10	40000.00	6.950478	20	PASS	
		NV	0	40000.00	6.950478	20	PASS	
		NV	10	40000.00	6.950478	20	PASS	
		NV	20	40000.00	6.950478	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	40000.00	6.950478	20	PASS	
		NV	50	80000.00	13.900956	20	PASS	

	Ant1	5795	NV	-30	-40000.00	-6.902502	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-6.902502	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS
	Ant2	5795	NV	-30	40000.00	6.902502	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC80MI MO	Ant1	5210	NV	-30	160000.00	0.000000	20	PASS
			NV	-20	-160000.00	0.000000	20	PASS
			NV	-10	160000.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	320000.00	0.000000	20	PASS
			NV	40	320000.00	0.000000	20	PASS
			NV	50	320000.00	0.000000	20	PASS
	Ant2	5210	NV	-30	160000.00	0.000000	20	PASS
			NV	-20	400000.00	0.000000	20	PASS
			NV	-10	400000.00	0.000000	20	PASS
			NV	0	480000.00	0.000000	20	PASS
			NV	10	160000.00	0.000000	20	PASS
			NV	20	240000.00	0.000000	20	PASS
			NV	30	640000.00	0.000000	20	PASS
			NV	40	160000.00	0.000000	20	PASS
			NV	50	400000.00	0.000000	20	PASS
	Ant1	5290	NV	-30	80000.00	15.122873	20	PASS
			NV	-20	80000.00	15.122873	20	PASS
			NV	-10	80000.00	15.122873	20	PASS
			NV	0	80000.00	15.122873	20	PASS
			NV	10	320000.00	0.000000	20	PASS
			NV	20	80000.00	15.122873	20	PASS
			NV	30	80000.00	15.122873	20	PASS
			NV	40	80000.00	15.122873	20	PASS
			NV	50	160000.00	0.000000	20	PASS

	Ant2	5290	NV	-30	-240000.00	0.000000	20	PASS
			NV	-20	-320000.00	0.000000	20	PASS
			NV	-10	-240000.00	0.000000	20	PASS
			NV	0	-240000.00	0.000000	20	PASS
			NV	10	-240000.00	0.000000	20	PASS
			NV	20	-240000.00	0.000000	20	PASS
			NV	30	-240000.00	0.000000	20	PASS
			NV	40	-320000.00	0.000000	20	PASS
			NV	50	-240000.00	0.000000	20	PASS
	Ant1	5530	NV	-30	-160000.00	0.000000	20	PASS
			NV	-20	-160000.00	0.000000	20	PASS
			NV	-10	-320000.00	0.000000	20	PASS
			NV	0	-160000.00	0.000000	20	PASS
			NV	10	-160000.00	0.000000	20	PASS
			NV	20	-160000.00	0.000000	20	PASS
			NV	30	-160000.00	0.000000	20	PASS
			NV	40	-160000.00	0.000000	20	PASS
			NV	50	-80000.00	0.000000	20	PASS
	Ant2	5530	NV	-30	-320000.00	0.000000	20	PASS
			NV	-20	-320000.00	0.000000	20	PASS
			NV	-10	-320000.00	0.000000	20	PASS
			NV	0	-320000.00	0.000000	20	PASS
			NV	10	-320000.00	0.000000	20	PASS
			NV	20	-240000.00	0.000000	20	PASS
			NV	30	-320000.00	0.000000	20	PASS
			NV	40	-320000.00	0.000000	20	PASS
			NV	50	-320000.00	0.000000	20	PASS
	Ant1	5610	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-80000.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
Ant2	5610	NV	-30	-400000.00	0.000000	20	PASS	
		NV	-20	-320000.00	0.000000	20	PASS	
		NV	-10	-400000.00	0.000000	20	PASS	
		NV	0	-240000.00	0.000000	20	PASS	
		NV	10	-400000.00	0.000000	20	PASS	
		NV	20	-320000.00	0.000000	20	PASS	
		NV	30	-320000.00	0.000000	20	PASS	
		NV	40	-320000.00	0.000000	20	PASS	
		NV	50	-320000.00	0.000000	20	PASS	

	Ant1	5775	NV	-30	-80000.00	0.000000	20	PASS
			NV	-20	80000.00	0.000000	20	PASS
			NV	-10	240000.00	0.000000	20	PASS
			NV	0	160000.00	0.000000	20	PASS
			NV	10	-160000.00	0.000000	20	PASS
			NV	20	160000.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-80000.00	0.000000	20	PASS
	Ant2	5775	NV	-30	1040000.00	0.000000	20	PASS
			NV	-20	1200000.00	0.000000	20	PASS
			NV	-10	320000.00	0.000000	20	PASS
			NV	0	320000.00	0.000000	20	PASS
			NV	10	640000.00	0.000000	20	PASS
			NV	20	1280000.00	0.000000	20	PASS
			NV	30	1280000.00	0.000000	20	PASS
			NV	40	240000.00	0.000000	20	PASS
			NV	50	1120000.00	0.000000	20	PASS

8. Duty Cycle

8.1. Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5180	2.06	2.26	91.15	---	---
	Ant2	5180	2.07	2.25	92.00	---	---
	Ant1	5200	2.06	2.20	93.64	---	---
	Ant2	5200	2.07	2.26	91.59	---	---
	Ant1	5240	2.07	2.25	92.00	---	---
	Ant2	5240	2.06	2.24	91.96	---	---
	Ant1	5260	2.06	2.19	94.06	---	---
	Ant2	5260	2.06	2.21	93.21	---	---
	Ant1	5280	2.06	2.24	91.96	---	---
	Ant2	5280	2.07	2.28	90.79	---	---
	Ant1	5320	2.06	2.29	89.96	---	---
	Ant2	5320	2.07	2.29	90.39	---	---
	Ant1	5500	2.07	2.24	92.41	---	---
	Ant2	5500	2.06	2.22	92.79	---	---
	Ant1	5580	2.06	2.29	89.96	---	---
	Ant2	5580	2.06	2.25	91.56	---	---
	Ant1	5700	2.07	2.25	92.00	---	---
	Ant2	5700	2.07	2.23	92.83	---	---
	Ant1	5745	2.07	2.24	92.41	---	---
	Ant2	5745	2.06	2.21	93.21	---	---
	Ant1	5785	2.06	2.24	91.96	---	---
	Ant2	5785	2.06	2.28	90.35	---	---
	Ant1	5825	2.07	2.28	90.79	---	---
	Ant2	5825	2.06	2.25	91.56	---	---
11N20MIMO	Ant1	5180	1.92	2.15	89.30	---	---
	Ant2	5180	1.92	2.14	89.72	---	---
	Ant1	5200	1.92	2.12	90.57	---	---
	Ant2	5200	1.92	2.11	91.00	---	---
	Ant1	5240	1.92	2.14	89.72	---	---
	Ant2	5240	1.92	2.06	93.20	---	---
	Ant1	5260	1.92	2.14	89.72	---	---
	Ant2	5260	1.92	2.14	89.72	---	---
	Ant1	5280	1.92	2.10	91.43	---	---
	Ant2	5280	1.92	2.13	90.14	---	---
	Ant1	5320	1.92	2.09	91.87	---	---
	Ant2	5320	1.92	2.14	89.72	---	---
	Ant1	5500	1.92	2.14	89.72	---	---
	Ant2	5500	1.92	2.14	89.72	---	---
	Ant1	5580	1.92	2.14	89.72	---	---

	Ant2	5580	1.92	2.09	91.87	---	---	
	Ant1	5700	1.92	2.12	90.57	---	---	
	Ant2	5700	1.92	2.12	90.57	---	---	
	Ant1	5745	1.92	2.15	89.30	---	---	
	Ant2	5745	1.92	2.12	90.57	---	---	
	Ant1	5785	1.92	2.15	89.30	---	---	
	Ant2	5785	1.92	2.10	91.43	---	---	
	Ant1	5825	1.92	2.11	91.00	---	---	
	Ant2	5825	1.92	2.13	90.14	---	---	
11N40MIMO	Ant1	5190	0.95	1.18	80.51	---	---	
	Ant2	5190	0.95	1.16	81.90	---	---	
	Ant1	5230	0.94	1.15	81.74	---	---	
	Ant2	5230	0.94	1.17	80.34	---	---	
	Ant1	5270	0.95	1.17	81.20	---	---	
	Ant2	5270	0.95	1.15	82.61	---	---	
	Ant1	5310	0.95	1.13	84.07	---	---	
	Ant2	5310	0.94	1.17	80.34	---	---	
	Ant1	5510	0.95	1.18	80.51	---	---	
	Ant2	5510	0.95	1.13	84.07	---	---	
	Ant1	5550	0.50	0.72	69.44	---	---	
	Ant2	5550	0.50	0.72	69.44	---	---	
	Ant1	5670	0.49	0.71	69.01	---	---	
	Ant2	5670	0.49	0.72	68.06	---	---	
	Ant1	5755	0.49	0.69	71.01	---	---	
	Ant2	5755	0.49	0.75	65.33	---	---	
	Ant1	5795	0.49	0.70	70.00	---	---	
	Ant2	5795	0.49	0.72	68.06	---	---	
	11AC20MIMO	Ant1	5180	0.99	1.23	80.49	---	---
		Ant2	5180	0.99	1.18	83.90	---	---
Ant1		5200	1.00	1.25	80.00	---	---	
Ant2		5200	0.99	1.24	79.84	---	---	
Ant1		5240	0.99	1.25	79.20	---	---	
Ant2		5240	0.99	1.25	79.20	---	---	
Ant1		5260	0.99	1.21	81.82	---	---	
Ant2		5260	1.00	1.24	80.65	---	---	
Ant1		5280	1.00	1.24	80.65	---	---	
Ant2		5280	0.99	1.23	80.49	---	---	
Ant1		5320	0.99	1.25	79.20	---	---	
Ant2		5320	0.99	1.23	80.49	---	---	
Ant1		5500	0.99	1.22	81.15	---	---	
Ant2		5500	0.99	1.25	79.20	---	---	
Ant1		5580	0.99	1.22	81.15	---	---	
Ant2		5580	0.99	1.25	79.20	---	---	
Ant1		5700	1.00	1.24	80.65	---	---	
Ant2		5700	0.99	1.24	79.84	---	---	


	Ant1	5745	0.99	1.23	80.49	---	---
	Ant2	5745	1.00	1.21	82.64	---	---
	Ant1	5785	0.99	1.24	79.84	---	---
	Ant2	5785	1.00	1.24	80.65	---	---
	Ant1	5825	0.99	1.24	79.84	---	---
	Ant2	5825	0.99	1.21	81.82	---	---
11AC40MIMO	Ant1	5190	0.50	0.75	66.67	---	---
	Ant2	5190	0.50	0.75	66.67	---	---
	Ant1	5230	0.50	0.76	65.79	---	---
	Ant2	5230	0.50	0.76	65.79	---	---
	Ant1	5270	0.50	0.75	66.67	---	---
	Ant2	5270	0.50	0.74	67.57	---	---
	Ant1	5310	0.50	0.76	65.79	---	---
	Ant2	5310	0.50	0.74	67.57	---	---
	Ant1	5510	0.50	0.71	70.42	---	---
	Ant2	5510	0.50	0.75	66.67	---	---
	Ant1	5550	0.50	0.75	66.67	---	---
	Ant2	5550	0.50	0.76	65.79	---	---
	Ant1	5670	0.50	0.75	66.67	---	---
	Ant2	5670	0.50	0.75	66.67	---	---
	Ant1	5755	0.50	0.74	67.57	---	---
	Ant2	5755	0.50	0.74	67.57	---	---
	Ant1	5795	0.50	0.81	61.73	---	---
	Ant2	5795	0.50	0.76	65.79	---	---
11AC80MIMO	Ant1	5210	0.25	0.51	49.02	---	---
	Ant2	5210	0.26	0.51	50.98	---	---
	Ant1	5290	0.26	0.51	50.98	---	---
	Ant2	5290	0.26	0.51	50.98	---	---
	Ant1	5530	0.25	0.51	49.02	---	---
	Ant2	5530	0.26	0.51	50.98	---	---
	Ant1	5610	0.26	0.51	50.98	---	---
	Ant2	5610	0.25	0.51	49.02	---	---
	Ant1	5775	0.26	0.51	50.98	---	---
	Ant2	5775	0.26	0.51	50.98	---	---

8.2. Test Graphs







11A_Ant2_5200




11A_Ant1_5240




11A_Ant2_5240




11A_Ant1_5260




11A_Ant2_5260




11A_Ant1_5280




11A_Ant2_5280




11A_Ant1_5320




11A_Ant2_5320






11A_Ant1_5500




11A_Ant2_5500




11A_Ant1_5580




11A_Ant2_5700






11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785




11A_Ant2_5825




11N20MIMO_Ant1_5180



11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




Date: 10.MAR.2023 11:49:37

11N20MIMO_Ant2_5200




Date: 10.MAR.2023 11:51:19

11N20MIMO_Ant1_5240




Date: 10.MAR.2023 11:55:21

11N20MIMO_Ant2_5240




Date: 10.MAR.2023 11:57:03

11N20MIMO_Ant1_5260




Date: 10.MAR.2023 13:59:24

11N20MIMO_Ant2_5260




Date: 10.MAR.2023 14:01:05


11N20MIMO_Ant1_5280




11N20MIMO_Ant2_5280



11N20MIMO_Ant1_5320




11N20MIMO_Ant2_5320




Date: 10.MAR.2023 14:15:58

11N20MIMO_Ant1_5500






Date: 10.MAR.2023 14:24:53


11N20MIMO_Ant2_5500




Date: 10.MAR.2023 14:26:35

11N20MIMO_Ant1_5580







11N20MIMO_Ant1_5745



11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




Date: 10.MAR.2023 14:48:21

11N20MIMO_Ant2_5785






Date: 10.MAR.2023 14:49:48

11N20MIMO_Ant1_5825




Date: 10.MAR.2023 14:51:54


11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5270




11N40MIMO_Ant2_5270




11N40MIMO_Ant1_5310




11N40MIMO_Ant2_5310




11N40MIMO_Ant1_5510






11N40MIMO_Ant2_5510




11N40MIMO_Ant1_5550




11N40MIMO_Ant2_5550






Date: 13.MAR.2023 10:42:48

11N40MIMO_Ant2_5755




Date: 13.MAR.2023 10:44:29

11N40MIMO_Ant1_5795




Date: 13.MAR.2023 10:51:46


11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5180




11AC20MIMO_Ant2_5180




11AC20MIMO_Ant1_5200




11AC20MIMO_Ant2_5200



11AC20MIMO_Ant1_5240




11AC20MIMO_Ant2_5240




Date: 13.MAR.2023 11:22:51

11AC20MIMO_Ant1_5260




Date: 13.MAR.2023 11:26:36

11AC20MIMO_Ant2_5260




Date: 13.MAR.2023 11:28:20


11AC20MIMO_Ant1_5280




11AC20MIMO_Ant2_5280




11AC20MIMO_Ant1_5320




11AC20MIMO_Ant2_5320




11AC20MIMO_Ant1_5500



11AC20MIMO_Ant2_5500




11AC20MIMO_Ant1_5580




Date: 13.MAR.2023 11:47:23

11AC20MIMO_Ant2_5580




Date: 13.MAR.2023 11:49:06

11AC20MIMO_Ant1_5700




Date: 13.MAR.2023 11:53:48


11AC20MIMO_Ant2_5700




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5190




11AC40MIMO_Ant2_5190




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant2_5230



11AC40MIMO_Ant1_5270




11AC40MIMO_Ant2_5270




Date: 13.MAR.2023 14:04:26

11AC40MIMO_Ant1_5310






Date: 13.MAR.2023 14:11:25


11AC40MIMO_Ant2_5310




Date: 13.MAR.2023 14:16:32

11AC40MIMO_Ant1_5510







11AC40MIMO_Ant1_5670




11AC40MIMO_Ant2_5670




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5210




11AC80MIMO_Ant2_5210




11AC80MIMO_Ant1_5290




11AC80MIMO_Ant2_5290




11AC80MIMO_Ant1_5530




11AC80MIMO_Ant2_5530




11AC80MIMO_Ant1_5610




11AC80MIMO_Ant2_5610



11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775



-----End of the report-----