



## Appendix A

### RF Test Data for BT (Conducted Measurement)

Product Name: Portable mini printer

Test Model: PM230

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.8°C    |
| Relative Humidity: | 52.1%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Jerry Chu |
| Supervised by:     | Nick Peng |





## A.1 -20dB Bandwidth


| Condition | Mode  | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant     | 0.945                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant     | 0.953                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | 1.003                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | 1.284                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant     | 1.285                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | 1.286                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | 1.292                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant     | 1.311                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | 1.298                  | N/A                          | Pass    |






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant







## A.2 Maximum Peak Conducted Output Power

| Condition | Mode  | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-----------------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant     | -0.85                 | 21          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant     | -0.54                 | 21          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | -1.63                 | 21          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | -0.2                  | 21          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant     | 0.21                  | 21          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | -0.71                 | 21          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | 0.23                  | 21          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant     | 0.67                  | 21          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | -0.34                 | 21          | Pass    |









Test Graphs

Power NVNT 1-DH5 2402MHz Ant




Power NVNT 1-DH5 2441MHz Ant






Power NVNT 1-DH5 2480MHz Ant




Power NVNT 2-DH5 2402MHz Ant






Power NVNT 2-DH5 2441MHz Ant




Power NVNT 2-DH5 2480MHz Ant







Power NVNT 3-DH5 2402MHz Ant



Power NVNT 3-DH5 2441MHz Ant







### A.3 Carrier Frequencies Separation


| Condition | Mode  | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT      | 1-DH5 | Ant     | 2401.836            | 2402.826            | 0.99      | 0.669       | Pass    |
| NVNT      | 2-DH5 | Ant     | 2402.016            | 2403.03             | 1.014     | 0.857       | Pass    |
| NVNT      | 3-DH5 | Ant     | 2402.024            | 2403.16             | 1.136     | 0.874       | Pass    |







Test Graphs

CFS NVNT 1-DH5 2402MHz Ant



CFS NVNT 2-DH5 2402MHz Ant









### A.4 Dwell Time


| Condition | Mode  | Frequency (MHz) | Antenna | Pulse Time (ms) | Total Dwell Time (ms) | Burst Count | Period Time (ms) | Limit (ms) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-----------------------|-------------|------------------|------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant     | 2.91            | 325.92                | 112         | 31600            | 400        | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | 2.687           | 279.448               | 104         | 31600            | 400        | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | 2.897           | 281.009               | 97          | 31600            | 400        | Pass    |






Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant One Burst




Dwell NVNT 1-DH5 2402MHz Ant Accumulated






Dwell NVNT 2-DH5 2402MHz Ant One Burst




Dwell NVNT 2-DH5 2402MHz Ant Accumulated






Dwell NVNT 3-DH5 2402MHz Ant One Burst



Dwell NVNT 3-DH5 2402MHz Ant Accumulated





## A.5 Number of Hopping Channel


| Condition | Mode  | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT      | 1-DH5 | Ant     | 79             | 15    | Pass    |
| NVNT      | 2-DH5 | Ant     | 79             | 15    | Pass    |
| NVNT      | 3-DH5 | Ant     | 79             | 15    | Pass    |






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant




Hopping No. NVNT 2-DH5 2402MHz Ant





Hopping No. NVNT 3-DH5 2402MHz Ant





## A.6 Band Edge

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant     | No-Hopping   | -54.69          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | No-Hopping   | -54.74          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | No-Hopping   | -52.05          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | No-Hopping   | -54.62          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | No-Hopping   | -51.86          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | No-Hopping   | -51.92          | -20         | Pass    |









Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Emission





### (Hopping)


| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant     | Hopping      | -52.06          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | Hopping      | -52.42          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | Hopping      | -50.23          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | Hopping      | -52.76          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | Hopping      | -51.22          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | Hopping      | -52.8           | -20         | Pass    |






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Emission








Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Emission





## A.7 Conducted RF Spurious Emission


| Condition | Mode  | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant     | -54.12          | -20         | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant     | -44.22          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | -53.25          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | -53.1           | -20         | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant     | -46.34          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | -51.38          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | -46.23          | -20         | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant     | -52.71          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | -52.57          | -20         | Pass    |






Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant Emission








Tx. Spurious NVNT 1-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant Emission





### A.8 Duty Cycle

| Condition | Mode  | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|-------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | 1-DH5 | 2402            | Ant     | 77.63          | 1.1                    | 0.34      |
| NVNT      | 1-DH5 | 2441            | Ant     | 77.63          | 1.1                    | 0.34      |
| NVNT      | 1-DH5 | 2480            | Ant     | 77.63          | 1.1                    | 0.34      |
| NVNT      | 2-DH5 | 2402            | Ant     | 77.28          | 1.12                   | 0.35      |
| NVNT      | 2-DH5 | 2441            | Ant     | 77.28          | 1.12                   | 0.35      |
| NVNT      | 2-DH5 | 2480            | Ant     | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2402            | Ant     | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2441            | Ant     | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2480            | Ant     | 77.28          | 1.12                   | 0.35      |









Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant




Duty Cycle NVNT 1-DH5 2441MHz Ant






Duty Cycle NVNT 1-DH5 2480MHz Ant




Duty Cycle NVNT 2-DH5 2402MHz Ant






Duty Cycle NVNT 2-DH5 2441MHz Ant




Duty Cycle NVNT 2-DH5 2480MHz Ant






Duty Cycle NVNT 3-DH5 2402MHz Ant




Duty Cycle NVNT 3-DH5 2441MHz Ant





Duty Cycle NVNT 3-DH5 2480MHz Ant





### A.9 Restrict Band

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant     | No-Hopping   | 2310            | -50.97      | 2.499      | -                | 46.79      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant     | No-Hopping   | 2310            | -59.12      | 2.499      | 1.1              | 39.74      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant     | No-Hopping   | 2354.352        | -47.4       | 2.499      | -                | 50.36      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant     | No-Hopping   | 2351.568        | -57.51      | 2.499      | 1.1              | 41.35      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant     | No-Hopping   | 2390            | -50.57      | 2.499      | -                | 47.19      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant     | No-Hopping   | 2390            | -58.47      | 2.499      | 1.1              | 40.39      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | No-Hopping   | 2483.5          | -50.19      | 2.499      | -                | 47.57      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | No-Hopping   | 2483.5          | -57.93      | 2.499      | 1.1              | 40.93      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | No-Hopping   | 2483.608        | -46.84      | 2.499      | -                | 50.92      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | No-Hopping   | 2483.896        | -56.75      | 2.499      | 1.1              | 42.11      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | No-Hopping   | 2500            | -48.84      | 2.499      | -                | 48.92      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant     | No-Hopping   | 2500            | -58.42      | 2.499      | 1.1              | 40.44      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | No-Hopping   | 2310            | -50.49      | 2.499      | -                | 47.27      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | No-Hopping   | 2310            | -58.75      | 2.499      | 1.12             | 40.13      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | No-Hopping   | 2349.84         | -47.38      | 2.499      | -                | 50.38      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | No-Hopping   | 2356.176        | -57.6       | 2.499      | 1.12             | 41.28      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | No-Hopping   | 2390            | -50.83      | 2.499      | -                | 46.93      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant     | No-Hopping   | 2390            | -58.43      | 2.499      | 1.12             | 40.45      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | No-Hopping   | 2483.5          | -48.9       | 2.499      | -                | 48.86      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | No-Hopping   | 2483.5          | -57.38      | 2.499      | 1.12             | 41.50      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | No-Hopping   | 2493.664        | -46.32      | 2.499      | -                | 51.44      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | No-Hopping   | 2483.68         | -57.12      | 2.499      | 1.12             | 41.76      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | No-Hopping   | 2500            | -50.18      | 2.499      | -                | 47.58      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant     | No-Hopping   | 2500            | -57.62      | 2.499      | 1.12             | 41.26      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | No-Hopping   | 2310            | -51.44      | 2.499      | -                | 46.32      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | No-Hopping   | 2310            | -58.66      | 2.499      | 1.12             | 40.22      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | No-Hopping   | 2369.808        | -45.7       | 2.499      | -                | 52.06      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | No-Hopping   | 2379.408        | -57.59      | 2.499      | 1.12             | 41.29      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | No-Hopping   | 2390            | -50.39      | 2.499      | -                | 47.37      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant     | No-Hopping   | 2390            | -58.24      | 2.499      | 1.12             | 40.64      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | No-Hopping   | 2483.5          | -50.45      | 2.499      | -                | 47.31      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | No-Hopping   | 2483.5          | -57.69      | 2.499      | 1.12             | 41.19      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | No-Hopping   | 2483.728        | -46.77      | 2.499      | -                | 50.99      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | No-Hopping   | 2483.968        | -57         | 2.499      | 1.12             | 41.88      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | No-Hopping   | 2500            | -50.01      | 2.499      | -                | 47.75      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant     | No-Hopping   | 2500            | -57.55      | 2.499      | 1.12             | 41.33      | Average  | 54             | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Average








Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Average








Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Average

