



Report No.: File reference No.:	TW2202085-01E 2022-03-08
Applicant:	Jiangxi EQi Industrial Co., Ltd.
Product:	Household electric treadmill
Model No.:	T4000, T4001, T4002, T4002A, T4005, T4006, T4007, T4008, T3600, K1
Trademark:	EQI
Test Standards:	FCC Part 15.249
Test result:	It is herewith confirmed and found to comply with the requirements set up by ANSI C63.10 &FCC Part 15 Subpart C, Paragraph 15.249 regulations for the evaluation of electromagnetic compatibility
Approved By	

Terry long

Terry Tang

Manager

Dated:

March 08, 2022

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

## SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



#### **Special Statement:**

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

#### CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

#### FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

#### Industry Canada (IC) — Registration No.: 5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

#### A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion Content

	content	
1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	4
1.5	Test Duration	5
1.6	Test Uncertainty	5
1.7	Test By	5
2.0	List of Measurement Equipment	6
3.0	Technical Details	7
3.1	Summary of Test Results	7
3.2	Test Standards	7
4.0	EUT Modification	7
5.0	Power Line Conducted Emission Test	8
5.1	Schematics of the Test	8
5.2	Test Method and Test Procedure	8
5.3	Configuration of the EUT	8
5.4	EUT Operating Condition	9
5.5	Conducted Emission Limit	9
5.6	Test Result	9
6.0	Radiated Emission test	12
6.1	Test Method and Test Procedure	12
6.2	Configuration of the EUT	13
6.3	EUT Operation Condition	13
6.4	Radiated Emission Limit	14
6.5	Test Result	15
7.0	Band Edge	23
7.1	Test Method and Test Procedure	23
7.2	Radiated Test Setup	23
7.3	Configuration of the EUT	23
7.4	EUT Operating Condition	23
7.5	Band Edge Limit	23
7.6	Band Edge Test Result	24
8.0	Antenna Requirement	28
9.0	20dB bandwidth measurement	29
10.0	FCC ID Label	35
11.0	Photo of Test Setup and EUT View	36

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### 1.0 General Details

1.1 Test Lab Details

Name :	SHENZHEN TIMEWAY TESTING LABORATORIES.
Address:	Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le
	Village, Nanshan District, Shenzhen, China
Telephone:	(755) 83448688
Fax:	(755) 83442996
Site on File v	with the Federal Communications Commission – United Sates
Registration	Number: 744189
For 3m Anec	choic Chamber

#### 1.2 Applicant Details

Applicant:Jiangxi EQi Industrial Co., Ltd.Address:Luliang Road, Yining Town, Xiushui County, Jiujiang City, Jiangxi ProvinceTelephone:0792-7990988Fax:--

1.3 Description of EUT

Product:	Household electric treadmill
Manufacturer:	Jiangxi EQi Industrial Co., Ltd.
Address:	Luliang Road, Yining Town, Xiushui County, Jiujiang City, Jiangxi Province
Trademark:	EQI
Additional Trademark:	N/A
Model Number:	T4000
Additional Model Name	T4001, T4002, T4002A, T4005, T4006, T4007, T4008, T3600, K1
Hardware Version:	V02
Software Version:	U08
Serial No.:	D211122DB1M
Rating:	120V~, 60Hz, 6.1A, 550W
Modulation Type:	GFSK, $\pi/4D$ -QPSK
Operation Frequency:	2402-2480MHz
Channel Separate:	1MHz
Channel Number:	79
Antenna Designation	PCB antenna with gain 0dBi Max (Declared by the manufacturer)

1.4 Submitted Sample: 1 pc

\

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.5 Test Duration 2022-02-21 to 2022-03-08

- 1.6 Test Uncertainty Conducted Emissions Uncertainty =3.6dB Radiated Emissions below 1GHz Uncertainty =4.7dB Radiated Emissions above 1GHz Uncertainty =6.0dB Conducted Power Uncertainty =6.0dB Occupied Channel Bandwidth Uncertainty =5% Conducted Emissions Uncertainty =3.6dB Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.
- 1.7 Test Engineer

Andy -Xing

The sample tested by

Print Name: Andy Xing

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



2.0 Test Equipment					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2021-06-18	2022-06-17
LISN	R&S	EZH3-Z5	100294	2021-06-18	2022-06-17
LISN	R&S	EZH3-Z5	100253	2021-06-18	2022-06-17
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2021-06-18	2022-06-17
Loop Antenna	EMCO	6507	00078608	2021-06-18	2024-06-17
Spectrum	R&S	FSIQ26	100292	2021-06-18	2022-06-17
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2021-07-02	2024-07-01
Horn Antenna	R&S	BBHA 9120D	9120D-631	2021-07-02	2024-07-01
Power meter	Anritsu	ML2487A	6K00003613	2021-06-18	2022-06-17
Power sensor	Anritsu	MA2491A	32263	2021-06-18	2022-06-17
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2021-07-02	2024-07-01
9*6*6 Anechoic			N/A	2021-07-02	2022-07-01
EMI Test Receiver	RS	ESVB	826156/011	2021-06-18	2022-06-17
EMI Test Receiver	RS	ESH3	860904/006	2021-06-18	2022-06-17
Spectrum	HP/Agilent	ESA-L1500A	US37451154	2021-06-18	2022-06-17
Spectrum	HP/Agilent	E4407B	MY50441392	2021-06-18	2022-06-17
Spectrum	RS	FSP	1164.4391.38	2021-01-16	2022-01-15
RF Cable	Zhengdi	ZT26-NJ-NJ-8M/FA		2021-06-18	2022-06-17
RF Cable	Zhengdi	7m		2021-06-18	2022-06-17
RF Switch	EM	EMSW18	060391	2021-06-18	2022-06-17
Pre-Amplifier	Schwarebeck	BBV9743	#218	2021-06-18	2022-06-17
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2021-06-18	2022-06-17
LISN	SCHAFFNER	NNB42	00012	2022-01-05	2023-01-04

#### 2.2 Automation Test Software

For Conducted Emission Test

Name	Version	
EZ-EMC	Ver.EMC-CON 3A1.1	

#### For Radiated Emissions

Name	Version
EMI Test Software BL410-EV18.91	V18.905
EMI Test Software BL410-EV18.806 High Frequency	V18.06

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### **3.0** Technical Details

#### 3.1 Summary of test results

The EUT has been tested according to the following specifications:			
Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.203	Antenna Requirement	Pass	Complies
FCC Part 15, Paragraph 15.207	Conducted Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	Pass	Complies
FCC Part 15, Paragraph 15.209	Radiated Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	Pass	Complies

#### **3.2** Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4 :2014 and ANSI C63.10 :2013

#### 4.0 EUT Modification

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### 5. Power Line Conducted Emission Test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 500hm/50uH as specified by section 5.1 of ANSI C63.10-2013.

Test Voltage: 120V~, 60Hz

Block diagram of Test setup



#### 5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below. 79 channels are provided to the EUT

Device	Manufacturer	Model	FCC ID
Household electric	Jiangxi EQi Industrial	T4000, T4001, T4002, T4002A, T4005,	2A4NH-S1
treadmill	Co., Ltd.	T4006, T4007, T4008, T3600, K1	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### B. Internal Device

Internal Berlee			
Device	Manufacturer	Model	FCC ID/DOC
N/A			

#### C. Peripherals

Device	Manufacturer	Model	Rating
N/A			

#### 5.4 EUT Operating Condition

- Operating condition is according to ANSI C63.10-2013
- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

#### 5.5 Power line conducted Emission Limit according to Paragraph 15.207

Frequency	Limits (dB µ V)					
(MHz)	Quasi-peak Level	Average Level				
$0.15 \sim 0.50$	66.0~56.0*	56.0~46.0*				
$0.50~\sim~5.00$	56.0	46.0				
$5.00 \sim 30.00$	60.0	50.0				

Notes: 1. \*Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

#### 5.6 Test Results:

Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Conducted Emission on Live Terminal (150kHz to 30MHz) A: **EUT Operating Environment** Temperature: 25℃ Humidity: 65%RH Atmospheric Pressure: 101 kPa EUT set Condition: Normal operation and Communication by BT **Results: Pass** Please refer to following diagram for individual dBu¥ 80.0 70 FCC Part15 CE-Class C\_QP 60 CC Part 5 CE-Class C AVe 50 peak 40 AVG 30 20 10 0 -10 -20 0.150 (MHz) 30.000

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.6843	30.23	9.78	40.01	56.00	-15.99	QP	Ρ
2	0.6843	23.77	9.78	33.55	46.00	-12.45	AVG	Ρ
3	1.3395	35.38	9.79	45.17	56.00	-10.83	QP	Р
4	1.3395	25.46	9.79	35.25	46.00	-10.75	AVG	Ρ
5	7.1067	39.85	10.02	49.87	60.00	-10.13	QP	Ρ
6	7.1067	28.36	10.02	38.38	50.00	-11.62	AVG	Р
7	23.2916	38.64	10.88	49.52	60.00	-10.48	QP	Р
8	23.2916	28.16	10.88	39.04	50.00	-10.96	AVG	Р

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.9963	34.80	9.79	44.59	56.00	-11.41	QP	Р
2	0.9963	28.11	9.79	37.90	46.00	-8.10	AVG	Ρ
3	3.0780	23.32	9.85	33.17	56.00	-22.83	QP	Р
4	3.0780	16.82	9.85	26.67	46.00	-19.33	AVG	Ρ
5	7.1457	41.31	10.02	51.33	60.00	-8.67	QP	Ρ
6	7.1457	30.64	10.02	40.66	50.00	-9.34	AVG	Ρ
7	13.4130	35.16	10.31	45.47	60.00	-14.53	QP	Р
8	13.4130	25.94	10.31	36.25	50.00	-13.75	AVG	Ρ

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### 6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz (Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

#### Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz




The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



- 6.2 Configuration of The EUT Same as section 5.3 of this report
- 6.3 EUT Operating Condition Same as section 5.4 of this report.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

#### A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundamental Frequency	Field Stre	ength of Fundame	ntal (3m)	Field St	rength of Harmonics (3m)			
(MHz)	mV/m	dBu	V/m	uV/m	dBuV/m			
2400-2483.5	50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)		

Note: 1. RF Field Strength (dBuV) = 20 log RF Voltage (uV)

2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.

3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

#### B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

1 requences in reserver su	ia alt tompilta to initi	on rungruph totaost
Frequency Range (MHz)	Distance (m)	Field strength (dB $\mu$ V/m)
0.009-0.049	3	20log(2400/F(kHz)) +40log (300/3)
0.490-1.705	3	20log(24000/F(kHz)) +40log (30/3)
1.705-30	3	69.5
30-88	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note: 1. RF Voltage  $(dBuV) = 20 \log RF$  Voltage (uV)

2. In the Above Table, the tighter limit applies at the band edges.

3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT

4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.

5. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.

6. The two modulation modes of GFSK and $\pi/4D$ -QPSK were tested. And only the worst case was recorded in the test report. GFSK was the worst case.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



# 6.5 Test resultA Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2402MHz

#### Horizontal




	No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
		(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
ſ	1	2402.149	90.88	-3.57	114.0	-23.12	Peak	244.00	100	Horizontal	Pass
	2	4802.799	48.86	3.12	74.0	-25.14	Peak	226.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2402.149	82.32	-3.57	114.0	-31.68	Peak	138.00	100	Vertical	Pass
2	4802.799	49.43	3.12	74.0	-24.57	Peak	69.00	100	Vertical	Pass


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### Please refer to the following test plots for details: Middle Channel-2441MHz

#### Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2440.390	90.91	-3.57	114.0	-23.09	Peak	232.00	100	Horizontal	Pass
2	4879.280	50.54	3.20	74.0	-23.46	Peak	136.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2440.390	84.34	-3.57	114.0	-29.66	Peak	102.00	100	Vertical	Pass
2	4879.280	50.69	3.20	74.0	-23.31	Peak	282.00	100	Vertical	Pass


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### Please refer to the following test plots for details: High Channel-2480MHz

#### Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2479.630	90.85	-3.57	114.0	-23.15	Peak	242.00	100	Horizontal	Pass
2	4960.010	49.95	3.36	74.0	-24.05	Peak	144.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





No	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2479.630	81.07	-3.57	114.0	-32.93	Peak	317.00	100	Vertical	Pass
2	4960.010	50.05	3.36	74.0	-23.95	Peak	349.00	100	Vertical	Pass

Note: (2) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

(3) Margin=Emission-Limits

- (4) According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, It is only the floor noise. No necessary to take down.
- (6) the measured PK value less than the AV limit.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




#### B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

#### Results: Pass

Please refer to following diagram for individual

FCC\_FCC Part 15C Class B 30MHz-1GHz



No.	Frequency	Results	Factor	Limit	Over	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	Limit (dB)		(o)	(cm)		
1	52.062	34.84	-11.43	40.0	-5.16	Peak	32.00	100	Horizontal	Pass
2	167.948	35.15	-16.14	43.5	-8.35	Peak	0.00	100	Horizontal	Pass
3	241.892	41.05	-12.28	46.0	-4.95	Peak	133.00	100	Horizontal	Pass
4	354.869	42.03	-9.42	46.0	-3.97	Peak	76.00	100	Horizontal	Pass
5	393.659	41.66	-9.00	46.0	-4.34	Peak	50.00	100	Horizontal	Pass
6	777.926	39.07	-3.09	46.0	-6.93	Peak	97.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 22 of 45

#


#### Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

#### Results: Pass

#### Please refer to following diagram for individual

FCC\_FCC Part 15C Class B 30MHz-1GHz



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	42.122	35.22	-11.64	40.0	-4.78	Peak	256.00	100	Vertical	Pass
2	177.161	40.29	-15.71	43.5	-3.21	Peak	351.00	100	Vertical	Pass
3	339.595	42.83	-9.80	46.0	-3.17	Peak	103.00	100	Vertical	Pass
4	521.182	43.33	-6.76	46.0	-2.67	Peak	269.00	100	Vertical	Pass
5	679.253	42.80	-4.46	46.0	-3.20	Peak	263.00	100	Vertical	Pass
6	869.568	42.88	-2.06	46.0	-3.12	Peak	305.00	100	Vertical	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### 7. Band Edge

#### 7.1 Test Method and test Procedure:

- The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

#### 7.2 Radiated Test Setup



For the actual test configuration, please refer to the related items - Photos of Testing

#### 7.3 Configuration of The EUT

Same as section 5.3 of this report

#### 7.4 EUT Operating Condition

Same as section 5.4 of this report.

#### 7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### 7.6 Test Result

	Product:	1100	seniola elec	d electric treadmill Polarity				Horizontal		
	Mode	K	Leeping Tra	ansmitting	Т	est Voltag	ge		120V~	
Te	mperature		24 deg	g. C,		Humidity		4	56% RH	
Te	est Result:		Pas	SS						
C Part 1 1.0E+	15C Class B 1GHz-18GHz 2-r	-2								_
_								M1		
g	10-									
8										
7	-0-							السالي		
6	i0 -									
		4	المرياعاتين ويريد	والمجاولة والمحافظ والمتحافي والذهل وال	nigen gift for Allen had been had be			M2	- Andrew - A	
			The second s	A DATE OF DATE OF THE OWNER OWNER OF THE OWNER						
5		And the party of the second states of the second								
5		dagairgaagalahaadin biragiiri dagabid	and and any other states of the second s							_
4		d Landran y Alexandrik Inner Handrik								
4	10 -	d Line Processing and the second s								
4		de La réparte de la constitution de								
4 3 2	10 -	de La serva de la constante de								
4 3 2 1	0- 	de La segan parte de la constante de la constan La constante de la constante de								
4 3 2 1	0- 	4.4.44994494494494494949494949494949494			equency (MHz)					2410
4 3 2 1	0- 	Results	Factor			Detector	Table	Height	ANT	2410 Verdia
4 3 2 1	0- 0- 0- 2350			Fr	equency (MHz)	Detector	Table (o)	Height (cm)	-1	
4 3 2 1	0- 0- 2350	Results	Factor	Fr	equency (MHz)	Detector Peak		-	-1	
4 3 1 0 <b>No.</b>	0- 0- 2350 Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Fr Limit (dBuV/m)	equency (MHz) Over Limit (dB)		(0)	(cm)	ANT	Verdi
4 3 1 0 No.	0- 0- 2350 Frequency (MHz) 2399.773	Results (dBuV/m) 69.26	Factor (dB) -3.57	Fr Limit (dBuV/m) 74.0	equency (MHz) Over Limit (dB) -4.74	Peak	(o) 91.00	(cm) 100	ANT Horizontal	Verdie Pass

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



_	Product:	Hou	usehold ele	ctric treadmi	11	Detecto	or	\	Vertical						
	Mode		Keeping Ti	ansmitting		Test Volt	age	1	20V~						
Te	mperature		24 de	eg. C,		Humidity 56% R			6% RH						
Τe	est Result:		Pa	ISS											
C Part 1 1.0E+	15C Class B 1GHz-18GHz - -2-r	2													
9	-00							M	L						
8	30 -														
7	70-														
6	50 -								Number						
								M2	ML.						
5	50-														
5	50-		e e a la cale da	n en stade en an den stade andere stelle service	والمراجع والمراجع والمراجع والمراجع والمراجع	M3		•							
5		والمعالمة والمعادية والمحافظ المعادية والمحافظ المعادية والمحافظ	hadan di nigura palangian	hele ministration and a statement of the second	refeliquer, en existing a best filler and	M3									
5	50 - 10	line institution af the set of states	hadeen die politikus of the second	httyniis / jalon is in giden angele fil de seige	sehelikpart evi ettette beteller deter til	M3		0	, and a second						
4		terestation affective at the state	hadren dispitering and an and	hily at fight i fifty i the affective start of the start of	sefectyonstanisticky a desired states		in the second	•							
3	10-haddaraantalkaanaantallastadk	dises installation of the state	hadaandayahayahayahayahay	her nin fislen i blir i brankler i blir nifter i brankler i blir nifter	referiques en esta finis de la construction de la construcción de la construcción de la construcción de la cons										
3	10 - Lindana, yinikana nyi kalasihika 30 -	ig as and give a suffer water in a state of the suffer to a suff	haden ispinan pakanna	hang nin fisika si histori na dina si hina si h	ndariyan antaşiriya darisinin dar			0	W						
4 3 2 1	10 - <b>Julia Arghelin an Alaria II.</b> 10	dine ini di kana da ini ini da ini da ini da ini da ini Ini da ini da	hadeed depilent participation	han naidh i shi an dhi an dhi an dhu na d	enfatigani antağınığa kantisini gene			•							
4 3 2 1	10- <b>444444444444444444444444444444</b> 10	digas las lipides sud <sup>f</sup> etilis (labored setilis)	haden inder inder andere					0 0		2410					
4 3 2 1 0.	10 - With A shift in the shift in the shift is a shift is a shift is a shift in the shift is a shift is a shift in the shift is a shift is		T	Fre	equency (MHz)					r					
4 3 2 1 0.	0- 10- 10- 10- 10- 2350 Frequency	Results	Factor	Fre	equency (MHz)	Detector	Table	Height	ANT	r					
4 3 2 1	10 - With A shift in the shift in the shift is a shift is a shift is a shift in the shift is a shift is a shift in the shift is a shift is		T	Fre	equency (MHz)				ANT	r					
4 3 2 1 0.	0- 10- 10- 10- 10- 2350 Frequency	Results	Factor	Fre	equency (MHz)		Table	Height	ANT	r					
3 2 1 0.	0- 0- 0- 2250 Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Fre Limit (dBuV/m)	equency (MHz) Over Limit (dB)	Detector	Table (o)	Height (cm)		Verdic					

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



	Pro	oduct:	Ho	ousehold	electric tre	admill	Р	olarity		Horizon	tal
	Μ	lode		Keeping	g Transmitt	ing	Tes	t Voltage		120V~	
]	Гетр	oerature		24	l deg. C,		H	umidity		56% RI	H
,	Test	Result:			Pass						
	art 15C C 0E+2-	Class B 1GHz-18GHz -2									
	90-										
	80-			a distance							
	70-		المالية وما عالي ا								
	60-	والمالية الالترب الأمان والمرار	Anna an ann an	lika. <sup>14</sup>		M2			He and the ansately	alen nichlige is soll al territor ander	liker, alle diel e. en alter et el
		file forther on the state of the	M2								
	50-	lan bahara suna				M2			1. a	anna fhaillean airte	alah da Printing Manual
(	50-					- M2 •			1. al (4) I aŭ	en an	a selek alika Kelek alika di kara k
						M2			<u> </u>	ana katalan katala da katalan da k	an and a first free and and a
	40- 30-					• • • • • • • • • • • • • • • • • • •			<u> </u>	eren franski franski franski se objekti s	
	40-					M2			<u>1</u>	een franskinger of the second s	
	40- 30-					N2					
	40- 30- 20-					2483.5					2500
	40- 30- 20- 10- 0.0- 2470					2483.5 Frequency (MH	Hz)				1
	40- 30- 20- 10-		Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	2483.5 Frequency (MH		Table (o)	Height (cm)	ANT	2500 Verdict
L	40- 30- 20- 10- 0.0- 2470	Frequency	Results	Factor	Limit	2483.5 Frequency (MH Over Limit (dB)	Hz)		Height		2500 Verdict Pass

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



	Product:	Hous	sehold ele	ctric treadm	ill	Detector	r	V	ertical	
	Mode	K	leeping Tr	ansmitting		Test Volta	ge	1	20V~	
Te	mperature		24 de	g. C,		Humidit	у	56	% RH	
Te	est Result:		Pass							
CC Part 1 1.0E+	15C Class B 1GHz-18GHz -	2								
	00-									
	30-		$\frown$							
7	70-		1 Allow							
		المراجع المحير والمحاصر والمراجع	/	A. Weller Markerson						
6	50 -			and the second se	hilden a c					
				M2	White the second standing of	Halato Yala Jawa Lako Altai Ja	hind a strength with the state	Maria Laka		
		the state of the second st		• •		Had had a had	had a processible of	un an	all all and a	
level (dBuV/m)		Here and the second second	·	* *	when the south and the	had middle and	hitly, song all with	mykanyn ballun aithig	alk and and a	
level (dBuV/m) 3	10-	Hand Hand Hand Hand Hand Hand Hand Hand		• • • • • • • • • • • • • • • • • • •	with the second stands of the	Historialistation of the state of the stat	hidelinenskildur	ndykan yn fallan dding		nd ywrith
level (dBuV/m) 6 2 2	10 -	Hand Han and the second se		M2 •	white an		holison yahlu y	under fan de	at a start of the	
evel (dBuV/m) 6 2 1	10	ullen hellen and an and an		• • • • • • • • • • • • • • • • • • •	Self-Self-Self-Self-Self-Self-Self-Self-	n de vielen de	hiteli man sihlun	andy by Anti-phy find and the Attinue	all all and a	<b></b>
evel (dBuV/m) 6 2 1	10 10 10			2483.5	requency (MHz)	n de vidende de d	hiteli in a faith an a faith a fai	militan fizikati uzati ili		2500
5 (dBu/V)m) 4 ع 2 ع 1	10	Results	Factor	2483.5		Detector	Table	Height	ANT	2500 Verdic
5 5 (m//m) 644 (gpn//m) 2 1 0	10			2483.5 Fi	equency (MHz)			Height (cm)	ANT	r
5 5 evel (dBn//m) 3 2 2 1 0	0- .0- .0- .0- .2470 Frequency	Results	Factor	248.5 Fr Limit	equency (MHz)		Table	-	ANT	[

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

2. The two modulation modes of GFSK and  $\pi$  /4D-QPSK were tested. And only the worst case was recorded in the test report. GFSK was the worst case.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### 8.0 Antenna Requirement

#### **Applicable Standard**

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna with gain 0dBi maximum. It fulfills the requirement of this section. Test Result: Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



GFSK Modulation								
Product:	House	old electric tread	lmill	Test Mode	e:	Keep tr	ansmitting	
Mode	Kee	ping Transmittin	g	Test Voltag	ge	12	20V~	
Temperature		24 deg. C,		Humidity	7	56	% RH	
Test Result:		Pass		Detector		РК		
20dB Bandwidth		1.076MHz						
<b>k</b>	Marker	1 [T1 ndB]	RBW	30 kH	z RF	'Att	20 dB	
Ref Lvl	ndB	20.00 đ	B VBW	100 kH	z			
0 dBm	BW	1.07615230 M	Hz SWT	8.5 ms	Ur	nit	dBn	n
0				<b>V</b> 1 [	[T1]	- 9	9.63 dBm	A
			1			2.40195	5491 GHz	
-10		$\wedge$		ndB		20	0.00 dB	
				BW V <sub>T1</sub>	[T1]	1.07619	5230 MHz 9.75 dBm	
-20		$\sim$		M	1 + + 1	2.40141		
				$M_{T_{2T_2}}$	[T1]	-29	9.81 dBm	
-30	^	/				2.40249	9599 GHz	
1MAX				5				1M
-40	num				٦.			
un an humber	<u>ب</u> بر				un	my	man	
-50						- (		
-60								
-70								
-80								
-90								
-100								
Center 2.40	2 GHz	3	00 kHz/			Spa	an 3 MHz	-

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	Household el	lectric treadmill	Т	est Mode:	Keep tr	ansmitting	
Mode	Keeping	Fransmitting	Te	est Voltage	120V~		
Temperature	24 c	leg. C,	]	Humidity	569	% RH	
Test Result:	F		Detector		PK		
0dB Bandwidth	1.07						
	Marker 1	[T1 ndB]	RBW	30 kHz	RF Att	20 dB	
Ref Lvl	ndB	20.00 dB	VBW	100 kHz			
0 dBm	BW 1.	07014028 MHz	SWT	8.5 ms	Unit	dBm	
				<b>V</b> 1 [7	-10	0.03 dBm	
		1			2.44095		
-10				ndB	20	0.00 dB	
			°Ч.	BW V <sub>T1</sub> [	1.07014 T1] -30	1028 MHz 0.00 dBm	
-20			~~~	N	2.44041		
	T.	$\mathcal{N}$			T1] -29	9.93 dBm	
-30					2.44148	8998 GHz	
1MAX				5		1MA	
-40 -50	Maria			M.			
whitehow	w ···				m s s s s s s s s s s s s s s s s s s s	Wilmant	
-50					,	.0 <u>0</u> 0 <b>1</b> 000	
-60							
-70							
-80							
-90							
-100							
Center 2.44	l GHz	300 }	KHz/		Spa	an 3 MHz	

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	Househol	d electric ti	readmill	]	Fest Mode:		Keep tra	ansmitting	
Mode	Keepii	ng Transmi	tting	Т	est Voltage		120V~ 56% RH		
Temperature		24 deg. C,	0		Humidity				
Test Result:		Pass			Detector		РК		
20dB Bandwidth	1.070MHz								
<u>k</u>	Marker 1 [T1 ndB]			RBW	30 kH	z Rl	F Att	20 dB	
Ref Lvl	ndB	20.	00 dB	VBW	100 kH	z			
0 dBm	BW	1.070140	28 MHz	SWT	8.5 ms	U	nit	dBm	ı
0					<b>V</b> 1	[T1]	-10	1.85 dBm	A
			1				2.47995	491 GHz	~
-10			$\wedge$	Λ	ndB		20	.00 dB	
			$\sim$	M	BW VT1	[T1]	1.07014	028 MHz	
-20						[11]	2.47941	<u>.02 dBm</u> 984 GHz	
		$\square \bigwedge^{\sim}$				[T1]	-30		
-30					V V		2.48048	998 GHz	
1MAX	$\wedge$								1MA
-40						1			
-50 alularaman	m					MAN	Marky		
-50 - 50 - 50 - 50 - 50 - 50 - 50 - 50							Maky	M.M.N	
							Ň	V. 1	
-60									
-70									
-80									
-90									
-100	10			 				<b>2</b>	
Center 2.4	to GHZ		300	KHZ/			Spa	n 3 MHz	

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



π/4D-QPSK Me		1 1		~			17	••	
Product:		l electric treadmill			est Mode:		-	ansmitting	
Mode		g Transmitting			est Voltage			0V~	
Temperature	2	4 deg. C,			Humidity	56% RH			
Test Result:	Pass				Detector	РК			
20dB Bandwidth	1.311MHz								
Real Contractions	Marker	1 [T1 ndB]	R	BW	30 kH	z RI	F Att	20 dB	
Ref Lvl	ndB	20.00 dB		ΒW	100 kH				
0 dBm	BW	1.31062124 MHz	S	WT	8.5 ms	Uı	nit	dBm	ı
					▼1 [	T1]	-13	.52 dBm	A
							2.40178	657 GHz	~
-10		1			ndB		20	.00 dB	
			0 0		BW VT1		1.31062	124 MHz	
-20			$\mathbb{A}$			[T1]	-33	<u>.63 dBm</u> 162 GHz	
	, I I I I I I I I I I I I I I I I I I I					[T1]	-33	.13 dBm	
-30	Г						2.40262	224 GHz	
1MAX					۲				<b>1MA</b>
-40	y making me					h			
-40 -40	W* 1					- ph	Muhall	MARA N	
- 5 0								· month a	
-60									
-00									
-70									
-80									
-90									
-100									
Center 2	.402 GHz	300	kHz/				Spa	n 3 MHz	
Date: 3.	MAR.2022 16:	34:19							

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	Household	d electric tr	eadmill	Т	est Mode:		Keep tra	insmitting	
Mode	Keepir	ng Transmi	tting	Te	est Voltage	120V~ 56% RH			
Temperature	2	4 deg. C,		]	Humidity				
Test Result:	Pass				Detector		РК		
20dB Bandwidth	1.311MHz								
<b>A</b>	Marker	1 [T1 n	ldB]	RBW	30 kH:	z RI	7 Att	20 dB	
Ref Lvl	ndB	20.	00 dB	VBW	100 kH:				
0 dBm	BW	1.310621	24 MHz	SWT	8.5 ms	Ur	nit	dBn	۱ _
0					▼1 [	T1]	-14	.01 dBm	A
-10							2.44077	455 GHz	
-10			1		ndB BW		20 1.31062	.00 dB	
20			$\sim$ $\sim$ $\sim$		Bw ∇ <sub>T1</sub>	[T1]	-34	124 MHz .07 dBm	
-20		~~ v		Luna	w		2.44031	162 GHz	
	^				<b>√</b> <sub>T2</sub>	[T1]	-33	.78 dBm	
-30	Ţ				T2 V		2.44162	224 GHz	1MA
	A MAN					1			
-40	And and					www	Monthly		
							www	Mynur	
-50									
-60									
-70									
-80									
-90									
-100 Center 2.44	1 CUR		300				C	n 3 MHz	

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	Househo	ld electric tre	eadmill	Г	Test Mode:		Keep tra	ansmitting	
Mode	Keepi	ing Transmit	ting	Т	est Voltage		120V~ 56% RH		
Temperature		24 deg. C,			Humidity				
Test Result:		Pass			Detector	РК			
0dB Bandwidth	1.311MHz								
	Marker 1 [T1 ndB]			RBW	30 kH	z RI	F Att	20 dB	
Ref Lvl	ndB		00 dB	VBW	100 kH	z			
0 dBm	BW	1.310621	24 MHz	SWT	8.5 ms	Uı	nit	dBm	ı
0					▼1 [	T1]	-14	.73 dBm	A
1.0							2.47976	253 GHz	
-10			1		ndB		20	.00 dB	
					BW ▼ <sub>T1</sub>	[T1]	1.31062	124 MHz .74 dBm	
-20		m	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Long	~~~~	[ + + ]	2.47931	162 GHz	
		M			<b>∀</b> <sub>T2</sub>	[T1]	-34	.61 dBm	
-30 1MAX	T					2	2.48062	224 GHz	1MA
	M. M				Ň				
-40	MW					un .			
work						۷۱	money	hand	
-50								· · ·	
-60									
-70									
- 80									
-90									
-100				/				<b>0</b>	
Center 2.48	GHZ		300 }	<hz <="" td=""><td></td><td></td><td>Spa</td><td>n 3 MHz.</td><td></td></hz>			Spa	n 3 MHz.	

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



#### 10.0 FCC ID Label

#### FCC ID: 2A4NH-S1


This device complies with Part 15 of the FCC Rules. Operation is subject to the

following two conditions: (1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

#### Mark Location:




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### 11.0 Photo of testing

11.1 Conducted test View--



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 37 of 45

Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to



#### 11.2 Photographs - EUT

Outside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Outside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




Outside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




Inside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Inside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Inside View




The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 44 of 45


Inside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Inside View



--End of the report--

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to