

File reference No.: 2022-04-14

Applicant: Jiangxi EQi Industrial Co., Ltd.

Product: Household electric treadmill

Model No.: T5009, T5006, E5

Trademark: EQI

Test Standards: FCC Part 15.249

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10 & FCC Part 15 Subpart C,

Paragraph 15.249 regulations for the evaluation of

electromagnetic compatibility

Approved By

Terry long

Terry Tang

Manager

Dated: April 14, 2022

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Date: 2022-04-14



Page 2 of 49

Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number: 5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

Date: 2022-04-14



Test Report Conclusion

Content

| 1.0 | General Details | 4 |
|------|-------------------------------------|----|
| 1.1 | Test Lab Details | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Submitted Sample | 4 |
| 1.5 | Test Duration. | 5 |
| 1.6 | Test Uncertainty | 5 |
| 1.7 | Test By | 5 |
| 2.0 | List of Measurement Equipment | 6 |
| 3.0 | Technical Details | 7 |
| 3.1 | Summary of Test Results | 7 |
| 3.2 | Test Standards | 7 |
| 4.0 | EUT Modification | 7 |
| 5.0 | Power Line Conducted Emission Test. | 8 |
| 5.1 | Schematics of the Test | 8 |
| 5.2 | Test Method and Test Procedure | 8 |
| 5.3 | Configuration of the EUT | 8 |
| 5.4 | EUT Operating Condition | 9 |
| 5.5 | Conducted Emission Limit. | 9 |
| 5.6 | Test Result | 9 |
| 6.0 | Radiated Emission test | 12 |
| 6.1 | Test Method and Test Procedure | 12 |
| 6.2 | Configuration of the EUT | 13 |
| 6.3 | EUT Operation Condition | 13 |
| 6.4 | Radiated Emission Limit | 13 |
| 6.5 | Test Result. | 15 |
| 7.0 | Band Edge | 23 |
| 7.1 | Test Method and Test Procedure | 23 |
| 7.2 | Radiated Test Setup | 23 |
| 7.3 | Configuration of the EUT | 23 |
| 7.4 | EUT Operating Condition. | 23 |
| 7.5 | Band Edge Limit. | 23 |
| 7.6 | Band Edge Test Result. | 24 |
| 8.0 | Antenna Requirement. | 28 |
| 9.0 | 20dB bandwidth measurement. | 29 |
| 10.0 | FCC ID Label | 35 |
| 11.0 | Photo of Test Setup and EUT View. | 36 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2203319-01E Page 4 of 49

Date: 2022-04-14



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 744189 For 3m Anechoic Chamber

1.2 Applicant Details

Applicant: Jiangxi EQi Industrial Co., Ltd.

Address: Luliang Road, Yining Town, Xiushui County, Jiujiang City, Jiangxi Province

Telephone: 0792-7990988

Fax: --

1.3 Description of EUT

Product: Household electric treadmill

Manufacturer: Jiangxi EQi Industrial Co., Ltd.

Address: Luliang Road, Yining Town, Xiushui County, Jiujiang City, Jiangxi Province

Trademark: EQI
Model Number: T5009
Additional Model Name T5006, E5

Rating: 120V~, 60Hz, 14.3A, 1286W

Modulation Type: GFSK, $\pi/4DQPSK$

Operation Frequency: 2402-2480MHz

Channel Number: 79
Channel Separation: 1MHz
Hardware Version: V02
Software Version: V1.0

Serial No.: A220319DA1MA

Antenna Designation PCB antenna with gain 0dBi Max (Get from the antenna specification)

1.4 Submitted Sample: 1 Sample

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2203319-01E Page 5 of 49

Date: 2022-04-14



1.5 Test Duration

2022-03-23 to 2022-04-14

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Conducted Emissions Uncertainty = 3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Page 6 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



| 2.0 Test Equipment | | | | | | | | | |
|--------------------|--------------|------------------|--------------|--------------|------------|--|--|--|--|
| Instrument Type | Manufacturer | Model | Serial No. | Date of Cal. | Due Date | | | | |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2021-06-18 | 2022-06-17 | | | | |
| LISN | R&S | EZH3-Z5 | 100294 | 2021-06-18 | 2022-06-17 | | | | |
| LISN | R&S | EZH3-Z5 | 100253 | 2021-06-18 | 2022-06-17 | | | | |
| Impuls-Begrenzer | R&S | ESH3-Z2 | 100281 | 2021-06-18 | 2022-06-17 | | | | |
| Loop Antenna | EMCO | 6507 | 00078608 | 2021-06-18 | 2024-06-17 | | | | |
| Spectrum | R&S | FSIQ26 | 100292 | 2021-06-18 | 2022-06-17 | | | | |
| Horn Antenna | A-INFO | LB-180400-KF | J211060660 | 2021-07-02 | 2024-07-01 | | | | |
| Horn Antenna | R&S | BBHA 9120D | 9120D-631 | 2021-07-02 | 2024-07-01 | | | | |
| Power meter | Anritsu | ML2487A | 6K00003613 | 2021-06-18 | 2022-06-17 | | | | |
| Power sensor | Anritsu | MA2491A | 32263 | 2021-06-18 | 2022-06-17 | | | | |
| Bilog Antenna | Schwarebeck | VULB9163 | 9163/340 | 2021-07-02 | 2024-07-01 | | | | |
| 9*6*6 Anechoic | | | N/A | 2021-07-02 | 2022-07-01 | | | | |
| EMI Test Receiver | RS | ESVB | 826156/011 | 2021-06-18 | 2022-06-17 | | | | |
| EMI Test Receiver | RS | ESH3 | 860904/006 | 2021-06-18 | 2022-06-17 | | | | |
| Spectrum | HP/Agilent | ESA-L1500A | US37451154 | 2021-06-18 | 2022-06-17 | | | | |
| Spectrum | HP/Agilent | E4407B | MY50441392 | 2021-06-18 | 2022-06-17 | | | | |
| Spectrum | RS | FSP | 1164.4391.38 | 2022-01-15 | 2023-01-14 | | | | |
| RF Cable | Zhengdi | ZT26-NJ-NJ-8M/FA | | 2021-06-18 | 2022-06-17 | | | | |
| RF Cable | Zhengdi | 7m | | 2021-06-18 | 2022-06-17 | | | | |
| RF Switch | EM | EMSW18 | 060391 | 2021-06-18 | 2022-06-17 | | | | |
| Pre-Amplifier | Schwarebeck | BBV9743 | #218 | 2021-06-18 | 2022-06-17 | | | | |
| Pre-Amplifier | HP/Agilent | 8449B | 3008A00160 | 2021-06-18 | 2022-06-17 | | | | |
| LISN | SCHAFFNER | NNB42 | 00012 | 2022-01-05 | 2023-01-04 | | | | |

2.2 Automation Test Software

For Conducted Emission Test

| Name | Version | | |
|--------|-------------------|--|--|
| EZ-EMC | Ver.EMC-CON 3A1.1 | | |

For Radiated Emissions

| Name | Version |
|---|---------|
| EMI Test Software BL410-EV18.91 | V18.905 |
| EMI Test Software BL410-EV18.806 High Frequency | V18.06 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 7 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



3.0 Technical Details

3.1 Summary of test results

The EUT has been tested according to the following specifications:

| Standard | Test Type | Result | Notes |
|---|-------------------------------------|--------|----------|
| FCC Part 15, Paragraph 15.203 | Antenna Requirement | Pass | Complies |
| FCC Part 15, Paragraph 15.207 | Conducted Emission Test | Pass | Complies |
| FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit | Field Strength of Fundamental | Pass | Complies |
| FCC Part 15, Paragraph 15.209 | Radiated Emission Test | Pass | Complies |
| FCC Part 15 Subpart C Paragraph 15.249(d) Limit | Band Edge Test | Pass | Complies |

3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4:2014 and ANSI C63.10:2013

4.0 EUT Modification


No modification by SHENZHEN TIMEWAY TESTING LABORATORIES

Date: 2022-04-14



5. Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2014.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.4-2014. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

79 channels are provided to the EUT

A. EUT

| Device Manufacturer | | Model | FCC ID |
|------------------------------|----------------------------------|------------------|----------|
| Household electric treadmill | Jiangxi EQi Industrial Co., Ltd. | T5009, T5006, E5 | 2A4NH-S2 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: TW2203319-01E Page 9 of 49

Date: 2022-04-14



B. Internal Device

| Device | Manufacturer | Model | FCC ID/DOC |
|--------|--------------|-------|------------|
| N/A | | | |

C. Peripherals

| Device | Manufacturer | Model | Rating |
|--------|--------------|-------|--------|
| N/A | | | |

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2014

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

| Frequency | Limits (dB μ V) | | | | |
|--------------|---------------------|---------------|--|--|--|
| (MHz) | Quasi-peak Level | Average Level | | | |
| 0.15 ~ 0.50 | 66.0~56.0* | 56.0~46.0* | | | |
| 0.50 ~ 5.00 | 56.0 | 46.0 | | | |
| 5.00 ~ 30.00 | 60.0 | 50.0 | | | |

Notes: 1. *Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

Date: 2022-04-14



A: Conducted Emission on Live Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Communication by BT

Results: Pass

Please refer to following diagram for individual



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|--------------------|-------------------|----------------|-----------------|-----------------|----------------|----------|-----|
| 1 | 0.2864 | 36.48 | 9.76 | 46.24 | 60.63 | -14.39 | QP | Р |
| 2 | 0.2864 | 25.97 | 9.76 | 35.73 | 50.63 | -14.90 | AVG | Р |
| 3 | 2.2831 | 30.56 | 9.81 | 40.37 | 56.00 | -15.63 | QP | Р |
| 4 | 2.2831 | 22.38 | 9.81 | 32.19 | 46.00 | -13.81 | AVG | Р |
| 5 | 7.5491 | 31.68 | 10.04 | 41.72 | 60.00 | -18.28 | QP | Р |
| 6 | 7.5491 | 25.34 | 10.04 | 35.38 | 50.00 | -14.62 | AVG | Р |
| 7 | 15.6543 | 32.67 | 10.42 | 43.09 | 60.00 | -16.91 | QP | Р |
| 8 | 15.6543 | 26.49 | 10.42 | 36.91 | 50.00 | -13.09 | AVG | Р |

Date: 2022-04-14



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Communication by BT

Results: Pass

Please refer to following diagram for individual



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|--------------------|-------------------|----------------|-----------------|-----------------|----------------|----------|-----|
| 1 | 0.2168 | 39.64 | 9.75 | 49.39 | 62.94 | -13.55 | QP | Р |
| 2 | 0.2168 | 30.25 | 9.75 | 40.00 | 52.94 | -12.94 | AVG | Р |
| 3 | 2.3481 | 30.18 | 9.82 | 40.00 | 56.00 | -16.00 | QP | П |
| 4 | 2.3481 | 22.59 | 9.82 | 32.41 | 46.00 | -13.59 | AVG | П |
| 5 | 9.6451 | 33.15 | 10.14 | 43.29 | 60.00 | -16.71 | QP | П |
| 6 | 9.6451 | 22.89 | 10.14 | 33.03 | 50.00 | -16.97 | AVG | П |
| 7 | 20.3564 | 38.15 | 10.70 | 48.85 | 60.00 | -11.15 | QP | Р |
| 8 | 20.3564 | 30.78 | 10.70 | 41.48 | 50.00 | -8.52 | AVG | Р |

Date: 2022-04-14




6 Radiated Emission Test


- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz (Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz



For radiated emissions from 30MHz to1GHz



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2022-04-14



For radiated emissions above 1GHz



- 6.2 Configuration of The EUT

 Same as section 5.3 of this report
- 6.3 EUT Operating Condition
 Same as section 5.4 of this report.
- 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

| Fundamental Frequency | Field Stre | eld Strength of Fundamental (3m) | | | Field Strength of Harmonics (3m) | | |
|-----------------------|------------|----------------------------------|------------|------|----------------------------------|-----------|--|
| (MHz) | mV/m | dBuV/m | | uV/m | dBu | V/m | |
| 2400-2483.5 | 50 | 94 (Average) | 114 (Peak) | 500 | 54 (Average) | 74 (Peak) | |

Note:

- 1. RF Field Strength $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

The report refers only to the sample tested and does not apply to the bulk.

Page 14 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

| Frequency Range (MHz) | Distance (m) | Field strength (dB μ V/m) |
|-----------------------|--------------|-----------------------------------|
| 0.009-0.490 | 3 | 20log(2400/F(kHz)) +40log (300/3) |
| 0.490-1.705 | 3 | 20log(24000/F(kHz)) +40log (30/3) |
| 1.705-30 | 3 | 69.5 |
| 30-80 | 3 | 40.0 |
| 88-216 | 3 | 43.5 |
| 216-960 | 3 | 46.0 |
| Above 960 | 3 | 54.0 |

Note:

- 1. RF Voltage $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.

Report No.: TW2203319-01E Page 15 of 49

Date: 2022-04-14




6.5 Test result

A Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2402MHz

Horizontal




| No. | Frequency | Results | Factor | Limit | Over | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | Limit (dB) | | (o) | (cm) | | |
| 1 | 2402 | 89.33 | -3.57 | 114.0 | -24.67 | Peak | 213.00 | 100 | Horizontal | Pass |

Report No.: TW2203319-01E Page 16 of 49

Date: 2022-04-14



Vertical



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table (o) | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|-----------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | | (cm) | | |
| 1 | 2402 | 81.77 | -3.57 | 114.0 | -32.23 | Peak | 181.00 | 100 | Vertical | Pass |


Report No.: TW2203319-01E Page 17 of 49

Date: 2022-04-14



Please refer to the following test plots for details: Middle Channel-2441MHz

Horizontal




| No. | Frequency | Results | Factor | Limit | Over | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | Limit (dB) | | (o) | (cm) | | |
| 1 | 2441 | 89.78 | -3.57 | 114.0 | -24.22 | Peak | 215.00 | 100 | Horizontal | Pass |

Report No.: TW2203319-01E Page 18 of 49

Date: 2022-04-14



Vertical



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2441 | 84.73 | -3.57 | 114.0 | -29.27 | Peak | 170.00 | 100 | Vertical | Pass |


Report No.: TW2203319-01E Page 19 of 49

Date: 2022-04-14



Please refer to the following test plots for details: High Channel-2480MHz

Horizontal



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2480 | 91.75 | -3.57 | 114.0 | -22.25 | Peak | 131.00 | 100 | Horizontal | Pass |
| 2 | 4960.010 | 52.69 | 3.36 | 74.0 | -21.31 | Peak | 119.00 | 100 | Horizontal | Pass |


Page 20 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



Vertical



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2480 | 84.58 | -3.57 | 114.0 | -29.42 | Peak | 188.00 | 100 | Vertical | Pass |

Note: (2) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

- (3)Margin=Emission-Limits
- (4)According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, It is only the floor noise. No necessary to take down.
- (6) the measured PK value less than the AV limit.

Report No.: TW2203319-01E Page 21 of 49

Date: 2022-04-14




B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table (o) | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|-----------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | | (cm) | | |
| 1 | 45.031 | 36.82 | -11.41 | 40.0 | -3.18 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2 | 68.063 | 34.06 | -14.68 | 40.0 | -5.94 | Peak | 356.00 | 150 | Horizontal | Pass |
| 3 | 203.587 | 29.37 | -13.48 | 43.5 | -14.13 | Peak | 324.00 | 150 | Horizontal | Pass |
| 4 | 421.055 | 28.40 | -8.13 | 46.0 | -17.60 | Peak | 329.00 | 150 | Horizontal | Pass |

Frequency (MHz)

Report No.: TW2203319-01E Page 22 of 49

Date: 2022-04-14




Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 37.031 | 33.61 | -13.17 | 40.0 | -6.39 | Peak | 97.00 | 100 | Horizontal | Pass |
| 2 | 67.093 | 33.82 | -14.32 | 40.0 | -6.18 | Peak | 18.00 | 100 | Horizontal | Pass |
| 3 | 175.221 | 26.95 | -15.63 | 43.5 | -16.55 | Peak | 100.00 | 100 | Horizontal | Pass |
| 4 | 202.617 | 28.53 | -13.40 | 43.5 | -14.97 | Peak | 97.00 | 100 | Horizontal | Pass |
| 5 | 319.958 | 26.23 | -10.60 | 46.0 | -19.77 | Peak | 79.00 | 100 | Horizontal | Pass |

Date: 2022-04-14




7. Band Edge

7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

7.3 Configuration of The EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Report No.: TW2203319-01E Page 24 of 49

Date: 2022-04-14



7.6 Test Result

| Product: | Household electric treadmill | Polarity | Horizontal |
|--------------|------------------------------|--------------|------------|
| Mode | Keeping Transmitting | Test Voltage | 120V~ |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | | |



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (0) | (cm) | | |
| 1 | 2402.172 | 89.24 | -3.57 | 74.0 | 15.24 | Peak | 216.00 | 100 | Horizontal | N/A |
| 2 | 2400.042 | 65.83 | -3.57 | 74.0 | -8.17 | Peak | 210.00 | 100 | Horizontal | Pass |
| 2** | 2400.042 | 50.74 | -3.57 | 54.0 | -3.26 | AV | 210.00 | 100 | Horizontal | Pass |
| 3 | 2390.010 | 40.32 | -3.53 | 74.0 | -33.68 | Peak | 205.00 | 100 | Horizontal | Pass |

Page 25 of 49 Report No.: TW2203319-01E



| J | Product: | Hous | sehold elec | tric treadmill | | Detecto | or | 7 | Vertical | |
|-----------------|---------------------------------------|--------------------------------------|---------------|---------------------------|--|---------------------|--|-------------|---------------|-------------|
| | Mode | K | Leeping Tra | nsmitting | | Test Volt | age | | 120V~ | |
| Te | mperature | | 24 deg | g. C, | | Humidi | ty | 5 | 56% RH | |
| Te | est Result: | | Pas | s | | | | | | |
| Part 1 1.0E+ | 5C Class B 1GHz-18GHz 2- | -2 | | | | | | | | |
| 9 | 0- | | | | | | | | | |
| 8 | 0- | | | | | | | M1 | 1 | |
| 7 | 0- | | | | | | | | | |
| 6 | 0- | | | | | | | | $\overline{}$ | |
| 5 | 0- | | | | | | 111 | | | |
| | a a a a a a a a a a a a a a a a a a a | ard Lea it | | The Barrier. | data mala i | M3 | | M2 • | Mary Market | and day |
| 4 | 0- | والمرسادي المرافي والراسية ووالرجاية | | | laylad distribution of the Parket of the Par | AND AND AND AND AND | a and the last states to the co- | Part N | | |
| | | | | | | | na organisti objektiva | ryru | | |
| 3 | 0- | | | | | | na sea sika hadan | | | |
| 3 | | | | | | | na n | 19411 | | |
| | 0- | ,,,,,,, | | | | | el atra a falladar | | | |
| 2 | 0- | | | | | | el ata a falladar | | | |
| 2 1 0. | 0- | | | Fre | quency (MHz) | | | | | 2410 |
| 2: 1: 0.: | 0- | Results | Factor | Free | quency (MHz) Over Limit | Detector | Table | Height | ANT | 1 |
| 2: 1: 0.: | 0-0-0-2350 | | Factor (dB) | 1 | - | Detector | Table (o) | Height (cm) | ANT | 1 |
| 0. Io. | o- 0- 2350 Frequency | Results | | Limit | Over Limit | Detector Peak | | | ANT Vertical | 1 |
| 2 1 0. | Prequency (MHz) | Results (dBuV/m) | (dB) | Limit (dBuV/m) | Over Limit (dB) | | (o) | (cm) | <u> </u> | Verdi |
| 2 1: 0. | Prequency (MHz) 2402.262 | Results (dBuV/m) 81.07 | (dB) -3.57 | Limit (dBuV/m) 74.0 | Over Limit (dB) 7.07 | Peak | (o) 161.00 | (cm) 100 | Vertical | Verd N/A |

| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2402.262 | 81.07 | -3.57 | 74.0 | 7.07 | Peak | 161.00 | 100 | Vertical | N/A |
| 2 | 2400.042 | 56.65 | -3.57 | 74.0 | -17.35 | Peak | 182.00 | 100 | Vertical | Pass |
| 2** | 2400.042 | 41.53 | -3.57 | 54.0 | -12.47 | AV | 182.00 | 100 | Vertical | Pass |
| 3 | 2390.055 | 42.89 | -3.53 | 74.0 | -31.11 | Peak | 103.00 | 100 | Vertical | Pass |
| · | | | | | | | | | | |

Page 26 of 49 Report No.: TW2203319-01E



|] | Product: | | Household | l electric trea | dmill | | Polarit | y | Horizon | tal |
|--|--|--|-----------|-----------------|---------------------------|--|-------------------------|---|--|----------------|
| | Mode | | Keepin | g Transmittir | ıg | , | Test Volta | age | 120V- | ~ |
| Te | mperature | | 2. | 4 deg. C, | | | Humidi | ty | 56% R | Н |
| Те | est Result: | | | Pass | | | | | | |
| CC Part 1 1.0E+ | 15C Class B 1GHz-18GHz 2- | -2 | | | | | | | | |
| q | 10- | | | | | | | | | |
| | | | | | | | | | | |
| 8 | 30- | | | | | | | | | |
| 7 | 70- | | f | | | | | | | |
| | | | 7 | <u> </u> | | | | | | |
| 6 | io- | - medicine | <u>^</u> | | | | | | | |
| _ | 0- | . Hallahar Market | | | <u> </u> | | | | | |
| _ | | المتعادية | | M2 | A strangential | | | | | |
| level (dBuV/m) | io- | politika, i sakilika karana ka | , | M2 | | inging the period of the perio | Appropriate the second | and the later of the second | haddaday partiyoo jidhalida Larub | |
| (m/\delta (dBu/\mu)) 4 3 | 0- | يعادله والمعادلة والمعادد والم | | M2 | A strangensied | ing ing the property designs | ingengaring bil and die | | haddada qaran kalkala karab | |
| (m/\delta (dBu/\mu)) 4 3 | io- | polyabilatoria politika kilokula kilokula kilokula kilokula kilokula kilokula kilokula kilokula kilokula kiloku | | M2 | A collection of the | ing a graph of the second | | galling high an an graidh | ing the base of the state of th | |
| (w/ngn) level (dgung) 3 | 0- | politikarni saliki kika kiromonini | | M2 | A with the company of the | ing ing the property to the party of the par | | igidlik defininsi kidosish | ing think he parameters, get the held a person | |
| (m/nngp) Javas 3 2 2 1 0. | 0- | polyndistan et a polyndist de la proposition de la polyndista de la polynd | | M2 | And the constraint of the | ingi ya kingin ad Milagai | | igidilik definden, di Livaddo | | 2500 |
| (m/nngp) Javas 3 2 2 1 0. | 0- | po indicas, i salidad de la como | | 2483.5 | Frequency (MHz) | inc _i v _a jb _a n a ^p ringa | | gallin de filosocia circindo | | 2500 |
| (m/nngp) Javas 3 2 2 1 0. | 00- 00- 00- 00- 00- 00- 00- 00- 00- 00- | Results | Factor | 2483.5 Limit | Over Limit | Detector | Table | Height | ANT | |
| (w/\ngg) away 3 2 1 0. | 0-2470 | (dBuV/m) | (dB) | 2483.5 | Over Limit (dB) | | 17 pp 00 00 | | ANT | 2500 Verdid |
| (W/Nngp) (W/ | 00- 00- 00- 00- 00- 00- 00- 00- 00- 00- | (dBuV/m) 91.37 | | 2483.5 Limit | Over Limit | Detector Peak | Table | Height | | 2500 |
| (w//ngg/) avail 3 3 2 2 1 0. | Frequency (MHz) | (dBuV/m) | (dB) | Limit (dBuV/m) | Over Limit (dB) | | Table (o) | Height (cm) | ANT | 2500 Verdi |

Report No.: TW2203319-01E Page 27 of 49



| I | Product: | | Househole | d electric tr | eadmill | | Detecto | r | Vertica | al |
|----------------------------|------------------------|--|---|---------------|--|--|--|-----------------------------------|--|--|
| | Mode | | Keepir | ng Transmit | ting | - | Test Volta | age | 120V | ~ |
| Te | mperature | | 2 | 24 deg. C, | | | Humidity 56% | | | Н |
| Te | est Result: | | | Pass | | | | | | |
| C Part 1 | .5C Class B 1GHz-18GHz | -2 | | | | | | | | |
| 1.06+2 | 2- | | | | | | | | | |
| 90 | 0- | | | | | | | | | |
| 80 | 0- | | - | | | | | | | |
| 70 | 0- | | | | | | | | | |
| | 0- | | | | | | | | | |
| 60 | | | | | | | | | | |
| 60 | | . Identify | | M2 | | | | | | |
| 60 50 | 0- | | | M2 | | | | | | |
| | o- | the second section of the second section of the second | | M2 | with the property of the second | | | | | had nghi |
| 50 | 0- | the annual state of the state o | | M2 | the letter of th | ولمرسوم والمسافر والمالم والمالم والمالم والمساور | tille get grade de grade getter | ng tan kupikka keninggan kalbul | diffusion distribution of federal co | la de la |
| 50 40 | 0- | to a selection of the s | / | M2 | The state of the s | ولموسر واوساف والناوليفون | and the state of t | ogia de gibble de che gradulla de | deli Maria deli Maria del Adalesia del | h hade y h |
| 50 40 30 20 | 0- | the second second desired by the second seco | | M2 | ak king a jan kala da ka | gaple life the special desired | ally is such a lay be a recitive | njirku jihakei ja robida | de tilse, samblere, gleiskade på | Hardwight |
| 50 40 30 20 | | to a restrict a restrict to the first of the second | <u>/ </u> | M2 | And the second s | والمدس عالم المطالبة المالية ا | nativa da Re-linguista | igistelenjikkelenkiskeneleski | dahlin saciliansi da dalah da | kindryi: |
| 50 40 30 20 10 | | the an address of the desire of the second o | | M2 2483. | 5 | i palitika Pangla parada | naibyg de Said de Nagaliya ganlang | agisabagidda, dashiga an babba | det this makes the way has the total and | 2500 |
| 50 40 30 20 10 | 0-0-0-0-0-0-2470 | | Factor | 2483. | | Detector | Table | | | 2500 |
| 50 40 30 20 10 | 0 | Results | Factor (dB) | 2483. | Frequency (MHz) Over Limit | | Table | Height | ANT | 2500 |
| 50 40 30 20 10 | 0-0-0-0-0-0-2470 | | Factor (dB) | 2483. | 5 Frequency (MHz) | | | | | |

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

Date: 2022-04-14



Page 28 of 49

8.0 Antenna Requirement

Applicable Standard

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna. The antenna gain is 0dBi Max. It fulfills the requirement of this section. Test Result: Pass

Page 29 of 49

Report No.: TW2203319-01E



| SK Modulation | | | | | | | | | |
|-------------------|---------------|------------------|-------------------|------------|-----------------------|----------|--|----------------------|--------|
| Product: | Mec | hanical Ke | eyboard | | Test Mo | de: | Keep to | ransmitting | , , |
| Mode | Kee | ping Trans | mitting | | Test Volt | age | 1 | 20V~ | |
| Temperature | | 24 deg. (| Ξ, | | Humidi | ty | 56 | % RH | |
| Test Result: | | Pass | | | Detecto | or | | PK | |
| dB Bandwidth | | 889.78kF | łz | | - | | | | |
| Ref Lvl | | 1 [T1 r | | RBW | 30 k | | RF Att | 30 dB | |
| Rei Lvi 10 dBm | ndB BW 889 | . 20 9.779559 | .00 dB 912 kHz | VBW SWT | 100 k 8.5 m | | Jnit | dBr | m |
| 10 | | 1 | 1 | | | | <u> </u> | | ٦ |
| | | | | | v ₁ | [T1] | - 4010 | 2.93 dBr 1663 GHz | |
| 0 | | | <u>1</u> | | ndE | 8 | 2.4018 | 0.00 dB | - |
| | | | M | \sim | BW | 8 | 89.7795 | 5912 kHz | z |
| 10 | | | | V \ | $ abla_{\mathrm{T}}$ | [T1] | -2 | 2.64 dBr | n |
| | | ~ | \mathcal{N} | \ | | | 2.4015 | 2806 GHz | |
| 20 | | 77 | | V | V _T | P [T1] | -2 | | n |
| | | | | | | | 2.4024 | 1784 GHz | 1 |
| 30 | <i></i> | | | | | \ \ | | | |
| 40 | ~/ | | | | | | m | | |
| 50 | V | | | | | √ | The state of the s | une follow | |
| 60 | | | | | | | | | |
| 70 | | | | | | | | | - |
| | | | | | | | | | |
| 80 | | | | | | | | | 1 |
| 90 | | | | | | | | | |
| Center 2.40 | 2 GHz | | 300 | kHz/ | | | Sp | an 3 MHz | 3 |

Page 30 of 49

Report No.: TW2203319-01E



| Product: | | Mechai | nical Keyb | oard | | Т | est Mode: | | Keep tra | ansmitting | | |
|---------------|--------|----------------------|------------|--------------|------|-----|-------------------------------|----------|---------------|---------------------|--------|--|
| Mode | | Keeping Transmitting | | | | | est Voltage | | 120V~ | | | |
| Temperature | | 24 deg. C, | | | |] | Humidity | | 56% RH | | | |
| Test Result: | | | | | | | Detector | |] | PK | | |
| OdB Bandwidth | | 88 | 89.78kHz | | | | | | | | | |
| F | | Marker | 1 [T1 r | ndB] |] | RBW | 30 ki | Iz R | F Att | 30 dB | | |
| Ref Lvl | | ndB | | 00 dB | | VBW | 100 ki | | | | | |
| 10 dBm | | BW 889 | 9.779559 |)12 kHz | | SWT | 8.5 ms | s Ui | nit | dBm | l - | |
| | | | | | | | v ₁ | [T1] | -2 | .63 dBm | Α | |
| 0 | | | | 1 | | | | | 2.44081 | | | |
| | | | | 1 | | | ndB BW | 88 | 20 9.77955 | 0.00 dB 5912 kHz | | |
| -10 | | | | | V | | $oldsymbol{ abla}_{	ext{T1}}$ | [T1] | -22 | .01 dBm | | |
| | | | <i>ل</i> م | \checkmark | | \ | | | 2.44052 | 806 GHz | | |
| -20 | | | T1. | | | V | V _{T2} | [T1] | -23 | 3.10 dBm | | |
| 1MAX | | | | | | | NA STAN | | 2.44141 | .784 GHz | 1M2 | |
| -30 | | | | | | | | <u>ل</u> | | | | |
| -40 | ~~~ | | | | | | | | ~\ | | | |
| -50 | / | V | | | | | | <u> </u> | A. | way | | |
| -60 | | | | | | | | | | VMM | | |
| -70 | | | | | | | | | | | | |
| -80 | | | | | | | | | | | | |
| -90 | 441 ~ | T | | 300 | 1-77 | , | | | 2 | 2 200 | | |
| Center 2 | .441 G | 12 | | 300 | KHZ, | ′ | | | Spa | an 3 MHz | | |

Page 31 of 49

Report No.: TW2203319-01E



| Product: | | Mechai | nical Keyb | oard | | To | est Mode: | | Keep tra | ansmitting | |
|---------------|---------|--------------|---|--------|------|----|----------------------------------|------------|----------|--|-----|
| Mode | | Keepin | g Transmi | tting | | Te | est Voltage | ; | 12 | 0V~ | |
| Temperature | | 2 | 4 deg. C, | | | I | Humidity | | 569 | % RH | |
| Test Result: | | | Pass | | |] | Detector | |] | PK | |
| OdB Bandwidth | | 88 | 83.77kHz | | | | | | | | |
| <u> </u> | | Marker | 1 [T1 r | ndB] | R | BW | 30 k | Hz R | F Att | 30 dB | |
| Ref Lvl | | ndB | 20. | 00 dB | V | BW | 100 k | Hz | | | |
| 10 dBm | | BW 883 | 3.767535 | 07 kHz | S | ТW | 8.5 m | s U | nit | dBm | ı |
| 10 | | | | | | | v ₁ | [T1] | -2 | 2.56 dBm | A |
| | | | | | | | | | 2.47981 | 663 GHz | |
| 0 | | | | 100 | | | ndE | 3 | 20 | 0.00 dB | |
| | | | | | Vζ | | BW ▼ _{Tj} | 88 [T1] | 3.76753 | 8507 kHz 1.91 dBm | |
| -10 | | | | | | | - 13 | | 2.47952 | | |
| | | | | | | M | $oldsymbol{ abla}_{\mathrm{T}2}$ | 2 [T1] | -22 | | |
| -20 | | | 7 | | | | AT.3 | | 2.48041 | 182 GHz | |
| 1MAX | | | <i>ل</i> ــــــــــــــــــــــــــــــــــــ | | | | \sqrt{N} | | | | 1MA |
| -30 | | | | | | | Ĭ, | <u>\</u> | | | |
| -40 | ~~~ | | | | | | | | \sim | | |
| -50 | , | ∀ | | | | | | V | Yay | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | |
| -60 | | | | | | | | | | 4.3 | |
| -70 | | | | | | | | | | | |
| -80 | | | | | | | | | | | |
| -90 Center 2 | 48 CU | 7 | | 300 | kHz/ | | | | Sn. | an 3 MHz | |
| CCIICEI Z | . 10 GH | _ | | 500 | / | | | | ახი | > 1.1117 | |

Page 32 of 49 Report No.: TW2203319-01E



| π /4DQPSK M | | on | | | | | | | | |
|----------------|-----------------|--------|------------|--------------|--------|-----------------------|--|---------|----------------------|-----|
| Product: | | Mecl | hanical Ke | yboard | | Test Mo | de: | Keep ti | ansmitting | |
| Mode | | Keep | oing Trans | mitting | | Test Volt | age | 12 | 20V~ | |
| Temperature | | | 24 deg. (| Ξ, | | Humidi | ty | 56 | % RH | |
| Test Result: | | | Pass | | | Detecto | or | | PK | |
| 20dB Bandwidth | | | 1.257MH | [z | | | | | | |
| Ŕ | | Marker | 1 [T1 n | ndB] | RBW | 30 k | Hz | RF Att | 30 dB | |
| Ref Lvl | | ndB | 20. | 00 dB | VBW | 100 k | Hz | | | |
| 10 dBm | | BW 1 | 1.256513 | 03 MHz | SWT | 8.5 m | ıs i | Unit | dBm | ì |
| 10 | | | | | | v ₁ | [T1] | _ | 3.28 dBm | A |
| | | | | | | | | 2.4018 | 1663 GHz | A |
| 0 | | | | <u> </u> | | ndF | 3 | 2 | | |
| | | | | $ \ / \ / $ | Λ | BW ▼ _{Tj} | [T1] | 1.2565 | | |
| -10 | | | \sim | | Ave /W | m - | | 2.4013 | 2.70 dBm 4770 GHz | |
| | | | | | | V T | 2 [T1] | -2 | | |
| -20 | | 7 | ~ | | | Ţ | 12 7 | 2.4026 | 0421 GHz | |
| 1MAX | | / | | | | | 4 | | | 1MA |
| -30 | | | | | | | | | | |
| | | / | | | | | | | | |
| -40 | | | | | | | $\overline{}$ | | | |
| | $\wedge \wedge$ | | | | | | \ _M | | | |
| -50 - J | V V | • | | | | | • / | my/ | | |
| المريدية الما | | | | | | | | VV | My and | |
| -60 | | | | | | | | | V V | |
| | | | | | | | | | | |
| -70 | | | | | | | | | | |
| | | | | | | | | | | |
| -80 | | | | | | | | | | |
| | | | | | | | | | | |
| -90 | | | | | | | | | | |
| Center 2. | 402 GI | Hz | | 300 | kHz/ | | | Spa | an 3 MHz | - |
| Date: 7.2 | APR.20 | 22 10: | 53:09 | | | | | | | |
| | | | | | | | | | | |

Page 33 of 49

Report No.: TW2203319-01E



| Product: | Me | echanical Key | board | - | Гest Mode: | | Keep tra | ansmitting | |
|---------------|----------|---------------|---|--------------|--------------------|---|----------|------------|----|
| Mode | Kε | eping Transm | itting | Г | est Voltage | | 12 | 0V~ | |
| Temperature | | 24 deg. C, | | | Humidity | | 56% | % RH | |
| Test Result: | | Pass | | | Detector | |] | PK | |
| 0dB Bandwidth | | 1.257MHz | | | | | | | |
| | Mar | ker 1 [T1 | ndB] | RBW | 30 kH | z RI | - Att | 30 dB | |
| Ref Lvl | ndB | 20 | .00 dB | VBW | 100 kH | z | | | |
| 10 dBm | BW | 1.25651 | 303 MHz | SWT | 8.5 ms | Ur | nit | dBm | |
| 10 | | | | | ▼ 1 [| T1] | -2 | .71 dBm | |
| | | | | | | | 2.44081 | 663 GHz | A |
| 0 | | | 1 | | ndB | | 20 | .00 dB | |
| | | | $ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$ | ^ | BW | | 1.25651 | 303 MHz | |
| -10 | | 200 | J W | ~~\ <u>~</u> | V _T 1 | [T1] | -22 | .34 dBm | |
| | | | Ψ | | | [T1] | 2.44034 | 770 GHz | |
| -20 | | | | | 12 | [11] | 2.44160 | 421 GHz | |
| 1MAX | | / | | | \ \frac{1}{\gamma} | | | | 1M |
| -30 | | | | | | | | | |
| -40 | M | | | | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | \wedge | | |
| -50 | √ | | | | | <u>, , , , , , , , , , , , , , , , , , , </u> | W | my | |
| -60 | | | | | | | | | |
| -70 | | | | | | | | | |
| -80 | | | | | | | | | |
| -90 | | | | | | | | | |
| Center 2. | 441 GHz | | 300 | kHz/ | | | Spa | ın 3 MHz | |

Page 34 of 49

Report No.: TW2203319-01E



| π/4DQPSK Mo | odulation | <u> </u> | | | | | | | | |
|-----------------|-----------|---------------------------------------|------------|---|-----------|-----------------------|--------|---------------|------------|-----|
| Product: | | Mechar | nical Keyb | oard | | Test Mode | »: | Keep tra | ansmitting | |
| Mode | | Keepin | g Transmi | tting | | Test Voltag | ge | 12 | 0V~ | |
| Temperature | | 24 | 4 deg. C, | | | Humidity | | 569 | | |
| Test Result: | | | Pass | | | Detector | |] | | |
| 20dB Bandwidth | | 1. | 263MHz | | | | | | | |
| · R | | Marker | 1 [T1 r | ndB] | RB | W 30 1 | kHz R | F Att | 30 dB | |
| Ref Lvl | | ndB | | 00 dB | VB | | | | _ | |
| 10 dBm | | BW 1 | .262525 | 05 MHz | SW | T 8.5 1 | ms U | nit | dBm | |
| | | | | | | v ₁ | [T1] | -2 | .57 dBm | A |
| 0 | | | | 7 | | | | 2.47981 | 663 GHz | |
| | | | | ĪΛ | | nd BW | | 20 1.26252 | 0.00 dB | |
| 1.0 | | | | $\left(\left(\left\langle $ | m) | n ∇ _T | | -22 | 1505 MHz | |
| -10 | | | \sim | ~ | \bigvee | W W | | 2.47934 | 168 GHz | |
| | | | J | | | ϕ^{L} | 2 [T1] | -22 | .91 dBm | |
| -20 | | Í | | | | / | T 2 | 2.48060 | 421 GHz | 1MA |
| | | | | | | | 7 | | | |
| -30 | | | | | | | + | | | |
| | | | | | | | | | | |
| -40 | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | | | | | | |
| | | ₩ | | | | | M | \wedge | | |
| -50 | * | | | | | | | ww | mund | |
| -60 | | | | | | | | | | |
| -70 | | | | | | | | | | |
| | | | | | | | | | | |
| -80 | | | | | | | | | | |
| | | | | | | | | | | |
| -90 Center 2 | 40 077 | - | | 300 | lette / | | | G~ - | 2 MII- | |
| | | | 48:33 | 300 | KHZ/ | | | Spa | n 3 MHz | |
| Date: 7. | .APR.20 | ZZ 1U: | 40.33 | | | | | | | |

Date: 2022-04-14



Page 35 of 49

10.0 FCC ID Label

FCC ID: 2A4NH-S2

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Page 36 of 49


Report No.: TW2203319-01E

Date: 2022-04-14



11.0 Photo of testing

11.1 Conducted test View--




Page 37 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2022-04-14



11.2 Photographs – EUT

Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 39 of 49

Report No.: TW2203319-01E

Date: 2022-04-14









The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 40 of 49


Report No.: TW2203319-01E

Date: 2022-04-14



Inside view






Date: 2022-04-14



Photographs - EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 42 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



Photographs - EUT



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 43 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



Photographs - EUT





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2022-04-14



Photographs - EUT



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 45 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



Photographs - EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 46 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



Photographs - EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 47 of 49

Report No.: TW2203319-01E

Date: 2022-04-14



Photographs - EUT



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2022-04-14



Photographs-EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 49 of 49 Report No.: TW2203319-01E

Date: 2022-04-14



Photographs - EUT



-- End of Test Report--