



ac20	5500	Ant2	5460	3	-39.42	58.81	Peak	68.2	Pass
ac20	5500	Ant2	5460	3	-49.36	48.87	Average	54	Pass
ac20	5500	Ant2	5467.8	3	-39.3	58.93	Peak	68.2	Pass
ac20	5500	Ant2	5467.6	3	-49.06	49.17	Average	54	Pass
ac20	5500	Ant2	5470	3	-40.7	57.53	Peak	68.2	Pass
ac20	5500	Ant2	5470	3	-49.63	48.6	Average	54	Pass
ac20	5700	Ant2	5725	3	-40.61	57.62	Peak	68.2	Pass
ac20	5700	Ant2	5725	3	-48.78	49.45	Average	54	Pass
ac20	5700	Ant2	5728	3	-39.05	59.18	Peak	68.2	Pass
ac20	5700	Ant2	5734	3	-48.29	49.94	Average	54	Pass
ac20	5700	Ant2	5735	3	-39.5	58.73	Peak	68.2	Pass
ac20	5700	Ant2	5735	3	-48.56	49.67	Average	54	Pass
ac40	5190	Ant2	4500	3	-40.28	57.95	Peak	68.2	Pass
ac40	5190	Ant2	4500	3	-50.78	47.45	Average	54	Pass
ac40	5190	Ant2	4923.4	3	-38.23	60	Peak	68.2	Pass
ac40	5190	Ant2	4964.28	3	-47.57	50.66	Average	54	Pass
ac40	5190	Ant2	5150	3	-41.05	57.18	Peak	68.2	Pass
ac40	5190	Ant2	5150	3	-49.47	48.76	Average	54	Pass
ac40	5230	Ant2	5350	3	-42.38	55.85	Peak	68.2	Pass
ac40	5230	Ant2	5350	3	-51.6	46.63	Average	54	Pass
ac40	5230	Ant2	5450.01	3	-38.37	59.86	Peak	68.2	Pass
ac40	5230	Ant2	5447.31	3	-48.11	50.12	Average	54	Pass
ac40	5230	Ant2	5460	3	-43.48	54.75	Peak	68.2	Pass
ac40	5230	Ant2	5460	3	-51.41	46.82	Average	54	Pass
ac40	5270	Ant2	4500	3	-41.69	56.54	Peak	68.2	Pass
ac40	5270	Ant2	4500	3	-50.53	47.7	Average	54	Pass
ac40	5270	Ant2	5054.04	3	-37.79	60.44	Peak	68.2	Pass
ac40	5270	Ant2	4962.51	3	-46.99	51.24	Average	54	Pass
ac40	5270	Ant2	5150	3	-41.86	56.37	Peak	68.2	Pass
ac40	5270	Ant2	5150	3	-50.52	47.71	Average	54	Pass
ac40	5310	Ant2	5350	3	-42.92	55.31	Peak	68.2	Pass
ac40	5310	Ant2	5350	3	-49.62	48.61	Average	54	Pass
ac40	5310	Ant2	5351	3	-36.79	61.44	Peak	68.2	Pass
ac40	5310	Ant2	5457.4	3	-48.59	49.64	Average	54	Pass
ac40	5310	Ant2	5460	3	-40.58	57.65	Peak	68.2	Pass
ac40	5310	Ant2	5460	3	-49.56	48.67	Average	54	Pass
ac40	5510	Ant2	5460	3	-40.6	57.63	Peak	68.2	Pass
ac40	5510	Ant2	5460	3	-49.89	48.34	Average	54	Pass
ac40	5510	Ant2	5469.2	3	-39.92	58.31	Peak	68.2	Pass
ac40	5510	Ant2	-49.03	3	-49.03	49.2	Average	54	Pass
ac40	5510	Ant2	5470	3	-43.09	55.14	Peak	68.2	Pass
ac40	5510	Ant2	5470	3	-49.75	48.48	Average	54	Pass
ac40	5670	Ant2	5725	3	-40.29	57.94	Peak	68.2	Pass



ac40	5670	Ant2	5725	3	-48.49	49.74	Average	54	Pass
ac40	5670	Ant2	5726.2	3	-36.97	61.26	Peak	68.2	Pass
ac40	5670	Ant2	5725.8	3	-48.19	50.04	Average	54	Pass
ac40	5670	Ant2	-39.81	3	-39.81	58.42	Peak	68.2	Pass
ac40	5670	Ant2	5735	3	-50.04	48.19	Average	54	Pass
ac80	5210	Ant2	4500	3	-40.29	57.94	Peak	68.2	Pass
ac80	5210	Ant2	4500	3	-50.35	47.88	Average	54	Pass
ac80	5210	Ant2	4519.75	3	-38.4	59.83	Peak	68.2	Pass
ac80	5210	Ant2	4966.1	3	-47.16	51.07	Average	54	Pass
ac80	5210	Ant2	5150	3	-38.17	60.06	Peak	68.2	Pass
ac80	5210	Ant2	5150	3	-48.13	50.1	Average	54	Pass
ac80	5290	Ant2	4500	3	-40.86	57.37	Peak	68.2	Pass
ac80	5290	Ant2	4500	3	-49.79	48.44	Average	54	Pass
ac80	5290	Ant2	5062.02	3	-37.54	60.69	Peak	68.2	Pass
ac80	5290	Ant2	4963.71	3	-46.87	51.36	Average	54	Pass
ac80	5290	Ant2	5150	3	-40.43	57.8	Peak	68.2	Pass
ac80	5290	Ant2	5150	3	-48.75	49.48	Average	54	Pass
ac80	5530	Ant2	5460	3	-35.88	62.35	Peak	68.2	Pass
ac80	5530	Ant2	5460	3	-45.37	52.86	Average	54	Pass
ac80	5530	Ant2	5460	3	-35.88	62.35	Peak	68.2	Pass
ac80	5530	Ant2	5465.6	3	-44.79	53.44	Average	54	Pass
ac80	5530	Ant2	5470	3	-37.98	60.25	Peak	68.2	Pass
ac80	5530	Ant2	5470	3	-46.02	52.21	Average	54	Pass
ac80	5610	Ant2	5725	3	-39.63	58.6	Peak	68.2	Pass
ac80	5610	Ant2	5725	3	-48.25	49.98	Average	54	Pass
ac80	5610	Ant2	5731.925	3	-38.67	59.56	Peak	68.2	Pass
ac80	5610	Ant2	5725.16	3	-48.25	49.98	Average	54	Pass
ac80	5610	Ant2	5735	3	-39.85	58.38	Peak	68.2	Pass
ac80	5610	Ant2	5735	3	-49.7	48.53	Average	54	Pass



ANT1+ANT2:

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
n20	5180	Ant1&Ant2	4500	-41.31	6.01	59.93	Peak	68.2	Pass
n20	5180	Ant1&Ant2	4500	-51.02	6.01	50.22	Average	54	Pass
n20	5180	Ant1&Ant2	4812.9	-38.43	6.01	62.81	Peak	68.2	Pass
n20	5180	Ant1&Ant2	4962.7	-47.77	6.01	53.47	Average	54	Pass
n20	5180	Ant1&Ant2	5150	-41.15	6.01	60.09	Peak	68.2	Pass
n20	5180	Ant1&Ant2	5150	-50.21	6.01	51.03	Average	54	Pass
n20	5240	Ant1&Ant2	5350	-40.27	6.01	60.97	Peak	68.2	Pass
n20	5240	Ant1&Ant2	5350	-50.17	6.01	51.07	Average	54	Pass
n20	5240	Ant1&Ant2	5391.6	-37.96	6.01	63.28	Peak	68.2	Pass
n20	5240	Ant1&Ant2	5446.56	-47.90	6.01	53.34	Average	54	Pass
n20	5240	Ant1&Ant2	5460	-42.32	6.01	58.92	Peak	68.2	Pass
n20	5240	Ant1&Ant2	5460	-51.68	6.01	49.56	Average	54	Pass
n20	5260	Ant1&Ant2	4500	-41.72	6.01	59.52	Peak	68.2	Pass
n20	5260	Ant1&Ant2	4500	-50.94	6.01	50.30	Average	54	Pass
n20	5260	Ant1&Ant2	4758.96	-37.92	6.01	63.32	Peak	68.2	Pass
n20	5260	Ant1&Ant2	5025.72	-47.95	6.01	53.29	Average	54	Pass
n20	5260	Ant1&Ant2	5150	-41.16	6.01	60.08	Peak	68.2	Pass
n20	5260	Ant1&Ant2	5150	-51.47	6.01	49.77	Average	54	Pass
n20	5320	Ant1&Ant2	5350	-42.32	6.01	58.92	Peak	68.2	Pass
n20	5320	Ant1&Ant2	5350	-50.88	6.01	50.36	Average	54	Pass
n20	5320	Ant1&Ant2	5368	-37.68	6.01	63.56	Peak	68.2	Pass
n20	5320	Ant1&Ant2	5448	-47.95	6.01	53.29	Average	54	Pass
n20	5320	Ant1&Ant2	5460	-44.32	6.01	56.92	Peak	68.2	Pass
n20	5320	Ant1&Ant2	5460	-51.30	6.01	49.94	Average	54	Pass
n20	5500	Ant1&Ant2	5460	-40.96	6.01	60.28	Peak	68.2	Pass
n20	5500	Ant1&Ant2	5460	-49.60	6.01	51.64	Average	54	Pass
n20	5500	Ant1&Ant2	5467.4	-39.40	6.01	61.84	Peak	68.2	Pass
n20	5500	Ant1&Ant2	5468.4	-48.68	6.01	52.56	Average	54	Pass
n20	5500	Ant1&Ant2	5470	-41.24	6.01	60.00	Peak	68.2	Pass
n20	5500	Ant1&Ant2	5470	-49.61	6.01	51.63	Average	54	Pass
n20	5700	Ant1&Ant2	5725	-39.66	6.01	61.58	Peak	68.2	Pass
n20	5700	Ant1&Ant2	5725	-48.71	6.01	52.53	Average	54	Pass
n20	5700	Ant1&Ant2	5726.2	-38.82	6.01	62.42	Peak	68.2	Pass
n20	5700	Ant1&Ant2	5734.4	-48.13	6.01	53.11	Average	54	Pass
n20	5700	Ant1&Ant2	5735	-39.59	6.01	61.65	Peak	68.2	Pass
n20	5700	Ant1&Ant2	5735	-48.49	6.01	52.75	Average	54	Pass
n40	5190	Ant1&Ant2	4500	-40.94	6.01	60.30	Peak	68.2	Pass
n40	5190	Ant1&Ant2	4500	-50.71	6.01	50.53	Average	54	Pass
n40	5190	Ant1&Ant2	5035.09	-38.04	6.01	63.20	Peak	68.2	Pass



n40	5190	Ant1&Ant2	4964.28	-47.61	6.01	53.63	Average	54	Pass
n40	5190	Ant1&Ant2	5150	-40.25	6.01	60.99	Peak	68.2	Pass
n40	5190	Ant1&Ant2	5150	-49.50	6.01	51.74	Average	54	Pass
n40	5230	Ant1&Ant2	5350	-42.75	6.01	58.49	Peak	68.2	Pass
n40	5230	Ant1&Ant2	5350	-51.27	6.01	49.97	Average	54	Pass
n40	5230	Ant1&Ant2	5450.28	-37.49	6.01	63.75	Peak	68.2	Pass
n40	5230	Ant1&Ant2	5448.12	-47.91	6.01	53.33	Average	54	Pass
n40	5230	Ant1&Ant2	5460	-42.99	6.01	58.25	Peak	68.2	Pass
n40	5230	Ant1&Ant2	5460	-51.47	6.01	49.77	Average	54	Pass
n40	5270	Ant1&Ant2	4500	-40.89	6.01	60.35	Peak	68.2	Pass
n40	5270	Ant1&Ant2	4500	-50.64	6.01	50.60	Average	54	Pass
n40	5270	Ant1&Ant2	4717.89	-37.97	6.01	63.27	Peak	68.2	Pass
n40	5270	Ant1&Ant2	4961.7	-47.31	6.01	53.93	Average	54	Pass
n40	5270	Ant1&Ant2	5150	-41.12	6.01	60.12	Peak	68.2	Pass
n40	5270	Ant1&Ant2	5150	-50.45	6.01	50.79	Average	54	Pass
n40	5310	Ant1&Ant2	5350	-44.07	6.01	57.17	Peak	68.2	Pass
n40	5310	Ant1&Ant2	5350	-49.97	6.01	51.27	Average	54	Pass
n40	5310	Ant1&Ant2	5449.4	-37.56	6.01	63.68	Peak	68.2	Pass
n40	5310	Ant1&Ant2	5350.8	-48.60	6.01	52.64	Average	54	Pass
n40	5310	Ant1&Ant2	5460	-40.33	6.01	60.91	Peak	68.2	Pass
n40	5310	Ant1&Ant2	5460	-49.83	6.01	51.41	Average	54	Pass
n40	5510	Ant1&Ant2	5460	-40.30	6.01	60.94	Peak	68.2	Pass
n40	5510	Ant1&Ant2	5460	-49.09	6.01	52.15	Average	54	Pass
n40	5510	Ant1&Ant2	5461.4	-39.43	6.01	61.81	Peak	68.2	Pass
n40	5510	Ant1&Ant2	-49.12	-48.94	6.01	52.30	Average	54	Pass
n40	5510	Ant1&Ant2	5470	-41.41	6.01	59.83	Peak	68.2	Pass
n40	5510	Ant1&Ant2	5470	-49.60	6.01	51.64	Average	54	Pass
n40	5670	Ant1&Ant2	5725	-39.90	6.01	61.34	Peak	68.2	Pass
n40	5670	Ant1&Ant2	5725	-48.05	6.01	53.19	Average	54	Pass
n40	5670	Ant1&Ant2	5726.2	-37.57	6.01	63.67	Peak	68.2	Pass
n40	5670	Ant1&Ant2	5725	-48.05	6.01	53.19	Average	54	Pass
n40	5670	Ant1&Ant2	-39.16	-40.29	6.01	60.95	Peak	68.2	Pass
n40	5670	Ant1&Ant2	5735	-49.74	6.01	51.50	Average	54	Pass
ac20	5180	Ant1&Ant2	4500	-41.00	6.01	60.24	Peak	68.2	Pass
ac20	5180	Ant1&Ant2	4500	-51.12	6.01	50.12	Average	54	Pass
ac20	5180	Ant1&Ant2	4957.8	-37.89	6.01	63.35	Peak	68.2	Pass
ac20	5180	Ant1&Ant2	4963.4	-47.83	6.01	53.41	Average	54	Pass
ac20	5180	Ant1&Ant2	5150	-39.48	6.01	61.76	Peak	68.2	Pass
ac20	5180	Ant1&Ant2	5150	-50.11	6.01	51.13	Average	54	Pass
ac20	5240	Ant1&Ant2	5350	-41.95	6.01	59.29	Peak	68.2	Pass
ac20	5240	Ant1&Ant2	5350	-50.18	6.01	51.06	Average	54	Pass
ac20	5240	Ant1&Ant2	5452.56	-38.66	6.01	62.58	Peak	68.2	Pass



ac20	5240	Ant1&Ant2	5446.56	-48.08	6.01	53.16	Average	54	Pass
ac20	5240	Ant1&Ant2	5460	-42.55	6.01	58.69	Peak	68.2	Pass
ac20	5240	Ant1&Ant2	5460	-51.94	6.01	49.30	Average	54	Pass
ac20	5260	Ant1&Ant2	4500	-41.71	6.01	59.53	Peak	68.2	Pass
ac20	5260	Ant1&Ant2	4500	-51.00	6.01	50.24	Average	54	Pass
ac20	5260	Ant1&Ant2	4931.34	-37.87	6.01	63.37	Peak	68.2	Pass
ac20	5260	Ant1&Ant2	4897.8	-48.13	6.01	53.11	Average	54	Pass
ac20	5260	Ant1&Ant2	5150	-40.30	6.01	60.94	Peak	68.2	Pass
ac20	5260	Ant1&Ant2	5150	-51.44	6.01	49.80	Average	54	Pass
ac20	5320	Ant1&Ant2	5350	-41.65	6.01	59.59	Peak	68.2	Pass
ac20	5320	Ant1&Ant2	5350	-50.81	6.01	50.43	Average	54	Pass
ac20	5320	Ant1&Ant2	5447.4	-37.18	6.01	64.06	Peak	68.2	Pass
ac20	5320	Ant1&Ant2	5447.4	-47.86	6.01	53.38	Average	54	Pass
ac20	5320	Ant1&Ant2	5460	-43.18	6.01	58.06	Peak	68.2	Pass
ac20	5320	Ant1&Ant2	5460	-51.30	6.01	49.94	Average	54	Pass
ac20	5500	Ant1&Ant2	5460	-39.78	6.01	61.46	Peak	68.2	Pass
ac20	5500	Ant1&Ant2	5460	-49.44	6.01	51.80	Average	54	Pass
ac20	5500	Ant1&Ant2	5469	-37.35	6.01	63.89	Peak	68.2	Pass
ac20	5500	Ant1&Ant2	5467.4	-48.93	6.01	52.31	Average	54	Pass
ac20	5500	Ant1&Ant2	5470	-40.25	6.01	60.99	Peak	68.2	Pass
ac20	5500	Ant1&Ant2	5470	-49.56	6.01	51.68	Average	54	Pass
ac20	5700	Ant1&Ant2	5725	-39.75	6.01	61.49	Peak	68.2	Pass
ac20	5700	Ant1&Ant2	5725	-48.77	6.01	52.47	Average	54	Pass
ac20	5700	Ant1&Ant2	5734.8	-38.49	6.01	62.75	Peak	68.2	Pass
ac20	5700	Ant1&Ant2	5734	-48.28	6.01	52.96	Average	54	Pass
ac20	5700	Ant1&Ant2	5735	-38.81	6.01	62.43	Peak	68.2	Pass
ac20	5700	Ant1&Ant2	5735	-48.59	6.01	52.65	Average	54	Pass
ac40	5190	Ant1&Ant2	4500	-40.38	6.01	60.86	Peak	68.2	Pass
ac40	5190	Ant1&Ant2	4500	-50.68	6.01	50.56	Average	54	Pass
ac40	5190	Ant1&Ant2	4953.33	-38.20	6.01	63.04	Peak	68.2	Pass
ac40	5190	Ant1&Ant2	4964.28	-47.47	6.01	53.77	Average	54	Pass
ac40	5190	Ant1&Ant2	5150	-40.81	6.01	60.43	Peak	68.2	Pass
ac40	5190	Ant1&Ant2	5150	-49.51	6.01	51.73	Average	54	Pass
ac40	5230	Ant1&Ant2	5350	-40.49	6.01	60.75	Peak	68.2	Pass
ac40	5230	Ant1&Ant2	5350	-51.44	6.01	49.80	Average	54	Pass
ac40	5230	Ant1&Ant2	5447.85	-38.11	6.01	63.13	Peak	68.2	Pass
ac40	5230	Ant1&Ant2	5447.31	-48.00	6.01	53.24	Average	54	Pass
ac40	5230	Ant1&Ant2	5460	-43.26	6.01	57.98	Peak	68.2	Pass
ac40	5230	Ant1&Ant2	5460	-51.63	6.01	49.61	Average	54	Pass
ac40	5270	Ant1&Ant2	4500	-42.04	6.01	59.20	Peak	68.2	Pass
ac40	5270	Ant1&Ant2	4500	-50.63	6.01	50.61	Average	54	Pass
ac40	5270	Ant1&Ant2	4892.85	-37.86	6.01	63.38	Peak	68.2	Pass




ac40	5270	Ant1&Ant2	4961.7	-47.00	6.01	53.88	Average	54	Pass
ac40	5270	Ant1&Ant2	5150	-41.01	6.01	60.23	Peak	68.2	Pass
ac40	5270	Ant1&Ant2	5150	-50.63	6.01	50.61	Average	54	Pass
ac40	5310	Ant1&Ant2	5350	-42.85	6.01	58.39	Peak	68.2	Pass
ac40	5310	Ant1&Ant2	5350	-49.65	6.01	51.59	Average	54	Pass
ac40	5310	Ant1&Ant2	5452	-37.69	6.01	63.55	Peak	68.2	Pass
ac40	5310	Ant1&Ant2	5457.6	-48.64	6.01	52.60	Average	54	Pass
ac40	5310	Ant1&Ant2	5460	-40.74	6.01	60.50	Peak	68.2	Pass
ac40	5310	Ant1&Ant2	5460	-49.77	6.01	51.47	Average	54	Pass
ac40	5510	Ant1&Ant2	5460	-40.51	6.01	60.73	Peak	68.2	Pass
ac40	5510	Ant1&Ant2	5460	-49.59	6.01	51.65	Average	54	Pass
ac40	5510	Ant1&Ant2	5463.6	-39.48	6.01	61.76	Peak	68.2	Pass
ac40	5510	Ant1&Ant2	-49.3	-49.15	6.01	52.09	Average	54	Pass
ac40	5510	Ant1&Ant2	5470	-42.84	6.01	58.40	Peak	68.2	Pass
ac40	5510	Ant1&Ant2	5470	-49.62	6.01	51.62	Average	54	Pass
ac40	5670	Ant1&Ant2	5725	-39.66	6.01	61.58	Peak	68.2	Pass
ac40	5670	Ant1&Ant2	5725	-48.24	6.01	53.00	Average	54	Pass
ac40	5670	Ant1&Ant2	5725.8	-37.44	6.01	63.80	Peak	68.2	Pass
ac40	5670	Ant1&Ant2	5725	-48.09	6.01	53.15	Average	54	Pass
ac40	5670	Ant1&Ant2	-40.25	-40.01	6.01	61.23	Peak	68.2	Pass
ac40	5670	Ant1&Ant2	5735	-49.93	6.01	51.31	Average	54	Pass
ac80	5210	Ant1&Ant2	4500	-41.04	6.01	60.20	Peak	68.2	Pass
ac80	5210	Ant1&Ant2	4500	-50.06	6.01	51.18	Average	54	Pass
ac80	5210	Ant1&Ant2	5027.72	-38.41	6.01	62.83	Peak	68.2	Pass
ac80	5210	Ant1&Ant2	4966.89	-45.93	6.01	53.31	Average	54	Pass
ac80	5210	Ant1&Ant2	5150	-38.79	6.01	62.45	Peak	68.2	Pass
ac80	5210	Ant1&Ant2	5150	-48.17	6.01	53.07	Average	54	Pass
ac80	5290	Ant1&Ant2	4500	-41.34	6.01	59.90	Peak	68.2	Pass
ac80	5290	Ant1&Ant2	4500	-49.89	6.01	51.35	Average	54	Pass
ac80	5290	Ant1&Ant2	4756.65	-37.77	6.01	63.47	Peak	68.2	Pass
ac80	5290	Ant1&Ant2	4556.55	-46.45	6.01	53.79	Average	54	Pass
ac80	5290	Ant1&Ant2	5150	-41.04	6.01	60.20	Peak	68.2	Pass
ac80	5290	Ant1&Ant2	5150	-49.23	6.01	52.01	Average	54	Pass
ac80	5530	Ant1&Ant2	5460	-37.10	6.01	64.14	Peak	68.2	Pass
ac80	5530	Ant1&Ant2	5460	-45.07	6.01	53.77	Average	54	Pass
ac80	5530	Ant1&Ant2	5462	-37.01	6.01	64.23	Peak	68.2	Pass
ac80	5530	Ant1&Ant2	5464.2	-43.56	6.01	53.68	Average	54	Pass
ac80	5530	Ant1&Ant2	5470	-39.09	6.01	62.15	Peak	68.2	Pass
ac80	5530	Ant1&Ant2	5470	-46.43	6.01	53.81	Average	54	Pass
ac80	5610	Ant1&Ant2	5725	-39.81	6.01	61.43	Peak	68.2	Pass
ac80	5610	Ant1&Ant2	5725	-48.23	6.01	53.01	Average	54	Pass
ac80	5610	Ant1&Ant2	5725.775	-38.42	6.01	62.82	Peak	68.2	Pass



ac80	5610	Ant1&Ant2	5729.875	-48.10	6.01	53.14	Average	54	Pass
ac80	5610	Ant1&Ant2	5735	-40.86	6.01	60.38	Peak	68.2	Pass
ac80	5610	Ant1&Ant2	5735	-49.80	6.01	51.44	Average	54	Pass


## 8.2 Test Graphs










Restrict Banda 5240MHz Ant1 Peak




Restrict Band a 5240MHz Ant1 Average










Restrict Banda 5320MHz Ant1 Peak




Restrict Band a 5320MHz Ant1 Average












Restrict Banda 5700MHz Ant1 Peak





Restrict Band a 5700MHz Ant1 Average











































































Restrict Bandac20 5700MHz Ant1 Peak







Restrict Band ac20 5700MHz Ant1 Average

















































Restrict Banda 5240MHz Ant2 Peak




Restrict Band a 5240MHz Ant2 Average






Restrict Banda 5260MHz Ant2 Peak




Restrict Band a 5260MHz Ant2 Average








Restrict Banda 5320MHz Ant2 Peak




Restrict Band a 5320MHz Ant2 Average







Restrict Banda 5700MHz Ant2 Peak



Restrict Band a 5700MHz Ant2 Average

