FCC ID:2A55D-OV-10 RF EXPOSURE EVALUATION

According to FCC 1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) Radiation as specified in §1.1307(b)

Limits for Maximum Permissible Exposure (MPE)

Frequency	Electric Field	Magnetic			
Range(MHz)	Strength(V/m)	Field Density(mW/cm ²)		Time	
		Strength(A/m)			
(A) Limits for Occupational/Control Exposures					
300-1500			F/300	6	
1500-			5	6	
100000					
(B) Limits for General Population/Uncontrol Exposures					
300-1500			F/1500	6	
1500-			1	30	
100000					

11.1 Friis transmission formula: Pd= (Pout*G)\ (4*pi*R²)

Where

Pd= Power density in mW/cm²

Pout=output power to antenna in mW

G= Numeric gain of the antenna relative to isotropic antenna

Pi=3.1416

R= distance between observation point and center of the radiator in cm Pd the limit of MPE, 1mW/cm²,If we know the maximum gain of the nd total power input to the antenna, through the calculation, we will know the distance where the MPE limit is reached.

RF Exposure Information: The radiated output power of this device meets the limits of FCC/IC radio frequency exposure limits. This device should be operated with a minimum separation distance of 40cm between the equipment and a person's body.

11.2 Measurement Result

BLE

Antenna:-2dBi

Measured power (dBm)	Tune-up power (dBm)	Max tune- up power (dBm)	Antenna Gain Numeric	Evaluation result (mW/cm2)	Power density Limits (mW/cm2)
1.38	0 to 2	2	0.63	0.0002	1

WIFI 2.4G

Antenna:-2dBi

Measured power (dBm)	Tune-up power (dBm)	Max tune- up power (dBm)	Antenna Gain Numeric	Evaluation result (mW/cm2)	Power density Limits (mW/cm2)
16.46	15 to 17	17	0.63	0.0062	1

CONCLUSION of simultaneous transmitter

The module can transmit simultaneously, the formula of calculated the MPE is:

CPD1/LPD1+CPD2/LPD2+·····etc. < 1

CPD = Calculation power density

LPD = Limit of power density

Therefore the worst-case situation is 0.0002/1.00+0.0062/1.00=0.00642which is less than "0.00642",

This confirmed that the device comply with FCC 1.1310 MPE limit.