



Appendix D

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: 10.1inch tablet

Test Model: AK10

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





D.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant	23.485	---	Pass
NVNT	a	5200	Ant	23.609	---	Pass
NVNT	a	5240	Ant	24.38	---	Pass
NVNT	n20	5180	Ant	25.999	---	Pass
NVNT	n20	5200	Ant	28.166	---	Pass
NVNT	n20	5240	Ant	26.423	---	Pass
NVNT	n40	5190	Ant	43.952	---	Pass
NVNT	n40	5230	Ant	42.687	---	Pass
NVNT	ac20	5180	Ant	24.101	---	Pass
NVNT	ac20	5200	Ant	24.478	---	Pass
NVNT	ac20	5240	Ant	25.287	---	Pass
NVNT	ac40	5190	Ant	44.874	---	Pass
NVNT	ac40	5230	Ant	39.439	---	Pass
NVNT	ax20	5180	Ant	28.835	---	Pass
NVNT	ax20	5200	Ant	29.064	---	Pass
NVNT	ax20	5240	Ant	26.97	---	Pass
NVNT	ax40	5190	Ant	41.347	---	Pass
NVNT	ax40	5230	Ant	41.088	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant




-26dB Bandwidth NVNT a 5200MHz Ant






-26dB Bandwidth NVNT a 5240MHz Ant




-26dB Bandwidth NVNT n20 5180MHz Ant






-26dB Bandwidth NVNT n20 5200MHz Ant




-26dB Bandwidth NVNT n20 5240MHz Ant






-26dB Bandwidth NVNT n40 5190MHz Ant




-26dB Bandwidth NVNT n40 5230MHz Ant






-26dB Bandwidth NVNT ac20 5180MHz Ant




-26dB Bandwidth NVNT ac20 5200MHz Ant







-26dB Bandwidth NVNT ac20 5240MHz Ant



-26dB Bandwidth NVNT ac40 5190MHz Ant









Test Graphs

-26dB Bandwidth NVNT ax20 5180MHz Ant




-26dB Bandwidth NVNT ax20 5200MHz Ant







-26dB Bandwidth NVNT ax20 5240MHz Ant



-26dB Bandwidth NVNT ax40 5190MHz Ant







D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant	12.16	0.12	12.28	24	Pass
NVNT	a	5200	Ant	12.86	0.12	12.98	24	Pass
NVNT	a	5240	Ant	12.1	0.12	12.22	24	Pass
NVNT	n20	5180	Ant	11.67	0.15	11.82	24	Pass
NVNT	n20	5200	Ant	11.31	0.15	11.46	24	Pass
NVNT	n20	5240	Ant	11.29	0.15	11.44	24	Pass
NVNT	n40	5190	Ant	10.88	0.3	11.18	24	Pass
NVNT	n40	5230	Ant	10.89	0.29	11.18	24	Pass
NVNT	ac20	5180	Ant	11.29	0.15	11.44	24	Pass
NVNT	ac20	5200	Ant	11.35	0.15	11.5	24	Pass
NVNT	ac20	5240	Ant	11.36	0.15	11.51	24	Pass
NVNT	ac40	5190	Ant	10.85	0.29	11.14	24	Pass
NVNT	ac40	5230	Ant	10.94	0.29	11.23	24	Pass
NVNT	ax20	5180	Ant	11.16	0.12	11.28	24	Pass
NVNT	ax20	5200	Ant	11.85	0.12	11.97	24	Pass
NVNT	ax20	5240	Ant	11.18	0.12	11.3	24	Pass
NVNT	ax40	5190	Ant	10.06	0.24	10.3	24	Pass
NVNT	ax40	5230	Ant	10.23	0.24	10.47	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant	1.62	0.12	1.74	11	Pass
NVNT	a	5200	Ant	2.2	0.12	2.32	11	Pass
NVNT	a	5240	Ant	1.31	0.12	1.43	11	Pass
NVNT	n20	5180	Ant	0.96	0.15	1.11	11	Pass
NVNT	n20	5200	Ant	0.54	0.15	0.69	11	Pass
NVNT	n20	5240	Ant	0.73	0.15	0.88	11	Pass
NVNT	n40	5190	Ant	-2.73	0.3	-2.43	11	Pass
NVNT	n40	5230	Ant	-3.89	0.29	-3.6	11	Pass
NVNT	ac20	5180	Ant	0.92	0.15	1.07	11	Pass
NVNT	ac20	5200	Ant	0.58	0.15	0.73	11	Pass
NVNT	ac20	5240	Ant	0.68	0.15	0.83	11	Pass
NVNT	ac40	5190	Ant	-2.84	0.29	-2.55	11	Pass
NVNT	ac40	5230	Ant	-2.6	0.29	-2.31	11	Pass
NVNT	ax20	5180	Ant	0.38	0.12	0.5	11	Pass
NVNT	ax20	5200	Ant	1.4	0.12	1.52	11	Pass
NVNT	ax20	5240	Ant	0.41	0.12	0.53	11	Pass
NVNT	ax40	5190	Ant	-3.57	0.24	-3.33	11	Pass
NVNT	ax40	5230	Ant	-3.4	0.24	-3.16	11	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant




PSD NVNT a 5200MHz Ant










PSD NVNT a 5240MHz Ant







PSD NVNT n20 5180MHz Ant


















Test Graphs

PSD NVNT ax20 5180MHz Ant




PSD NVNT ax20 5200MHz Ant







PSD NVNT ax20 5240MHz Ant



PSD NVNT ax40 5190MHz Ant







D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant	4500	-49.32	2	-	47.91	Peak	68.2	Pass
NVNT	a	5180	Ant	4500	-58.71	2	0.12	38.64	Average	54	Pass
NVNT	a	5180	Ant	5148.9	-38.39	2	-	58.84	Peak	68.2	Pass
NVNT	a	5180	Ant	5149.6	-50.88	2	0.12	46.47	Average	54	Pass
NVNT	a	5180	Ant	5150	-41	2	-	56.23	Peak	68.2	Pass
NVNT	a	5180	Ant	5150	-49.56	2	0.12	47.79	Average	54	Pass
NVNT	a	5240	Ant	5350	-49.24	2	-	47.99	Peak	68.2	Pass
NVNT	a	5240	Ant	5350	-56.74	2	0.12	40.61	Average	54	Pass
NVNT	a	5240	Ant	5394.24	-47.27	2	-	49.96	Peak	68.2	Pass
NVNT	a	5240	Ant	5350.08	-56.74	2	0.12	40.61	Average	54	Pass
NVNT	a	5240	Ant	5460	-49.3	2	-	47.93	Peak	68.2	Pass
NVNT	a	5240	Ant	5460	-57.87	2	0.12	39.48	Average	54	Pass
NVNT	n20	5180	Ant	4500	-49.31	2	-	47.92	Peak	68.2	Pass
NVNT	n20	5180	Ant	4500	-58.29	2	0.15	39.09	Average	54	Pass
NVNT	n20	5180	Ant	5148.9	-37.93	2	-	59.3	Peak	68.2	Pass
NVNT	n20	5180	Ant	5148.9	-49.75	2	0.15	47.63	Average	54	Pass
NVNT	n20	5180	Ant	5150	-38.43	2	-	58.8	Peak	68.2	Pass
NVNT	n20	5180	Ant	5150	-49.49	2	0.15	47.89	Average	54	Pass
NVNT	n20	5240	Ant	5350	-47.81	2	-	49.42	Peak	68.2	Pass
NVNT	n20	5240	Ant	5350	-57.15	2	0.15	40.23	Average	54	Pass
NVNT	n20	5240	Ant	5406.24	-47.26	2	-	49.97	Peak	68.2	Pass
NVNT	n20	5240	Ant	5352.48	-56.66	2	0.15	40.72	Average	54	Pass
NVNT	n20	5240	Ant	5460	-51.57	2	-	45.66	Peak	68.2	Pass
NVNT	n20	5240	Ant	5460	-57.93	2	0.15	39.45	Average	54	Pass
NVNT	n40	5190	Ant	4500	-51.09	2	-	46.14	Peak	68.2	Pass
NVNT	n40	5190	Ant	4500	-58.27	2	0.3	39.26	Average	54	Pass
NVNT	n40	5190	Ant	5149.7	-38.93	2	-	58.3	Peak	68.2	Pass
NVNT	n40	5190	Ant	5149.7	-49.87	2	0.3	47.66	Average	54	Pass
NVNT	n40	5190	Ant	5150	-38.93	2	-	58.3	Peak	68.2	Pass
NVNT	n40	5190	Ant	5150	-49.87	2	0.3	47.66	Average	54	Pass
NVNT	n40	5230	Ant	5350	-50.57	2	-	46.66	Peak	68.2	Pass
NVNT	n40	5230	Ant	5350	-57.71	2	0.29	39.81	Average	54	Pass
NVNT	n40	5230	Ant	5383.59	-46.88	2	-	50.35	Peak	68.2	Pass
NVNT	n40	5230	Ant	5390.07	-57	2	0.29	40.52	Average	54	Pass
NVNT	n40	5230	Ant	5460	-49.68	2	-	47.55	Peak	68.2	Pass
NVNT	n40	5230	Ant	5460	-58.12	2	0.29	39.4	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20	5180	Ant	4500	-50.61	2	-	46.62	Peak	68.2	Pass
NVNT	ac20	5180	Ant	4500	-58.67	2	0.15	38.71	Average	54	Pass
NVNT	ac20	5180	Ant	5149.6	-34.07	2	-	63.16	Peak	68.2	Pass
NVNT	ac20	5180	Ant	5149.6	-48.96	2	0.15	48.42	Average	54	Pass
NVNT	ac20	5180	Ant	5150	-33.9	2	-	63.33	Peak	68.2	Pass
NVNT	ac20	5180	Ant	5150	-48.67	2	0.15	48.71	Average	54	Pass
NVNT	ac20	5240	Ant	5350	-48.98	2	-	48.25	Peak	68.2	Pass
NVNT	ac20	5240	Ant	5350	-56.69	2	0.15	40.69	Average	54	Pass
NVNT	ac20	5240	Ant	5387.76	-47.53	2	-	49.7	Peak	68.2	Pass
NVNT	ac20	5240	Ant	5350.32	-56.5	2	0.15	40.88	Average	54	Pass
NVNT	ac20	5240	Ant	5460	-50.89	2	-	46.34	Peak	68.2	Pass
NVNT	ac20	5240	Ant	5460	-58.54	2	0.15	38.84	Average	54	Pass
NVNT	ac40	5190	Ant	4500	-49.52	2	-	47.71	Peak	68.2	Pass
NVNT	ac40	5190	Ant	4500	-58.06	2	0.29	39.46	Average	54	Pass
NVNT	ac40	5190	Ant	5149.7	-37.16	2	-	60.07	Peak	68.2	Pass
NVNT	ac40	5190	Ant	5148.97	-50.06	2	0.29	47.46	Average	54	Pass
NVNT	ac40	5190	Ant	5150	-37.16	2	-	60.07	Peak	68.2	Pass
NVNT	ac40	5190	Ant	5150	-50.07	2	0.29	47.45	Average	54	Pass
NVNT	ac40	5230	Ant	5350	-50.19	2	-	47.04	Peak	68.2	Pass
NVNT	ac40	5230	Ant	5350	-57.61	2	0.29	39.91	Average	54	Pass
NVNT	ac40	5230	Ant	5444.07	-46.32	2	-	50.91	Peak	68.2	Pass
NVNT	ac40	5230	Ant	5383.05	-56.95	2	0.29	40.57	Average	54	Pass
NVNT	ac40	5230	Ant	5460	-50.46	2	-	46.77	Peak	68.2	Pass
NVNT	ac40	5230	Ant	5460	-58.19	2	0.29	39.33	Average	54	Pass
NVNT	ax20	5180	Ant	4500	-50.4	2	-	46.83	Peak	68.2	Pass
NVNT	ax20	5180	Ant	4500	-57.66	2	0.12	39.69	Average	54	Pass
NVNT	ax20	5180	Ant	5149.6	-33.49	2	-	63.74	Peak	68.2	Pass
NVNT	ax20	5180	Ant	5148.9	-50.15	2	0.12	47.2	Average	54	Pass
NVNT	ax20	5180	Ant	5150	-37.44	2	-	59.79	Peak	68.2	Pass
NVNT	ax20	5180	Ant	5150	-48.54	2	0.12	48.81	Average	54	Pass
NVNT	ax20	5240	Ant	5350	-49.56	2	-	47.67	Peak	68.2	Pass
NVNT	ax20	5240	Ant	5350	-57.15	2	0.12	40.2	Average	54	Pass
NVNT	ax20	5240	Ant	5387.76	-46.34	2	-	50.89	Peak	68.2	Pass
NVNT	ax20	5240	Ant	5351.04	-56.61	2	0.12	40.74	Average	54	Pass
NVNT	ax20	5240	Ant	5460	-49.95	2	-	47.28	Peak	68.2	Pass
NVNT	ax20	5240	Ant	5460	-57.92	2	0.12	39.43	Average	54	Pass
NVNT	ax40	5190	Ant	4500	-48.1	2	-	49.13	Peak	68.2	Pass
NVNT	ax40	5190	Ant	4500	-58.38	2	0.24	39.09	Average	54	Pass
NVNT	ax40	5190	Ant	5149.7	-38.47	2	-	58.76	Peak	68.2	Pass
NVNT	ax40	5190	Ant	5148.97	-50.37	2	0.24	47.1	Average	54	Pass
NVNT	ax40	5190	Ant	5150	-38.47	2	-	58.76	Peak	68.2	Pass





NVNT	ax40	5190	Ant	5150	-50.79	2	0.24	46.68	Average	54	Pass
NVNT	ax40	5230	Ant	5350	-48.1	2	-	49.13	Peak	68.2	Pass
NVNT	ax40	5230	Ant	5350	-57.43	2	0.24	40.04	Average	54	Pass
NVNT	ax40	5230	Ant	5428.41	-46.67	2	-	50.56	Peak	68.2	Pass
NVNT	ax40	5230	Ant	5433	-57.15	2	0.24	40.32	Average	54	Pass
NVNT	ax40	5230	Ant	5460	-49.19	2	-	48.04	Peak	68.2	Pass
NVNT	ax40	5230	Ant	5460	-58.03	2	0.24	39.44	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant Peak




Restrict Band NVNT a 5180MHz Ant Average






Restrict Band NVNT a 5240MHz Ant Peak




Restrict Band NVNT a 5240MHz Ant Average






Restrict Band NVNT n20 5180MHz Ant Peak




Restrict Band NVNT n20 5180MHz Ant Average






Restrict Band NVNT n20 5240MHz Ant Peak




Restrict Band NVNT n20 5240MHz Ant Average






Restrict Band NVNT n40 5190MHz Ant Peak




Restrict Band NVNT n40 5190MHz Ant Average






Restrict Band NVNT n40 5230MHz Ant Peak




Restrict Band NVNT n40 5230MHz Ant Average






Restrict Band NVNT ac20 5180MHz Ant Peak




Restrict Band NVNT ac20 5180MHz Ant Average






Restrict Band NVNT ac20 5240MHz Ant Peak




Restrict Band NVNT ac20 5240MHz Ant Average






Restrict Band NVNT ac40 5190MHz Ant Peak




Restrict Band NVNT ac40 5190MHz Ant Average






Restrict Band NVNT ac40 5230MHz Ant Peak




Restrict Band NVNT ac40 5230MHz Ant Average






Test Graphs

Restrict Band NVNT ax20 5180MHz Ant Peak




Restrict Band NVNT ax20 5180MHz Ant Average






Restrict Band NVNT ax20 5240MHz Ant Peak




Restrict Band NVNT ax20 5240MHz Ant Average






Restrict Band NVNT ax40 5190MHz Ant Peak




Restrict Band NVNT ax40 5190MHz Ant Average






Restrict Band NVNT ax40 5230MHz Ant Peak



Restrict Band NVNT ax40 5230MHz Ant Average





D.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5180	Ant	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant	5200	0	0	25	Pass
NVNT	ac20	5240	Ant	5239.98	-20000	-3.82	25	Pass
NVNT	ac40	5190	Ant	5190	0	0	25	Pass
NVNT	ac40	5230	Ant	5230	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT ac20 5180MHz Ant




Freq. Stability NVNT ac20 5200MHz Ant






Freq. Stability NVNT ac20 5240MHz Ant




Freq. Stability NVNT ac40 5190MHz Ant





Freq. Stability NVNT ac40 5230MHz Ant





D.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant	97.22	0.12	0.46
NVNT	a	5200	Ant	97.17	0.12	0.46
NVNT	a	5240	Ant	97.17	0.12	0.46
NVNT	n20	5180	Ant	96.65	0.15	0.55
NVNT	n20	5200	Ant	96.65	0.15	0.55
NVNT	n20	5240	Ant	96.65	0.15	0.55
NVNT	n40	5190	Ant	93.43	0.3	1.12
NVNT	n40	5230	Ant	93.53	0.29	1.11
NVNT	ac20	5180	Ant	96.67	0.15	0.55
NVNT	ac20	5200	Ant	96.66	0.15	0.55
NVNT	ac20	5240	Ant	96.66	0.15	0.55
NVNT	ac40	5190	Ant	93.56	0.29	1.11
NVNT	ac40	5230	Ant	93.56	0.29	1.11
NVNT	ax20	5180	Ant	97.34	0.12	0.44
NVNT	ax20	5200	Ant	97.34	0.12	0.44
NVNT	ax20	5240	Ant	97.34	0.12	0.44
NVNT	ax40	5190	Ant	94.72	0.24	0.9
NVNT	ax40	5230	Ant	94.72	0.24	0.9




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5180MHz Ant




Duty Cycle NVNT a 5200MHz Ant








Duty Cycle NVNT a 5240MHz Ant




Duty Cycle NVNT n20 5180MHz Ant








Duty Cycle NVNT n40 5190MHz Ant




Duty Cycle NVNT n40 5230MHz Ant






Duty Cycle NVNT ac20 5180MHz Ant




Duty Cycle NVNT ac20 5200MHz Ant







Duty Cycle NVNT ac20 5240MHz Ant



Duty Cycle NVNT ac40 5190MHz Ant









Test Graphs

Duty Cycle NVNT ax20 5180MHz Ant




Duty Cycle NVNT ax20 5200MHz Ant





Duty Cycle NVNT ax20 5240MHz Ant



Duty Cycle NVNT ax40 5190MHz Ant

