



Appendix F

RF Test Data for 5.5GWIFI (Conducted Measurement)

Product Name: 10.1inch tablet

Test Model: AK10

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





F.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant	26.044	---	Pass
NVNT	a	5580	Ant	28.18	---	Pass
NVNT	a	5700	Ant	26.321	---	Pass
NVNT	n20	5500	Ant	27.839	---	Pass
NVNT	n20	5580	Ant	27.534	---	Pass
NVNT	n20	5700	Ant	27.141	---	Pass
NVNT	n40	5510	Ant	41.538	---	Pass
NVNT	n40	5550	Ant	39.998	---	Pass
NVNT	n40	5670	Ant	40.045	---	Pass
NVNT	ac20	5500	Ant	27.242	---	Pass
NVNT	ac20	5580	Ant	28.214	---	Pass
NVNT	ac20	5700	Ant	28.503	---	Pass
NVNT	ac40	5510	Ant	44.95	---	Pass
NVNT	ac40	5550	Ant	39.916	---	Pass
NVNT	ac40	5670	Ant	42.325	---	Pass
NVNT	ax20	5500	Ant	27.376	---	Pass
NVNT	ax20	5580	Ant	29.203	---	Pass
NVNT	ax20	5700	Ant	27.626	---	Pass
NVNT	ax40	5510	Ant	40.823	---	Pass
NVNT	ax40	5550	Ant	42.785	---	Pass
NVNT	ax40	5670	Ant	46.024	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant




-26dB Bandwidth NVNT a 5580MHz Ant






-26dB Bandwidth NVNT a 5700MHz Ant




-26dB Bandwidth NVNT n20 5500MHz Ant






-26dB Bandwidth NVNT n20 5580MHz Ant




-26dB Bandwidth NVNT n20 5700MHz Ant






-26dB Bandwidth NVNT n40 5510MHz Ant




-26dB Bandwidth NVNT n40 5550MHz Ant






-26dB Bandwidth NVNT n40 5670MHz Ant




-26dB Bandwidth NVNT ac20 5500MHz Ant






-26dB Bandwidth NVNT ac20 5580MHz Ant




-26dB Bandwidth NVNT ac20 5700MHz Ant







-26dB Bandwidth NVNT ac40 5510MHz Ant



-26dB Bandwidth NVNT ac40 5550MHz Ant









Test Graphs

-26dB Bandwidth NVNT ax20 5500MHz Ant




-26dB Bandwidth NVNT ax20 5580MHz Ant






-26dB Bandwidth NVNT ax20 5700MHz Ant




-26dB Bandwidth NVNT ax40 5510MHz Ant






-26dB Bandwidth NVNT ax40 5550MHz Ant



-26dB Bandwidth NVNT ax40 5670MHz Ant





F.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant	12.17	0.1	12.27	24	Pass
NVNT	a	5580	Ant	12.59	0.1	12.69	24	Pass
NVNT	a	5700	Ant	12.43	0.1	12.53	24	Pass
NVNT	n20	5500	Ant	11.52	0.12	11.64	24	Pass
NVNT	n20	5580	Ant	11.16	0.12	11.28	24	Pass
NVNT	n20	5700	Ant	11.88	0.12	12	24	Pass
NVNT	n40	5510	Ant	11.12	0.23	11.35	24	Pass
NVNT	n40	5550	Ant	11.31	0.24	11.55	24	Pass
NVNT	n40	5670	Ant	11.14	0.23	11.37	24	Pass
NVNT	ac20	5500	Ant	11.45	0.12	11.57	24	Pass
NVNT	ac20	5580	Ant	11.04	0.12	11.16	24	Pass
NVNT	ac20	5700	Ant	11.07	0.12	11.19	24	Pass
NVNT	ac40	5510	Ant	11.14	0.24	11.38	24	Pass
NVNT	ac40	5550	Ant	11.27	0.23	11.5	24	Pass
NVNT	ac40	5670	Ant	11.13	0.24	11.37	24	Pass
NVNT	ax20	5500	Ant	10.51	0.12	10.63	24	Pass
NVNT	ax20	5580	Ant	10.15	0.12	10.27	24	Pass
NVNT	ax20	5700	Ant	10.67	0.12	10.79	24	Pass
NVNT	ax40	5510	Ant	10.14	0.24	10.38	24	Pass
NVNT	ax40	5550	Ant	10.29	0.24	10.53	24	Pass
NVNT	ax40	5670	Ant	10.2	0.24	10.44	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



F.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant	1.65	0.1	1.75	11	Pass
NVNT	a	5580	Ant	2.16	0.1	2.26	11	Pass
NVNT	a	5700	Ant	1.95	0.1	2.05	11	Pass
NVNT	n20	5500	Ant	0.63	0.12	0.75	11	Pass
NVNT	n20	5580	Ant	0.28	0.12	0.4	11	Pass
NVNT	n20	5700	Ant	0.92	0.12	1.04	11	Pass
NVNT	n40	5510	Ant	-2.61	0.23	-2.38	11	Pass
NVNT	n40	5550	Ant	-2.53	0.24	-2.29	11	Pass
NVNT	n40	5670	Ant	-2.62	0.23	-2.39	11	Pass
NVNT	ac20	5500	Ant	0.79	0.12	0.91	11	Pass
NVNT	ac20	5580	Ant	0.33	0.12	0.45	11	Pass
NVNT	ac20	5700	Ant	0.5	0.12	0.62	11	Pass
NVNT	ac40	5510	Ant	-2.48	0.24	-2.24	11	Pass
NVNT	ac40	5550	Ant	-2.49	0.23	-2.26	11	Pass
NVNT	ac40	5670	Ant	-2.01	0.24	-1.77	11	Pass
NVNT	ax20	5500	Ant	-0.3	0.12	-0.18	11	Pass
NVNT	ax20	5580	Ant	-0.63	0.12	-0.51	11	Pass
NVNT	ax20	5700	Ant	0.36	0.12	0.48	11	Pass
NVNT	ax40	5510	Ant	-3.29	0.24	-3.05	11	Pass
NVNT	ax40	5550	Ant	-3.15	0.24	-2.91	11	Pass
NVNT	ax40	5670	Ant	-2.99	0.24	-2.75	11	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5500MHz Ant




PSD NVNT a 5580MHz Ant






PSD NVNT a 5700MHz Ant




PSD NVNT n20 5500MHz Ant








PSD NVNT n20 5580MHz Ant




PSD NVNT n20 5700MHz Ant












PSD NVNT n40 5670MHz Ant




PSD NVNT ac20 5500MHz Ant















Test Graphs



PSD NVNT ax20 5500MHz Ant



PSD NVNT ax20 5580MHz Ant









F.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant	5460	-42.29	2	-	54.94	Peak	68.2	Pass
NVNT	a	5500	Ant	5460	-52.96	2	0.1	44.37	Average	54	Pass
NVNT	a	5500	Ant	5469.2	-33.85	2	-	63.38	Peak	68.2	Pass
NVNT	a	5500	Ant	5470	-45.61	2	0.1	51.72	Average	54	Pass
NVNT	a	5500	Ant	5470	-36.73	2	-	60.5	Peak	68.2	Pass
NVNT	a	5700	Ant	5725	-33.03	2	-	64.2	Peak	68.2	Pass
NVNT	a	5700	Ant	5725	-47.69	2	0.1	49.64	Average	54	Pass
NVNT	a	5700	Ant	5731	-32.46	2	-	64.77	Peak	68.2	Pass
NVNT	a	5700	Ant	5725.4	-46.33	2	0.1	51	Average	54	Pass
NVNT	a	5700	Ant	5735	-39.23	2	-	58	Peak	68.2	Pass
NVNT	a	5700	Ant	5735	-54.88	2	0.1	42.45	Average	54	Pass
NVNT	n20	5500	Ant	5460	-43.56	2	-	53.67	Peak	68.2	Pass
NVNT	n20	5500	Ant	5460	-54.15	2	0.12	43.2	Average	54	Pass
NVNT	n20	5500	Ant	5469.4	-32.92	2	-	64.31	Peak	68.2	Pass
NVNT	n20	5500	Ant	5470	-47.22	2	0.12	50.13	Average	54	Pass
NVNT	n20	5500	Ant	5470	-37.85	2	-	59.38	Peak	68.2	Pass
NVNT	n20	5700	Ant	5725	-31.48	2	-	65.75	Peak	68.2	Pass
NVNT	n20	5700	Ant	5725	-45.38	2	0.12	51.97	Average	54	Pass
NVNT	n20	5700	Ant	5725.8	-29.63	2	-	67.6	Peak	68.2	Pass
NVNT	n20	5700	Ant	5725.2	-45.02	2	0.12	52.33	Average	54	Pass
NVNT	n20	5700	Ant	5735	-44.33	2	-	52.9	Peak	68.2	Pass
NVNT	n20	5700	Ant	5735	-54.62	2	0.12	42.73	Average	54	Pass
NVNT	n40	5510	Ant	5460	-39.12	2	-	58.11	Peak	68.2	Pass
NVNT	n40	5510	Ant	5460	-48.25	2	0.23	49.21	Average	54	Pass
NVNT	n40	5510	Ant	5469.8	-29.53	2	-	67.7	Peak	68.2	Pass
NVNT	n40	5510	Ant	5469.8	-45.24	2	0.23	52.22	Average	54	Pass
NVNT	n40	5510	Ant	5470	-29.78	2	-	67.45	Peak	68.2	Pass
NVNT	n40	5510	Ant	5470	-46.19	2	0.23	51.27	Average	54	Pass
NVNT	n40	5670	Ant	5725	-46.89	2	-	50.34	Peak	68.2	Pass
NVNT	n40	5670	Ant	5725	-55.35	2	0.23	42.11	Average	54	Pass
NVNT	n40	5670	Ant	5725.8	-45.15	2	-	52.08	Peak	68.2	Pass
NVNT	n40	5670	Ant	5726.6	-54.98	2	0.23	42.48	Average	54	Pass
NVNT	n40	5670	Ant	5735	-47.9	2	-	49.33	Peak	68.2	Pass
NVNT	n40	5670	Ant	5735	-56.26	2	0.23	41.2	Average	54	Pass
NVNT	ac20	5500	Ant	5460	-44.78	2	-	52.45	Peak	68.2	Pass
NVNT	ac20	5500	Ant	5460	-53.21	2	0.12	44.14	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20	5500	Ant	5469.6	-35.38	2	-	61.85	Peak	68.2	Pass
NVNT	ac20	5500	Ant	5469.6	-46.4	2	0.12	50.95	Average	54	Pass
NVNT	ac20	5500	Ant	5470	-36.55	2	-	60.68	Peak	68.2	Pass
NVNT	ac20	5500	Ant	5470	-46.94	2	0.12	50.41	Average	54	Pass
NVNT	ac20	5700	Ant	5725	-33.04	2	-	64.19	Peak	68.2	Pass
NVNT	ac20	5700	Ant	5725	-45.39	2	0.12	51.96	Average	54	Pass
NVNT	ac20	5700	Ant	5726.2	-29.76	2	-	67.47	Peak	68.2	Pass
NVNT	ac20	5700	Ant	5726.2	-44.31	2	0.12	53.04	Average	54	Pass
NVNT	ac20	5700	Ant	5735	-42.62	2	-	54.61	Peak	68.2	Pass
NVNT	ac20	5700	Ant	5735	-53.54	2	0.12	43.81	Average	54	Pass
NVNT	ac40	5510	Ant	5460	-39.04	2	-	58.19	Peak	68.2	Pass
NVNT	ac40	5510	Ant	5460	-48.42	2	0.24	49.05	Average	54	Pass
NVNT	ac40	5510	Ant	5467.4	-35.43	2	-	61.8	Peak	68.2	Pass
NVNT	ac40	5510	Ant	5469.6	-44.88	2	0.24	52.59	Average	54	Pass
NVNT	ac40	5510	Ant	5470	-36.1	2	-	61.13	Peak	68.2	Pass
NVNT	ac40	5510	Ant	5470	-45.52	2	0.24	51.95	Average	54	Pass
NVNT	ac40	5670	Ant	5725	-46.49	2	-	50.74	Peak	68.2	Pass
NVNT	ac40	5670	Ant	5725	-54.86	2	0.24	42.61	Average	54	Pass
NVNT	ac40	5670	Ant	5726.6	-45.08	2	-	52.15	Peak	68.2	Pass
NVNT	ac40	5670	Ant	5735	-46.6	2	-	50.63	Peak	68.2	Pass
NVNT	ac40	5670	Ant	5735	-56.3	2	0.24	41.17	Average	54	Pass
NVNT	ax20	5500	Ant	5460	-43.71	2	-	53.52	Peak	68.2	Pass
NVNT	ax20	5500	Ant	5460	-54.56	2	0.12	42.79	Average	54	Pass
NVNT	ax20	5500	Ant	5464.6	-32.57	2	-	64.66	Peak	68.2	Pass
NVNT	ax20	5500	Ant	5469.6	-48.32	2	0.12	49.03	Average	54	Pass
NVNT	ax20	5500	Ant	5470	-38.51	2	-	58.72	Peak	68.2	Pass
NVNT	ax20	5500	Ant	5470	-49.06	2	0.12	48.29	Average	54	Pass
NVNT	ax20	5700	Ant	5725	-36.02	2	-	61.21	Peak	68.2	Pass
NVNT	ax20	5700	Ant	5725	-50.39	2	0.12	46.96	Average	54	Pass
NVNT	ax20	5700	Ant	5725.8	-34.36	2	-	62.87	Peak	68.2	Pass
NVNT	ax20	5700	Ant	5725.8	-48.96	2	0.12	48.39	Average	54	Pass
NVNT	ax20	5700	Ant	5735	-47.59	2	-	49.64	Peak	68.2	Pass
NVNT	ax20	5700	Ant	5735	-56.09	2	0.12	41.26	Average	54	Pass
NVNT	ax40	5510	Ant	5460	-45.44	2	-	51.79	Peak	68.2	Pass
NVNT	ax40	5510	Ant	5460	-55.89	2	0.24	41.58	Average	54	Pass
NVNT	ax40	5510	Ant	5466	-38.53	2	-	58.7	Peak	68.2	Pass
NVNT	ax40	5510	Ant	5469.8	-53.33	2	0.24	44.14	Average	54	Pass
NVNT	ax40	5510	Ant	5470	-40.48	2	-	56.75	Peak	68.2	Pass
NVNT	ax40	5510	Ant	5470	-53.35	2	0.24	44.12	Average	54	Pass
NVNT	ax40	5670	Ant	5725	-47.49	2	-	49.74	Peak	68.2	Pass
NVNT	ax40	5670	Ant	5725	-55.19	2	0.24	42.28	Average	54	Pass





NVNT	ax40	5670	Ant	5725.6	-43.91	2	-	53.32	Peak	68.2	Pass
NVNT	ax40	5670	Ant	5728.2	-54.92	2	0.24	42.55	Average	54	Pass
NVNT	ax40	5670	Ant	5735	-49.45	2	-	47.78	Peak	68.2	Pass
NVNT	ax40	5670	Ant	5735	-56.59	2	0.24	40.88	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5500MHz Ant Peak




Restrict Band NVNT a 5500MHz Ant Average






Restrict Band NVNT a 5700MHz Ant Peak




Restrict Band NVNT a 5700MHz Ant Average






Restrict Band NVNT n20 5500MHz Ant Peak




Restrict Band NVNT n20 5500MHz Ant Average






Restrict Band NVNT n20 5700MHz Ant Peak




Restrict Band NVNT n20 5700MHz Ant Average






Restrict Band NVNT n40 5510MHz Ant Peak




Restrict Band NVNT n40 5510MHz Ant Average






Restrict Band NVNT n40 5670MHz Ant Peak




Restrict Band NVNT n40 5670MHz Ant Average






Restrict Band NVNT ac20 5500MHz Ant Peak




Restrict Band NVNT ac20 5500MHz Ant Average






Restrict Band NVNT ac20 5700MHz Ant Peak




Restrict Band NVNT ac20 5700MHz Ant Average






Restrict Band NVNT ac40 5510MHz Ant Peak




Restrict Band NVNT ac40 5510MHz Ant Average






Restrict Band NVNT ac40 5670MHz Ant Peak




Restrict Band NVNT ac40 5670MHz Ant Average






Test Graphs

Restrict Band NVNT ax20 5500MHz Ant Peak




Restrict Band NVNT ax20 5500MHz Ant Average






Restrict Band NVNT ax20 5700MHz Ant Peak




Restrict Band NVNT ax20 5700MHz Ant Average






Restrict Band NVNT ax40 5510MHz Ant Peak




Restrict Band NVNT ax40 5510MHz Ant Average






Restrict Band NVNT ax40 5670MHz Ant Peak



Restrict Band NVNT ax40 5670MHz Ant Average





F.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5500	Ant	5499.98	-20000	-3.64	25	Pass
NVNT	ac20	5580	Ant	5580	0	0	25	Pass
NVNT	ac20	5700	Ant	5700	0	0	25	Pass
NVNT	ac40	5510	Ant	5510	0	0	25	Pass
NVNT	ac40	5550	Ant	5550	0	0	25	Pass
NVNT	ac40	5670	Ant	5670	0	0	25	Pass
NVNT	ax20	5500	Ant	5499.96	-40000	-7.27	25	Pass
NVNT	ax20	5580	Ant	5580	0	0	25	Pass
NVNT	ax20	5700	Ant	5700	0	0	25	Pass
NVNT	ax40	5510	Ant	5510	0	0	25	Pass
NVNT	ax40	5550	Ant	5550	0	0	25	Pass
NVNT	ax40	5670	Ant	5670	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT ac20 5500MHz Ant




Freq. Stability NVNT ac20 5580MHz Ant






Freq. Stability NVNT ac20 5700MHz Ant




Freq. Stability NVNT ac40 5510MHz Ant






Freq. Stability NVNT ac40 5550MHz Ant




Freq. Stability NVNT ac40 5670MHz Ant






Test Graphs

Freq. Stability NVNT ax20 5500MHz Ant




Freq. Stability NVNT ax20 5580MHz Ant






Freq. Stability NVNT ax20 5700MHz Ant




Freq. Stability NVNT ax40 5510MHz Ant






Freq. Stability NVNT ax40 5550MHz Ant



Freq. Stability NVNT ax40 5670MHz Ant





F.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant	97.75	0.1	0.37
NVNT	a	5580	Ant	97.72	0.1	0.37
NVNT	a	5700	Ant	97.75	0.1	0.37
NVNT	n20	5500	Ant	97.29	0.12	0.44
NVNT	n20	5580	Ant	97.29	0.12	0.44
NVNT	n20	5700	Ant	97.29	0.12	0.44
NVNT	n40	5510	Ant	94.79	0.23	0.9
NVNT	n40	5550	Ant	94.71	0.24	0.9
NVNT	n40	5670	Ant	94.79	0.23	0.9
NVNT	ac20	5500	Ant	97.3	0.12	0.44
NVNT	ac20	5580	Ant	97.3	0.12	0.44
NVNT	ac20	5700	Ant	97.34	0.12	0.44
NVNT	ac40	5510	Ant	94.72	0.24	0.9
NVNT	ac40	5550	Ant	94.81	0.23	0.9
NVNT	ac40	5670	Ant	94.72	0.24	0.9
NVNT	ax20	5500	Ant	97.34	0.12	0.44
NVNT	ax20	5580	Ant	97.34	0.12	0.44
NVNT	ax20	5700	Ant	97.34	0.12	0.44
NVNT	ax40	5510	Ant	94.73	0.24	0.9
NVNT	ax40	5550	Ant	94.72	0.24	0.9
NVNT	ax40	5670	Ant	94.72	0.24	0.9




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5500MHz Ant




Duty Cycle NVNT a 5580MHz Ant








Duty Cycle NVNT a 5700MHz Ant




Duty Cycle NVNT n20 5500MHz Ant








Duty Cycle NVNT n40 5510MHz Ant




Duty Cycle NVNT n40 5550MHz Ant






Duty Cycle NVNT n40 5670MHz Ant




Duty Cycle NVNT ac20 5500MHz Ant






Duty Cycle NVNT ac20 5580MHz Ant




Duty Cycle NVNT ac20 5700MHz Ant







Duty Cycle NVNT ac40 5510MHz Ant



Duty Cycle NVNT ac40 5550MHz Ant









Test Graphs

Duty Cycle NVNT ax20 5500MHz Ant




Duty Cycle NVNT ax20 5580MHz Ant






Duty Cycle NVNT ax20 5700MHz Ant




Duty Cycle NVNT ax40 5510MHz Ant





Duty Cycle NVNT ax40 5550MHz Ant



Duty Cycle NVNT ax40 5670MHz Ant

