

FCC ID:2A5HP-ZL99J
Portable device

According to §15.247(e)(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

According to KDB447498 D01 General RF Exposure Guidance V06

The 1-g SAR and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] \cdot \sqrt{f(\text{GHz})} \leq 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where:

- $f(\text{GHz})$ is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison

When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

BT:

Modulation	Channel Freq. (GHz)	Conduct ed power (dBm)	Conducte d power (mW)	Tune-up power (dBm)	Max tune-up power (dBm)	Max tune-up power (mW)	Distance (mm)	Result calculatio n	SAR Exclusion threshold	SAR test exclusion
GFSK	2.402	-2.12	0.61	-2±1	-1.00	0.79	<5	0.24622	3.00	YES
	2.441	-0.97	0.80	0±1	1.00	1.26	<5	0.39338	3.00	YES
	2.480	-0.4	0.91	0±1	1.00	1.26	<5	0.39651	3.00	YES
Pi/4 DQPSK	2.402	-1.24	0.75	-1±1	0.00	1.00	<5	0.30997	3.00	YES
	2.441	-0.31	0.93	0±1	1.00	1.26	<5	0.39338	3.00	YES
	2.480	0.32	1.08	1±1	2.00	1.58	<5	0.49918	3.00	YES
8DPSK	2.402	-0.72	0.85	0±1	1.00	1.26	<5	0.39023	3.00	YES
	2.441	0.28	1.07	1±1	2.00	1.58	<5	0.49524	3.00	YES
	2.480	0.91	1.23	1±1	2.00	1.58	<5	0.49918	3.00	YES

BLE:

Modulation	Channel Freq. (GHz)	Conduct ed power (dBm)	Conducte d power (mW)	Tune-up power (dBm)	Max tune-up power (dBm)	Max tune-up power (mW)	Distance (mm)	Result calculatio n	SAR Exclusion threshold	SAR test exclusion
GFSK1M bps	2.402	5.13	3.26	6±1	7.00	5.01	<5	1.55352	3.00	YES
	2.44	5.37	3.44	6±1	7.00	5.01	<5	1.56576	3.00	YES
	2.480	5.59	3.62	6±1	7.00	5.01	<5	1.57854	3.00	YES
GFSK 2Mbps	2.402	5.14	3.27	6±1	7.00	5.01	<5	1.55352	3.00	YES
	2.44	5.42	3.48	6±1	7.00	5.01	<5	1.56576	3.00	YES
	2.480	5.67	3.69	6±1	7.00	5.01	<5	1.57854	3.00	YES

Conclusion:

For the max result : $1.57854 \text{ W/Kg} \leq \text{FCC Limit } 3.0$ for 1g SAR.

The Product unsupported at the same time to Transmitting.