




LTE CA_42C_20MHz+5MHz_Mid CH Spectrum Plot




LTE CA_42C_20MHz+10MHz_Mid CH Spectrum Plot



LTE CA_42C_20MHz+15MHz_Mid CH Spectrum Plot




LTE CA_42C_20MHz+20MHz_Mid CH Spectrum Plot



APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)


Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 90°



Test Mode : TX Mode

Ant 90°




APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Test Mode : WCDMA Band IV_TX CH1413

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	66.375	53.29	-3.00	50.29	82.30	-32.01	peak	
2	96.930	47.50	-6.54	40.96	82.30	-41.34	peak	
3	160.465	38.79	-1.21	37.58	82.30	-44.72	peak	
4	187.625	38.68	-3.43	35.25	82.30	-47.05	peak	
5	561.560	35.88	6.05	41.93	82.30	-40.37	peak	
6	571.260	35.06	6.35	41.41	82.30	-40.89	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	67.345	42.24	-3.17	39.07	82.30	-43.23	peak	
2	97.900	40.78	-6.40	34.38	82.30	-47.92	peak	
3	159.980	37.86	-1.19	36.67	82.30	-45.63	peak	
4 *	188.595	45.86	-3.54	42.32	82.30	-39.98	peak	
5	324.395	35.01	0.26	35.27	82.30	-47.03	peak	
6	769.625	30.72	10.12	40.84	82.30	-41.46	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	65.890	52.44	-2.92	49.52	82.30	-32.78	peak	
2	96.445	47.47	-6.61	40.86	82.30	-41.44	peak	
3	51.825	45.75	-1.55	44.20	82.30	-38.10	peak	
4	189.080	40.32	-3.60	36.72	82.30	-45.58	peak	
5	667.775	29.98	8.32	38.30	82.30	-44.00	peak	
6	911.730	30.74	11.36	42.10	82.30	-40.20	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	92.565	43.03	-7.02	36.01	82.30	-46.29	peak	
2	65.890	39.90	-2.92	36.98	82.30	-45.32	peak	
3	190.050	44.67	-3.71	40.96	82.30	-41.34	peak	
4	344.765	35.09	0.62	35.71	82.30	-46.59	peak	
5	580.960	33.15	6.66	39.81	82.30	-42.49	peak	
6 *	895.240	30.25	11.10	41.35	82.30	-40.95	peak	


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



Test Mode : LTE Band 4_TX CH20175_5MHz

Horizontal




Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



Test Mode : LTE Band 7_TX CH21100_5MHz


Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	65.405	52.51	-2.83	49.68	70.30	-20.62	peak	
2		51.825	48.01	-1.55	46.46	70.30	-23.84	peak	
3		101.295	45.63	-5.93	39.70	70.30	-30.60	peak	
4		150.280	40.74	-1.29	39.45	70.30	-30.85	peak	
5		185.200	41.58	-3.14	38.44	70.30	-31.86	peak	
6		816.185	31.63	10.59	42.22	70.30	-28.08	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		95.960	41.26	-6.68	34.58	70.30	-35.72	peak	
2		159.495	37.30	-1.19	36.11	70.30	-34.19	peak	
3		195.870	43.89	-4.22	39.67	70.30	-30.63	peak	
4		66.860	39.50	-3.08	36.42	70.30	-33.88	peak	
5		331.165	34.72	0.38	35.10	70.30	-35.20	peak	
6	*	889.905	32.24	11.05	43.29	70.30	-27.01	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	65.890	51.55	-2.92	48.63	70.30	-21.67	peak	
2		153.190	39.99	-1.26	38.73	70.30	-31.57	peak	
3		299.660	37.73	-0.52	37.21	70.30	-33.09	peak	
4		668.260	30.72	8.33	39.05	70.30	-31.25	peak	
5		806.970	30.71	10.55	41.26	70.30	-29.04	peak	
6		946.165	29.93	12.00	41.93	70.30	-28.37	peak	


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		66.860	39.12	-3.08	36.04	70.30	-34.26	peak	
2		153.675	40.09	-1.26	38.83	70.30	-31.47	peak	
3		97.415	40.62	-6.48	34.14	70.30	-36.16	peak	
4		190.050	43.98	-3.71	40.27	70.30	-30.03	peak	
5		347.190	33.96	0.66	34.62	70.30	-35.68	peak	
6	*	861.290	30.44	10.79	41.23	70.30	-29.07	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	30.000	53.67	-3.64	50.03	55.30	-5.27	peak	
2	52.795	52.74	-1.58	51.16	55.30	-4.14	peak	
3	66.860	51.44	-3.08	48.36	55.30	-6.94	peak	
4	113.420	46.26	-4.38	41.88	55.30	-13.42	peak	
5	453.405	32.93	3.83	36.76	55.30	-18.54	peak	
6	948.590	30.80	12.04	42.84	55.30	-12.46	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	66.375	40.75	-3.00	37.75	55.30	-17.55	peak	
2	190.050	44.94	-3.71	41.23	55.30	-14.07	peak	
3	214.300	40.85	-4.59	36.26	55.30	-19.04	peak	
4	292.385	37.60	-0.73	36.87	55.30	-18.43	peak	
5	677.960	31.16	8.45	39.61	55.30	-15.69	peak	
6	861.775	31.29	10.80	42.09	55.30	-13.21	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	65.890	49.79	-2.92	46.87	55.30	-8.43	peak	
2	52.795	46.97	-1.58	45.39	55.30	-9.91	peak	
3	97.900	46.37	-0.40	39.97	55.30	-15.33	peak	
4	159.980	39.37	-1.19	38.18	55.30	-17.12	peak	
5	930.645	30.92	11.70	42.62	55.30	-12.68	peak	
6	300.145	36.14	-0.51	35.63	55.30	-19.67	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	66.375	41.06	-3.00	38.06	55.30	-17.24	peak	
2	97.900	40.89	-6.40	34.49	55.30	-20.81	peak	
3	187.625	43.92	-3.43	40.49	55.30	-14.81	peak	
4	318.575	34.49	0.12	34.61	55.30	-20.69	peak	
5	587.265	31.44	6.84	38.28	55.30	-17.02	peak	
6	838.980	30.62	10.66	41.28	55.30	-14.02	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm		dBm/Hz	dBm			
1	51.825	47.33	-1.55	45.78	55.30	-9.52	peak	
2 *	66.375	51.70	-3.00	48.70	55.30	-6.60	peak	
3	104.690	45.16	-5.46	39.70	55.30	-15.60	peak	
4	152.705	41.17	-1.26	39.91	55.30	-15.39	peak	
5	189.565	42.39	-3.66	38.73	55.30	-16.57	peak	
6	350.585	35.83	0.71	36.54	55.30	-18.76	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm		dBm/Hz	dBm			
1	66.860	40.02	-3.08	36.94	55.30	-18.36	peak	
2	95.475	42.55	-6.76	35.79	55.30	-19.51	peak	
3	159.980	39.30	-1.19	38.11	55.30	-17.19	peak	
4	189.080	42.79	-3.60	39.19	55.30	-16.11	peak	
5	351.070	35.33	0.73	36.06	55.30	-19.24	peak	
6 *	956.350	30.65	12.08	42.73	55.30	-12.57	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm		dBm/Hz	dBm			
1 *	65.890	50.37	-2.92	47.45	55.30	-7.85	peak	
2	97.900	45.07	-6.40	38.67	55.30	-16.63	peak	
3	156.100	39.45	-1.23	38.22	55.30	-17.08	peak	
4	298.690	36.68	-0.55	36.13	55.30	-19.17	peak	
5	619.275	30.84	7.57	38.41	55.30	-16.89	peak	
6	906.880	30.49	11.27	41.76	55.30	-13.54	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm		dBm/Hz	dBm			
1	65.890	41.74	-2.92	38.82	55.30	-16.48	peak	
2	153.675	38.41	-1.26	37.15	55.30	-18.15	peak	
3	189.565	46.15	-3.66	42.49	55.30	-12.81	peak	
4	358.345	35.56	0.83	36.39	55.30	-18.91	peak	
5	721.125	31.07	9.20	40.27	55.30	-15.03	peak	
6 *	972.840	30.65	12.11	42.76	55.30	-12.54	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz


Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	52.310	47.00	-1.56	45.44	70.30	-24.86	peak	
2 *	64.920	50.62	-2.75	47.87	70.30	-22.43	peak	
3	103.720	44.62	-5.59	39.03	70.30	-31.27	peak	
4	153.190	40.05	-1.26	38.79	70.30	-31.51	peak	
5	547.495	31.10	5.65	36.75	70.30	-33.55	peak	
6	826.370	30.23	10.61	40.84	70.30	-29.46	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	65.405	41.83	-2.83	39.00	70.30	-31.30	peak	
2	96.445	40.10	-6.61	33.49	70.30	-36.81	peak	
3	189.080	44.97	-3.60	41.37	70.30	-28.93	peak	
4	52.310	37.07	-1.56	35.51	70.30	-34.79	peak	
5	345.250	34.17	0.63	34.80	70.30	-35.50	peak	
6 *	903.970	30.29	11.21	41.50	70.30	-28.80	peak	

Test Mode : LTE Band 41_TX CH40620_20M


Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	65.405	52.83	-2.83	50.00	70.30	-20.30	peak	
2	52.795	45.91	-1.58	44.33	70.30	-25.97	peak	
3	97.900	46.47	-6.40	40.07	70.30	-30.23	peak	
4	184.715	41.51	-3.10	38.41	70.30	-31.89	peak	
5	427.215	38.94	2.99	41.93	70.30	-28.37	peak	
6	976.720	32.16	12.12	44.28	70.30	-26.02	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	65.405	40.85	-2.83	38.02	70.30	-32.28	peak	
2	160.465	37.79	-1.21	36.58	70.30	-33.72	peak	
3	197.325	44.43	-4.34	40.09	70.30	-30.21	peak	
4	466.015	30.40	4.05	34.45	70.30	-35.85	peak	
5	666.805	30.56	8.30	38.86	70.30	-31.44	peak	
6 *	865.170	30.59	10.82	41.41	70.30	-28.89	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz


Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	65.890	54.03	-2.92	51.11	82.30	-31.19	peak	
2		52.310	49.27	-1.56	47.71	82.30	-34.59	peak	
3		147.855	38.94	-1.45	37.49	82.30	-44.81	peak	
4		190.535	40.44	-3.76	36.68	82.30	-45.62	peak	
5		776.900	30.66	10.21	40.87	82.30	-41.43	peak	
6		916.095	30.81	11.45	42.26	82.30	-40.04	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		51.825	40.39	-1.55	38.84	82.30	-43.46	peak	
2		65.890	39.73	-2.92	36.81	82.30	-45.49	peak	
3		98.870	39.47	-6.27	33.20	82.30	-49.10	peak	
4		155.130	39.60	-1.23	38.37	82.30	-43.93	peak	
5		189.565	44.41	-3.66	40.75	82.30	-41.55	peak	
6	*	302.570	42.21	-0.42	41.79	82.30	-40.51	peak	

Test Mode : LTE Band 42_TX CH42590_20M


Test Mode : LTE Band 42_TX CH42590_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	65.890	52.25	-2.92	49.33	82.30	-32.97	peak	
2		103.235	44.83	-5.65	39.18	82.30	-43.12	peak	
3		193.930	40.76	-4.05	36.71	82.30	-45.59	peak	
4		404.420	30.85	2.22	33.07	82.30	-49.23	peak	
5		822.005	30.01	10.60	40.61	82.30	-41.69	peak	
6		900.090	30.89	11.14	42.03	82.30	-40.27	peak	


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		65.405	41.94	-2.83	39.11	82.30	-43.19	peak	
2		98.870	39.75	-6.27	33.48	82.30	-48.82	peak	
3		190.535	43.57	-3.76	39.81	82.30	-42.49	peak	
4		52.310	37.53	-1.56	35.97	82.30	-46.33	peak	
5		315.180	34.58	0.01	34.59	82.30	-47.71	peak	
6	*	808.910	29.91	10.55	40.46	82.30	-41.84	peak	


Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 5MHz

Vertical




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 5MHz

Horizontal




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 20MHz

Vertical




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 20MHz

Horizontal




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 5MHz

Vertical




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 5MHz

Horizontal




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 20MHz

Vertical



Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 20MHz


Horizontal



APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	2113.000	42.24	5.49	47.73	82.30	-34.57	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	2112.000	46.43	5.48	51.91	82.30	-30.39	peak	

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	3427.500	43.19	-0.97	42.22	82.30	-40.08	peak	
2 *	6540.000	37.99	7.62	45.61	82.30	-36.69	peak	

Test Mode : WCDMA Band IV_TX CH1413

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	3420.000	47.68	-0.98	46.70	82.30	-35.60	peak	


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical




Horizontal




Test Mode : LTE Band 4_TX CH20175_1.4MHz

Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical




Horizontal



Test Mode : LTE Band 4_TX CH20175_5MHz


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2134.000	54.07	5.55	59.62	82.30	-22.68	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		1867.000	54.73	4.91	59.64	82.30	-22.66	peak	
2	*	2132.000	61.73	5.54	67.27	82.30	-15.03	peak	
3		2630.000	53.65	6.85	60.50	82.30	-21.80	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		3457.500	42.44	-0.88	41.56	82.30	-40.74	peak	
2	*	5190.000	53.95	4.07	58.02	82.30	-24.28	peak	

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		3457.500	41.63	-0.88	40.75	82.30	-41.55	peak	
2	*	5190.000	49.40	4.07	53.47	82.30	-28.83	peak	


Test Mode : LTE Band 4_TX CH20175_20MHz

Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical




Horizontal




Test Mode : LTE Band 4_TX CH20175_20MHz

Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical




Horizontal




Test Mode : LTE Band 7_TX CH21100_5MHz

Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical




Horizontal



Test Mode : LTE Band 7_TX CH21100_5MHz

Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical




Horizontal




Test Mode : LTE Band 7_TX CH21100_5MHz

Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical




Horizontal




Test Mode : LTE Band 7_TX CH21100_20MHz

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical




Horizontal




Test Mode : LTE Band 7_TX CH21100_20MHz

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical




Horizontal




Test Mode : LTE Band 7_TX CH21100_20MHz

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical




Horizontal




Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz

Vertical




Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz

Horizontal




Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz

Vertical




Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz

Horizontal




Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz

Vertical



Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz

Horizontal




Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz

Vertical



Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz

Horizontal



Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz

Vertical




Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz

Horizontal




Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz

Vertical




Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz

Horizontal




Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz

Vertical




Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz

Horizontal




Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz

Vertical



Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz


Horizontal




Test Mode : LTE Band 41_TX CH40620_5MHz

Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical




Horizontal




Test Mode : LTE Band 41_TX CH40620_5MHz

Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical




Horizontal




Test Mode : LTE Band 41_TX CH40620_5MHz

Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical




Horizontal




Test Mode : LTE Band 41_TX CH40620_20MHz

Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical




Horizontal




Test Mode : LTE Band 41_TX CH40620_20MHz

Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical




Horizontal




Test Mode : LTE Band 41_TX CH40620_20MHz

Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical




Horizontal



Test Mode : LTE Band 42_TX CH42590_5MHz


Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	3060.000	40.19	8.06	48.25	82.30	-34.05	peak	

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	4847.500	38.17	13.91	52.08	82.30	-30.22	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz


Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11502.000	38.66	9.31	47.97	82.30	-34.33	peak	

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	6978.000	39.56	8.41	47.97	82.30	-34.33	peak	


Test Mode : LTE Band 42_TX CH42590_5MHz

Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical




Horizontal



Test Mode : LTE Band 42_TX CH42590_20MHz

Test Mode : LTE Band 42_TX CH42590_20MHz

Vertical




Horizontal




Test Mode : LTE Band 42_TX CH42590_20MHz

Test Mode : LTE Band 42_TX CH42590_20MHz

Vertical




Horizontal



Test Mode : LTE Band 42_TX CH42590_20MHz

Test Mode : LTE Band 42_TX CH42590_20MHz

Vertical




Horizontal



Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 5MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	1764.000	45.17	4.66	49.83	70.30	-20.47	peak	

Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 5MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1338.000	49.41	3.83	53.24	70.30	-17.06	peak	
2	1755.000	44.68	4.65	49.33	70.30	-20.97	peak	
3 *	2753.000	48.45	7.20	55.65	70.30	-14.65	peak	

Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 5MHz

Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5197.500	49.15	4.06	53.21	70.30	-17.09	peak	
2	10395.000	39.82	9.00	48.82	70.30	-21.48	peak	

Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 5MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5197.500	54.06	4.06	58.12	70.30	-12.18	peak	
2	7800.000	41.38	8.96	50.34	70.30	-19.96	peak	


Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 5MHz

Vertical



Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 5MHz

Horizontal




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 20MHz

Vertical




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 20MHz

Horizontal




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 20MHz

Vertical




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 20MHz

Horizontal




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 20MHz

Vertical




Test Mode : LTE CA_41C_TX Mid CH_
20MHz+ 20MHz

Horizontal




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 5MHz

Vertical




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 5MHz

Horizontal




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 5MHz

Vertical




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 5MHz

Horizontal



Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	39835.000	56.77	10.89	67.66	82.30	-14.64	peak	

Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	39043.000	55.84	11.33	67.17	82.30	-15.13	peak	

Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2112.500	52.46	5.49	57.95	82.30	-24.35	peak	

Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2110.000	57.71	5.49	63.20	82.30	-19.10	peak	


Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 20MHz

Vertical




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 20MHz

Horizontal




Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 20MHz

Vertical



Test Mode : LTE CA_42C_TX Mid CH_
20MHz+ 20MHz

Horizontal



APPENDIX G - BAND EDGE

