


Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.290	16.700
60	5300	30.599	17.200
64	5320	29.599	17.200

CH52




Date: 16.NOV.2024 14:12:29

CH60
26 dB Bandwidth




Date: 16.NOV.2024 14:04:23

CH64




Date: 16.NOV.2024 14:05:14


99 % Occupied Bandwidth



Date: 16.NOV.2024 14:11:55



Date: 16.NOV.2024 14:03:57




Date: 16.NOV.2024 14:04:42

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.500	19.100
60	5300	27.200	19.400
64	5320	27.090	19.400

CH52




Date: 16.NOV.2024 15:27:00

CH60
26 dB Bandwidth




Date: 16.NOV.2024 15:28:10

CH64




Date: 16.NOV.2024 15:29:13


99 % Occupied Bandwidth



Date: 16.NOV.2024 15:26:28



Date: 16.NOV.2024 15:27:31




Date: 16.NOV.2024 15:28:33

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.598	38.000
62	5310	45.395	38.200

CH54




Date: 16.NOV.2024 15:45:50

CH62
26 dB Bandwidth




Date: 16.NOV.2024 15:47:04

99 % Occupied Bandwidth



Date: 16.NOV.2024 15:46:51




Date: 16.NOV.2024 15:46:08

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	103.802	77.600

CH58 26 dB Bandwidth



Date: 16.NOV.2024 16:08:40

99 % Occupied Bandwidth




Date: 16.NOV.2024 16:08:00

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	165.200	156.000

CH50 26 dB Bandwidth



Date: 16.NOV.2024 16:17:39

99 % Occupied Bandwidth




Date: 16.NOV.2024 16:16:55

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	30.699	17.200
116	5580	21.258	16.800
140	5700	26.690	17.100

CH100




Date: 16.NOV.2024 14:06:16

CH116
26 dB Bandwidth




Date: 16.NOV.2024 14:07:05

CH140




Date: 16.NOV.2024 14:08:01


99 % Occupied Bandwidth



Date: 16.NOV.2024 14:05:45



Date: 16.NOV.2024 14:06:32




Date: 16.NOV.2024 14:07:32

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	29.390	19.300
116	5580	23.250	19.100
140	5700	26.249	19.300

CH100




Date: 16.NOV.2024 15:30:14

CH116
26 dB Bandwidth




Date: 16.NOV.2024 15:31:02

CH140




Date: 16.NOV.2024 15:31:56


99 % Occupied Bandwidth



Date: 16.NOV.2024 15:29:43



Date: 16.NOV.2024 15:30:31




Date: 16.NOV.2024 15:31:26

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	51.990	38.200
110	5550	39.500	38.000
134	5670	54.396	38.200

CH102




Date: 16.NOV.2024 15:48:27

CH110
26 dB Bandwidth




Date: 16.NOV.2024 15:49:39

CH134




Date: 16.NOV.2024 15:51:14


99 % Occupied Bandwidth



Date: 16.NOV.2024 15:47:28



Date: 16.NOV.2024 15:49:48




Date: 16.NOV.2024 15:50:07

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	94.600	77.600
122	5610	81.200	77.600

CH106




Date: 16.NOV.2024 16:10:15

CH122
26 dB Bandwidth




Date: 16.NOV.2024 16:11:32

99 % Occupied Bandwidth



Date: 16.NOV.2024 16:10:27




Date: 16.NOV.2024 16:10:44

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	163.200	156.800

CH114 26 dB Bandwidth



Date: 16.NOV.2024 16:18:59

99 % Occupied Bandwidth




Date: 16.NOV.2024 16:18:05

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.400	21.800	0.5	Complies
157	5785	16.350	23.700	0.5	Complies
165	5825	16.400	22.100	0.5	Complies

CH149




Date: 16.NOV.2024 14:08:54

CH157
6 dB Bandwidth




Date: 16.NOV.2024 14:09:47

CH165




Date: 16.NOV.2024 14:10:38


99 % Occupied Bandwidth



Date: 16.NOV.2024 14:08:19



Date: 16.NOV.2024 14:09:11




Date: 16.NOV.2024 14:10:02

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.749	23.000	0.5	Complies
157	5785	18.888	24.800	0.5	Complies
165	5825	18.390	23.100	0.5	Complies

CH149




Date: 16.NOV.2024 15:32:47

CH157
6 dB Bandwidth




Date: 16.NOV.2024 15:33:47

CH165




Date: 16.NOV.2024 15:36:58


99 % Occupied Bandwidth



Date: 16.NOV.2024 15:32:13



Date: 16.NOV.2024 15:33:13




Date: 16.NOV.2024 15:36:19

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.400	100.800	0.5	Complies

CH155 6 dB Bandwidth



Date: 16.NOV.2024 16:13:40

99 % Occupied Bandwidth



Date: 16.NOV.2024 16:12:47

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.68	0.17	19.85	26.79	0.4775	Complies
40	5200	21.63	0.17	21.80	26.79	0.4775	Complies
48	5240	21.38	0.17	21.55	26.79	0.4775	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.39	0.17	19.56	26.79	0.4775	Complies
40	5200	21.81	0.17	21.98	26.79	0.4775	Complies
48	5240	21.03	0.17	21.20	26.79	0.4775	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.72	26.79	0.4775	Complies
40	5200	24.90	26.79	0.4775	Complies
48	5240	24.39	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.03	0.22	17.25	26.79	0.4775	Complies
40	5200	20.55	0.22	20.77	26.79	0.4775	Complies
48	5240	22.39	0.22	22.61	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.23	0.22	17.45	26.79	0.4775	Complies
40	5200	20.82	0.22	21.04	26.79	0.4775	Complies
48	5240	22.41	0.22	22.63	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.37	26.79	0.4775	Complies
40	5200	23.92	26.79	0.4775	Complies
48	5240	25.64	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.91	0.70	16.61	26.79	0.4775	Complies
46	5230	18.16	0.70	18.86	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.42	0.70	17.12	26.79	0.4775	Complies
46	5230	18.71	0.70	19.41	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.88	26.79	0.4775	Complies
46	5230	22.15	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.58	1.19	12.77	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.02	1.19	14.21	26.79	0.4775	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.56	26.79	0.4775	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.44	0.17	14.61	20.79	0.1199	Complies
60	5300	14.00	0.17	14.17	20.79	0.1199	Complies
64	5320	13.98	0.17	14.15	20.79	0.1199	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.14	0.17	15.31	20.79	0.1199	Complies
60	5300	15.21	0.17	15.38	20.79	0.1199	Complies
64	5320	14.76	0.17	14.93	20.79	0.1199	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.98	20.79	0.1199	Complies
60	5300	17.83	20.79	0.1199	Complies
64	5320	17.57	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.69	0.22	14.91	20.79	0.1199	Complies
60	5300	14.26	0.22	14.48	20.79	0.1199	Complies
64	5320	14.34	0.22	14.56	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.22	0.22	15.44	20.79	0.1199	Complies
60	5300	15.02	0.22	15.24	20.79	0.1199	Complies
64	5320	15.42	0.22	15.64	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.20	20.79	0.1199	Complies
60	5300	17.89	20.79	0.1199	Complies
64	5320	18.15	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.48	0.70	17.18	20.79	0.1199	Complies
62	5310	16.09	0.70	16.79	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.52	0.70	18.22	20.79	0.1199	Complies
62	5310	17.26	0.70	17.96	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.74	20.79	0.1199	Complies
62	5310	20.42	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.48	1.19	12.67	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.66	1.19	14.85	20.79	0.1199	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.91	20.79	0.1199	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.66	1.53	13.19	20.79	0.1199	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.40	1.53	13.93	20.79	0.1199	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.59	20.79	0.1199	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.61	0.17	14.78	20.79	0.1199	Complies
116	5580	14.88	0.17	15.05	20.79	0.1199	Complies
140	5700	14.41	0.17	14.58	20.79	0.1199	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.40	0.17	15.57	20.79	0.1199	Complies
116	5580	15.36	0.17	15.53	20.79	0.1199	Complies
140	5700	15.14	0.17	15.31	20.79	0.1199	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.20	20.79	0.1199	Complies
116	5580	18.31	20.79	0.1199	Complies
140	5700	17.97	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.67	0.22	14.89	20.79	0.1199	Complies
116	5580	15.17	0.22	15.39	20.79	0.1199	Complies
140	5700	15.38	0.22	15.60	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.62	0.22	15.84	20.79	0.1199	Complies
116	5580	16.53	0.22	16.75	20.79	0.1199	Complies
140	5700	16.01	0.22	16.23	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.41	20.79	0.1199	Complies
116	5580	19.14	20.79	0.1199	Complies
140	5700	18.94	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.24	0.70	16.94	20.79	0.1199	Complies
110	5550	16.43	0.70	17.13	20.79	0.1199	Complies
134	5670	15.32	0.70	16.02	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.47	0.70	18.17	20.79	0.1199	Complies
110	5550	17.34	0.70	18.04	20.79	0.1199	Complies
134	5670	16.54	0.70	17.24	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.61	20.79	0.1199	Complies
110	5550	20.62	20.79	0.1199	Complies
134	5670	19.68	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.05	1.19	15.24	20.79	0.1199	Complies
122	5610	16.05	1.19	17.24	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.33	1.19	16.52	20.79	0.1199	Complies
122	5610	16.57	1.19	17.76	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.94	20.79	0.1199	Complies
122	5610	20.52	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.10	1.53	14.63	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.19	1.53	15.72	20.79	0.1199	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.22	20.79	0.1199	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.65	0.17	13.82	26.79	0.4775	Complies
157	5785	13.36	0.17	13.53	26.79	0.4775	Complies
165	5825	13.56	0.17	13.73	26.79	0.4775	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.91	0.17	15.08	26.79	0.4775	Complies
157	5785	14.46	0.17	14.63	26.79	0.4775	Complies
165	5825	14.45	0.17	14.62	26.79	0.4775	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.51	26.79	0.4775	Complies
157	5785	17.13	26.79	0.4775	Complies
165	5825	17.21	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.64	0.22	14.86	26.79	0.4775	Complies
157	5785	14.76	0.22	14.98	26.79	0.4775	Complies
165	5825	14.83	0.22	15.05	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.26	0.22	15.48	26.79	0.4775	Complies
157	5785	15.58	0.22	15.80	26.79	0.4775	Complies
165	5825	15.43	0.22	15.65	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.20	26.79	0.4775	Complies
157	5785	18.42	26.79	0.4775	Complies
165	5825	18.38	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.75	0.70	14.45	26.79	0.4775	Complies
159	5795	12.82	0.70	13.52	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.34	0.70	14.04	26.79	0.4775	Complies
159	5795	13.44	0.70	14.14	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.26	26.79	0.4775	Complies
159	5795	16.85	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.25	1.19	16.44	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.87	1.19	18.06	26.79	0.4775	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.34	26.79	0.4775	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.46	0.17	10.63	13.79	Complies
40	5200	10.34	0.17	10.51	13.79	Complies
48	5240	10.28	0.17	10.45	13.79	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.35	0.17	10.52	13.79	Complies
40	5200	10.04	0.17	10.21	13.79	Complies
48	5240	9.89	0.17	10.06	13.79	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.59	13.79	Complies
40	5200	13.37	13.79	Complies
48	5240	13.27	13.79	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.54	0.22	10.76	13.79	Complies
40	5200	10.39	0.22	10.61	13.79	Complies
48	5240	10.50	0.22	10.72	13.79	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.12	0.22	10.34	13.79	Complies
40	5200	10.19	0.22	10.41	13.79	Complies
48	5240	10.05	0.22	10.27	13.79	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.57	13.79	Complies
40	5200	13.53	13.79	Complies
48	5240	13.52	13.79	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.46	0.70	9.16	13.79	Complies
46	5230	8.51	0.70	9.21	13.79	Complies




Date: 16.NOV.2024 13:03:32




Date: 16.NOV.2024 13:04:04

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.00	0.70	9.70	13.79	Complies
46	5230	9.00	0.70	9.70	13.79	Complies



Date: 16.NOV.2024 13:10:42




Date: 16.NOV.2024 13:11:38

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.45	13.79	Complies
46	5230	12.47	13.79	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.84	1.19	7.03	13.79	Complies



Date: 16.NOV.2024 13:46:33

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.06	1.19	7.25	13.79	Complies




Date: 16.NOV.2024 13:35:09

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.15	13.79	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.28	0.17	3.45	7.79	Complies
60	5300	3.20	0.17	3.37	7.79	Complies
64	5320	3.06	0.17	3.23	7.79	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.14	0.17	4.31	7.79	Complies
60	5300	4.14	0.17	4.31	7.79	Complies
64	5320	4.46	0.17	4.63	7.79	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.91	7.79	Complies
60	5300	6.88	7.79	Complies
64	5320	7.00	7.79	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.47	0.22	3.69	7.79	Complies
60	5300	2.94	0.22	3.16	7.79	Complies
64	5320	3.08	0.22	3.30	7.79	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.18	0.22	4.40	7.79	Complies
60	5300	4.02	0.22	4.24	7.79	Complies
64	5320	4.44	0.22	4.66	7.79	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.07	7.79	Complies
60	5300	6.75	7.79	Complies
64	5320	7.05	7.79	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.37	0.70	3.07	7.79	Complies
62	5310	2.00	0.70	2.70	7.79	Complies




Date: 16.NOV.2024 13:04:56




Date: 16.NOV.2024 13:05:27

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.46	0.70	4.16	7.79	Complies
62	5310	3.84	0.70	4.54	7.79	Complies



Date: 16.NOV.2024 13:12:17




Date: 16.NOV.2024 13:12:45

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.66	7.79	Complies
62	5310	6.73	7.79	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.78	1.19	0.41	7.79	Complies



Date: 16.NOV.2024 13:47:26

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.67	1.19	1.86	7.79	Complies




Date: 16.NOV.2024 13:36:10

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.21	7.79	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.84	1.53	-1.31	7.79	Complies



Date: 16.NOV.2024 13:50:17

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.35	1.53	-0.82	7.79	Complies




Date: 16.NOV.2024 13:59:34

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.95	7.79	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.75	0.17	3.92	7.79	Complies
116	5580	3.80	0.17	3.97	7.79	Complies
140	5700	4.08	0.17	4.25	7.79	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.53	0.17	4.70	7.79	Complies
116	5580	4.18	0.17	4.35	7.79	Complies
140	5700	4.39	0.17	4.56	7.79	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.34	7.79	Complies
116	5580	7.17	7.79	Complies
140	5700	7.42	7.79	Complies


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.39	0.22	3.61	7.79	Complies
116	5580	3.85	0.22	4.07	7.79	Complies
140	5700	3.96	0.22	4.18	7.79	Complies



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.41	0.22	4.63	7.79	Complies
116	5580	4.46	0.22	4.68	7.79	Complies
140	5700	4.33	0.22	4.55	7.79	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.17	7.79	Complies
116	5580	7.40	7.79	Complies
140	5700	7.38	7.79	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.03	0.70	2.73	7.79	Complies
110	5550	2.29	0.70	2.99	7.79	Complies
134	5670	2.31	0.70	3.01	7.79	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.33	0.70	4.03	7.79	Complies
110	5550	3.30	0.70	4.00	7.79	Complies
134	5670	3.93	0.70	4.63	7.79	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.44	7.79	Complies
110	5550	6.53	7.79	Complies
134	5670	6.90	7.79	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.83	1.19	0.36	7.79	Complies
122	5610	-0.45	1.19	0.74	7.79	Complies

CH106



Date: 16.NOV.2024 13:48:21

CH122




Date: 16.NOV.2024 13:48:54

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.13	1.19	1.32	7.79	Complies
122	5610	0.15	1.19	1.34	7.79	Complies

CH106



Date: 16.NOV.2024 13:16:57

CH122




Date: 16.NOV.2024 13:40:40

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.88	7.79	Complies
122	5610	4.06	7.79	Complies


Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.50	1.53	-1.97	7.79	Complies



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.34	1.53	-0.81	7.79	Complies




Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	1.66	7.79	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.77	0.17	9.94	26.79	Complies
157	5785	9.17	0.17	9.34	26.79	Complies
165	5825	8.84	0.17	9.01	26.79	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.66	0.17	9.83	26.79	Complies
157	5785	10.27	0.17	10.44	26.79	Complies
165	5825	9.92	0.17	10.09	26.79	Complies



Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.90	26.79	Complies
157	5785	12.94	26.79	Complies
165	5825	12.59	26.79	Complies