



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.47	0.22	8.69	26.79	Complies
157	5785	8.23	0.22	8.45	26.79	Complies
165	5825	7.95	0.22	8.17	26.79	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.72	0.22	8.94	26.79	Complies
157	5785	9.20	0.22	9.42	26.79	Complies
165	5825	8.84	0.22	9.06	26.79	Complies




Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.83	26.79	Complies
157	5785	11.98	26.79	Complies
165	5825	11.65	26.79	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.97	0.70	6.67	26.79	Complies
159	5795	5.55	0.70	6.25	26.79	Complies




Date: 16.NOV.2024 13:07:57




Date: 16.NOV.2024 13:08:27

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.92	0.70	8.62	26.79	Complies
159	5795	7.48	0.70	8.18	26.79	Complies



Date: 16.NOV.2024 13:15:38




Date: 16.NOV.2024 13:09:41

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.76	26.79	Complies
159	5795	10.33	26.79	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.81	1.19	4.00	26.79	Complies



Date: 16.NOV.2024 13:45:24

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.28	1.19	5.47	26.79	Complies



Date: 16.NOV.2024 13:44:19

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.81	26.79	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9599
120	5179.9800
102	5179.9799
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.74

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9599
10	5179.9800
20	5179.9950
30	5179.9800
40	5179.9950
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.75

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9800
120	5259.9799
102	5259.9950
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.82

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5260.0000
10	5259.9950
20	5259.9950
30	5260.0000
40	5259.9950
Maximum Deviation (MHz)	-0.0050
Maximum Deviation (ppm)	-0.95

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5499.9800
120	5499.9750
102	5500.0000
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.55

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5500.0000
10	5500.0000
20	5500.0000
30	5500.0000
40	5500.0000
Maximum Deviation (MHz)	0.0000
Maximum Deviation (ppm)	0.00

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5745.0350
120	5745.0350
102	5744.9999
Maximum Deviation (MHz)	0.0350
Maximum Deviation (ppm)	6.0944

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9999
10	5745.0150
20	5745.0200
30	5745.0400
40	5745.0200
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	6.9604

End of Test Report