



802.11ax40_5510MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 09:42:17

802.11ax40_5550MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 09:46:44

802.11ax40_5670MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 09:51:03

802.11ax40_5710MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 09:55:54

802.11ax80_5530MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 10:55:13

802.11ax80_5610MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:00:46

802.11ax80_5690MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:07:44

802.11ax80_5530MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 10:02:39

802.11ax80_5610MHz_RU_Full_Chain 1



ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 10:07:30


802.11ax80_5690MHz_RU_Full_Chain 1



ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 10:12:11


5725-5850 MHz Band:

802.11a_5745MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:12:27

802.11a_5785MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:15:10

802.11a_5825MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:18:03

802.11a_5745MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 10:46:22

802.11a_5785MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 10:49:55

802.11a_5825MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 10:55:54

802.11ac20_5785MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:24:52

802.11ac20_5745MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 11:04:56

802.11ac20_5825MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 11:12:43

802.11ac40_5755MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:32:21

802.11ac40_5795MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:41:49

802.11ac40_5755MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 11:22:57

802.11ac40_5795MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 11:27:44

802.11ac80_5775MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:46:17

802.11ac80_5775MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 11:42:49

802.11ax20_5785MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 11:54:15

802.11ax20_5745MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 22.JAN.2025 15:34:15

802.11ax20_5825MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 11:47:31

802.11ax40_5755MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 12:01:22

802.11ax40_5795MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 13:14:47

802.11ax40_5755MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 11:51:43

802.11ax40_5795MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 11:56:31

802.11ax80_5775MHz_RU_Full_Chain 0



ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 13:22:01

802.11ax80_5775MHz_RU_Full_Chain 1



ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 13.JAN.2025 12:01:39

CONDUCTED TRANSMITTER OUTPUT POWER*Test Mode: Transmitting*

Band	Mode	Frequency (MHz)	Reading (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
5150-5250 MHz	802.11a	5180	18.52	18.97	/	24
		5200	18.36	18.9	/	
		5240	17.92	18.43	/	
	802.11ac20	5180	19.06	18.97	22.03	
		5200	18.85	18.78	21.83	
		5240	18.2	18.36	21.29	
	802.11ac40	5190	17.74	17.43	20.60	
		5230	16.97	16.92	19.96	
	802.11ac80	5210	17.88	17.59	20.75	
	802.11ax20	5180	19.21	18.74	21.99	
		5200	19.03	18.61	21.84	
		5240	18.33	18.15	21.25	
	802.11ax40	5190	17.58	17.4	20.50	
		5230	16.82	16.72	19.78	
	802.11ax80	5210	17.59	17.55	20.58	

Note:

1. EUT is client equipment

2. The maximum antenna gain is 4.2 dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$;So: Directional gain = G_{ANT} + Array Gain = 4.2 dBi < 6dBi, no RF output power limit was reduced

Band	Mode	Frequency (MHz)	Reading (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
5250-5350 MHz	802.11a	5260	17.84	18.12	/	24
		5280	17.59	17.89	/	
		5320	17.21	17.45	/	
	802.11ac20	5260	17.82	18.15	21.00	
		5280	17.48	17.91	20.71	
		5320	17.45	17.51	20.49	
	802.11ac40	5270	18.28	18.72	21.52	
		5310	13.37	13.43	16.41	
	802.11ac80	5290	14.01	14.45	17.25	
	802.11ax20	5260	18.12	18.21	21.18	
		5280	18.04	18.03	21.05	
		5320	17.91	17.62	20.78	
	802.11ax40	5270	18.47	18.65	21.57	
		5310	13.52	13.3	16.42	
	802.11ax80	5290	14.16	14.16	17.17	

Note:

The maximum antenna gain is 4.2 dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for NANT ≤ 4;

So: Directional gain = GANT + Array Gain = 4.2 dBi < 6dBi, no RF output power limit was reduced

Band	Mode	Frequency (MHz)	Reading (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
5470-5725 MHz	802.11a	5500	18.44	18.51	/	24
		5580	18.48	18.25	/	
		5700	16.7	16.56	/	
		5720	18.26	18.17	/	
	802.11ac20	5500	17.86	17.63	20.76	
		5580	18.08	17.33	20.73	
		5700	15.87	15.68	18.79	
		5720	17.44	17.34	20.40	
	802.11ac40	5510	14.74	14.46	17.61	
		5550	16.9	16.41	19.67	
		5670	16.81	16.69	19.76	
		5710	16.36	16.18	19.28	
	802.11ac80	5530	14.3	13.71	17.03	
		5610	13.88	12.88	16.42	
		5690	13.7	13.52	16.62	
	802.11ax20	5500	17.94	19.02	21.52	
		5580	17.93	19.0	21.51	
		5700	15.85	17.22	19.60	
		5720	17.39	18.33	20.90	
	802.11ax40	5510	14.26	15.19	17.76	
		5550	16.37	17.11	19.77	
		5670	16.18	17.38	19.83	
		5710	15.75	16.9	19.37	
	802.11ax80	5530	12.26	13.25	15.79	
		5610	13.14	13.6	16.39	
		5690	13.1	14.06	16.62	

Note:

The maximum antenna gain is 4.2 dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$;

So: Directional gain = $G_{ANT} + \text{Array Gain} = 4.2 \text{ dBi} < 6 \text{ dBi}$, no RF output power limit was reduced

Band	Mode	Frequency (MHz)	Result (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
5725-5850 MHz	802.11a	5745	19.22	19.97	/	30
		5785	19.37	17.29	/	
		5825	19.38	20.12	/	
	802.11ac20	5745	19.25	19.93	22.61	
		5785	19.4	20.06	22.75	
		5825	19.38	20.09	22.76	
	802.11ac40	5755	19.75	20.62	23.22	
		5795	19.92	20.69	23.33	
	802.11ac80	5775	16.37	17.16	19.79	
	802.11ax20	5745	19.34	17.5	21.53	
		5785	19.42	17.27	21.49	
		5825	19.52	20.44	23.01	
	802.11ax40	5755	20.08	20.66	23.39	
		5795	20.42	20.5	23.47	
	802.11ax80	5775	16.87	17.21	20.05	

Note:

The maximum antenna gain is 4.2 dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for NANT ≤ 4;

So: Directional gain = GANT + Array Gain = 4.2 dBi < 6dBi, no RF output power limit was reduced

POWER SPECTRAL DENSITY*Test Mode: Transmitting*

Band	Mode	Channel	Frequency (MHz)	PSD							Limit (dBm/MHz)
				Chain 0			Chain 1			Total (dBm/MHz)	
				Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)		
5150- 5250 MHz	802.11a	Low	5180	6.25	1.42	7.67	6.74	1.42	8.16	/	11
		Middle	5200	6.14	1.42	7.56	6.73	1.42	8.15	/	
		High	5240	5.7	1.42	7.12	6.01	1.42	7.43	/	
	802.11ac20	Low	5180	5.03	1.63	6.66	5.09	1.63	6.72	9.7	9.79
		Middle	5200	5.12	1.63	6.75	4.73	1.63	6.36	9.57	
		High	5240	4.74	1.63	6.37	4.42	1.63	6.05	9.22	
	802.11ac40	Low	5190	0.92	2.83	3.75	1.37	2.83	4.2	6.99	
		High	5230	0.36	2.83	3.19	0.07	2.83	2.9	6.06	
	802.11ac80	Middle	5210	-2.87	4.49	1.62	-3.17	4.49	1.32	4.48	
	802.11ax20	Low	5180	4.76	1.87	6.63	4.25	1.87	6.12	9.39	
		Middle	5200	4.75	1.87	6.62	4.34	1.87	6.21	9.43	
		High	5240	4.23	1.87	6.1	4.11	1.87	5.98	9.05	
	802.11ax40	Low	5190	0.43	3.01	3.44	0.63	3.01	3.64	6.55	
		High	5230	-0.39	3.01	2.62	-0.23	3.01	2.78	5.71	
	802.11ax80	Middle	5210	-3.67	4.58	0.91	-3.36	4.58	1.22	4.08	

Note:

The maximum antenna gain is 4.2 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \cdot \log(N_{\text{ANT}}/N_{\text{SS}})$ dB.

So: Directional gain = GANT + Array Gain = $4.2 + 10 \cdot \log(2/1) = 7.21\text{dBi} > 6\text{dBi}$, so the power spectral density limit was reduced 1.21dBi

Band	Mode	Channel	Frequency (MHz)	PSD							Limit (dBm/MHz)
				Chain 0			Chain 1			Total (dBm/MHz)	
				Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)		
5250-5350 MHz	802.11a	Low	5260	5.54	1.4	6.94	6.07	1.4	7.47	/	11
		Middle	5280	5.44	1.4	6.84	5.5	1.4	6.9	/	
		High	5320	5.1	1.4	6.5	5.1	1.4	6.5	/	
	802.11ac20	Low	5260	4.79	1.62	6.41	4.5	1.62	6.12	9.28	9.79
		Middle	5280	5.06	1.62	6.68	4.11	1.62	5.73	9.24	
		High	5320	5.06	1.62	6.68	4.77	1.62	6.39	9.55	
	802.11ac40	Low	5270	1.7	2.77	4.47	2.11	2.77	4.88	7.69	
		High	5310	-3.27	2.77	-0.5	-2.84	2.77	-0.07	2.73	
	802.11ac80	Middle	5290	-6.78	4.4	-2.38	-6.48	4.4	-2.08	0.78	
	802.11ax20	Low	5260	4.65	1.82	6.47	4.17	1.82	5.99	9.25	
		Middle	5280	4.36	1.82	6.18	3.66	1.82	5.48	8.85	
		High	5320	4.77	1.82	6.59	4.37	1.82	6.19	9.4	
	802.11ax40	Low	5270	1.4	3.02	4.42	1.55	3.02	4.57	7.51	
		High	5310	-3.62	3.02	-0.6	-3.8	3.02	-0.78	2.32	
	802.11ax80	Middle	5290	-7.07	4.52	-2.55	-6.54	4.52	-2.02	0.73	

Note:

The maximum antenna gain is 4.2 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \cdot \log(N_{\text{ANT}}/N_{\text{SS}})$ dB.

So: Directional gain = GANT + Array Gain = $4.2 + 10 \cdot \log(2/1) = 7.21 \text{ dBi} > 6 \text{ dBi}$, so the power spectral density limit was reduced

Band	Mode	Channel	Frequency (MHz)	PSD							Limit (dBm/MHz)
				Chain 0			Chain 1			Total (dBm/MHz)	
				Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)		
5470- 5725 MHz	802.11a	Low	5500	6.22	1.42	7.64	6.17	1.42	7.59	/	11
		Middle	5580	6.14	1.42	7.56	5.96	1.42	7.38	/	
		High	5700	4.33	1.42	5.75	4.2	1.42	5.62	/	
		Cross	5720	6.02	1.42	7.44	5.77	1.42	7.19	/	
	802.11ac20	Low	5500	5.15	1.63	6.78	4.99	1.63	6.62	9.71	9.79
		Middle	5580	5.46	1.63	7.09	4.69	1.63	6.32	9.73	
		High	5700	3.15	1.63	4.78	2.96	1.63	4.59	7.7	
		Cross	5720	4.72	1.63	6.35	4.47	1.63	6.1	9.24	
	802.11ac40	Low	5510	-1.83	2.79	0.96	-2.47	2.79	0.32	3.66	
		Middle	5550	0.15	2.79	2.94	-0.11	2.79	2.68	5.82	
		High	5670	0	2.79	2.79	0.21	2.79	3	5.91	
		Cross	5710	-0.33	2.79	2.46	-0.33	2.79	2.46	5.47	
	802.11ac80	Low	5530	-6.2	4.46	-1.74	-7	4.46	-2.54	0.89	
		Middle	5610	-6.55	4.46	-2.09	-7.97	4.46	-3.51	0.27	
		High	5690	-7.05	4.46	-2.59	-7.44	4.46	-2.98	0.23	
	802.11ax20	Low	5500	3.25	1.84	5.09	2.73	1.84	4.57	7.85	
		Middle	5580	4.13	1.84	5.97	3.11	1.84	4.95	8.5	
		High	5700	2.73	1.84	4.57	4.47	1.84	6.31	8.54	
		Cross	5720	4.08	1.84	5.92	5.22	1.84	7.06	9.54	
	802.11ax40	Low	5510	-2.76	2.96	0.2	-1.63	2.96	1.33	3.81	
		Middle	5550	-0.54	2.96	2.42	-0.1	2.96	2.86	5.66	
		High	5670	-0.45	2.96	2.51	0.21	2.96	3.17	5.86	
		Cross	5710	-1.18	2.96	1.78	-0.18	2.96	2.78	5.32	
	802.11ax80	Low	5530	-8.6	4.59	-4.01	-8.16	4.59	-3.57	-0.77	
		Middle	5610	-7.93	4.59	-3.34	-7.34	4.59	-2.75	-0.02	
		High	5690	-7.98	4.59	-3.39	-7.34	4.59	-2.75	-0.05	

Note:

The maximum antenna gain is 4.2dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \cdot \log(\text{NANT/NSS})$ dB.

So: Directional gain = GANT + Array Gain = $4.2 + 10 \cdot \log(2/1) = 7.21\text{dBi} > 6\text{dBi}$, so power spectral density limit was reduced 1.21 dBm/MHz.

Band	Mode	Frequency (MHz)	PSD							Limit (dBm/500kHz)
			Chain 0			Chain 1			Total (dBm/500kHz)	
			Reading (dBm/500kHz)	Duty Cycle Factor (dB)	Result (dBm/500kHz)	Reading (dBm/500kHz)	Duty Cycle Factor (dB)	Result (dBm/500kHz)		
5725- 5850 MHz	802.11a	5745	3.75	1.39	5.14	4.59	1.39	5.98	/	30
		5785	3.94	1.39	5.33	1.93	1.39	3.32	/	
		5825	4.08	1.39	5.47	4.9	1.39	6.29	/	
	802.11ac20	5745	3.46	1.58	5.04	4.15	1.58	5.73	8.41	28.79
		5785	3.63	1.58	5.21	4.44	1.58	6.02	8.64	
		5825	3.51	1.58	5.09	4.43	1.58	6.01	8.58	
	802.11ac40	5755	-0.1	2.8	2.7	0.51	2.8	3.31	6.03	
		5795	0.03	2.8	2.83	1.1	2.8	3.9	6.41	
	802.11ac80	5775	-7.47	4.5	-2.97	-6.82	4.5	-2.32	0.38	
	802.11ax20	5745	3.09	1.87	4.96	1.22	1.87	3.09	7.14	
		5785	3.21	1.87	5.08	0.93	1.87	2.8	7.1	
		5825	3.77	1.87	5.64	4.28	1.87	6.15	8.91	
	802.11ax40	5745	-0.18	2.8	2.62	0.35	2.8	3.15	5.9	
		5785	0.16	2.8	2.96	0.65	2.8	3.45	6.22	
	802.11ax80	5825	-7.13	4.58	-2.55	-7.16	4.58	-2.58	0.45	

Note:


The maximum antenna gain is 4.2 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \cdot \log(N_{\text{ANT}}/N_{\text{SS}})$ dB.

So: Directional gain = GANT + Array Gain = $4.2 + 10 \cdot \log(2/1) = 7.21 \text{ dBi} > 6 \text{ dBi}$, so power spectral density limit was reduced 1.21 dBm/MHz


5150-5250 MHz Band:

802.11a_5180MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 9.JAN.2025 17:46:13

802.11a_5200MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 9.JAN.2025 17:49:20

802.11a_5240MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 9.JAN.2025 17:52:09

802.11a_5180MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 13:33:22

802.11a_5200MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 13:36:48

802.11a_5240MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 13:39:58

802.11ac20_5180MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 11:45:15

802.11ac20_5200MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 09:56:27

802.11ac20_5240MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 09:58:09

802.11ac20_5180MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 10:19:50

802.11ac20_5200MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 10:20:33


802.11ac20_5240MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 10:21:18




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 10.JAN.2025 10:32:54




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 10.JAN.2025 10:38:10




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 14:06:22



ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 14:10:54




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 10.JAN.2025 10:44:42




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 14:18:34

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 10:00:52

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 10:00:07

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 09:58:58

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 10:27:19

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 10:28:00

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 24.JAN.2025 10:29:06

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 10.JAN.2025 11:11:22

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 10.JAN.2025 11:16:25

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 11.JAN.2025 14:40:53

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 11.JAN.2025 14:40:07

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 10.JAN.2025 11:21:14


802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:RKSA241202004 Tester:Neil Zhou
 Date: 11.JAN.2025 14:56:24


5250-5350 MHz Band:

802.11a_5260MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 10.JAN.2025 11:29:25

802.11a_5280MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 10.JAN.2025 11:32:04

802.11a_5320MHz_Chain 0




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 10.JAN.2025 11:35:10

802.11a_5260MHz_Chain 1




ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 15:03:11

802.11a_5280MHz_Chain 1



ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 15:07:04

802.11a_5320MHz_Chain 1



ProjectNo.:RKSA241202004 Tester:Neil Zhou
Date: 11.JAN.2025 15:10:13