




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.74	30	Pass
NVNT	BLE	2442	Ant1	3.137	30	Pass
NVNT	BLE	2480	Ant1	3.382	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.662	0.5	Pass
NVNT	BLE	2480	Ant1	0.665	0.5	Pass















Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.029	
NVNT	BLE	2442	Ant1	1.029	
NVNT	BLE	2480	Ant1	1.029	









Tel: +86-755-23118282, Fax: +86-755-23116366





Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-16.119	8	Pass
NVNT	BLE	2442	Ant1	-12.215	8	Pass
NVNT	BLE	2480	Ant1	-11.868	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.01	-20	Pass
NVNT	BLE	2480	Ant1	-59.04	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.15	-20	Pass
NVNT	BLE	2442	Ant1	-52.45	-20	Pass
NVNT	BLE	2480	Ant1	-52.93	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

1.151 dBm

-52.81 dBm -54.61 dBm -54.53 dBm

-49.58 dBm

Mode

N N

2.452 GHz

5.074 GHz 7.171 GHz 9.569 GHz

23.901 GHz

Mar 30, 2023 2:40:29 PM



