

# **Antenna Test Report**

Test Standard: <u>IEEE 149-1979</u>

Manufacturer: DONGGUAN QINBO ELECTRONICS CO., LTD

Product Name: <u>2.4GHz Antenna</u>

Model: <u>QB077-24TX-01</u>

**Report No.:** <u>ZKS21081101A</u>

**Tested Date:** <u>2021-08-16</u>

**Issued Date:** <u>2021-08-17</u>

Tested By: William Liu (Engineer)

Approved By: <u>Lahm Peng (Manager)</u>

Prepared By:

Shenzhen ZRLK Testing Technology Co., Ltd.

Room 607, Floor 6, Building 2A, Chuangwei Innovation Valley, Tangtou No.1 Road, Shiyan Street,

Bao'an District, Shenzhen, China

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior permitted by Shenzhen ZRLK Testing Technology Co., Ltd.



# 1. General Information

## 1.1 Product Information

Manufacturer		
Manufacturer:	DONGGUAN QINBO ELECTRONICS CO., LTD	
Address of Manufacturer:	No.8-2, Xinglong No.1 Road, Miaobianwang Industrial Area,	
	Shipai Town, Dongguan, China	

General Description of Antenna				
Product Name:	2.4GHz Antenna			
Model No.:	QB077-24TX-01			
Frequency Range:	2400-2500MHz			
Type of Antenna:	PCB Antenna			
Antenna Gain:	-6.09dBi (Max.)			
Impedance:	50 ohm			
	Antenna View			
	12.70mm — www.r.y.			

## 1.2 Test Methodology

All measurements contained in this report were conducted with standards IEEE 149-1979 for IEEE Standard Test Procedures for Antennas.

#### 1.3 Test Facilities

## Testing Lab: Shenzhen ZRLK Testing Technology Co., Ltd.

All measurement facilities used to collect the measurement data are located at Room 607, Floor 6, Building 2A, Chuangwei Innovation Valley, Tangtou No.1 Road, Shiyan Street, Bao'an District, Shenzhen, Guangdong Province, P. R. China 518055



# 1. 4 Test Equipment

Equipment	Model No.	Serial No.	Manufacturer	Calibration date	Next calibration date
16 probe microwave chamber	3*3*2.5	RF-LAB-001	SUNYIELD	2021.03.05	2023.03.04
Network Analyzer	E5071C	RF-LAB-C1	Agilent	2021.5.14	2022.5.13
Network Analyzer	E5071C	RF-AB-C2	KEYSIGHT	2021.5.14	2022.5.13




# 2. OTA Test

# 2.1 Peak Gain of Antenna

Frequency	Peak Gain (dBi)
2400MHz	-6.58
2410MHz	-6.61
2420MHz	-7.05
2430MHz	-7.22
2440MHz	-7.07
2450MHz	-7.33
2460MHz	-7.51
2470MHz	-7.40
2480MHz	-6.90
2490MHz	-6.51
2500MHz	-6.09


## 2.2 Radiation Pattern View

Phi = 0






## Phi = 90



## Theta = 90





# 2.3 OTA Test View

