




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.691	30	Pass
NVNT	BLE	2442	Ant1	-3.529	30	Pass
NVNT	BLE	2480	Ant1	-3.532	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.687	0.5	Pass
NVNT	BLE	2442	Ant1	0.695	0.5	Pass
NVNT	BLE	2480	Ant1	0.702	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.046	
NVNT	BLE	2442	Ant1	1.047	
NVNT	BLE	2480	Ant1	1.047	

Project No.: JYTSZR2306028















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-18.621	8	Pass
NVNT	BLE	2442	Ant1	-18.451	8	Pass
NVNT	BLE	2480	Ant1	-18.432	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.49	-20	Pass
NVNT	BLE	2480	Ant1	-52.49	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.65	-20	Pass
NVNT	BLE	2442	Ant1	-45.46	-20	Pass
NVNT	BLE	2480	Ant1	-45.75	-20	Pass









Start 30 MHz #Res BW 100 kHz Stop 25.00 GHz Sweep ~2.49 s (1001 pts) 5 Marker Table Trace Scale Function **Function Width** Function Value Mode 2.452 GHz -5.300 dBm 4.999 GHz 7.221 GHz 9.693 GHz -53.32 dBm -54.01 dBm -54.32 dBm N N N 24.001 GHz -49.80 dBm Jul 04, 2023 11:26:31 AM

Tx. Spurious NVNT BLE 2480MHz Ant1 Ref



