




11N20SISO Ant1 5785 5925~40000



11N20SISO Ant1 5825 5925~40000




11N20SISO Ant1 5825 5925~40000




11N40SISO Ant1 5190 30~5140




11N40SISO Ant1 5190 5360~40000




11N40SISO Ant1 5230 30~5140






11N40SISO Ant1 5795 30~5650




11N40SISO Ant1 5795 5925~40000



11AC20SISO Ant1 5180 30~5140




11AC20SISO Ant1 5180 5360~4000



11AC20SISO Ant1 5200 5360~4000




11AC20SISO Ant1 5200 5360~4000






11AC20SISO Ant1 5240 30~5140




11AC20SISO Ant1 5240 5360~40000




11AC20SISO Ant1 5745 30~5650






11AC20SISO Ant1 5825 30~5650






11AC20SISO Ant1 5825 5925~40000




11AC40SISO Ant1 5190 30~5140









11AC40SISO Ant1 5755 30~5650




11AC40SISO Ant1 5755 5925~40000



11AC40SISO Ant1 5795 30~5650




11AC40SISO Ant1 5795 5925~4000



11AX20SISO Ant1 5180 30~5140




11AX20SISO Ant1 5180 5360~4000





11AX20SISO Ant1 5200 30~5140




11AX20SISO Ant1 5200 5360~40000




11AX20SISO Ant1 5240 30~5140







11AX20SISO Ant1 5785 30~5650



11AX20SISO Ant1 5785 5925~40000



11AX20SISO Ant1 5825 30~5650




11AX20SISO\_Ant1 5825 5925~4000



11AX40SISO\_Ant1 5190 30~5140




11AX40SISO\_Ant1 5190 5360~4000



11AX40SISO Ant1 5230 30~5140




11AX40SISO Ant1 5230 30~5140




11AX40SISO Ant1 5755 30~5650







11AX40SISO Ant1 5755 5925~4000



11AX40SISO Ant1 5755 30~5650



11AX40SISO Ant1 5795 5925~4000



## Appendix G: Frequency Stability

Test Result :U-NII-1&amp;U-NII-3:

Test Mode	Antenna	Frequency [MHz]	Temperature				Limit (ppm)	Verdict		
			Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)				
11A	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS		
			NV	-20	-20000.00	-3.861004	20	PASS		
			NV	-10	-20000.00	-3.861004	20	PASS		
			NV	0	-40000.00	-7.722008	20	PASS		
			NV	10	-40000.00	-7.722008	20	PASS		
			NV	20	-40000.00	-7.722008	20	PASS		
			NV	30	-40000.00	-7.722008	20	PASS		
			NV	40	-40000.00	-7.722008	20	PASS		
		5200	NV	50	-20000.00	-3.861004	20	PASS		
			NV	-30	-40000.00	-7.692308	20	PASS		
			NV	-20	-20000.00	-3.846154	20	PASS		
			NV	-10	-20000.00	-3.846154	20	PASS		
			NV	0	-40000.00	-7.692308	20	PASS		
			NV	10	-40000.00	-7.692308	20	PASS		
			NV	20	-20000.00	-3.846154	20	PASS		
			NV	30	-40000.00	-7.692308	20	PASS		
		5240	NV	40	-40000.00	-7.692308	20	PASS		
			NV	50	-20000.00	-3.846154	20	PASS		
			NV	-30	-40000.00	-7.633588	20	PASS		
			NV	-20	-20000.00	-3.816794	20	PASS		
			NV	-10	-40000.00	-7.633588	20	PASS		
			NV	0	-20000.00	-3.816794	20	PASS		
			NV	10	-40000.00	-7.633588	20	PASS		
			NV	20	-20000.00	-3.816794	20	PASS		
		5745	NV	30	-40000.00	-7.633588	20	PASS		
			NV	40	-20000.00	-3.816794	20	PASS		
			NV	50	-40000.00	-7.633588	20	PASS		
			NV	-30	-40000.00	-6.962576	20	PASS		
			NV	-20	-40000.00	-6.962576	20	PASS		
			NV	-10	-40000.00	-6.962576	20	PASS		
			NV	0	-40000.00	-6.962576	20	PASS		
			NV	10	-20000.00	-3.481288	20	PASS		
		5785	NV	20	-40000.00	-6.962576	20	PASS		
			NV	30	-40000.00	-6.962576	20	PASS		
			NV	40	-20000.00	-3.481288	20	PASS		
			NV	50	-20000.00	-3.481288	20	PASS		
			NV	-30	-60000.00	-10.371651	20	PASS		
			NV	-20	-40000.00	-6.914434	20	PASS		
			NV	-10	-40000.00	-6.914434	20	PASS		
			NV	0	-20000.00	-3.457217	20	PASS		
		5825	NV	10	-40000.00	-6.914434	20	PASS		
			NV	20	-60000.00	-10.371651	20	PASS		
			NV	30	-40000.00	-6.914434	20	PASS		
			NV	40	-20000.00	-3.457217	20	PASS		
			NV	50	-40000.00	-6.914434	20	PASS		
			NV	-30	-40000.00	-6.866953	20	PASS		
			NV	-20	-40000.00	-6.866953	20	PASS		
			NV	-10	-40000.00	-6.866953	20	PASS		
		11N20SISO	Ant1	5180	NV	0	-40000.00	-7.722008	20	PASS
					NV	10	-40000.00	-7.722008	20	PASS
					NV	20	-40000.00	-7.722008	20	PASS
					NV	30	-40000.00	-7.722008	20	PASS
NV	40				-40000.00	-7.722008	20	PASS		
NV	50				-40000.00	-7.722008	20	PASS		
NV	-30				-40000.00	-7.722008	20	PASS		
NV	-20				-20000.00	-3.861004	20	PASS		

			NV	20	-40000.00	-7.722008	20	PASS		
			NV	30	-40000.00	-7.722008	20	PASS		
			NV	40	-20000.00	-3.861004	20	PASS		
			NV	50	-20000.00	-3.861004	20	PASS		
		5200	NV	-30	-40000.00	-7.692308	20	PASS		
			NV	-20	-40000.00	-7.692308	20	PASS		
			NV	-10	-40000.00	-7.692308	20	PASS		
			NV	0	-40000.00	-7.692308	20	PASS		
			NV	10	-40000.00	-7.692308	20	PASS		
			NV	20	-40000.00	-7.692308	20	PASS		
			NV	30	-20000.00	-3.846154	20	PASS		
			NV	40	-20000.00	-3.846154	20	PASS		
			NV	50	-20000.00	-3.846154	20	PASS		
			5240	NV	-30	-40000.00	-7.633588	20	PASS	
		NV		-20	-20000.00	-3.816794	20	PASS		
		NV		-10	-40000.00	-7.633588	20	PASS		
		NV		0	-40000.00	-7.633588	20	PASS		
		NV		10	-40000.00	-7.633588	20	PASS		
		NV		20	-20000.00	-3.816794	20	PASS		
		NV		30	-20000.00	-3.816794	20	PASS		
		NV		40	-20000.00	-3.816794	20	PASS		
		NV		50	-20000.00	-3.816794	20	PASS		
		5745		NV	-30	-40000.00	-6.962576	20	PASS	
			NV	-20	-40000.00	-6.962576	20	PASS		
			NV	-10	-40000.00	-6.962576	20	PASS		
			NV	0	-40000.00	-6.962576	20	PASS		
			NV	10	-40000.00	-6.962576	20	PASS		
			NV	20	-40000.00	-6.962576	20	PASS		
			NV	30	-40000.00	-6.962576	20	PASS		
			NV	40	-40000.00	-6.962576	20	PASS		
			NV	50	-40000.00	-6.962576	20	PASS		
			5785	NV	-30	-40000.00	-6.914434	20	PASS	
		NV		-20	-60000.00	-10.371651	20	PASS		
		NV		-10	-40000.00	-6.914434	20	PASS		
		NV		0	-40000.00	-6.914434	20	PASS		
		NV		10	-40000.00	-6.914434	20	PASS		
		NV		20	-60000.00	-10.371651	20	PASS		
		NV		30	-40000.00	-6.914434	20	PASS		
		NV		40	-40000.00	-6.914434	20	PASS		
		NV		50	-60000.00	-10.371651	20	PASS		
		5825		NV	-30	-60000.00	-10.300429	20	PASS	
			NV	-20	-40000.00	-6.866953	20	PASS		
			NV	-10	-40000.00	-6.866953	20	PASS		
			NV	0	-40000.00	-6.866953	20	PASS		
			NV	10	-40000.00	-6.866953	20	PASS		
			NV	20	-40000.00	-6.866953	20	PASS		
			NV	30	-60000.00	-10.300429	20	PASS		
			NV	40	-60000.00	-10.300429	20	PASS		
			NV	50	-60000.00	-10.300429	20	PASS		
			11N40SISO	Ant1	5190	NV	-30	-40000.00	-7.707129	20
		NV				-20	-40000.00	-7.707129	20	PASS
		NV				-10	-40000.00	-7.707129	20	PASS
NV	0	-40000.00				-7.707129	20	PASS		
NV	10	-40000.00				-7.707129	20	PASS		
NV	20	-40000.00				-7.707129	20	PASS		
NV	30	-40000.00				-7.707129	20	PASS		
NV	40	-40000.00				-7.707129	20	PASS		
5230	NV	50			-40000.00	-7.707129	20	PASS		
	NV	-30			-40000.00	-7.648184	20	PASS		
	NV	-20			-80000.00	-15.296367	20	PASS		
	NV	-10			-40000.00	-7.648184	20	PASS		
	NV	0			-40000.00	-7.648184	20	PASS		
	NV	10			-40000.00	-7.648184	20	PASS		
NV	20	-40000.00	-7.648184	20	PASS					
NV	30	-40000.00	-7.648184	20	PASS					
NV	40	-40000.00	-7.648184	20	PASS					

		5755	NV	50	-40000.00	-7.648184	20	PASS
			NV	-30	-80000.00	-13.900956	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-40000.00	-6.950478	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
		5795	NV	50	-40000.00	-6.950478	20	PASS
			NV	-30	-40000.00	-6.902502	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	-40000.00	-6.902502	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	40	-40000.00	-6.902502	20	PASS
11AC20SIS O	Ant1	5180	NV	50	-40000.00	-6.902502	20	PASS
			NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	-60000.00	-11.583012	20	PASS
			NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-60000.00	-11.583012	20	PASS
			NV	20	-40000.00	-7.722008	20	PASS
			NV	30	-40000.00	-7.722008	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
		5200	NV	50	-40000.00	-7.722008	20	PASS
			NV	-30	-40000.00	-7.692308	20	PASS
			NV	-20	-40000.00	-7.692308	20	PASS
			NV	-10	-40000.00	-7.692308	20	PASS
			NV	0	-40000.00	-7.692308	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-40000.00	-7.692308	20	PASS
			NV	30	-40000.00	-7.692308	20	PASS
			NV	40	-60000.00	-11.538462	20	PASS
5240	NV	50	-40000.00	-7.692308	20	PASS		
	NV	-30	-20000.00	-3.816794	20	PASS		
	NV	-20	-20000.00	-3.816794	20	PASS		
	NV	-10	-40000.00	-7.633588	20	PASS		
	NV	0	-20000.00	-3.816794	20	PASS		
	NV	10	-20000.00	-3.816794	20	PASS		
	NV	20	-40000.00	-7.633588	20	PASS		
	NV	30	-40000.00	-7.633588	20	PASS		
	NV	40	-60000.00	-11.450382	20	PASS		
5745	NV	50	-20000.00	-3.816794	20	PASS		
	NV	-30	-40000.00	-6.962576	20	PASS		
	NV	-20	-60000.00	-10.443864	20	PASS		
	NV	-10	-60000.00	-10.443864	20	PASS		
	NV	0	-60000.00	-10.443864	20	PASS		
	NV	10	-60000.00	-10.443864	20	PASS		
	NV	20	-60000.00	-10.443864	20	PASS		
	NV	30	-40000.00	-6.962576	20	PASS		
	NV	40	-40000.00	-6.962576	20	PASS		
5785	NV	50	-20000.00	-3.481288	20	PASS		
	NV	-30	-60000.00	-10.371651	20	PASS		
	NV	-20	-40000.00	-6.914434	20	PASS		
	NV	-10	-20000.00	-3.457217	20	PASS		
	NV	0	-40000.00	-6.914434	20	PASS		
	NV	10	-20000.00	-3.457217	20	PASS		
	NV	20	-40000.00	-6.914434	20	PASS		
	NV	30	-40000.00	-6.914434	20	PASS		
	NV	40	-60000.00	-10.371651	20	PASS		
5825	NV	50	-60000.00	-10.371651	20	PASS		
	NV	-30	-20000.00	-3.433476	20	PASS		
			NV	-20	-40000.00	-6.866953	20	PASS



11AX40SIS O	Ant1	5745	NV	20	-40000.00	-7.633588	20	PASS	
			NV	30	-40000.00	-7.633588	20	PASS	
			NV	40	-40000.00	-7.633588	20	PASS	
			NV	50	-40000.00	-7.633588	20	PASS	
			NV	-30	-40000.00	-6.962576	20	PASS	
			NV	-20	-40000.00	-6.962576	20	PASS	
			NV	-10	-40000.00	-6.962576	20	PASS	
			NV	0	-40000.00	-6.962576	20	PASS	
			NV	10	-40000.00	-6.962576	20	PASS	
			NV	20	-40000.00	-6.962576	20	PASS	
			NV	30	-40000.00	-6.962576	20	PASS	
			NV	40	-40000.00	-6.962576	20	PASS	
		5785	NV	50	-40000.00	-6.962576	20	PASS	
			NV	-30	-40000.00	-6.914434	20	PASS	
			NV	-20	-40000.00	-6.914434	20	PASS	
			NV	-10	-40000.00	-6.914434	20	PASS	
			NV	0	-40000.00	-6.914434	20	PASS	
			NV	10	-40000.00	-6.914434	20	PASS	
			NV	20	-40000.00	-6.914434	20	PASS	
			NV	30	-40000.00	-6.914434	20	PASS	
			NV	40	-40000.00	-6.914434	20	PASS	
			NV	50	-40000.00	-6.914434	20	PASS	
			5825	NV	-30	-40000.00	-6.866953	20	PASS
				NV	-20	-40000.00	-6.866953	20	PASS
		NV		-10	-40000.00	-6.866953	20	PASS	
		NV		0	-40000.00	-6.866953	20	PASS	
		NV		10	-40000.00	-6.866953	20	PASS	
		NV		20	-40000.00	-6.866953	20	PASS	
		NV		30	-40000.00	-6.866953	20	PASS	
		NV		40	-40000.00	-6.866953	20	PASS	
		NV		50	-40000.00	-6.866953	20	PASS	
		5190		NV	-30	-40000.00	-7.707129	20	PASS
				NV	-20	-40000.00	-7.707129	20	PASS
				NV	-10	-40000.00	-7.707129	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS	
			NV	10	-40000.00	-7.707129	20	PASS	
			NV	20	-40000.00	-7.707129	20	PASS	
			NV	30	-40000.00	-7.707129	20	PASS	
			NV	40	-40000.00	-7.707129	20	PASS	
			NV	50	-40000.00	-7.707129	20	PASS	
			5230	NV	-30	-40000.00	-7.648184	20	PASS
				NV	-20	-40000.00	-7.648184	20	PASS
				NV	-10	-40000.00	-7.648184	20	PASS
		NV		0	-40000.00	-7.648184	20	PASS	
		NV		10	-40000.00	-7.648184	20	PASS	
		NV		20	-40000.00	-7.648184	20	PASS	
		NV		30	-40000.00	-7.648184	20	PASS	
		NV		40	-40000.00	-7.648184	20	PASS	
NV	50	-40000.00		-7.648184	20	PASS			
5755	NV	-30		-40000.00	-6.950478	20	PASS		
	NV	-20		-40000.00	-6.950478	20	PASS		
	NV	-10		-40000.00	-6.950478	20	PASS		
	NV	0	-40000.00	-6.950478	20	PASS			
	NV	10	-40000.00	-6.950478	20	PASS			
	NV	20	-40000.00	-6.950478	20	PASS			
	NV	30	-40000.00	-6.950478	20	PASS			
	NV	40	-40000.00	-6.950478	20	PASS			
	NV	50	-40000.00	-6.950478	20	PASS			
	5795	NV	-30	-40000.00	-6.902502	20	PASS		
		NV	-20	-40000.00	-6.902502	20	PASS		
		NV	-10	-40000.00	-6.902502	20	PASS		
NV		0	-40000.00	-6.902502	20	PASS			
NV		10	-40000.00	-6.902502	20	PASS			
NV		20	-40000.00	-6.902502	20	PASS			
NV		30	-40000.00	-6.902502	20	PASS			
NV	40	-40000.00	-6.902502	20	PASS				

			NV	50	-40000.00	-6.902502	20	PASS
--	--	--	----	----	-----------	-----------	----	------



## **Photographs of the Test Setup**

See the Appendix – Test Setup Photos.

## Photographs of the EUT

See the Appendix - EUT Photos.

**----End of Report----**