



Test Graphs





BLE_2M-Ant1-2480-PASS

Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	-2.70	-58.38	≤-22.7	PASS
BLE_1M	Ant1	2402	1000~26500	-2.70	-43.9	≤-22.7	PASS
BLE_1M	Ant1	2440	30~1000	-3.04	-57.98	≤-23.04	PASS
BLE_1M	Ant1	2440	1000~26500	-3.04	-44.11	≤-23.04	PASS
BLE_1M	Ant1	2480	30~1000	-3.54	-58.62	≤-23.54	PASS
BLE_1M	Ant1	2480	1000~26500	-3.54	-44.2	≤-23.54	PASS
BLE_2M	Ant1	2402	30~1000	-2.92	-58.53	≤-22.92	PASS
BLE_2M	Ant1	2402	1000~26500	-2.92	-44.18	≤-22.92	PASS
BLE_2M	Ant1	2440	30~1000	-3.60	-59.03	≤-23.6	PASS
BLE_2M	Ant1	2440	1000~26500	-3.60	-44.03	≤-23.6	PASS
BLE_2M	Ant1	2480	30~1000	-3.69	-59.17	≤-23.69	PASS
BLE_2M	Ant1	2480	1000~26500	-3.69	-44.12	≤-23.69	PASS

Test Graphs

