


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	2.13	2.63	2.81	-1.86	0.93	1.53
MAX. Gain	2.81dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	38.20mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 3 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	2.12826	-26.69010	-3.79716
2450	2.62520	-33.17040	-4.09023
2500	2.81442	-18.64150	-3.20127

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 3 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-1.86370	-18.75240	-9.03940
2450	0.92480	-21.19370	-7.08020
2500	1.52880	-26.13140	-5.81432

ANT Test Labs: Attestation of Global Compliance Co., Ltd.