SPECIFICATION

Shenzhen Feixin Wireless Communication Co., Ltd.

2.4G/5.8 directional antenna Product specification


Customer		Frequency	2400——2500MHz 5150——5835MHZ
R F design	XIAO BIN	Version	
Technical director	ANDY	date	2024-04-16

Customer confirmation:	
Whether the assembly meets your company's requirements: $\square OK$	\square NG

Directory

Cover	-
1. Directory	
2. Product pictures	3
3、S11 data	4
4. Antenna test data (gain, efficiency, apple chart) 4	


1. Product pictures



2. Product parameters

Product testing parameters				
产品名称(Name)	2.4G-5.8 Antenna	产品型号(Model Type)	FX-2.4/5.8-LJB-WL C	
电性能指标 (Electrical Specifications)				
频率范围 (Frenquency Range)	2400-2500MHZ 5150-5835MHz	极化方式 (Polarization)	vertical	
输入阻抗(Impedance)	50 Ω	辐射方向 (Radiation direction)	directional	
驻波比 (VSWR)	≦3.0	功率容量(Power)	50W	
增益(Gain)	7.97/7.29dBi	带宽 (Bandwidth	100/685MHz	
机 械 指 标 (Mechanical Specifications)				
尺寸 (Dimensions)	81.5*195±2mm	外壳颜色(ANT Color)	silvery	
连接器型号 (Connector)	welding	引线长度(Cable Length)	100±3 mm	
外壳材料 Radome Material	aluminium			
工作温度 (Working Temperature)	-40℃-+85℃	存放温度 (Limit Temperature)	-40℃-+85℃	

3. VSWR, Return loss and Smith data





4. Antenna test data (gain, efficiency, apple chart)

Test Point ID	Freq. (MHz)	Gain (dBi)	Efficien cy (%)
1	2400.0	6.37	57.0%
2	2410.0	6.28	56.4%
<u>3</u>	2420.0	7.05	61.4%
4	2430.0	7.97	59.0%
<u>5</u>	2440.0	7.69	61.9%
<u>6</u>	2450.0	7.71	62.1%
7	2460.0	7.54	61.1%
8	2470.0	7.40	58.3%
9	2480.0	7.96	55.6%
10	2490.0	7.94	57.4%
11	2500.0	7.02	56.5%


Test Point ID	Freq. (MHz)	Gain (dBi)	Efficien cy (%)
1	5100.0	5.83	52.5%
2	5135.0	6.57	53.0%
<u>3</u>	5170.0	6.30	56.4%
4	5205.0	6.71	56.7%
<u>5</u>	5240.0	6.66	55.8%
<u>6</u>	5275.0	6.94	56.5%
7	5310.0	6.34	55.4%
<u>8</u>	5345.0	6.08	55.5%
9	5380.0	6.71	54.1%
<u>10</u>	5415.0	7.29	59.0%
<u>11</u>	5450.0	7.11	60.2%
<u>12</u>	5485.0	6.69	59.7%
<u>13</u>	5520.0	6.22	59.5%
<u>14</u>	5555.0	6.16	58.3%
<u>15</u>	5590.0	6.86	52.0%
<u>16</u>	5625.0	6.13	55.3%
<u>17</u>	5660.0	6.57	52.4%
<u>18</u>	5695.0	6.49	52.9%
<u>19</u>	5730.0	6.39	52.1%
<u>20</u>	5765.0	6.58	51.8%
21	5800.0	5.73	51.7%

Passive -Freq2420.00MHZ







Passive -Freq2450.00MHZ




http://www.flxant.com http://www.fly-core.com




Passive -Freq2490.00MHZ




Our company already possesses the proprietary technology provided, and these proprietary information should be strictly kept confidential. Without the prior written consent of Shenzhen Feixin Wireless Communication Co., Ltd., it is not allowed to be disclosed to anyone or the company.




Passive -Freq5170.00MHZ






Passive -Freq5450.00MHZ



Our company already possesses the proprietary technology provided, and these proprietary information should be strictly kept confidential. Without the prior written consent of Shenzhen Feixin Wireless Communication Co., Ltd., it is not allowed to be disclosed to anyone or the company.



Passive -Freq5730.00MHZ

