RF EXPOSURE EVALUATION

FCC ID: 2A6K7-VL-200T

Anbotek Product Safety

According to FCC 1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency(RF) Radiation as specified in §1.1307(b):

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at *test separation distances* \leq 50 mm are determined by:

 $[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] \cdot [\sqrt{f_{(GHz)}}] \leq 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR,¹⁶ where

- f_(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation¹⁷
- The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum *test separation distance* is \leq 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum *test separation distance* is \leq 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

Routine SAR evaluation refers to that specifically required by §2.1093, using measurements or computer simulation. When routine SAR evaluation is not required, portable transmitters with output power greater than the applicable low threshold require SAR evaluation to qualify for TCB approval.

Channel (MHz)	Maximum output power (dBm)	Max Tune Up Power (dBm)	Distance (mm)	Calculation results	Limit	Operating Mode
2402	2.78	3.00	5	0.618	× 3 pm	Antoorek Antoorek
2440	2.43	3.00	5 Anio	0.623	ote ^k 3	
2480	1.65	ot ^{ex} 3.00 pot	5 ^{Ar}	0.628	nbo'3	
2412	9.32	9.70	inbote 5	2.899	3. 3. tek	802.11b
2437	9.32	9.70	An ⁰ 5	2.914	3 nbote	
2462	9.18	9.70	5 ⁰⁰¹⁰¹	2.929	4 3 prot	
2412	9.22	9.70	5 Aupol	2.899	tek 3	anbotek p
2437	9.50	9.70	otek 5 An	2.914	o ^x 3	802.11g
2462	8.98	9.70	nbote ^k 5	2.929	3 of	Anbotek
2412	9.15	9.70	5	2.899	3 bote	Anboter
2437	9.02	9.70	5 oten	2.914	3	802.11n20
2462	9.18	9.70	5 nbot	2.929	3	obotek A
2422	9.65	9.70	rek 5 Ant	2.905	3	nbotek
2437	9.57	9.70	bote ^k 5	2.914	3	802.11n40
2452	9.25	9.70	5	2.923	And 3 tel	nbotek

The BLE and WiFi 2.4G cannot simultaneous transmission.

Result: No Standalone SAR test is required.

Shenzhen Anbotek Compliance Laboratory Limited

Address:1/F.,Building D,Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China. Tel:(86) 0755–26066440 Fax:(86) 0755–26014772 Email:service@anbotek.com Hotline 400–003–0500 www.anbotek.com.cn

