



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Sound Bar

Test Model: S100

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.999	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.937	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.018	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.278	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.291	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.279	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.294	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.296	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.302	N/A	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.63	21	Pass
NVNT	1-DH5	2441	Ant1	0.93	21	Pass
NVNT	1-DH5	2480	Ant1	0.86	21	Pass
NVNT	2-DH5	2402	Ant1	0.26	21	Pass
NVNT	2-DH5	2441	Ant1	0.61	21	Pass
NVNT	2-DH5	2480	Ant1	0.54	21	Pass
NVNT	3-DH5	2402	Ant1	0.07	21	Pass
NVNT	3-DH5	2441	Ant1	0.69	21	Pass
NVNT	3-DH5	2480	Ant1	0.58	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.004	2402.964	0.96	0.679	Pass
NVNT	2-DH5	Ant1	2401.866	2403.152	1.286	0.861	Pass
NVNT	3-DH5	Ant1	2402.01	2403.004	0.994	0.868	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	1.77	184.08	104	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	291.385	101	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.886	297.258	103	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-57.01	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.45	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.28	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-52.62	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-54.27	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.75	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-56.32	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-55.97	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.19	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54.81	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-55.43	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-55.37	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.62	-20	Pass
NVNT	1-DH5	2441	Ant1	-52.66	-20	Pass
NVNT	1-DH5	2480	Ant1	-55.79	-20	Pass
NVNT	2-DH5	2402	Ant1	-47.78	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.29	-20	Pass
NVNT	2-DH5	2480	Ant1	-44.34	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.94	-20	Pass
NVNT	3-DH5	2441	Ant1	-39.01	-20	Pass
NVNT	3-DH5	2480	Ant1	-54.31	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	47.23	3.26	0.56
NVNT	1-DH5	2441	Ant1	47.23	3.26	0.56
NVNT	1-DH5	2480	Ant1	47.23	3.26	0.56
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.02	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.89	2	-	45.37	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.83	2	3.26	41.69	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2378.064	-47.23	2	-	50.03	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2385.456	-57.69	2	3.26	42.83	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-48.9	2	-	48.36	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.53	2	3.26	41.99	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-51.26	2	-	46	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.81	2	3.26	42.71	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2493.04	-46.53	2	-	50.73	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.968	-57.16	2	3.26	43.36	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-48.9	2	-	48.36	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.01	2	3.26	42.51	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.87	2	-	46.39	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-59.16	2	1.14	39.24	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2338.416	-47.08	2	-	50.18	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2377.296	-57.39	2	1.14	41.01	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.31	2	-	47.95	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.24	2	1.14	40.16	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-51.11	2	-	46.15	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-58.36	2	1.14	40.04	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2496.232	-46.83	2	-	50.43	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2487.616	-57.15	2	1.14	41.25	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.59	2	-	46.67	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.54	2	1.14	39.86	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.56	2	-	46.7	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.33	2	1.13	40.06	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2371.632	-47.36	2	-	49.9	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2379.312	-57.63	2	1.13	40.76	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.34	2	-	46.92	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.9	2	1.13	40.49	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-48.82	2	-	48.44	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.69	2	1.13	40.7	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2488.84	-46.88	2	-	50.38	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2490.184	-57.2	2	1.13	41.19	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.91	2	-	47.35	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.3	2	1.13	41.09	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

