



Appendix B

RF Test Data for BT LE (Conducted Measurement)

Product Name: TWS Bluetooth Headset

Test Model: Z31S

Environmental Conditions

| | |
|--------------------|------------|
| Temperature: | 23.8° C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Paddi Chen |
| Supervised by: | Ling Zhu |





B.1 -6dB Bandwidth


| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|--------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT | BLE 1M | 2402 | Ant1 | 0.648 | 0.5 | Pass |
| NVNT | BLE 1M | 2440 | Ant1 | 0.65 | 0.5 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | 0.648 | 0.5 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | 1.237 | 0.5 | Pass |
| NVNT | BLE 2M | 2440 | Ant1 | 1.15 | 0.5 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | 1.142 | 0.5 | Pass |






Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz Ant1




-6dB Bandwidth NVNT BLE 1M 2440MHz Ant1






-6dB Bandwidth NVNT BLE 1M 2480MHz Ant1




-6dB Bandwidth NVNT BLE 2M 2402MHz Ant1






-6dB Bandwidth NVNT BLE 2M 2440MHz Ant1



-6dB Bandwidth NVNT BLE 2M 2480MHz Ant1





B.2 Maximum Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|--------|-----------------|---------|-----------------------|-------------|---------|
| NVNT | BLE 1M | 2402 | Ant1 | -2.5 | 30 | Pass |
| NVNT | BLE 1M | 2440 | Ant1 | -1.20 | 30 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | 0.01 | 30 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | -2.38 | 30 | Pass |
| NVNT | BLE 2M | 2440 | Ant1 | -1.00 | 30 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | 0.27 | 30 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT BLE 1M 2402MHz Ant1




Power NVNT BLE 1M 2440MHz Ant1






Power NVNT BLE 1M 2480MHz Ant1




Power NVNT BLE 2M 2402MHz Ant1






Power NVNT BLE 2M 2440MHz Ant1



Power NVNT BLE 2M 2480MHz Ant1





B.3 Maximum Power Spectral Density Level


| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/3kHz) | Limit (dBm/3kHz) | Verdict |
|-----------|--------|-----------------|---------|--------------------------|------------------|---------|
| NVNT | BLE 1M | 2402 | Ant1 | -18.79 | 8 | Pass |
| NVNT | BLE 1M | 2440 | Ant1 | -17.49 | 8 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | -16.11 | 8 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | -20.9 | 8 | Pass |
| NVNT | BLE 2M | 2440 | Ant1 | -19.93 | 8 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | -19.03 | 8 | Pass |






Test Graphs

PSD NVNT BLE 1M 2402MHz Ant1




PSD NVNT BLE 1M 2440MHz Ant1






PSD NVNT BLE 1M 2480MHz Ant1




PSD NVNT BLE 2M 2402MHz Ant1






PSD NVNT BLE 2M 2440MHz Ant1



PSD NVNT BLE 2M 2480MHz Ant1





B.4 Band Edge

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|---------|
| NVNT | BLE 1M | 2402 | Ant1 | -42.18 | -20 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | -47.36 | -20 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | -34.35 | -20 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | -51.27 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT BLE 1M 2402MHz Ant1 Ref



Band Edge NVNT BLE 1M 2402MHz Ant1 Emission






Band Edge NVNT BLE 1M 2480MHz Ant1 Ref




Band Edge NVNT BLE 1M 2480MHz Ant1 Emission






Band Edge NVNT BLE 2M 2402MHz Ant1 Ref



Band Edge NVNT BLE 2M 2402MHz Ant1 Emission






Band Edge NVNT BLE 2M 2480MHz Ant1 Ref



Band Edge NVNT BLE 2M 2480MHz Ant1 Emission





B.5 Conducted RF Spurious Emission

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|---------|
| NVNT | BLE 1M | 2402 | Ant1 | -41.4 | -20 | Pass |
| NVNT | BLE 1M | 2440 | Ant1 | -43.24 | -20 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | -42.68 | -20 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | -41.81 | -20 | Pass |
| NVNT | BLE 2M | 2440 | Ant1 | -43.2 | -20 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | -42.83 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Emission






Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Emission






Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Emission






Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Emission






Tx. Spurious NVNT BLE 2M 2440MHz Ant1 Ref



Tx. Spurious NVNT BLE 2M 2440MHz Ant1 Emission






Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Ref



Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Emission





B.6 Duty Cycle


| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|--------|-----------------|---------|----------------|------------------------|-----------|
| NVNT | BLE 1M | 2402 | Ant1 | 99.7 | 0 | 0.47 |
| NVNT | BLE 1M | 2440 | Ant1 | 85.36 | 0.69 | 0.47 |
| NVNT | BLE 1M | 2480 | Ant1 | 85.36 | 0.69 | 0.47 |
| NVNT | BLE 2M | 2402 | Ant1 | 99.45 | 0 | 0.92 |
| NVNT | BLE 2M | 2440 | Ant1 | 99.45 | 0 | 0.92 |
| NVNT | BLE 2M | 2480 | Ant1 | 99.4 | 0 | 0.92 |






Test Graphs

Duty Cycle NVNT BLE 1M 2402MHz Ant1




Duty Cycle NVNT BLE 1M 2440MHz Ant1






Duty Cycle NVNT BLE 1M 2480MHz Ant1




Duty Cycle NVNT BLE 2M 2402MHz Ant1






Duty Cycle NVNT BLE 2M 2440MHz Ant1



Duty Cycle NVNT BLE 2M 2480MHz Ant1





B.7 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|------------|------------|----------|----------------|---------|
| NVNT | BLE 1M | 2402 | Ant1 | 2310 | -52.27 | 3.0 | 45.99 | Peak | 74 | Pass |
| NVNT | BLE 1M | 2402 | Ant1 | 2310 | -61.93 | 3.0 | 36.33 | Average | 54 | Pass |
| NVNT | BLE 1M | 2402 | Ant1 | 2379.312 | -44.89 | 3.0 | 53.37 | Peak | 74 | Pass |
| NVNT | BLE 1M | 2402 | Ant1 | 2381.904 | -57.27 | 3.0 | 40.99 | Average | 54 | Pass |
| NVNT | BLE 1M | 2402 | Ant1 | 2390 | -49.62 | 3.0 | 48.64 | Peak | 74 | Pass |
| NVNT | BLE 1M | 2402 | Ant1 | 2390 | -59.17 | 3.0 | 39.09 | Average | 54 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | 2483.5 | -42.05 | 3.0 | 56.21 | Peak | 74 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | 2483.5 | -51.11 | 3.0 | 47.15 | Average | 54 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | 2483.512 | -42.05 | 3.0 | 56.21 | Peak | 74 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | 2483.512 | -51.11 | 3.0 | 47.15 | Average | 54 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | 2500 | -45.85 | 3.0 | 52.41 | Peak | 74 | Pass |
| NVNT | BLE 1M | 2480 | Ant1 | 2500 | -55.04 | 3.0 | 43.22 | Average | 54 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | 2310 | -53.24 | 3.0 | 45.02 | Peak | 74 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | 2310 | -61.36 | 3.0 | 36.90 | Average | 54 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | 2381.232 | -45.42 | 3.0 | 52.84 | Peak | 74 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | 2379.312 | -56.09 | 3.0 | 42.17 | Average | 54 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | 2390 | -49.66 | 3.0 | 48.60 | Peak | 74 | Pass |
| NVNT | BLE 2M | 2402 | Ant1 | 2390 | -58.49 | 3.0 | 39.77 | Average | 54 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | 2483.5 | -43.27 | 3.0 | 54.99 | Peak | 74 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | 2483.5 | -52.93 | 3.0 | 45.33 | Average | 54 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | 2483.728 | -42.68 | 3.0 | 55.58 | Peak | 74 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | 2483.8 | -52.15 | 3.0 | 46.11 | Average | 54 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | 2500 | -45.61 | 3.0 | 52.65 | Peak | 74 | Pass |
| NVNT | BLE 2M | 2480 | Ant1 | 2500 | -54.65 | 3.0 | 43.61 | Average | 54 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT BLE 1M 2402MHz Ant1 Peak




Restrict Band NVNT BLE 1M 2402MHz Ant1 Average






Restrict Band NVNT BLE 1M 2480MHz Ant1 Peak




Restrict Band NVNT BLE 1M 2480MHz Ant1 Average






Restrict Band NVNT BLE 2M 2402MHz Ant1 Peak




Restrict Band NVNT BLE 2M 2402MHz Ant1 Average





Restrict Band NVNT BLE 2M 2480MHz Ant1 Peak



Restrict Band NVNT BLE 2M 2480MHz Ant1 Average

