


Appendix D: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test_ANT & Nordic Original Band Edges, 2.31GHz ~ 2.9GHz

ANT																																																																																																					
Low Channel (Horizontal) Peak	Low Channel (Vertical) Peak																																																																																																				
<div style="text-align: right; font-size: small;"> TÜV Rheinland Taiwan Ltd. No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> <p style="text-align: right; font-size: x-small;">Date: 2023-05-22</p> <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read Level Factor</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2342.45</td> <td>53.10</td> <td>15.76</td> <td>37.34</td> <td>74.00</td> <td>-20.90</td> <td>158</td> <td>213 Peak</td> <td>Horizontal</td> </tr> <tr> <td>2 *</td> <td>2482.00</td> <td>93.31</td> <td>55.68</td> <td>37.63</td> <td>74.00</td> <td>19.31</td> <td>158</td> <td>213 Peak</td> <td>Horizontal</td> </tr> <tr> <td>3</td> <td>2517.09</td> <td>55.09</td> <td>17.22</td> <td>37.87</td> <td>74.00</td> <td>-18.91</td> <td>158</td> <td>213 Peak</td> <td>Horizontal</td> </tr> </tbody> </table>	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	2342.45	53.10	15.76	37.34	74.00	-20.90	158	213 Peak	Horizontal	2 *	2482.00	93.31	55.68	37.63	74.00	19.31	158	213 Peak	Horizontal	3	2517.09	55.09	17.22	37.87	74.00	-18.91	158	213 Peak	Horizontal	<div style="text-align: right; font-size: small;"> TÜV Rheinland Taiwan Ltd. No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> <p style="text-align: right; font-size: x-small;">Date: 2023-05-22</p> <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read Level Factor</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2325.34</td> <td>53.30</td> <td>15.61</td> <td>37.29</td> <td>74.00</td> <td>-20.70</td> <td>106</td> <td>230 Peak</td> <td>Vertical</td> </tr> <tr> <td>2 *</td> <td>2482.00</td> <td>94.17</td> <td>56.54</td> <td>37.63</td> <td>74.00</td> <td>20.17</td> <td>106</td> <td>230 Peak</td> <td>Vertical</td> </tr> <tr> <td>3</td> <td>2533.14</td> <td>54.33</td> <td>16.44</td> <td>37.89</td> <td>74.00</td> <td>-19.67</td> <td>106</td> <td>230 Peak</td> <td>Vertical</td> </tr> </tbody> </table>	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	2325.34	53.30	15.61	37.29	74.00	-20.70	106	230 Peak	Vertical	2 *	2482.00	94.17	56.54	37.63	74.00	20.17	106	230 Peak	Vertical	3	2533.14	54.33	16.44	37.89	74.00	-19.67	106	230 Peak	Vertical
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note																																																																																												
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																														
1	2342.45	53.10	15.76	37.34	74.00	-20.90	158	213 Peak	Horizontal																																																																																												
2 *	2482.00	93.31	55.68	37.63	74.00	19.31	158	213 Peak	Horizontal																																																																																												
3	2517.09	55.09	17.22	37.87	74.00	-18.91	158	213 Peak	Horizontal																																																																																												
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note																																																																																												
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																														
1	2325.34	53.30	15.61	37.29	74.00	-20.70	106	230 Peak	Vertical																																																																																												
2 *	2482.00	94.17	56.54	37.63	74.00	20.17	106	230 Peak	Vertical																																																																																												
3	2533.14	54.33	16.44	37.89	74.00	-19.67	106	230 Peak	Vertical																																																																																												

ANT
Low Channel (Horizontal) Average
Low Channel (Vertical) Average



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.82	39.96	2.38	37.58	54.00	-14.04	158	213	Average Horizontal
2 *	2402.00	92.89	55.26	37.63	54.00	38.89	158	213	Average Horizontal
3	2834.75	41.36	3.18	38.18	54.00	-12.64	158	213	Average Horizontal




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.76	40.17	2.61	37.56	54.00	-13.83	186	230	Average Vertical
2 *	2402.00	93.73	56.18	37.63	54.00	39.73	186	230	Average Vertical
3	2817.52	41.40	3.22	38.18	54.00	-12.60	186	230	Average Vertical

ANT
Middle Channel (Horizontal) Peak
Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2375.02	53.43	15.93	37.50	74.00	-20.57	306	182 Peak	Horizontal	
2 *	2441.00	93.92	56.24	37.68	74.00	19.92	306	182 Peak	Horizontal	
3	2630.13	54.89	16.89	38.00	74.00	-19.11	306	182 Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2369.94	53.08	15.68	37.48	74.00	-20.92	320	196 Peak	Vertical	
2 *	2441.00	98.47	68.79	37.68	74.00	24.47	320	196 Peak	Vertical	
3	2835.93	54.74	16.56	38.18	74.00	-19.26	320	196 Peak	Vertical	

ANT
Middle Channel (Horizontal) Average
Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2381.39	49.15	2.61	37.54	54.00	-13.85	386	182 Average	Horizontal	
2 *	2441.00	93.49	55.81	37.68	54.00	39.49	386	182 Average	Horizontal	
3	2822.95	41.49	3.31	38.18	54.00	-12.51	386	182 Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.18	49.02	2.44	37.58	54.00	-13.98	328	196 Average	Vertical	
2 *	2441.00	98.05	68.37	37.68	54.00	44.05	328	196 Average	Vertical	
3	2841.94	41.46	3.29	38.17	54.00	-12.54	328	196 Average	Vertical	

ANT
High Channel (Horizontal) Peak
High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2328.88	53.88	15.77	37.31	74.00	-20.92	296	179	Peak	Horizontal	
2 *	2480.00	94.29	56.58	37.79	74.00	20.29	296	179	Peak	Horizontal	
3	2831.91	54.65	16.47	38.18	74.00	-19.35	296	179	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2381.27	53.68	16.14	37.54	74.00	-20.32	100	230	Peak	Vertical	
2 *	2480.00	94.87	57.88	37.79	74.00	20.87	100	230	Peak	Vertical	
3	2799.11	54.74	16.54	38.20	74.00	-19.26	100	230	Peak	Vertical	

ANT
High Channel (Horizontal) Average
High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2321.56	2480.00	2853.15
39.97	93.80	41.33
2.69	56.81	3.15
37.28	37.79	38.18
54.00	54.00	54.00
-14.03	39.80	-12.67
296	296	296
179	179	179
Average	Average	Average
Horizontal	Horizontal	Horizontal




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2309.06	2480.00	2835.34
40.16	94.41	41.32
2.58	56.82	3.14
37.58	37.79	38.18
54.00	54.00	54.00
-13.84	40.41	-12.68
100	100	100
230	230	230
Average	Average	Average
Vertical	Vertical	Vertical

Nordic Original
Low Channel (Horizontal) Peak
Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2342.45	53.14	15.88	37.34	74.00	-20.86	159	214 Peak	Horizontal
2 *	2482.88	93.27	55.64	37.63	74.00	19.27	159	214 Peak	Horizontal
3	2673.89	54.64	16.68	37.96	74.00	-19.36	159	214 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.47	53.78	16.38	37.48	74.00	-20.22	180	174 Peak	Vertical
2 *	2482.88	95.46	57.83	37.63	74.00	21.46	180	174 Peak	Vertical
3	2661.64	54.38	16.31	37.99	74.00	-19.70	180	174 Peak	Vertical


Nordic Original

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.35	39.99	2.42	37.57	54.00	-14.01	159	214 Average	Horizontal
2 *	2402.00	92.83	55.20	37.63	54.00	38.83	159	214 Average	Horizontal
3	2831.91	41.35	3.17	38.18	54.00	-12.65	159	214 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.91	39.95	2.44	37.51	54.00	-14.05	100	174 Average	Vertical
2 *	2402.00	95.83	57.40	37.63	54.00	41.03	100	174 Average	Vertical
3	2896.81	41.32	2.91	38.41	54.00	-12.68	100	174 Average	Vertical


Nordic Original

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2344.10	53.12	15.76	37.36	74.00	-20.88	305	173 Peak	Horizontal
2 *	2441.00	95.29	55.61	37.68	74.00	19.29	305	173 Peak	Horizontal
3	2595.21	54.60	16.64	37.96	74.00	-19.40	305	173 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2339.85	53.13	15.79	37.34	74.00	-20.87	100	230 Peak	Vertical
2 *	2441.00	95.18	57.50	37.68	74.00	21.18	100	230 Peak	Vertical
3	2679.22	54.43	16.49	37.94	74.00	-19.57	100	230 Peak	Vertical


Nordic Original

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.71	49.26	2.69	37.57	54.00	-13.74	385	173 Average	Horizontal	
2 *	2441.00	92.84	55.16	37.68	54.00	38.84	385	173 Average	Horizontal	
3	2829.44	41.35	3.17	38.18	54.00	-12.65	385	173 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.23	39.94	2.37	37.57	54.00	-14.06	180	230 Average	Vertical	
2 *	2441.00	94.72	57.04	37.68	54.00	40.72	180	230 Average	Vertical	
3	2628.13	41.40	3.40	38.00	54.00	-12.60	180	230 Average	Vertical	


Nordic Original

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.65	54.18	17.08	37.10	74.00	-19.82	120	137	Peak	Horizontal	
2 *	2488.00	93.14	55.66	37.48	74.00	19.14	120	137	Peak	Horizontal	
3	2811.50	54.72	17.34	37.38	74.00	-19.28	120	137	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2315.90	53.51	16.25	37.26	74.00	-20.49	100	166	Peak	Vertical	
2 *	2488.00	98.80	61.19	37.79	74.00	24.98	100	166	Peak	Vertical	
3	2639.46	54.81	16.80	38.01	74.00	-19.19	100	166	Peak	Vertical	


Nordic Original

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.44	39.57	2.50	37.07	54.00	-14.43	120	137	Average Horizontal
2 *	2489.00	92.63	55.15	37.48	54.00	38.63	120	137	Average Horizontal
3	2844.42	40.83	3.15	37.68	54.00	-13.17	120	137	Average Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.50	39.95	2.42	37.53	54.00	-14.05	100	166	Average Vertical
2 *	2489.00	98.52	68.73	37.79	54.00	44.52	100	166	Average Vertical
3	2850.32	41.31	3.15	38.16	54.00	-12.69	100	166	Average Vertical

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


Nordic Original

Low Channel (Open) 9kHz~150kHz

Low Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.03	54.91	35.96	18.95	119.13	-64.22	100	314	Peak	Open	
2	0.03	43.92	24.71	19.21	118.05	-74.13	100	206	Peak	Open	
3	0.06	40.14	21.29	18.85	111.82	-71.68	100	133	Peak	Open	
4	0.09	30.33	12.17	18.16	108.50	-78.17	100	351	Peak	Open	
5	0.12	29.33	11.31	18.02	105.00	-76.47	100	152	Peak	Open	
6	0.13	27.06	9.00	18.06	105.23	-76.17	100	334	Peak	Open	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.21	41.16	22.79	18.37	101.17	-60.01	100	49	Peak	Open	
2	0.99	33.60	14.54	19.06	67.73	-34.13	100	68	Peak	Open	
3	7.05	33.02	12.68	20.34	69.50	-36.48	100	319	Peak	Open	
4	12.81	34.74	12.99	21.75	69.50	-34.76	100	88	Peak	Open	
5	17.13	34.53	12.48	22.05	69.50	-34.97	100	44	Peak	Open	
6	24.48	35.64	13.36	22.28	69.50	-33.66	100	260	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
Nordic Original
Low Channel (Horizontal)
Low Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	54.25	26.42	33.41	-6.99	40.00	-13.58	100	271	Peak	Horizontal	
2	68.07	24.48	32.16	-7.68	40.00	-15.52	200	131	Peak	Horizontal	
3	88.44	24.81	37.04	-12.23	40.00	-15.19	325	360	Peak	Horizontal	
4	167.74	21.47	28.47	-7.00	43.50	-22.03	100	286	Peak	Horizontal	
5	744.89	32.48	30.04	2.44	46.00	-13.52	200	89	Peak	Horizontal	
6	845.77	33.72	30.02	3.70	46.00	-12.28	400	200	Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	41.64	26.50	34.27	-7.77	40.00	-13.50	200	125	Peak	Vertical	
2	53.28	30.05	36.96	-6.91	40.00	-9.95	300	113	Peak	Vertical	
3	60.07	27.59	35.27	-7.68	40.00	-12.41	300	13	Peak	Vertical	
4	80.44	31.39	43.62	-12.23	40.00	-8.61	300	107	Peak	Vertical	
5	100.81	23.35	35.29	-11.94	43.50	-20.15	200	118	Peak	Vertical	
6	950.29	34.65	29.54	5.11	46.00	-11.35	400	168	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz
ANT
Low Channel (Horizontal)
Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4
Freq	Level	Read Level Factor	Limit Over Line Limit
MHz	dBuV/m	dBuV	dB/m
4894.00	49.39	50.79	-10.40
4894.00	43.94	54.34	-10.40
12018.00	46.07	47.75	-1.68
12018.00	53.15	54.83	-1.68




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




1	2	3	4
Freq	Level	Read Level Factor	Limit Over Line Limit
MHz	dBuV/m	dBuV	dB/m
4894.00	38.24	48.64	-10.40
4894.00	46.11	56.51	-10.40
12018.00	40.39	42.07	-1.68
12018.00	49.01	50.69	-1.68

ANT
Middle Channel (Horizontal)
Middle Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


1	2	3	4
Freq	Level	Read Level Factor	Limit Line
MHz	dBuV/m	dBuV	dB/m
4882.00	37.94	48.28	-10.34
4882.00	45.86	56.20	-10.34
12285.00	45.78	47.15	-1.37
12285.00	51.58	52.95	-1.37


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


1	2	3	4
Freq	Level	Read Level Factor	Limit Line
MHz	dBuV/m	dBuV	dB/m
4882.00	36.31	46.65	-10.34
4882.00	44.78	55.12	-10.34
12285.00	37.26	38.63	-1.37
12285.00	47.65	49.02	-1.37


ANT

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12400.00	44.98	46.34	-1.36	54.00	-9.02	173	186 Average	Horizontal
2	12400.00	52.51	53.87	-1.36	74.00	-21.49	173	186 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12400.00	37.66	39.02	-1.36	54.00	-16.34	100	172 Average	Vertical
2	12400.00	46.89	48.05	-1.36	74.00	-27.31	100	172 Peak	Vertical


Nordic Original

Low Channel (Horizontal)

Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	2	3	4
Read Level	Level Factor	Limit Line	Over Limit
MHz	dBuV/m	dBuV	dB/m
4884.00	49.52	58.92	-10.40
4884.00	47.52	57.92	-10.40
12018.00	45.94	47.62	-1.68
12018.00	51.65	53.33	-1.68

Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dB	dB	cm	deg			
54.00	-13.48	148	177	Average	Horizontal	
74.00	-26.48	148	177	Peak	Horizontal	
54.00	-8.06	165	203	Average	Horizontal	
74.00	-22.35	165	203	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4
Read Level	Level Factor	Limit Line	Over Limit
MHz	dBuV/m	dBuV	dB/m
4884.00	37.11	47.51	-10.40
4884.00	45.56	55.96	-10.40
12018.00	40.61	42.29	-1.68
12018.00	48.28	49.96	-1.68

Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dB	dB	cm	deg			
54.00	-16.89	387	290	Average	Vertical	
74.00	-28.44	387	290	Peak	Vertical	
54.00	-13.39	396	201	Average	Vertical	
74.00	-25.72	396	201	Peak	Vertical	


Nordic Original

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12285.00	45.70	47.07	-1.37	54.00	-8.30	166	200 Average	Horizontal	
2	12285.00	52.12	53.49	-1.37	74.00	-21.88	166	200 Peak	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12285.00	37.43	38.80	-1.37	54.00	-16.57	100	163 Average	Vertical	
2	12285.00	49.44	50.81	-1.37	74.00	-24.56	100	163 Peak	Vertical	

Nordic Original
High Channel (Horizontal)
High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dB	dB					
44.19	54.00	-9.81	352	193	Average	Horizontal	
50.76	74.00	-23.24	352	193	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dB	dB					
37.71	54.00	-16.29	100	172	Average	Vertical	
49.97	74.00	-24.03	100	172	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz
Worst Band
(Line)
(Neutral)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 3, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2112-1000 Fax: +886-2112-1322


Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.51	6.04	-3.59	9.63	46.00	-39.96	Average	line1	
2	0.51	10.15	0.52	9.63	56.00	-45.85	QP	line1	
3	0.64	5.99	-3.70	9.63	46.00	-40.07	Average	line1	
4	0.64	9.27	-0.36	9.63	56.00	-46.73	QP	line1	
5	1.68	5.95	-3.71	9.66	46.00	-40.05	Average	line1	
6	1.68	10.97	1.31	9.66	56.00	-45.03	QP	line1	
7	2.42	5.47	-4.19	9.66	46.00	-40.53	Average	line1	
8	2.42	17.70	8.04	9.66	56.00	-38.20	QP	line1	
9	4.02	6.65	-3.03	9.68	46.00	-39.35	Average	line1	
10	4.02	21.13	11.45	9.68	56.00	-34.87	QP	line1	
11	25.96	16.13	6.39	9.74	50.00	-33.87	Average	line1	
12	25.96	22.47	12.73	9.74	60.00	-37.53	QP	line1	


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 3, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2112-1000 Fax: +886-2112-1322


Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.44	6.11	-3.52	9.63	47.00	-40.95	Average	neutral	
2	0.44	9.57	-0.06	9.63	57.00	-47.49	QP	neutral	
3	0.71	5.87	-3.76	9.63	46.00	-40.13	Average	neutral	
4	0.71	9.04	-0.59	9.63	56.00	-46.96	QP	neutral	
5	2.07	5.35	-4.31	9.66	46.00	-40.65	Average	neutral	
6	2.07	15.43	5.77	9.66	56.00	-40.57	QP	neutral	
7	3.55	5.73	-3.96	9.69	46.00	-40.27	Average	neutral	
8	3.55	16.66	6.97	9.69	56.00	-39.34	QP	neutral	
9	4.29	6.38	-3.32	9.70	46.00	-39.62	Average	neutral	
10	4.29	20.67	10.97	9.70	56.00	-35.33	QP	neutral	
11	25.96	16.19	6.32	9.87	50.00	-33.81	Average	neutral	
12	25.96	21.63	11.76	9.87	60.00	-38.37	QP	neutral	