

Appendix B: Test Results of Radiated Spurious Emissions_ANT & Nordic Original

Band Edges, 2.31GHz ~ 2.9GHz

ANT																																																																																																															
Low Channel (Horizontal) Peak	Low Channel (Vertical) Peak																																																																																																														
<p>TÜVRheinland Taiwan Ltd. No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322</p> <p>Date: 2023-07-27</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read Level</th> <th>Factor</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2367.70</td> <td>52.96</td> <td>15.59</td> <td>37.46</td> <td>74.00</td> <td>-21.04</td> <td>277</td> <td>177 Peak</td> <td>Horizontal</td> <td></td> </tr> <tr> <td>2 *</td> <td>2482.00</td> <td>98.08</td> <td>60.45</td> <td>37.63</td> <td>74.00</td> <td>24.08</td> <td>277</td> <td>177 Peak</td> <td>Horizontal</td> <td></td> </tr> <tr> <td>3</td> <td>2560.40</td> <td>54.69</td> <td>16.77</td> <td>37.92</td> <td>74.00</td> <td>-19.31</td> <td>277</td> <td>177 Peak</td> <td>Horizontal</td> <td></td> </tr> </tbody> </table>	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				1	2367.70	52.96	15.59	37.46	74.00	-21.04	277	177 Peak	Horizontal		2 *	2482.00	98.08	60.45	37.63	74.00	24.08	277	177 Peak	Horizontal		3	2560.40	54.69	16.77	37.92	74.00	-19.31	277	177 Peak	Horizontal		<p>TÜVRheinland Taiwan Ltd. No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322</p> <p>Date: 2023-07-28</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read Level</th> <th>Factor</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2331.95</td> <td>53.61</td> <td>16.39</td> <td>37.21</td> <td>74.00</td> <td>-20.39</td> <td>339</td> <td>162 Peak</td> <td>Vertical</td> <td></td> </tr> <tr> <td>2 *</td> <td>2482.00</td> <td>96.67</td> <td>59.94</td> <td>37.63</td> <td>74.00</td> <td>22.67</td> <td>339</td> <td>162 Peak</td> <td>Vertical</td> <td></td> </tr> <tr> <td>3</td> <td>2882.54</td> <td>55.81</td> <td>17.48</td> <td>38.33</td> <td>74.00</td> <td>-18.19</td> <td>339</td> <td>162 Peak</td> <td>Vertical</td> <td></td> </tr> </tbody> </table>	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				1	2331.95	53.61	16.39	37.21	74.00	-20.39	339	162 Peak	Vertical		2 *	2482.00	96.67	59.94	37.63	74.00	22.67	339	162 Peak	Vertical		3	2882.54	55.81	17.48	38.33	74.00	-18.19	339	162 Peak	Vertical	
Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note																																																																																																					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																								
1	2367.70	52.96	15.59	37.46	74.00	-21.04	277	177 Peak	Horizontal																																																																																																						
2 *	2482.00	98.08	60.45	37.63	74.00	24.08	277	177 Peak	Horizontal																																																																																																						
3	2560.40	54.69	16.77	37.92	74.00	-19.31	277	177 Peak	Horizontal																																																																																																						
Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note																																																																																																					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																								
1	2331.95	53.61	16.39	37.21	74.00	-20.39	339	162 Peak	Vertical																																																																																																						
2 *	2482.00	96.67	59.94	37.63	74.00	22.67	339	162 Peak	Vertical																																																																																																						
3	2882.54	55.81	17.48	38.33	74.00	-18.19	339	162 Peak	Vertical																																																																																																						



ANT

Low Channel (Horizontal) Average

Low Channel (Vertical) Average

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.81	40.05	2.51	37.54	54.00	-13.95	277	177 Average	Horizontal
2 *	2402.00	97.64	60.01	37.63	54.00	43.64	277	177 Average	Horizontal
3	2831.56	41.50	3.32	38.18	54.00	-12.50	277	177 Average	Horizontal

Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2337.97	40.09	2.75	37.34	54.00	-13.91	339	162 Average	Vertical
2 *	2402.00	96.23	50.60	37.63	54.00	42.23	339	162 Average	Vertical
3	2637.92	41.47	3.46	38.01	54.00	-12.53	339	162 Average	Vertical


ANT

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2324.63	53.48	16.19	37.29	74.00	-20.52	107	176	Peak	Horizontal	
2 *	2441.00	97.73	60.05	37.68	74.00	23.73	107	176	Peak	Horizontal	
3	2842.06	54.49	16.32	38.17	74.00	-19.51	107	176	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Peak	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2366.29	54.37	16.91	37.46	74.00	-19.63	326	163	Peak	Vertical	
2 *	2441.00	96.91	59.23	37.68	74.00	22.91	326	163	Peak	Vertical	
3	2627.89	54.63	16.63	38.00	74.00	-19.37	326	163	Peak	Vertical	

ANT

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.91	40.95	3.44	37.51	54.00	-13.05	107	176 Average	Horizontal
2 *	2441.00	97.28	59.60	37.68	54.00	43.28	107	176 Average	Horizontal
3	2831.21	41.29	3.11	38.18	54.00	-12.71	107	176 Average	Horizontal

Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.91	40.38	2.87	37.51	54.00	-13.62	326	163 Average	Vertical
2 *	2441.00	96.46	58.78	37.68	54.00	42.46	326	163 Average	Vertical
3	2638.39	41.36	3.35	38.01	54.00	-12.64	326	163 Average	Vertical


ANT

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2316.84	53.45	16.19	37.26	74.00	-20.55	255	215	Peak	Horizontal	
2 *	2480.00	95.44	57.65	37.79	74.00	21.44	255	215	Peak	Horizontal	
3	2755.92	55.29	17.14	38.15	74.00	-18.71	255	215	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2353.42	54.15	16.76	37.39	74.00	-19.85	100	192	Peak	Vertical	
2 *	2480.00	94.85	57.06	37.79	74.00	20.85	100	192	Peak	Vertical	
3	2609.37	55.16	17.18	37.98	74.00	-18.84	100	192	Peak	Vertical	

ANT

High Channel (Horizontal) Average

High Channel (Vertical) Average



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.41	40.15	2.58	37.57	54.00	-13.85	255	215 Average	Horizontal
2 *	2480.00	94.97	57.18	37.79	54.00	40.97	255	215 Average	Horizontal
3	2831.68	41.39	3.21	38.18	54.00	-12.61	255	215 Average	Horizontal

Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.23	40.07	2.50	37.57	54.00	-13.93	100	192 Average	Vertical
2 *	2480.00	94.41	56.62	37.79	54.00	40.41	100	192 Average	Vertical
3	2838.17	41.45	3.28	38.17	54.00	-12.55	100	192 Average	Vertical


Nordic Original

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2359.21	53.37	15.95	37.42	74.00	-20.63	121	174	Peak	Horizontal	
2	2402.00	97.95	60.32	37.63	74.00	23.95	121	174	Peak	Horizontal	
3	2826.49	54.89	16.70	38.19	74.00	-19.11	121	174	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2315.66	52.97	15.71	37.26	74.00	-21.03	340	163	Peak	Vertical	
2	2402.00	96.98	59.35	37.63	74.00	22.98	340	163	Peak	Vertical	
3	2893.51	54.72	16.34	38.38	74.00	-19.28	340	163	Peak	Vertical	

Nordic Original

Low Channel (Horizontal) Average

Low Channel (Vertical) Average



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2338.08	40.47	3.13	37.34	54.00	-13.53	121	174 Average	Horizontal	
2 *	2402.00	96.50	58.87	37.63	54.00	42.50	121	174 Average	Horizontal	
3	2818.67	41.55	3.35	38.20	54.00	-12.45	121	174 Average	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.87	39.97	2.41	37.56	54.00	-14.03	340	163 Average	Vertical	
2 *	2402.00	95.67	58.04	37.63	54.00	41.67	340	163 Average	Vertical	
3	2836.87	41.37	3.19	38.18	54.00	-12.63	340	163 Average	Vertical	


Nordic Original

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2344.69	52.99	15.63	37.36	74.00	-21.01	100	175	Peak	Horizontal	
2 *	2441.00	97.82	60.14	37.68	74.00	23.82	100	175	Peak	Horizontal	
3	2628.25	54.93	16.93	38.00	74.00	-19.07	100	175	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2325.46	52.55	15.26	37.29	74.00	-21.45	324	164	Peak	Vertical	
2 *	2441.00	97.03	59.35	37.68	74.00	23.03	324	164	Peak	Vertical	
3	2885.60	55.00	16.65	38.35	74.00	-19.00	324	164	Peak	Vertical	


Nordic Original

Middle Channel (Horizontal) Average


Middle Channel (Vertical) Average

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.79	40.18	2.67	37.51	54.00	-13.82	100	175 Average	Horizontal
2 *	2441.00	96.34	58.66	37.68	54.00	42.34	100	175 Average	Horizontal
3	2830.50	41.44	3.26	38.18	54.00	-12.56	100	175 Average	Horizontal



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.71	40.16	2.59	37.57	54.00	-13.84	324	164 Average	Vertical
2 *	2441.00	95.71	58.03	37.68	54.00	41.71	324	164 Average	Vertical
3	2834.39	41.36	3.19	38.17	54.00	-12.64	324	164 Average	Vertical


Nordic Original

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2345.05	53.25	15.89	37.36	74.00	-20.75	100	175	Peak	Horizontal	
2 *	2480.00	96.16	58.37	37.79	74.00	22.16	100	175	Peak	Horizontal	
3	2483.93	54.76	16.96	37.80	74.00	-19.24	100	175	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2369.83	53.24	15.76	37.48	74.00	-20.76	100	159	Peak	Vertical	
2 *	2480.00	94.28	56.49	37.79	74.00	20.28	100	159	Peak	Vertical	
3	2861.53	54.61	16.38	38.23	74.00	-19.39	100	159	Peak	Vertical	


Nordic Original

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2346.46	39.96	2.69	37.36	54.00	-14.04	100	175 Average	Horizontal
2 *	2483.46	94.70	56.91	37.79	54.00	40.70	100	175 Average	Horizontal
3	2483.46	41.40	3.60	37.80	54.00	-12.60	100	175 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2378.09	39.85	2.33	37.52	54.00	-14.15	100	159 Average	Vertical
2 *	2483.46	92.76	54.97	37.79	54.00	38.76	100	159 Average	Vertical
3	2483.46	41.38	3.58	37.80	54.00	-12.62	100	159 Average	Vertical

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


ANT

Middle Channel (Open) 9kHz~150kHz

Middle Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	PoI/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	56.43	37.47	18.96	119.08	-62.65	100	95 Peak	Open	
2	0.03	43.53	24.34	19.19	116.76	-73.23	100	235 Peak	Open	
3	0.06	40.46	21.61	18.85	111.82	-71.36	100	321 Peak	Open	
4	0.07	39.46	20.81	18.65	110.74	-71.36	100	148 Peak	Open	
5	0.10	32.61	14.66	17.95	107.22	-74.61	100	105 Peak	Open	
6	0.14	33.81	15.72	18.09	104.72	-70.91	100	59 Peak	Open	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	PoI/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.30	36.64	17.90	18.74	98.88	-61.44	100	91 Peak	Open	
2	0.66	34.71	15.79	18.92	71.25	-36.54	100	134 Peak	Open	
3	3.31	31.88	12.27	19.61	69.50	-37.62	100	361 Peak	Open	
4	9.37	35.34	14.94	21.30	69.50	-34.16	100	33 Peak	Open	
5	19.49	36.18	13.97	22.21	69.50	-33.32	100	2 Peak	Open	
6	23.55	36.50	14.23	22.27	69.50	-33.00	100	256 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
ANT
Middle Channel (Horizontal)
Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	56.19	22.19	29.38	-7.19	46.00	-17.81	200	221	Peak	Horizontal	
2	143.49	35.39	43.11	-7.72	43.50	-8.11	200	254	Peak	Horizontal	
3	288.02	29.51	36.35	-6.84	46.00	-16.49	100	266	Peak	Horizontal	
4	477.17	26.13	29.01	-2.88	46.00	-19.87	100	85	Peak	Horizontal	
5	646.92	29.84	29.52	0.32	46.00	-16.16	200	161	Peak	Horizontal	
6	846.74	33.04	30.14	3.70	46.00	-12.16	100	192	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	50.37	24.58	31.48	-6.90	46.00	-15.42	117	360	Peak	Vertical	
2	163.86	21.28	28.23	-6.95	43.50	-22.22	299	32	Peak	Vertical	
3	353.98	23.45	28.91	-5.46	46.00	-22.55	166	360	Peak	Vertical	
4	551.86	28.81	29.97	-1.16	46.00	-17.19	100	59	Peak	Vertical	
5	709.97	31.45	29.75	1.70	46.00	-14.55	200	272	Peak	Vertical	
6	885.54	32.97	26.71	4.26	46.00	-13.03	300	153	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


ANT

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note						
1	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg											
1	4884.00	43.51	53.91	-10.40	54.00	-10.49	388	304	Average		Horizontal								
2	4884.00	48.84	59.24	-10.40	74.00	-25.16	388	304	Peak		Horizontal								



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note						
1	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg											
1	4884.00	42.98	53.38	-10.40	54.00	-11.02	341	294	Average		Vertical								
2	4884.00	48.16	58.56	-10.40	74.00	-25.84	341	294	Peak		Vertical								


ANT

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4						
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
4882.00	46.69	57.03	-10.34	54.00	-7.31	400	309 Average	Horizontal	
4882.00	50.71	61.05	-10.34	74.00	-23.29	400	309 Peak	Horizontal	
7323.00	47.69	56.20	-8.51	54.00	-6.31	400	34 Average	Horizontal	
7323.00	53.24	61.75	-8.51	74.00	-20.76	400	34 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4						
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
4882.00	46.49	56.83	-10.34	54.00	-7.51	350	269 Average	Vertical	
4882.00	50.59	60.93	-10.34	74.00	-23.41	350	269 Peak	Vertical	
7323.00	48.22	56.73	-8.51	54.00	-5.78	100	116 Average	Vertical	
7323.00	53.51	62.02	-8.51	74.00	-20.49	100	116 Peak	Vertical	


ANT

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4						
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
4969.00	47.32	57.54	-10.22	54.00	-6.68	100	306 Average	Horizontal	
4969.00	51.21	61.43	-10.22	74.00	-22.79	100	306 Peak	Horizontal	
7448.00	45.41	53.73	-8.32	54.00	-8.59	100	132 Average	Horizontal	
7448.00	51.92	60.24	-8.32	74.00	-22.08	100	132 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4						
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
4969.00	47.42	57.64	-10.22	54.00	-6.58	100	257 Average	Vertical	
4969.00	51.10	61.32	-10.22	74.00	-22.90	100	257 Peak	Vertical	
7448.00	46.23	54.55	-8.32	54.00	-7.77	100	101 Average	Vertical	
7448.00	52.41	60.73	-8.32	74.00	-21.59	100	101 Peak	Vertical	


Nordic Original

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.00	48.92	58.42	-10.48	54.00	-13.98	378	148 Average	Horizontal	
2	4884.00	48.64	59.04	-10.40	74.00	-25.36	378	148 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.00	43.54	53.94	-10.40	54.00	-10.46	361	269 Average	Vertical	
2	4884.00	50.76	61.16	-10.40	74.00	-23.24	361	269 Peak	Vertical	


Nordic Original

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4						
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
4882.00	42.14	52.48	-10.34	54.00	-11.86	100	312 Average	Horizontal	
4882.00	49.53	59.87	-10.34	74.00	-24.47	100	312 Peak	Horizontal	
7323.00	43.38	51.89	-8.51	54.00	-10.62	100	26 Average	Horizontal	
7323.00	53.66	62.17	-8.51	74.00	-20.34	100	26 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4						
Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
4882.00	42.78	53.12	-10.34	54.00	-11.22	370	268 Average	Vertical	
4882.00	50.34	60.68	-10.34	74.00	-23.66	370	268 Peak	Vertical	
7323.00	42.07	50.58	-8.51	54.00	-11.93	100	100 Average	Vertical	
7323.00	52.08	60.59	-8.51	74.00	-21.92	100	100 Peak	Vertical	


Nordic Original

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4
Freq	Level	Read Level Factor	Limit Line
MHz	dBuV/m	dBuV	dB/m
4968.00	41.30	51.52	-10.22
4968.00	50.27	60.49	-10.22
7448.00	45.70	54.02	-8.32
7448.00	52.60	60.92	-8.32



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4
Freq	Level	Read Level Factor	Limit Line
MHz	dBuV/m	dBuV	dB/m
4968.00	42.58	52.80	-10.22
4968.00	49.90	60.12	-10.22
7448.00	38.60	46.92	-8.32
7448.00	49.67	57.99	-8.32