

Appendix D: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test_ANT & Nordic Original Band Edges, 2.31GHz ~ 2.9GHz

ANT																																																																																																															
Low Channel (Horizontal) Peak	Low Channel (Vertical) Peak																																																																																																														
<p style="text-align: right;">Date: 2023-07-24</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read Level</th> <th>Factor</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2335.96</td> <td>52.41</td> <td>15.08</td> <td>37.33</td> <td>74.00</td> <td>-21.59</td> <td>151</td> <td>61 Peak</td> <td>Horizontal</td> <td></td> </tr> <tr> <td>2 *</td> <td>2402.00</td> <td>96.66</td> <td>59.83</td> <td>37.83</td> <td>74.00</td> <td>22.66</td> <td>151</td> <td>61 Peak</td> <td>Horizontal</td> <td></td> </tr> <tr> <td>3</td> <td>2796.75</td> <td>53.90</td> <td>15.70</td> <td>38.20</td> <td>74.00</td> <td>-20.10</td> <td>151</td> <td>61 Peak</td> <td>Horizontal</td> <td></td> </tr> </tbody> </table>	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				1	2335.96	52.41	15.08	37.33	74.00	-21.59	151	61 Peak	Horizontal		2 *	2402.00	96.66	59.83	37.83	74.00	22.66	151	61 Peak	Horizontal		3	2796.75	53.90	15.70	38.20	74.00	-20.10	151	61 Peak	Horizontal		<p style="text-align: right;">Date: 2023-07-24</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read Level</th> <th>Factor</th> <th>Limit Line</th> <th>Over Limit</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2370.18</td> <td>52.22</td> <td>14.74</td> <td>37.48</td> <td>74.00</td> <td>-21.78</td> <td>378</td> <td>69 Peak</td> <td>Vertical</td> <td></td> </tr> <tr> <td>2 *</td> <td>2402.00</td> <td>93.67</td> <td>56.84</td> <td>37.83</td> <td>74.00</td> <td>19.67</td> <td>378</td> <td>69 Peak</td> <td>Vertical</td> <td></td> </tr> <tr> <td>3</td> <td>2787.90</td> <td>55.17</td> <td>16.98</td> <td>38.19</td> <td>74.00</td> <td>-18.83</td> <td>378</td> <td>69 Peak</td> <td>Vertical</td> <td></td> </tr> </tbody> </table>	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				1	2370.18	52.22	14.74	37.48	74.00	-21.78	378	69 Peak	Vertical		2 *	2402.00	93.67	56.84	37.83	74.00	19.67	378	69 Peak	Vertical		3	2787.90	55.17	16.98	38.19	74.00	-18.83	378	69 Peak	Vertical	
Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note																																																																																																					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																								
1	2335.96	52.41	15.08	37.33	74.00	-21.59	151	61 Peak	Horizontal																																																																																																						
2 *	2402.00	96.66	59.83	37.83	74.00	22.66	151	61 Peak	Horizontal																																																																																																						
3	2796.75	53.90	15.70	38.20	74.00	-20.10	151	61 Peak	Horizontal																																																																																																						
Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note																																																																																																					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																								
1	2370.18	52.22	14.74	37.48	74.00	-21.78	378	69 Peak	Vertical																																																																																																						
2 *	2402.00	93.67	56.84	37.83	74.00	19.67	378	69 Peak	Vertical																																																																																																						
3	2787.90	55.17	16.98	38.19	74.00	-18.83	378	69 Peak	Vertical																																																																																																						


ANT

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2383.16	39.94	2.48	37.54	54.00	-14.06	151	61	Average	Horizontal	
2 *	2402.00	95.69	56.06	37.63	54.00	41.69	151	61	Average	Horizontal	
3	2833.92	41.18	3.01	38.17	54.00	-12.82	151	61	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2376.67	39.83	2.32	37.51	54.00	-14.17	378	69	Average	Vertical	
2 *	2402.00	92.73	55.18	37.63	54.00	38.73	378	69	Average	Vertical	
3	2626.24	41.38	3.38	38.00	54.00	-12.62	378	69	Average	Vertical	


ANT

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2333.68	52.86	15.54	37.32	74.00	-21.14	152	62	Peak	Horizontal	
2 *	2441.00	95.52	57.84	37.68	74.00	21.52	152	62	Peak	Horizontal	
3	2564.29	54.34	16.41	37.93	74.00	-19.66	152	62	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.06	53.71	16.13	37.58	74.00	-20.29	318	73	Peak	Vertical	
2 *	2441.00	94.89	56.41	37.68	74.00	20.89	318	73	Peak	Vertical	
3	2846.31	54.83	16.66	38.17	74.00	-19.17	318	73	Peak	Vertical	


ANT

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.15	39.91	2.49	37.42	54.00	-14.09	152	62 Average	Horizontal
2 *	2441.00	94.58	56.90	37.68	54.00	40.58	152	62 Average	Horizontal
3	2841.59	41.23	3.06	38.17	54.00	-12.77	152	62 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.88	39.82	2.25	37.57	54.00	-14.18	318	73 Average	Vertical
2 *	2441.00	93.89	55.41	37.68	54.00	39.09	318	73 Average	Vertical
3	2627.42	41.16	3.16	38.00	54.00	-12.84	318	73 Average	Vertical


ANT

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.29	52.20	14.63	37.57	74.00	-21.80	147	64 Peak	Horizontal	
2 *	2489.00	94.84	57.85	37.79	74.00	20.84	147	64 Peak	Horizontal	
3	2849.26	54.11	15.95	38.16	74.00	-19.89	147	64 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2336.55	53.65	16.32	37.33	74.00	-20.35	392	71 Peak	Vertical	
2 *	2489.00	93.82	55.83	37.79	74.00	19.62	392	71 Peak	Vertical	
3	2897.05	55.20	16.79	38.41	74.00	-18.80	392	71 Peak	Vertical	


ANT

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2359.56	39.80	2.38	37.42	54.00	-14.20	147	64 Average	Horizontal	
2 *	2480.00	93.88	56.89	37.79	54.00	39.88	147	64 Average	Horizontal	
3	2844.54	41.36	3.19	38.17	54.00	-12.64	147	64 Average	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2390.24	39.87	2.29	37.58	54.00	-14.13	392	71 Average	Vertical	
2 *	2480.00	92.65	54.86	37.79	54.00	38.65	392	71 Average	Vertical	
3	2828.02	41.29	3.11	38.18	54.00	-12.71	392	71 Average	Vertical	

Nordic Original
Low Channel (Horizontal) Peak
Low Channel (Vertical) Peak



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2316.02	53.01	15.75	37.26	74.00	-20.99	149	60	Peak	Horizontal	
2 *	2402.00	95.40	57.77	37.63	74.00	21.40	149	60	Peak	Horizontal	
3	2636.74	54.92	16.91	38.01	74.00	-19.08	149	60	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2309.06	53.70	16.12	37.58	74.00	-20.30	376	84	Peak	Vertical	
2 *	2402.00	93.54	55.91	37.63	74.00	19.54	376	84	Peak	Vertical	
3	2641.34	55.50	17.48	38.02	74.00	-18.50	376	84	Peak	Vertical	


Nordic Original

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Limit	Limit	Limit
Over	Over	Over
APos	APos	APos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
2389.53	2402.00	2824.36
40.01	94.06	41.61
2.43	56.43	3.43
37.58	37.63	38.18
54.00	54.00	54.00
-13.99	40.06	-12.39
149	149	149
60 Average	60 Average	60 Average
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Limit	Limit	Limit
Over	Over	Over
APos	APos	APos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
2390.00	2402.00	2840.17
40.15	92.19	41.49
2.57	54.56	3.32
37.58	37.63	38.17
54.00	54.00	54.00
-13.85	38.19	-12.51
376	376	376
84 Average	84 Average	84 Average
Vertical	Vertical	Vertical


Nordic Original

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak No.	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2384.34	53.36	15.81	37.55	74.00	-20.64	168	61	Peak	Horizontal	
2 *	2441.00	94.58	56.99	37.68	74.00	20.58	168	61	Peak	Horizontal	
3	2828.14	54.55	16.37	38.18	74.00	-19.45	168	61	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak No.	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2327.58	53.30	15.99	37.31	74.00	-20.70	364	69	Peak	Vertical	
2 *	2441.00	93.65	55.98	37.68	74.00	19.66	364	69	Peak	Vertical	
3	2868.97	54.52	16.25	38.27	74.00	-19.48	364	69	Peak	Vertical	


Nordic Original

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.12	40.00	2.43	37.57	54.00	-14.00	168	61 Average	Horizontal
2 *	2441.00	93.22	55.54	37.68	54.00	39.22	168	61 Average	Horizontal
3	2845.37	41.44	3.27	38.17	54.00	-12.56	168	61 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.16	40.00	2.54	37.54	54.00	-13.92	364	69 Average	Vertical
2 *	2441.00	92.29	54.61	37.68	54.00	38.29	364	69 Average	Vertical
3	2837.22	41.51	3.33	38.18	54.00	-12.49	364	69 Average	Vertical


Nordic Original

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2369.27	52.77	15.34	37.43	74.00	-21.23	144	63	Peak	Horizontal	
2 *	2489.00	94.59	56.89	37.79	74.00	20.59	144	63	Peak	Horizontal	
3	2637.45	54.78	16.77	38.01	74.00	-19.22	144	63	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2381.15	53.03	15.50	37.53	74.00	-20.97	389	87	Peak	Vertical	
2 *	2489.00	93.91	56.12	37.79	74.00	19.91	389	87	Peak	Vertical	
3	2804.54	54.98	16.78	38.20	74.00	-19.02	389	87	Peak	Vertical	


Nordic Original

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2377.61	49.07	2.55	37.52	54.00	-13.93	144	63 Average	Horizontal	
2 *	2480.00	94.14	56.35	37.79	54.00	40.14	144	63 Average	Horizontal	
3	2841.47	41.38	3.21	38.17	54.00	-12.62	144	63 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.47	49.23	2.66	37.57	54.00	-13.77	389	87 Average	Vertical	
2 *	2480.00	93.47	55.68	37.79	54.00	39.47	389	87 Average	Vertical	
3	2834.75	41.38	3.20	38.18	54.00	-12.62	389	87 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


ANT

Low Channel (Open) 9kHz~150kHz

Low Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	PoI/Phase	Note
1	0.01	51.07	32.93	18.14	128.37	-77.30	100	198	Peak	Open	
2	0.03	58.75	39.79	18.96	119.08	-60.33	100	78	Peak	Open	
3	0.05	52.04	32.90	19.14	114.24	-62.20	100	187	Peak	Open	
4	0.05	46.42	27.30	19.12	113.66	-67.24	100	261	Peak	Open	
5	0.06	48.88	30.01	18.87	111.94	-63.06	100	210	Peak	Open	
6	0.07	48.89	30.23	18.66	110.77	-61.88	100	156	Peak	Open	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	PoI/Phase	Note
1	0.18	43.61	25.36	18.25	102.50	-58.89	100	168	Peak	Open	
2	0.54	52.56	33.69	18.87	72.99	-20.43	100	186	Peak	Open	
3	1.11	45.72	26.62	19.10	66.74	-21.02	100	186	Peak	Open	
4	1.67	38.47	19.20	19.27	63.14	-24.67	100	186	Peak	Open	
5	2.24	36.12	16.70	19.42	69.50	-33.38	100	167	Peak	Open	
6	22.30	36.48	14.22	22.26	69.50	-33.02	100	164	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


ANT

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	49.48	21.58	28.46	-6.88	48.00	-18.42	280	293 Peak	Horizontal	
2	147.37	21.73	29.26	-7.53	43.50	-21.77	280	137 Peak	Horizontal	
3	555.74	28.54	29.50	-0.96	46.00	-17.46	300	312 Peak	Horizontal	
4	764.29	32.43	29.78	2.65	46.00	-13.57	400	216 Peak	Horizontal	
5	844.88	34.04	30.32	3.72	46.00	-11.96	100	81 Peak	Horizontal	
6	966.85	34.98	29.61	5.37	54.00	-19.02	200	54 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	57.16	22.99	30.22	-7.23	48.00	-17.01	280	81 Peak	Vertical	
2	188.81	23.18	35.84	-11.94	43.50	-20.48	280	237 Peak	Vertical	
3	633.34	30.88	30.40	0.48	46.00	-15.20	400	75 Peak	Vertical	
4	651.77	31.23	30.89	0.34	46.00	-14.77	400	186 Peak	Vertical	
5	847.71	34.44	30.76	3.68	46.00	-11.56	300	242 Peak	Vertical	
6	976.72	35.11	29.78	5.33	54.00	-18.89	400	16 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


ANT

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12010.00	43.04	44.72	-1.68	54.00	-10.96	100	116	Average	Horizontal	
2	12010.00	52.58	54.26	-1.68	74.00	-21.42	100	116	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12010.00	42.49	44.17	-1.68	54.00	-11.51	100	74	Average	Vertical	
2	12010.00	51.19	52.87	-1.68	74.00	-22.81	100	74	Peak	Vertical	

ANT

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	28.61	38.95	-10.34	54.00	-25.39	396	360	Average	Horizontal	
2	4882.00	39.11	49.45	-10.34	74.00	-34.89	396	360	Peak	Horizontal	

Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	30.48	40.82	-10.34	54.00	-23.52	400	121	Average	Vertical	
2	4882.00	39.48	49.82	-10.34	74.00	-34.52	400	121	Peak	Vertical	


ANT

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4969.00	29.21	39.43	-10.22	54.00	-24.79	300	38	Average	Horizontal	
2	4969.00	38.64	48.86	-10.22	74.00	-35.36	300	38	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4969.00	29.55	39.77	-10.22	54.00	-24.45	300	284	Average	Vertical	
2	4969.00	38.63	48.85	-10.22	74.00	-35.37	300	284	Peak	Vertical	


Nordic Original

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12010.00	42.70	44.38	-1.68	54.00	-11.30	100	116	Average	Horizontal	
2	12010.00	50.81	52.49	-1.68	74.00	-23.19	100	116	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12010.00	42.37	44.05	-1.68	54.00	-11.63	100	75	Average	Vertical	
2	12010.00	50.39	52.07	-1.68	74.00	-23.61	100	75	Peak	Vertical	


Nordic Original

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	28.68	39.82	-10.34	54.00	-25.32	480	59 Average	Horizontal	
2	4882.00	39.95	58.29	-10.34	74.00	-34.05	480	59 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	30.90	41.24	-10.34	54.00	-23.10	280	343 Average	Vertical	
2	4882.00	39.02	49.36	-10.34	74.00	-34.98	280	343 Peak	Vertical	


Nordic Original

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4969.00	28.01	38.23	-10.22	54.00	-25.99	300	0 Average	Horizontal	
2	4969.00	41.63	51.85	-10.22	74.00	-32.37	300	0 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4969.00	28.29	38.51	-10.22	54.00	-25.71	300	189 Average	Vertical	
2	4969.00	41.90	52.12	-10.22	74.00	-32.10	300	189 Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


ANT

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-212-1000 Fax: +886-212-1322




Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.59	5.59	-4.04	9.63	46.00	-40.41	Average	line1	
2	0.59	8.81	-0.82	9.63	56.00	-47.19	QP	line1	
3	1.76	5.77	-3.89	9.66	46.00	-40.23	Average	line1	
4	1.76	11.88	2.22	9.66	56.00	-44.12	QP	line1	
5	2.51	5.36	-4.30	9.66	46.00	-40.64	Average	line1	
6	2.51	18.51	8.85	9.66	56.00	-37.49	QP	line1	
7	3.68	5.88	-3.80	9.68	46.00	-40.12	Average	line1	
8	3.68	20.38	10.70	9.68	56.00	-35.62	QP	line1	
9	5.11	5.41	-4.29	9.70	50.00	-44.59	Average	line1	
10	5.11	15.64	5.94	9.70	60.00	-44.36	QP	line1	
11	18.04	8.56	-1.20	9.76	50.00	-41.44	Average	line1	
12	18.04	13.93	4.17	9.76	60.00	-46.07	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-212-1000 Fax: +886-212-1322



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.44	5.67	-3.96	9.63	47.10	-41.43	Average	neutral	
2	0.44	8.64	-0.99	9.63	57.10	-48.46	QP	neutral	
3	0.70	5.54	-4.09	9.63	46.00	-40.46	Average	neutral	
4	0.70	8.89	-0.74	9.63	56.00	-47.11	QP	neutral	
5	1.11	5.53	-4.11	9.64	46.00	-40.47	Average	neutral	
6	1.11	8.65	-0.99	9.64	56.00	-47.35	QP	neutral	
7	2.58	5.41	-4.26	9.67	46.00	-40.59	Average	neutral	
8	2.58	19.19	9.52	9.67	56.00	-36.81	QP	neutral	
9	3.95	5.92	-3.77	9.69	46.00	-40.08	Average	neutral	
10	3.95	20.33	10.64	9.69	56.00	-35.67	QP	neutral	
11	24.58	12.18	2.31	9.87	50.00	-37.82	Average	neutral	
12	24.58	17.59	7.72	9.87	60.00	-42.41	QP	neutral	