



**VEGA6S-SAT**



SKAA

- VOL +



	Bond Button Function
1 Click	Rotate thru favorite sources
2 Clicks	Explore for new sources
Hold	Add/Delete source from favs
3 Clicks	Mute/Unmute
6 Clicks	Factory Reset (clear favs)

Receiver User's Guide at SKAA.com/TLC

**This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:**

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

**CAN ICES-003(B)/NMB-003(B)**

**FCC ID: 2A6NT-VEGA46S  
IC: 28474-VEGA46S**



**AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR**

**CAUTION: TO REDUCE THE RISK OF FIRE, REPLACE WITH ONLY THE SAME TYPE AND RATING OF FUSE.**

**ATTENTION: UTILISER UN FUSIBLE DE RECHAOE MEME TYPE.**


S/N:



ON



OFF



100-120V~50/60Hz 73W T2AL250V  
220-240V~50/60Hz 73W T1.25AL250V

**CERWIN-VEGA**  
PROFESSIONAL AUDIO

**VEGA4S-SAT**



SKAA  
- VOL +



	Bond Button Function
1 Click	Rotate thru favorite sources
2 Clicks	Explore for new sources
Hold	Add/Delete source from favs
3 Clicks	Mute/Unmute
6 Clicks	Factory Reset (clear favs)

Receiver User's Guide at SKAA.com/TLC



AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR

**CAUTION: TO REDUCE THE RISK OF FIRE, REPLACE WITH ONLY THE SAME TYPE AND RATING OF FUSE.**

**ATTENTION: UTILISER UN FUSIBLE DE RECHANGE MEME TYPE.**



**This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:**

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

**CAN ICES-003(B)/NMB-003(B)**

**FCC ID: 2A6NT-VEGA46S  
IC: 28474-VEGA46S**

S/N:

100-120V~50/60Hz 30W T1.6AL250V  
220-240V~50/60Hz 30W T1AL250V

