



**CERWIN-VEGA**  
PROFESSIONAL AUDIO

**VEGA10SB-HUB**



Analog  
 SKAA  
 VOL +  
 HF  
 -1dB 0dB +1dB  
 -2dB  
 LF  
 -1dB 0dB +2dB  
 -2dB

Button	Button Function
	Rotate thru favorite sources
	Explore for new sources
	Add/Delete source from favs
	Mute/Unmute
	Factory Reset (clear favs)

Receiver User's Guide at SKAA.com/TLC

INPUT RCA

L

R

RCA Input

XLR/TRS Input

INPUT XLR/TRS

LEFT

RIGHT



AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR

**CAUTION: TO REDUCE THE RISK OF FIRE, REPLACE WITH ONLY THE SAME TYPE AND RATING OF FUSE.**

**ATTENTION: UTILISER UN FUSIBLE DE RECHANGE MEME TYPE.**



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-003(B)/NMB-003(B)

FCC ID: 2A6NT-VEGA810  
IC: 28474-VEGA810

S/N:

ON

OFF

100VAC-120VAC T3.15A/250V  
220VAC-240VAC T2AL250V

**CERWIN-VEGA**  
PROFESSIONAL AUDIO

**VEGA8SB-HUB**



⚙️ Bluetooth Analog

HF  
-1dB 0dB +1dB  
-2dB

LF  
-1dB 0dB +2dB  
-2dB

SKAA  
VOL - +




Icon	Button Function
1 Click	Rotate thru favorite sources
2 Clicks	Explore for new sources
Hold	Add/Delete source from favs
3 Clicks	Mute/Unmute
6 Clicks	Factory Reset (clear favs)

Receiver User's Guide at SKAA.com/TLC

INPUT  
RCA



RCA Input  
XLR/TRS Input



AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR

**CAUTION: TO REDUCE THE RISK OF FIRE, REPLACE WITH ONLY THE SAME TYPE AND RATING OF FUSE.**

**ATTENTION: UTILISER UN FUSIBLE DE RECHANGE MEME TYPE.**



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-003(B)/NMB-003(B)

FCC ID: 2A6NT-VEGA810  
IC: 28474-VEGA810

S/N:

ON



OFF

100VAC-120VAC T2.5AL250V  
220VAC-240VAC T1.5AL250V