

Band Button Function	
1 Click	Rotate thru favorite sources
2 Clicks	Explore for new sources
Hold	Add/Delete source from favs
3 Clicks	Mute/Unmute
6 Clicks	Factory Reset (clear favs)

Receiver User's Guide at SKAA.com/TLC



AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR

CAUTION: TO REDUCE THE RISK OF FIRE, REPLACE WITH ONLY THE SAME TYPE AND RATING OF FUSE.

ATTENTION: UTILISER UN FUSIBLE DE RECHANGE MEME TYPE.




This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-003(B)/NMB-003(B)

FCC ID: 2A6NT-VEGA810S
IC: 28474-VEGA810S

S/N:



100-120V~50/60Hz 140W T3.15AL250V
220-240V~50/60Hz 140W T2AL250V

CERWIN-VEGA
PROFESSIONAL AUDIO

VEGA8S-SAT



SKAA
- VOL +



Icon	Band Button Function
1 Click	Rotate thru favorite sources
2 Clicks	Explore for new sources
Hold	Add/Delete source from favs
3 Clicks	Mute/Unmute
6 Clicks	Factory Reset (clear favs)

Receiver User's Guide at SKAA.com/TLC



AVIS: RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR

CAUTION: TO REDUCE THE RISK OF FIRE, REPLACE WITH ONLY THE SAME TYPE AND RATING OF FUSE.

ATTENTION: UTILISER UN FUSIBLE DE RECHANGE MEME TYPE.




This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-003(B)/NMB-003(B)

FCC ID: 2A6NT-VEGA810S
IC: 28474-VEGA810S

S/N:



100-120V~50/60Hz 100W T2.5AL250V
220-240V~50/60Hz 100W T1.5AL250V