

TEST REPORT

Reference No. : WTD23D02031234W006
FCC ID : 2A6P4-KEY-PHONE-LLC
Applicant..... : KEY PHONE LLC
Address..... : 816 Myrtle Ave, Brooklyn, NY US
Manufacturer : ShenZhen SongMing Communication Technology Co. Ltd
Address..... : 2 sets of No.3 Building, Geshan Road, Tangxiachong Community,
Yanlou Street Bao'an District, Shenzhen, China
Product..... : KeyPhone
Model(s). : KP523
Brand..... : KeyPhone
Standards..... : FCC CFR47 Part 22 Subpart H
FCC CFR47 Part 24 Subpart E
FCC CFR47 Part 27
Date of Receipt sample : 2023-02-27
Date of Test : 2023-02-27 to 2023-03-22
Date of Issue..... : 2023-03-23
Test Result..... : Pass

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

Prepared By:

Waltek Testing Group Co., Ltd.

Address: No. 77, Houjie Section, Guantai Road, Houjie Town, Dongguan City, Guangdong, China

Tel: +86-769-2267 6998

Fax: +86-769-2267 6828

Compiled by:

James Cheng

James Cheng / Project Engineer

Approved by:



Deval Qin

Deval Qin / Designated Reviewer

2 Contents

	Page
1 COVER PAGE.....	1
2 CONTENTS.....	2
3 REVISION HISTORY.....	4
4 GENERAL INFORMATION.....	5
4.1 GENERAL DESCRIPTION OF E.U.T.....	5
4.2 DETAILS OF E.U.T.....	5
4.3 TEST MODE	7
4.4 TEST FACILITY	9
5 TEST SUMMARY.....	10
6 EQUIPMENT USED DURING TEST.....	11
6.1 EQUIPMENTS LIST	11
6.2 MEASUREMENT UNCERTAINTY	12
7 RF OUTPUT POWER.....	13
7.1 EUT OPERATION.....	13
7.2 TEST PROCEDURE.....	13
7.3 TEST RESULT	14
8 PEAK-TO-AVERAGE RATIO	59
8.1 EUT OPERATION.....	59
8.2 TEST PROCEDURE.....	59
8.3 TEST RESULT	59
9 BANDWIDTH.....	60
9.1 EUT OPERATION.....	60
9.2 TEST PROCEDURE.....	60
9.3 TEST RESULT	61
10 SPURIOUS EMISSIONS AT ANTENNA TERMINALS	95
10.1 EUT OPERATION	95
10.2 TEST PROCEDURE	95
10.3 TEST RESULT	95
11 SPURIOUS RADIATED EMISSIONS	96
11.1 EUT OPERATION	96
11.2 TEST SETUP	96
11.3 SPECTRUM ANALYZER SETUP.....	97
11.4 TEST PROCEDURE	98
11.5 SUMMARY OF TEST RESULTS	99
12 BAND EDGE MEASUREMENT	105
12.1 EUT OPERATION	105
12.2 TEST PROCEDURE	105
12.3 TEST RESULT	106
13 FREQUENCY STABILITY	107
13.1 EUT OPERATION	107
13.2 TEST PROCEDURE	107

13.3 TEST RESULT108

14 RF EXPOSURE.....136

15 PHOTOGRAPHS OF TEST SETUP AND EUT.....136

3 Revision History

Test Report No.	Date of Receipt Sample	Date of Test	Date of Issue	Purpose	Comment	Approved
WTD23D02031234W006	2023-02-27	2023-02-27 to 2023-03-22	2023-03-23	Original	-	Valid

4 General Information

4.1 General Description of E.U.T.

Product:	KeyPhone
Model(s):	KP523
Model Description:	N/A
GSM Band(s):	GSM 850/1900MHz
GPRS Class:	12
WCDMA Band(s):	FDD Band II/IV/V
LTE Band(s):	FDD Band 2/4/5/12/17/66
Wi-Fi Specification:	2.4G-802.11b/g/n HT20/n HT40 5G-802.11a/ n(HT20/40)/ac(HT20/40/80)
Bluetooth Version:	Bluetooth v5.0 with BLE
GPS:	Support
Hardware Version:	Q102_MB_V1.1
Software Version:	keyphone_pk523_Q102_232_v1.0_20230109
Highest frequency (Exclude Radio):	1.3GHz
Storage Location:	Internal Storage
Note:	N/A

4.2 Details of E.U.T.

Operation Frequency:	LTE Band 2: 1850~1910MHz LTE Band 4: 1710~1755MHz LTE Band 5: 824~849MHz LTE Band 12: 699~716MHz LTE Band 17: 704~716MHz LTE Band 66: 1701~1780MHz
Max. RF output power:	LTE Band 2: 25.04dBm LTE Band 4: 25.38dBm LTE Band 5: 24.0dBm LTE Band 12: 23.88dBm LTE Band 17: 24.03dBm LTE Band 66: 25.54dBm
Type of Modulation:	LTE: QPSK, 16QAM
Antenna installation:	LTE: internal permanent antenna
Antenna Gain:	LTE Band 2: 0.16dBi LTE Band 4: 1.88dBi

	LTE Band 5: 2.55dBi
	LTE Band 12: 0.99dBi
	LTE Band 17: 0.99dBi
	LTE Band 66: 1.88dBi
Ratings:	Battery DC 3.8V, 2500mAh
	DC 5V, 1000mA, charging from adapter
	(Adapter Input: 100-240V~50/60Hz 0.2A)
Adapter:	Manufacturer: SHENZHEN FUSHIGANG TECHNOLOGY CO., LTD.
	Model No.: AS0601A-0501000USU
Type of Emission:	LTE Band 2 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)
	LTE Band 2 3MHz: 2M68G7D(QPSK), 2M68W7D(16QAM)
	LTE Band 2 5MHz: 4M49G7D(QPSK), 4M49W7D(16QAM)
	LTE Band 2 10 MHz: 8M93G7D(QPSK), 8M93W7D(16QAM)
	LTE Band 2 15MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)
	LTE Band 2 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)
	LTE Band 4 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)
	LTE Band 4 3MHz: 2M67G7D(QPSK), 2M67W7D(16QAM)
	LTE Band 4 5MHz: 4M49G7D(QPSK), 4M49W7D(16QAM)
	LTE Band 4 10 MHz: 8M93G7D(QPSK), 8M92W7D(16QAM)
	LTE Band 4 15MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)
	LTE Band 4 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)
	LTE Band 5 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)
	LTE Band 5 3MHz: 2M68G7D(QPSK), 2M68W7D(16QAM)
	LTE Band 5 5MHz: 4M49G7D(QPSK), 4M49W7D(16QAM)
	LTE Band 5 10 MHz: 8M93G7D(QPSK), 8M92W7D(16QAM)
	LTE Band 12 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)
	LTE Band 12 3MHz: 2M68G7D(QPSK), 2M68W7D(16QAM)
	LTE Band 12 5MHz: 4M49G7D(QPSK), 4M49W7D(16QAM)
	LTE Band 12 10MHz: 8M94G7D(QPSK), 8M93W7D(16QAM)
	LTE Band 17 5MHz: 4M50G7D(QPSK), 4M49W7D(16QAM)
	LTE Band 17 10 MHz: 8M92G7D(QPSK), 8M92W7D(16QAM)
	LTE Band 66 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)
	LTE Band 66 3MHz: 2M68G7D(QPSK), 2M68W7D(16QAM)
	LTE Band 66 5MHz: 4M49G7D(QPSK), 4M49W7D(16QAM)
	LTE Band 66 10 MHz: 8M93G7D(QPSK), 8M93W7D(16QAM)
	LTE Band 66 15MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)
	LTE Band 66 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)

4.3 Test Mode

All test mode(s) and condition(s) mentioned were considered and evaluated respectively by performing full tests, the worst data were recorded and reported.

Support Band	Test Mode BW(MHz)	Channel Frequency	Channel Number
LTE Band 2	1.4	1850.7 MHz	18607
		1880.0 MHz	18900
		1909.3 MHz	19193
	3	1851.5 MHz	18615
		1880.0 MHz	18900
		1908.5 MHz	19185
	5	1852.5 MHz	18625
		1880.0 MHz	18900
		1907.5 MHz	19175
	10	1855.0 MHz	18650
		1880.0 MHz	18900
		1905.0 MHz	19150
	15	1857.5 MHz	18675
		1880.0 MHz	18900
		1902.5 MHz	19125
LTE Band 4	1.4	1860.0 MHz	18700
		1880.0 MHz	18900
		1900.0 MHz	19100
	3	1710.7 MHz	19957
		1732.5 MHz	20175
		1754.3 MHz	20393
	5	1711.5 MHz	19965
		1732.5 MHz	20175
		1753.5 MHz	20385
	10	1712.5 MHz	19975
		1732.5 MHz	20175
		1752.5 MHz	20375
	15	1715.0 MHz	20000
		1732.5 MHz	20175
		1750.0 MHz	20350
LTE Band 5	1.4	1717.5 MHz	20025
		1732.5 MHz	20175
		1747.5 MHz	20325
	3	1720.0 MHz	20050
		1732.5 MHz	20175
		1745.0 MHz	20300
	5	824.7 MHz	20407
		836.5 MHz	20525
		848.3 MHz	20643
LTE Band 5	3	825.5 MHz	20415
		836.5 MHz	20525
		847.5 MHz	20635
	5	826.5 MHz	20425
		836.5 MHz	20525
		848.3 MHz	20643

	10	846.5 MHz	20625
		829.0 MHz	20450
		836.5 MHz	20525
		844.0 MHz	20600
LTE Band 12	1.4	699.7 MHz	23017
		707.5 MHz	23095
		715.3 MHz	23173
	3	700.5 MHz	23025
		707.5 MHz	23095
		714.5 MHz	23165
	5	701.5 MHz	23035
		707.5 MHz	23095
		713.5 MHz	23155
	10	704.0 MHz	23060
		707.5 MHz	23095
		711.0 MHz	23130
LTE Band 17	5	706.5 MHz	23755
		710.0 MHz	23790
		713.5 MHz	23825
	10	709.0 MHz	23780
		710.0 MHz	23790
		711.0 MHz	23800
LTE Band 66	1.4	1701.7MHz	131979
		1744.9 MHz	132321
		1779.2 MHz	132664
	3	1711.5 MHz	131987
		1744.9 MHz	132321
		1778.4MHz	132656
	5	1712.5 MHz	131997
		1744.9 MHz	132321
		1777.4	132646
	10	1715.0 MHz	132022
		1744.9 MHz	132321
		1774.9 MHz	132621
	15	1722.5 MHz	132097
		1744.9 MHz	132321
		1767.4 MHz	132546
	20	1720.0 MHz	132072
		1744.9 MHz	132321
		1759.9 MHz	132471
Remark: All mode(s) were tested and the worst data was recorded.			

4.4 Test Facility

The test facility has a test site registered with the following organizations:

ISED CAB identifier: CN0013. Test Firm Registration No.: 7760A.

Waltek Testing Group Co., Ltd. Has been registered and fully described in a report filed with the Industry Canada. The acceptance letter from the Industry Canada is maintained in our files.

Registration number 7760A, October 15, 2016.

FCC Designation No.: CN1201. Test Firm Registration No.: 523476.

Waltek Testing Group Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration number 523476, September 10, 2019.

5 Test Summary

Test Items	Test Requirement	Result
RF Output Power	2.1046 22.913 (a) 24.232 (c) 27.50(h.2) 27.50(d.4)	PASS
Peak-to-Average Ratio	24.232 (d) 27.50(d)	PASS
Bandwidth	2.1049 22.905 22.917 24.238 27.53(a)	PASS
Spurious Emissions at Antenna Terminal	2.1051 22.917 (a) 24.238 (a) 27.53(h) 27.53(m)(4)	PASS
Field Strength of Spurious Radiation	2.1053 22.917 (a) 24.238 (a) 27.53(h) 27.53(m)(4)	PASS
Out of band emission	22.917 (a) 24.238 (a) 27.53(h) 27.53(m)(4)	PASS
Frequency Stability	2.1055 22.355 24.235 27.5(h) 27.54	PASS
Maximum Permissible Exposure (SAR)	1.1307 2.1093	PASS

6 Equipment Used during Test

6.1 Equipments List

Conducted Emissions Test Site 1#						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1.	EMI Test Receiver	R&S	ESCI	100947	2022-08-01	2023-07-31
2.	LISN	R&S	ENV216	101215	2022-08-01	2023-07-31
3.	Cable	Top	TYPE16(3.5M)	-	2022-08-01	2023-07-31
3m Semi-anechoic Chamber for Radiation Emissions Test site 1#						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1	Spectrum Analyzer	R&S	FSP	100091	2022-04-28	2023-04-27
2	Trilog Broadband Antenna	SCHWARZBECK	VULB9163	336	2022-08-01	2023-07-31
3	Coaxial Cable (below 1GHz)	Top	TYPE16(13M)	-	2022-08-07	2023-08-06
4	Broad-band Horn Antenna	SCHWARZBECK	BBHA 9120 D	667	2022-04-28	2023-04-27
5	Broad-band Horn Antenna	SCHWARZBECK	BBHA 9170	335	2022-04-28	2023-04-27
6	Broadband Preamplifier	COMPLIANCE DIRECTION	PAP-1G18	2004	2022-07-29	2023-07-28
7	Coaxial Cable (above 1GHz)	Top	1GHz-25GHz	EW02014-7	2022-04-28	2023-04-27
8	Universal Radio Communication Tester	R&S	CMW 500	127818	2022-04-28	2023-04-27
9	Signal Generator	R&S	SMP22	100102	2022-08-01	2023-07-31
10	Smart Antenna	SCHWARZBECK	HA08	-	2022-04-28	2023-04-27
3m Semi-anechoic Chamber for Radiation Emissions Test site 2#						
Item	Equipment	Manufacturer	Model No.	Serial No	Last Calibration Date	Calibration Due Date
1	Test Receiver	R&S	ESCI	101296	2022-04-28	2023-04-27
2	Trilog Broadband Antenna	SCHWARZBECK	VULB9160	9160-3325	2022-10-30	2023-10-29
3	Active Loop Antenna	Beijing Dazhi	ZN30900A	-	2022-05-02	2023-05-01
4	Amplifier	Compliance pirection systems inc	PAP-0203	22024	2022-04-28	2023-04-27
5	Cable	HUBER+SUHNER	CBL2	525178	2022-04-28	2023-04-27

RF Conducted Testing						
Item	Equipment	Manufacturer	Model No.	Serial No.	Last Calibration Date	Calibration Due Date
1.	Spectrum Analyzer	Agilent	N9020A	MY49100060	2022-08-01	2023-07-31
2.	Universal Radio Communication Tester	R&S	CMW 500	127818	2022-04-28	2023-04-27

6.2 Measurement Uncertainty

Parameter	Uncertainty
Conducted Emission	± 3.64 dB(AC mains 150KHz~30MHz)
Radiated Spurious Emissions	± 5.08 dB (Bilog antenna 30M~1000MHz)
	± 5.47 dB (Horn antenna 1000M~25000MHz)
Radio Frequency	$\pm 1 \times 10^{-7}$ Hz
RF Power	± 0.42 dB
RF Power Density	± 0.7 dB
Conducted Spurious Emissions	± 2.76 dB (9kHz~26500MHz)
Confidence interval: 95%. Confidence factor:k=2	

7 RF Output Power

Test Requirement:	FCC Part 2.1046, 22.913 (a), 24.232 (c), 27.50(h.2); 27.50(d.4)
Test Method:	ANSI C63.26:2015 ANSI/TIA-603-E:2016
Test Mode:	TX transmitting

7.1 EUT Operation

Operating Environment :

Temperature:	22.5 °C
Humidity:	52.1 % RH
Atmospheric Pressure:	101.2kPa

7.2 Test Procedure

Conducted method:

The RF output of the transmitter was connected to the wireless test set and the spectrum analyzer through sufficient attenuation.



Radiated method:

1. The setup of EUT is according with per TIA/EIA Standard 603D:2010.
2. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.
3. The frequency range up to tenth harmonic of the fundamental frequency was investigated.
4. Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

7.3 Test Result

Conducted Power

LTE Band 2:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	18607	1850.7	QPSK	1	0	24.57	24.5±1	/
				1	2	24.71	24.5±1	/
				1	5	24.6	24.5±1	/
				3	0	24.68	24.5±1	/
				3	1	24.69	24.5±1	/
				3	2	24.65	24.5±1	/
				6	0	23.69	24.5±1	1.0
			16QAM	1	0	23.65	23.5±1	1.0
				1	2	23.85	23.5±1	1.0
				1	5	23.64	23.5±1	1.0
				3	0	23.54	23.5±1	1.0
				3	1	23.62	23.5±1	1.0
				3	2	23.4	23.5±1	1.0
				6	0	22.81	23.5±1	1.0
	18900	1880	QPSK	1	0	24.84	24.5±1	/
				1	2	25.04	24.5±1	/
				1	5	24.83	24.5±1	/
				3	0	24.88	24.5±1	/
				3	1	24.95	24.5±1	/
				3	2	24.91	24.5±1	/
				6	0	23.85	24.5±1	1.0
			16QAM	1	0	24.12	24.5±1	1.0
				1	2	24.13	24.5±1	1.0
				1	5	24	24.5±1	1.0
				3	0	23.76	24.5±1	1.0
				3	1	23.72	24.5±1	1.0
				3	2	23.62	24.5±1	1.0
				6	0	22.5	23.0±1	1.0
	19193	1909.3	QPSK	1	0	24.45	23.5±1	/
				1	2	24.44	23.5±1	/
				1	5	24.24	23.5±1	/
				3	0	24.33	23.5±1	/
				3	1	24.36	23.5±1	/
				3	2	24.35	23.5±1	/
				6	0	23.31	23.5±1	1.0
			16QAM	1	0	23.24	23.5±1	1.0
				1	2	23.39	23.5±1	1.0
				1	5	23.23	23.5±1	1.0
				3	0	23.43	23.5±1	1.0
				3	1	23.45	23.5±1	1.0
				3	2	23.4	23.5±1	1.0

				6	0	22.5	23.5±1	1.0
--	--	--	--	---	---	------	--------	-----

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	18615	1851.5	QPSK	1	0	24.16	24.0±1	/
				1	8	24.11	24.0±1	/
				1	14	24.09	24.0±1	/
				6	0	23.2	24.0±1	1.0
				6	4	23.2	24.0±1	1.0
				6	9	23.12	24.0±1	1.0
				15	0	23.17	24.0±1	1.0
			16QAM	1	0	23.06	22.5±1	1.0
				1	8	23.03	22.5±1	1.0
				1	14	23.02	22.5±1	1.0
				6	0	22.3	22.5±1	1.0
				6	4	22.3	22.5±1	1.0
				6	9	22.27	22.5±1	1.0
				15	0	22.21	22.5±1	1.0
	18900	1880	QPSK	1	0	24.36	23.5±1	/
				1	8	24.37	23.5±1	/
				1	14	24.35	23.5±1	/
				6	0	23.38	23.5±1	1.0
				6	4	23.43	23.5±1	1.0
				6	9	23.39	23.5±1	1.0
				15	0	23.38	23.5±1	1.0
			16QAM	1	0	23.72	23.0±1	1.0
				1	8	23.71	23.0±1	1.0
				1	14	23.73	23.0±1	1.0
				6	0	22.47	23.0±1	1.0
				6	4	22.49	23.0±1	1.0
				6	9	22.46	23.0±1	1.0
				15	0	22.41	23.0±1	1.0
	19185	1908.5	QPSK	1	0	24.31	23.5±1	/
				1	8	24.27	23.5±1	/
				1	14	24.26	23.5±1	/
				6	0	23.34	23.5±1	1.0
				6	4	23.33	23.5±1	1.0
				6	9	23.24	23.5±1	1.0
				15	0	23.3	23.0±1	1.0
			16QAM	1	0	23.32	23.0±1	1.0
				1	8	23.23	23.0±1	1.0
				1	14	23.18	23.0±1	1.0
				6	0	22.38	23.0±1	1.0
				6	4	22.36	23.0±1	1.0
				6	9	22.31	23.0±1	1.0
				15	0	22.25	23.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	18625	1852.5	QPSK	1	0	24.05	23.5±1	/
				1	12	24.17	23.5±1	/
				1	24	24.02	23.5±1	/
				12	0	23.17	23.5±1	1.0
				12	6	23.2	23.5±1	1.0
				12	11	23.16	23.5±1	1.0
				25	0	23.16	23.5±1	1.0
			16QAM	1	0	23.23	23.0±1	1.0
				1	12	23.29	23.0±1	1.0
				1	24	23.21	23.0±1	1.0
				12	0	22.23	23.0±1	1.0
				12	6	22.27	23.0±1	1.0
				12	11	22.19	23.0±1	1.0
				25	0	22.18	23.0±1	1.0
	18900	1880	QPSK	1	0	24.26	23.5±1	/
				1	12	24.4	23.5±1	/
				1	24	24.3	23.5±1	/
				12	0	23.37	23.5±1	1.0
				12	6	23.4	23.5±1	1.0
				12	11	23.42	23.5±1	1.0
				25	0	23.43	23.5±1	1.0
			16QAM	1	0	23.75	23.0±1	1.0
				1	12	23.87	23.0±1	1.0
				1	24	23.77	23.0±1	1.0
				12	0	22.49	23.0±1	1.0
				12	6	22.53	23.0±1	1.0
				12	11	22.55	23.0±1	1.0
				25	0	22.47	23.0±1	1.0
	19175	1907.5	QPSK	1	0	24.17	23.5±1	/
				1	12	24.27	23.5±1	/
				1	24	24.12	23.5±1	/
				12	0	23.34	23.5±1	1.0
				12	6	23.32	23.5±1	1.0
				12	11	23.22	23.5±1	1.0
				25	0	23.27	23.5±1	1.0
			16QAM	1	0	23.27	23.0±1	1.0
				1	12	23.37	23.0±1	1.0
				1	24	23.2	23.0±1	1.0
				12	0	22.36	23.0±1	1.0
				12	6	22.39	23.0±1	1.0
				12	11	22.27	23.0±1	1.0
				25	0	22.25	23.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	18650	1855	QPSK	1	0	24.2	23.5±1	/
				1	24	24.33	23.5±1	/
				1	49	24.16	23.5±1	/
				25	0	23.21	23.5±1	1.0
				25	12	23.23	23.5±1	1.0
				25	24	23.28	23.5±1	1.0
				50	0	23.25	23.5±1	1.0
			16QAM	1	0	23.11	23.0±1	1.0
				1	24	23.21	23.0±1	1.0
				1	49	23.09	23.0±1	1.0
				25	0	22.26	23.0±1	1.0
				25	12	22.25	23.0±1	1.0
				25	24	22.31	23.0±1	1.0
				50	0	22.26	23.0±1	1.0
	18900	1880	QPSK	1	0	24.28	23.5±1	/
				1	24	24.44	23.5±1	/
				1	49	24.32	23.5±1	/
				25	0	23.32	23.5±1	1.0
				25	12	23.44	23.5±1	1.0
				25	24	23.39	23.5±1	1.0
				50	0	23.37	23.5±1	1.0
			16QAM	1	0	23.62	23.0±1	1.0
				1	24	23.84	23.0±1	1.0
				1	49	23.7	23.0±1	1.0
				25	0	22.38	23.0±1	1.0
				25	12	22.45	23.0±1	1.0
				25	24	22.51	23.0±1	1.0
				50	0	22.34	23.0±1	1.0
	19150	1905	QPSK	1	0	24.25	23.5±1	/
				1	24	24.46	23.5±1	/
				1	49	24.18	23.5±1	/
				25	0	23.4	23.5±1	1.0
				25	12	23.24	23.5±1	1.0
				25	24	23.22	23.5±1	1.0
				50	0	23.3	23.5±1	1.0
			16QAM	1	0	23.23	23.0±1	1.0
				1	24	23.39	23.0±1	1.0
				1	49	23.14	23.0±1	1.0
				25	0	22.49	23.0±1	1.0
				25	12	22.41	23.0±1	1.0
				25	24	22.29	23.0±1	1.0
				50	0	22.34	23.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
15MHz	18675	1857.5	QPSK	1	0	24.11	23.5±1	/
				1	37	24.25	23.5±1	/
				1	74	24.1	23.5±1	/
				36	0	23.31	23.5±1	1.0
				36	16	23.32	23.5±1	1.0
				36	35	23.34	23.5±1	1.0
				75	0	23.34	23.5±1	1.0
			16QAM	1	0	23.08	23.0±1	1.0
				1	37	23.17	23.0±1	1.0
				1	74	23.03	23.0±1	1.0
				36	0	22.26	23.0±1	1.0
				36	16	22.29	23.0±1	1.0
				36	35	22.3	23.0±1	1.0
				75	0	22.35	23.0±1	1.0
	18900	1880	QPSK	1	0	24.24	23.5±1	/
				1	37	24.35	23.5±1	/
				1	74	24.18	23.5±1	/
				36	0	23.4	23.5±1	1.0
				36	16	23.45	23.5±1	1.0
				36	35	23.46	23.5±1	1.0
				75	0	23.41	23.5±1	1.0
			16QAM	1	0	23.6	23.0±1	1.0
				1	37	23.7	23.0±1	1.0
				1	74	23.58	23.0±1	1.0
				36	0	22.4	23.0±1	1.0
				36	16	22.48	23.0±1	1.0
				36	35	22.48	23.0±1	1.0
				75	0	22.47	23.0±1	1.0
	19125	1902.5	QPSK	1	0	19.63	23.5±1	/
				1	37	19.8	23.5±1	/
				1	74	19.69	23.5±1	/
				36	0	18.93	23.5±1	1.0
				36	16	18.94	23.5±1	1.0
				36	35	18.96	23.5±1	1.0
				75	0	22.37	23.5±1	1.0
			16QAM	1	0	23.56	23.0±1	1.0
				1	37	23.58	23.0±1	1.0
				1	74	23.36	23.0±1	1.0
				36	0	22.26	23.0±1	1.0
				36	16	22.26	23.0±1	1.0
				36	35	22.2	23.0±1	1.0
				75	0	22.22	23.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
20MHz	18700	1860	QPSK	1	0	24.06	23.5±1	/
				1	49	24.4	23.5±1	/
				1	99	24.06	23.5±1	/
				50	0	23.33	23.5±1	1.0
				50	24	23.36	23.5±1	1.0
				50	49	23.4	23.5±1	1.0
				100	0	23.36	23.5±1	1.0
			16QAM	1	0	23.55	23.0±1	1.0
				1	49	23.97	23.0±1	1.0
				1	99	23.56	23.0±1	1.0
				50	0	22.35	23.0±1	1.0
				50	24	22.38	23.0±1	1.0
				50	49	22.45	23.0±1	1.0
				100	0	22.36	23.0±1	1.0
	18900	1880	QPSK	1	0	24.1	23.5±1	/
				1	49	24.53	23.5±1	/
				1	99	24.1	23.5±1	/
				50	0	23.32	23.5±1	1.0
				50	24	23.36	23.5±1	1.0
				50	49	23.38	23.5±1	1.0
				100	0	23.34	23.5±1	1.0
			16QAM	1	0	23.49	23.0±1	1.0
				1	49	23.89	23.0±1	1.0
				1	99	23.48	23.0±1	1.0
				50	0	22.37	23.0±1	1.0
				50	24	22.39	23.0±1	1.0
				50	49	22.43	23.0±1	1.0
				100	0	22.36	23.0±1	1.0
	19100	1900	QPSK	1	0	23.96	23.5±1	/
				1	49	24.32	23.5±1	/
				1	99	23.81	23.5±1	/
				50	0	23.24	23.5±1	1.0
				50	24	23.24	23.5±1	1.0
				50	49	23.09	23.5±1	1.0
				100	0	23.18	23.5±1	1.0
			16QAM	1	0	23.37	23.0±1	1.0
				1	49	23.68	23.0±1	1.0
				1	99	23.22	23.0±1	1.0
				50	0	22.21	23.0±1	1.0
				50	24	22.25	23.0±1	1.0
				50	49	22.08	23.0±1	1.0
				100	0	22.22	23.0±1	1.0

LTE Band 4:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	19957	1710.7	QPSK	1	0	25.22	24.5±1	/
				1	2	25.38	24.5±1	/
				1	5	25.23	24.5±1	/
				3	0	25.3	24.5±1	/
				3	1	25.36	24.5±1	/
				3	2	25.35	24.5±1	/
				6	0	24.35	24.5±1	1.0
			16QAM	1	0	24.35	24.5±1	1.0
				1	2	24.48	24.5±1	1.0
				1	5	24.33	24.5±1	1.0
				3	0	24.34	24.5±1	1.0
				3	1	24.33	24.5±1	1.0
				3	2	24.32	24.5±1	1.0
				6	0	23.51	24.5±1	1.0
	20175	1732.5	QPSK	1	0	24.92	24.5±1	/
				1	2	25.06	24.5±1	/
				1	5	24.9	24.5±1	/
				3	0	24.98	24.5±1	/
				3	1	25.02	24.5±1	/
				3	2	24.93	24.5±1	/
				6	0	24.02	24.5±1	1.0
			16QAM	1	0	24.24	24.5±1	1.0
				1	2	24.38	24.5±1	1.0
				1	5	24.23	24.5±1	1.0
				3	0	24.12	24.5±1	1.0
				3	1	24.1	24.5±1	1.0
				3	2	24.09	24.5±1	1.0
				6	0	22.93	23.5±1	1.0
	20393	1754.3	QPSK	1	0	24.88	24.5±1	/
				1	2	25.08	24.5±1	/
				1	5	24.89	24.5±1	/
				3	0	24.97	24.5±1	/
				3	1	25.02	24.5±1	/
				3	2	24.98	24.5±1	/
				6	0	23.98	24.5±1	1.0
			16QAM	1	0	23.93	24.5±1	1.0
				1	2	24.06	24.5±1	1.0
				1	5	23.92	24.5±1	1.0
				3	0	24.08	24.5±1	1.0
				3	1	24.14	24.5±1	1.0
				3	2	24.07	24.5±1	1.0
				6	0	23.16	23.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	19965	1711.5	QPSK	1	0	25.28	24.5±1	/
				1	8	25.27	24.5±1	/
				1	14	25.24	24.5±1	/
				6	0	24.38	24.5±1	1.0
				6	4	24.36	24.5±1	1.0
				6	9	24.27	24.5±1	1.0
				15	0	24.28	24.5±1	1.0
			16QAM	1	0	24.22	24.5±1	1.0
				1	8	24.18	24.5±1	1.0
				1	14	24.17	24.5±1	1.0
				8	0	23.44	23.5±1	1.0
				8	4	23.46	23.5±1	1.0
				8	9	23.41	23.5±1	1.0
				15	0	23.33	23.5±1	1.0
	20175	1732.5	QPSK	1	0	24.95	24.5±1	/
				1	8	24.94	24.5±1	/
				1	14	24.96	24.5±1	/
				6	0	23.98	24.5±1	1.0
				6	4	24	24.5±1	1.0
				6	9	24.01	24.5±1	1.0
				15	0	23.92	24.5±1	1.0
			16QAM	1	0	24.25	24.5±1	1.0
				1	8	24.26	24.5±1	1.0
				1	14	24.25	24.5±1	1.0
				6	0	23.08	24.0±1	1.0
				6	4	23.05	24.0±1	1.0
				6	9	23.05	24.0±1	1.0
				15	0	23.01	24.0±1	1.0
	20385	1753.5	QPSK	1	0	24.95	24.5±1	/
				1	8	24.97	24.5±1	/
				1	14	24.96	24.5±1	/
				6	0	23.92	24.5±1	1.0
				6	4	23.96	24.5±1	1.0
				6	9	23.98	24.5±1	1.0
				15	0	23.92	24.5±1	1.0
			16QAM	1	0	23.96	24.5±1	1.0
				1	8	23.97	24.5±1	1.0
				1	14	23.94	24.5±1	1.0
				8	0	23.01	23.0±1	1.0
				8	4	23.03	23.0±1	1.0
				8	9	23.01	23.0±1	1.0
				15	0	22.93	23.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	19975	1712.5	QPSK	1	0	25.18	24.5±1	/
				1	49	25.3	24.5±1	/
				1	99	25.15	24.5±1	/
				12	0	24.28	24.5±1	1.0
				12	24	24.34	24.5±1	1.0
				12	49	24.27	24.5±1	1.0
				25	0	24.28	24.5±1	1.0
			16QAM	1	0	24.39	24.5±1	1.0
				1	49	24.45	24.5±1	1.0
				1	99	24.35	24.5±1	1.0
				12	0	23.36	24.0±1	1.0
				12	24	23.41	24.0±1	1.0
				12	49	23.36	24.0±1	1.0
				25	0	23.34	24.0±1	1.0
	20175	1732.5	QPSK	1	0	24.88	24.5±1	/
				1	49	25	24.5±1	/
				1	99	24.9	24.5±1	/
				12	0	23.94	24.5±1	1.0
				12	24	24	24.5±1	1.0
				12	49	23.97	24.5±1	1.0
				25	0	23.96	24.5±1	1.0
			16QAM	1	0	24.33	24.5±1	1.0
				1	49	24.43	24.5±1	1.0
				1	99	24.33	24.5±1	1.0
				12	0	23.08	24.0±1	1.0
				12	24	23.13	24.0±1	1.0
				12	49	23.13	24.0±1	1.0
				25	0	23.03	24.0±1	1.0
	20375	1752.5	QPSK	1	0	24.84	24.5±1	/
				1	49	24.92	24.5±1	/
				1	99	24.86	24.5±1	/
				12	0	23.91	24.5±1	1.0
				12	24	23.99	24.5±1	1.0
				12	49	23.93	24.5±1	1.0
				25	0	23.94	24.5±1	1.0
			16QAM	1	0	23.96	24.5±1	1.0
				1	49	24.04	24.5±1	1.0
				1	99	23.98	24.5±1	1.0
				12	0	22.94	23.5±1	1.0
				12	24	23.01	23.5±1	1.0
				12	49	22.98	23.5±1	1.0
				25	0	22.91	23.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	20000	1715	QPSK	1	0	25.24	24.5±1	/
				1	49	25.33	24.5±1	/
				1	99	25.19	24.5±1	/
				25	0	24.25	24.5±1	1.0
				25	24	24.24	24.5±1	1.0
				25	49	24.24	24.5±1	1.0
				50	0	24.26	24.5±1	1.0
			16QAM	1	0	24.19	24.5±1	1.0
				1	49	24.27	24.5±1	1.0
				1	99	24.13	24.5±1	1.0
				25	0	23.32	23.5±1	1.0
				25	24	23.3	23.5±1	1.0
				25	49	23.28	23.5±1	1.0
				50	0	23.27	23.5±1	1.0
	20175	1732.5	QPSK	1	0	25	24.5±1	/
				1	49	25.12	24.5±1	/
				1	99	24.97	24.5±1	/
				25	0	23.96	24.5±1	1.0
				25	24	23.98	24.5±1	1.0
				25	49	24.04	24.5±1	1.0
				50	0	24	24.5±1	1.0
			16QAM	1	0	24.28	24.5±1	1.0
				1	49	24.33	24.5±1	1.0
				1	99	24.25	24.5±1	1.0
				25	0	23.03	23.5±1	1.0
				25	24	23.04	23.5±1	1.0
				25	49	23.12	23.5±1	1.0
				50	0	23.04	23.5±1	1.0
	20350	1750	QPSK	1	0	25.01	24.5±1	/
				1	49	25.06	24.5±1	/
				1	99	24.99	24.5±1	/
				25	0	24.02	24.5±1	1.0
				25	24	23.99	24.5±1	1.0
				25	49	23.97	24.5±1	1.0
				50	0	23.99	24.5±1	1.0
			16QAM	1	0	23.96	24.5±1	1.0
				1	49	24.1	24.5±1	1.0
				1	99	24.02	24.5±1	1.0
				25	0	23.14	23.5±1	1.0
				25	24	23.11	23.5±1	1.0
				25	49	23.1	23.5±1	1.0
				50	0	23.03	23.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
15MHz	20025	1717.5	QPSK	1	0	25.18	24.5±1	/
				1	49	25.16	24.5±1	/
				1	99	25.02	24.5±1	/
				36	0	24.3	24.5±1	1.0
				36	24	24.24	24.5±1	1.0
				36	49	24.26	24.5±1	1.0
				75	0	24.26	24.5±1	1.0
			16QAM	1	0	24.11	24.5±1	1.0
				1	49	24.11	24.5±1	1.0
				1	99	23.98	24.5±1	1.0
				36	0	23.25	23.5±1	1.0
				36	24	23.24	23.5±1	1.0
				36	49	23.23	23.5±1	1.0
				75	0	23.26	23.5±1	1.0
	20175	1732.5	QPSK	1	0	24.92	24.5±1	/
				1	49	24.98	24.5±1	/
				1	99	24.8	24.5±1	/
				36	0	24.02	24.5±1	1.0
				36	24	24.07	24.5±1	1.0
				36	49	24.03	24.5±1	1.0
				75	0	24.08	24.5±1	1.0
			16QAM	1	0	24.23	24.5±1	1.0
				1	49	24.27	24.5±1	1.0
				1	99	24.1	24.5±1	1.0
				36	0	23.07	23.5±1	1.0
				36	24	23.04	23.5±1	1.0
				36	49	23.03	23.5±1	1.0
				75	0	23.05	23.5±1	1.0
	20325	1747.5	QPSK	1	0	24.86	24.5±1	/
				1	49	24.96	24.5±1	/
				1	99	24.85	24.5±1	/
				36	0	24.04	24.5±1	1.0
				36	24	24.04	24.5±1	1.0
				36	49	24.04	24.5±1	1.0
				75	0	24.06	24.5±1	1.0
			16QAM	1	0	24.19	24.5±1	1.0
				1	49	24.29	24.5±1	1.0
				1	99	24.22	24.5±1	1.0
				36	0	22.94	23.5±1	1.0
				36	24	22.96	23.5±1	1.0
				36	49	22.93	23.5±1	1.0
				75	0	23.04	23.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
20MHz	20050	1720	QPSK	1	0	24.94	24.5±1	/
				1	49	25.26	24.5±1	/
				1	99	24.79	24.5±1	/
				50	0	24.11	24.5±1	1.0
				50	24	24.16	24.5±1	1.0
				50	49	24.09	24.5±1	1.0
				100	0	24.14	24.5±1	1.0
			16QAM	1	0	24.45	24.5±1	1.0
				1	49	24.73	24.5±1	1.0
				1	99	24.23	24.5±1	1.0
				50	0	23.18	23.5±1	1.0
				50	24	23.21	23.5±1	1.0
				50	49	23.13	23.5±1	1.0
				100	0	23.2	23.5±1	1.0
	20175	1732.5	QPSK	1	0	24.81	24.5±1	/
				1	49	25.1	24.5±1	/
				1	99	24.68	24.5±1	/
				50	0	23.93	24.5±1	1.0
				50	24	23.99	24.5±1	1.0
				50	49	23.97	24.5±1	1.0
				100	0	23.95	24.5±1	1.0
			16QAM	1	0	24.14	24.5±1	1.0
				1	49	24.44	24.5±1	1.0
				1	99	24.04	24.5±1	1.0
				50	0	22.96	23.5±1	1.0
				50	24	22.99	23.5±1	1.0
				50	49	23	23.5±1	1.0
				100	0	22.97	23.5±1	1.0
	20300	1745	QPSK	1	0	24.66	24.5±1	/
				1	49	25.12	24.5±1	/
				1	99	24.65	24.5±1	/
				50	0	23.91	24.5±1	1.0
				50	24	23.98	24.5±1	1.0
				50	49	23.89	24.5±1	1.0
				100	0	23.94	24.5±1	1.0
			16QAM	1	0	24	24.5±1	1.0
				1	49	24.43	24.5±1	1.0
				1	99	24.06	24.5±1	1.0
				50	0	22.89	23.5±1	1.0
				50	24	22.95	23.5±1	1.0
				50	49	22.89	23.5±1	1.0
				100	0	22.93	23.5±1	1.0

LTE Band 5:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	20407	824.7	QPSK	1	0	23.57	23.5±1	/
				1	2	23.69	23.5±1	/
				1	5	23.54	23.5±1	/
				3	0	23.66	23.5±1	/
				3	1	23.65	23.5±1	/
				3	2	23.61	23.5±1	/
				6	0	22.61	23.5±1	1.0
			16QAM	1	0	22.66	23.5±1	1.0
				1	2	22.8	23.5±1	1.0
				1	5	22.63	23.5±1	1.0
				3	0	22.66	23.5±1	1.0
				3	1	22.58	23.5±1	1.0
				3	2	22.63	23.5±1	1.0
				6	0	21.76	22.0±1	1.0
	20525	836.5	QPSK	1	0	23.54	23.5±1	/
				1	2	23.72	23.5±1	/
				1	5	23.59	23.5±1	/
				3	0	23.63	23.5±1	/
				3	1	23.67	23.5±1	/
				3	2	23.63	23.5±1	/
				6	0	22.63	23.5±1	1.0
			16QAM	1	0	22.94	23.5±1	1.0
				1	2	23.06	23.5±1	1.0
				1	5	22.91	23.5±1	1.0
				3	0	22.81	23.5±1	1.0
				3	1	22.81	23.5±1	1.0
				3	2	22.79	23.5±1	1.0
				6	0	21.51	22.0±1	1.0
	20634	848.3	QPSK	1	0	23.76	23.5±1	/
				1	2	24	23.5±1	/
				1	5	23.78	23.5±1	/
				3	0	23.86	23.5±1	/
				3	1	23.96	23.5±1	/
				3	2	23.92	23.5±1	/
				6	0	22.94	23.5±1	1.0
			16QAM	1	0	22.91	23.5±1	1.0
				1	2	23.05	23.5±1	1.0
				1	5	22.94	23.5±1	1.0
				3	0	22.94	23.5±1	1.0
				3	1	23.03	23.5±1	1.0
				3	2	23.02	23.5±1	1.0
				6	0	22.04	22.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	20415	825.5	QPSK	1	0	23.67	23.5±1	/
				1	8	23.58	23.5±1	/
				1	14	23.53	23.5±1	/
				6	0	22.64	23.5±1	1.0
				6	4	22.65	23.5±1	1.0
				6	9	22.6	23.5±1	1.0
				15	0	22.58	23.5±1	1.0
			16QAM	1	0	22.55	22.5±1	1.0
				1	8	22.53	22.5±1	1.0
				1	14	22.49	22.5±1	1.0
				8	0	21.75	22.5±1	1.0
				8	4	21.77	22.5±1	1.0
				8	9	21.72	22.5±1	1.0
				15	0	21.65	22.5±1	1.0
	20525	836.5	QPSK	1	0	23.6	23.5±1	/
				1	8	23.61	23.5±1	/
				1	14	23.58	23.5±1	/
				6	0	22.59	23.5±1	1.0
				6	4	22.67	23.5±1	1.0
				6	9	22.61	23.5±1	1.0
				15	0	22.61	23.5±1	1.0
			16QAM	1	0	22.91	22.5±1	1.0
				1	8	22.99	22.5±1	1.0
				1	14	22.95	22.5±1	1.0
				6	0	21.72	22.5±1	1.0
				6	4	21.78	22.5±1	1.0
				6	9	21.71	22.5±1	1.0
				15	0	21.68	22.5±1	1.0
	20635	847.5	QPSK	1	0	23.82	23.5±1	/
				1	8	23.84	23.5±1	/
				1	14	23.85	23.5±1	/
				6	0	22.84	23.5±1	1.0
				6	4	22.9	23.5±1	1.0
				6	9	22.87	23.5±1	1.0
				15	0	22.86	23.5±1	1.0
			16QAM	1	0	22.94	22.5±1	1.0
				1	8	22.92	22.5±1	1.0
				1	14	22.91	22.5±1	1.0
				8	0	21.93	22.5±1	1.0
				8	4	21.97	22.5±1	1.0
				8	9	21.93	22.5±1	1.0
				15	0	21.82	22.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	20425	826.5	QPSK	1	0	23.53	23.5±1	/
				1	49	23.68	23.5±1	/
				1	99	23.54	23.5±1	/
				12	0	22.56	23.5±1	1.0
				12	24	22.66	23.5±1	1.0
				12	49	22.6	23.5±1	1.0
				25	0	22.63	23.5±1	1.0
			16QAM	1	0	22.72	22.5±1	1.0
				1	49	22.82	22.5±1	1.0
				1	99	22.72	22.5±1	1.0
				12	0	21.68	22.5±1	1.0
				12	24	21.78	22.5±1	1.0
				12	49	21.79	22.5±1	1.0
				25	0	21.67	22.5±1	1.0
	20525	836.5	QPSK	1	0	23.47	23.5±1	/
				1	49	23.64	23.5±1	/
				1	99	23.54	23.5±1	/
				12	0	22.6	23.5±1	1.0
				12	24	22.67	23.5±1	1.0
				12	49	22.63	23.5±1	1.0
				25	0	22.63	23.5±1	1.0
			16QAM	1	0	22.97	22.5±1	1.0
				1	49	23.09	22.5±1	1.0
				1	99	23.02	22.5±1	1.0
				12	0	21.78	22.5±1	1.0
				12	24	21.81	22.5±1	1.0
				12	49	21.75	22.5±1	1.0
				25	0	21.7	22.5±1	1.0
	20625	846.5	QPSK	1	0	23.65	23.5±1	/
				1	49	23.84	23.5±1	/
				1	99	23.77	23.5±1	/
				12	0	22.82	23.5±1	1.0
				12	24	22.87	23.5±1	1.0
				12	49	22.84	23.5±1	1.0
				25	0	22.87	23.5±1	1.0
			16QAM	1	0	22.85	22.5±1	1.0
				1	49	23.03	22.5±1	1.0
				1	99	22.97	22.5±1	1.0
				12	0	21.83	22.5±1	1.0
				12	24	21.89	22.5±1	1.0
				12	49	21.89	22.5±1	1.0
				25	0	21.78	22.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	20450	829	QPSK	1	0	23.66	23.5±1	/
				1	49	23.71	23.5±1	/
				1	99	23.51	23.5±1	/
				25	0	22.72	23.5±1	1.0
				25	24	22.7	23.5±1	1.0
				25	49	22.69	23.5±1	1.0
				50	0	22.69	23.5±1	1.0
			16QAM	1	0	22.56	22.5±1	1.0
				1	49	22.77	22.5±1	1.0
				1	99	22.5	22.5±1	1.0
				25	0	21.77	22.5±1	1.0
				25	24	21.72	22.5±1	1.0
				25	49	21.73	22.5±1	1.0
				50	0	21.7	22.5±1	1.0
	20525	836.5	QPSK	1	0	23.63	23.5±1	/
				1	49	23.77	23.5±1	/
				1	99	23.67	23.5±1	/
				25	0	22.65	23.5±1	1.0
				25	24	22.7	23.5±1	1.0
				25	49	22.72	23.5±1	1.0
				50	0	22.73	23.5±1	1.0
			16QAM	1	0	22.93	22.5±1	1.0
				1	49	23.12	22.5±1	1.0
				1	99	23.06	22.5±1	1.0
				25	0	21.74	22.5±1	1.0
				25	24	21.77	22.5±1	1.0
				25	49	21.81	22.5±1	1.0
				50	0	21.78	22.5±1	1.0
	20600	844	QPSK	1	0	23.65	23.5±1	/
				1	49	23.9	23.5±1	/
				1	99	23.87	23.5±1	/
				25	0	22.82	23.5±1	1.0
				25	24	22.86	23.5±1	1.0
				25	49	22.87	23.5±1	1.0
				50	0	22.84	23.5±1	1.0
			16QAM	1	0	22.67	22.5±1	1.0
				1	49	22.97	22.5±1	1.0
				1	99	22.95	22.5±1	1.0
				25	0	21.96	22.5±1	1.0
				25	24	21.96	22.5±1	1.0
				25	49	21.97	22.5±1	1.0
				50	0	21.89	22.5±1	1.0

LTE Band 12:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	23017	699.7	QPSK	1	0	23.67	23.5±1	/
				1	2	23.83	23.5±1	/
				1	5	23.7	23.5±1	/
				3	0	23.74	23.5±1	/
				3	1	23.76	23.5±1	/
				3	2	23.72	23.5±1	/
			16QAM	6	0	22.75	23.5±1	1.0
				1	0	22.76	22.5±1	1.0
				1	2	22.92	22.5±1	1.0
				1	5	22.79	22.5±1	1.0
				3	0	22.77	22.5±1	1.0
				3	1	22.72	22.5±1	1.0
				3	2	22.75	22.5±1	1.0
				6	0	21.86	22.5±1	1.0
	23095	707.5	QPSK	1	0	23.68	23.5±1	/
				1	2	23.81	23.5±1	/
				1	5	23.67	23.5±1	/
				3	0	23.76	23.5±1	/
				3	1	23.77	23.5±1	/
				3	2	23.75	23.5±1	/
			16QAM	6	0	22.74	23.5±1	1.0
				1	0	23.08	22.5±1	1.0
				1	2	23.18	22.5±1	1.0
				1	5	23.04	22.5±1	1.0
				3	0	22.94	22.5±1	1.0
				3	1	22.91	22.5±1	1.0
				3	2	22.91	22.5±1	1.0
				6	0	21.66	22.5±1	1.0
	23173	715.3	QPSK	1	0	23.64	23.5±1	/
				1	2	23.88	23.5±1	/
				1	5	23.66	23.5±1	/
				3	0	23.75	23.5±1	/
				3	1	23.79	23.5±1	/
				3	2	23.74	23.5±1	/
			16QAM	6	0	22.76	23.5±1	1.0
				1	0	22.69	22.5±1	1.0
				1	2	22.83	22.5±1	1.0
				1	5	22.66	22.5±1	1.0
				3	0	22.88	22.5±1	1.0
				3	1	22.9	22.5±1	1.0
				3	2	22.93	22.5±1	1.0
				6	0	21.92	22.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	23025	700.5	QPSK	1	0	23.74	23.5±1	/
				1	8	23.72	23.5±1	/
				1	14	23.66	23.5±1	/
				8	0	22.76	23.5±1	1.0
				8	4	22.76	23.5±1	1.0
				8	9	22.77	23.5±1	1.0
				15	0	22.76	23.5±1	1.0
			16QAM	1	0	22.66	22.5±1	1.0
				1	8	22.62	22.5±1	1.0
				1	14	22.64	22.5±1	1.0
				8	0	21.86	22.5±1	1.0
				8	4	21.91	22.5±1	1.0
				8	9	21.86	22.5±1	1.0
				15	0	21.79	22.5±1	1.0
	23095	707.5	QPSK	1	0	23.78	23.5±1	/
				1	8	23.74	23.5±1	/
				1	14	23.7	23.5±1	/
				8	0	22.75	23.5±1	1.0
				8	4	22.81	23.5±1	1.0
				8	9	22.78	23.5±1	1.0
				15	0	22.74	23.5±1	1.0
			16QAM	1	0	23.14	22.5±1	1.0
				1	8	23.1	22.5±1	1.0
				1	14	23.06	22.5±1	1.0
				8	0	21.83	22.5±1	1.0
				8	4	21.88	22.5±1	1.0
				8	9	21.84	22.5±1	1.0
				15	0	21.77	22.5±1	1.0
	23165	714.5	QPSK	1	0	23.77	23.5±1	/
				1	8	23.69	23.5±1	/
				1	14	23.74	23.5±1	/
				8	0	22.78	23.5±1	1.0
				8	4	22.78	23.5±1	1.0
				8	9	22.74	23.5±1	1.0
				15	0	22.73	23.5±1	1.0
			16QAM	1	0	22.74	22.5±1	1.0
				1	8	22.69	22.5±1	1.0
				1	14	22.69	22.5±1	1.0
				8	0	21.77	22.5±1	1.0
				8	4	21.83	22.5±1	1.0
				8	9	21.79	22.5±1	1.0
				15	0	21.7	22.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	23035	701.5	QPSK	1	0	23.64	23.5±1	/
				1	49	23.75	23.5±1	/
				1	99	23.6	23.5±1	/
				12	0	22.76	23.5±1	1.0
				12	24	22.79	23.5±1	1.0
				12	49	22.73	23.5±1	1.0
				25	0	22.76	23.5±1	1.0
			16QAM	1	0	22.82	22.5±1	1.0
				1	49	22.91	22.5±1	1.0
				1	99	22.83	22.5±1	1.0
				12	0	21.78	22.5±1	1.0
				12	24	21.85	22.5±1	1.0
				12	49	21.75	22.5±1	1.0
				25	0	21.74	22.5±1	1.0
	23095	707.5	QPSK	1	0	23.65	23.5±1	/
				1	49	23.76	23.5±1	/
				1	99	23.62	23.5±1	/
				12	0	22.74	23.5±1	1.0
				12	24	22.8	23.5±1	1.0
				12	49	22.82	23.5±1	1.0
				25	0	22.79	23.5±1	1.0
			16QAM	1	0	23.17	22.5±1	1.0
				1	49	23.3	22.5±1	1.0
				1	99	23.11	22.5±1	1.0
				12	0	21.84	22.5±1	1.0
				12	24	21.92	22.5±1	1.0
				12	49	21.91	22.5±1	1.0
				25	0	21.87	22.5±1	1.0
	23155	713.5	QPSK	1	0	23.63	23.5±1	/
				1	49	23.75	23.5±1	/
				1	99	23.63	23.5±1	/
				12	0	22.84	23.5±1	1.0
				12	24	22.81	23.5±1	1.0
				12	49	22.7	23.5±1	1.0
				25	0	22.72	23.5±1	1.0
			16QAM	1	0	22.76	22.5±1	1.0
				1	49	22.88	22.5±1	1.0
				1	99	22.76	22.5±1	1.0
				12	0	21.83	22.5±1	1.0
				12	24	21.85	22.5±1	1.0
				12	49	21.72	22.5±1	1.0
				25	0	21.71	22.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	23060	704	QPSK	1	0	23.7	23.5±1	/
				1	49	23.83	23.5±1	/
				1	99	23.67	23.5±1	/
				25	0	22.82	23.5±1	1.0
				25	24	22.78	23.5±1	1.0
				25	49	22.88	23.5±1	1.0
				50	0	22.85	23.5±1	1.0
			16QAM	1	0	22.61	22.5±1	1.0
				1	49	22.81	22.5±1	1.0
				1	99	22.62	22.5±1	1.0
				25	0	21.86	22.5±1	1.0
				25	24	21.81	22.5±1	1.0
				25	49	21.88	22.5±1	1.0
				50	0	21.81	22.5±1	1.0
	23095	707.5	QPSK	1	0	23.7	23.5±1	/
				1	49	23.86	23.5±1	/
				1	99	23.66	23.5±1	/
				25	0	22.79	23.5±1	1.0
				25	24	22.8	23.5±1	1.0
				25	49	22.84	23.5±1	1.0
				50	0	22.89	23.5±1	1.0
			16QAM	1	0	23.04	22.5±1	1.0
				1	49	23.21	22.5±1	1.0
				1	99	23.04	22.5±1	1.0
				25	0	21.85	22.5±1	1.0
				25	24	21.84	22.5±1	1.0
				25	49	21.91	22.5±1	1.0
				50	0	21.89	22.5±1	1.0
	23130	711	QPSK	1	0	23.71	23.5±1	/
				1	49	23.83	23.5±1	/
				1	99	23.74	23.5±1	/
				25	0	22.66	23.5±1	1.0
				25	24	22.77	23.5±1	1.0
				25	49	22.65	23.5±1	1.0
				50	0	22.68	23.5±1	1.0
			16QAM	1	0	22.72	22.5±1	1.0
				1	49	22.87	22.5±1	1.0
				1	99	22.71	22.5±1	1.0
				25	0	21.72	22.5±1	1.0
				25	24	21.87	22.5±1	1.0
				25	49	21.72	22.5±1	1.0
				50	0	21.72	22.5±1	1.0

LTE Band 17:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	23755	706.5	QPSK	1	0	23.84	23.5±1	/
				1	49	23.98	23.5±1	/
				1	99	23.85	23.5±1	/
				12	0	22.95	23.5±1	1.0
				12	24	22.99	23.5±1	1.0
				12	49	23.01	23.5±1	1.0
				25	0	22.98	23.5±1	1.0
			16QAM	1	0	23.37	22.5±1	1.0
				1	49	23.48	22.5±1	1.0
				1	99	23.28	22.5±1	1.0
				12	0	22.02	22.5±1	1.0
				12	24	22.1	22.5±1	1.0
				12	49	22.11	22.5±1	1.0
				25	0	22.04	22.5±1	1.0
	23790	710	QPSK	1	0	23.81	23.5±1	/
				1	49	23.89	23.5±1	/
				1	99	23.77	23.5±1	/
				12	0	22.83	23.5±1	1.0
				12	24	22.96	23.5±1	1.0
				12	49	22.92	23.5±1	1.0
				25	0	22.85	23.5±1	1.0
			16QAM	1	0	22.95	22.5±1	1.0
				1	49	22.99	22.5±1	1.0
				1	99	22.89	22.5±1	1.0
				12	0	21.88	22.5±1	1.0
				12	24	21.94	22.5±1	1.0
				12	49	21.95	22.5±1	1.0
				25	0	21.86	22.5±1	1.0
	23825	713.5	QPSK	1	0	23.78	23.5±1	/
				1	49	23.9	23.5±1	/
				1	99	23.74	23.5±1	/
				12	0	22.9	23.5±1	1.0
				12	24	22.95	23.5±1	1.0
				12	49	22.87	23.5±1	1.0
				25	0	22.88	23.5±1	1.0
			16QAM	1	0	22.89	22.5±1	1.0
				1	49	23.07	22.5±1	1.0
				1	99	22.91	22.5±1	1.0
				12	0	21.96	22.5±1	1.0
				12	24	21.98	22.5±1	1.0
				12	49	21.9	22.5±1	1.0
				25	0	21.92	22.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	23780	709	QPSK	1	0	23.81	23.5±1	/
				1	49	24.03	23.5±1	/
				1	99	23.81	23.5±1	/
				25	0	22.83	23.5±1	1.0
				25	24	22.9	23.5±1	1.0
				25	49	22.9	23.5±1	1.0
				50	0	22.88	23.5±1	1.0
			16QAM	1	0	22.75	22.5±1	1.0
				1	49	22.93	22.5±1	1.0
				1	99	22.7	22.5±1	1.0
				25	0	21.84	22.5±1	1.0
				25	24	21.94	22.5±1	1.0
				25	49	21.92	22.5±1	1.0
				50	0	21.86	22.5±1	1.0
	23790	710	QPSK	1	0	23.8	23.5±1	/
				1	49	23.96	23.5±1	/
				1	99	23.83	23.5±1	/
				25	0	22.72	23.5±1	1.0
				25	24	22.89	23.5±1	1.0
				25	49	22.78	23.5±1	1.0
				50	0	22.81	23.5±1	1.0
			16QAM	1	0	23.17	22.5±1	1.0
				1	49	23.34	22.5±1	1.0
				1	99	23.16	22.5±1	1.0
				25	0	21.78	22.5±1	1.0
				25	24	21.95	22.5±1	1.0
				25	49	21.82	22.5±1	1.0
				50	0	21.83	22.5±1	1.0
	23800	711	QPSK	1	0	23.9	23.5±1	/
				1	49	24.01	23.5±1	/
				1	99	23.87	23.5±1	/
				25	0	22.82	23.5±1	1.0
				25	24	22.94	23.5±1	1.0
				25	49	22.78	23.5±1	1.0
				50	0	22.81	23.5±1	1.0
			16QAM	1	0	22.99	22.5±1	1.0
				1	49	22.98	22.5±1	1.0
				1	99	22.83	22.5±1	1.0
				25	0	21.89	22.5±1	1.0
				25	24	21.99	22.5±1	1.0
				25	49	21.86	22.5±1	1.0
				50	0	21.85	22.5±1	1.0

LTE Band 66:

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
1.4MHz	131979	1710.7	QPSK	1	0	25.37	25.0±1	/
				1	2	25.54	25.0±1	/
				1	5	25.36	25.0±1	/
				3	0	25.46	25.0±1	/
				3	1	25.48	25.0±1	/
				3	2	25.42	25.0±1	/
				6	0	24.45	25.0±1	1.0
			16QAM	1	0	24.49	25.0±1	1.0
				1	2	24.63	25.0±1	1.0
				1	5	24.44	25.0±1	1.0
				3	0	24.46	25.0±1	1.0
				3	1	24.49	25.0±1	1.0
				3	2	24.42	25.0±1	1.0
				6	0	23.6	24.0±1	1.0
	132321	1744.9	QPSK	1	0	24.99	25.0±1	/
				1	2	25.19	25.0±1	/
				1	5	25.03	25.0±1	/
				3	0	25.07	25.0±1	/
				3	1	25.14	25.0±1	/
				3	2	25.15	25.0±1	/
				6	0	24.13	25.0±1	1.0
			16QAM	1	0	24.36	25.0±1	1.0
				1	2	24.53	25.0±1	1.0
				1	5	24.34	25.0±1	1.0
				3	0	24.2	25.0±1	1.0
				3	1	24.22	25.0±1	1.0
				3	2	24.21	25.0±1	1.0
				6	0	23.05	24.0±1	1.0
	132664	1779.2	QPSK	1	0	25	25.0±1	/
				1	2	25.2	25.0±1	/
				1	5	25.02	25.0±1	/
				3	0	25.07	25.0±1	/
				3	1	25.12	25.0±1	/
				3	2	25.08	25.0±1	/
				6	0	24.09	25.0±1	1.0
			16QAM	1	0	23.95	25.0±1	1.0
				1	2	24.12	25.0±1	1.0
				1	5	23.99	25.0±1	1.0
				3	0	24.15	25.0±1	1.0
				3	1	24.22	25.0±1	1.0
				3	2	24.09	25.0±1	1.0
				6	0	23.25	24.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
3MHz	131987	1711.5	QPSK	1	0	25.4	25.0±1	/
				1	8	25.36	25.0±1	/
				1	14	25.36	25.0±1	/
				6	0	24.39	25.0±1	1.0
				6	4	24.45	25.0±1	1.0
				6	9	24.37	25.0±1	1.0
				15	0	24.39	25.0±1	1.0
			16QAM	1	0	24.33	25.0±1	1.0
				1	8	24.29	25.0±1	1.0
				1	14	24.29	25.0±1	1.0
				8	0	23.52	24.0±1	1.0
				8	4	23.54	24.0±1	1.0
				8	9	23.49	24.0±1	1.0
				15	0	23.39	24.0±1	1.0
	132321	1744.9	QPSK	1	0	25.08	25.0±1	/
				1	8	25.09	25.0±1	/
				1	14	25.07	25.0±1	/
				6	0	24.11	25.0±1	1.0
				6	4	24.1	25.0±1	1.0
				6	9	24.08	25.0±1	1.0
				15	0	24.05	25.0±1	1.0
			16QAM	1	0	24.34	25.0±1	1.0
				1	8	24.38	25.0±1	1.0
				1	14	24.37	25.0±1	1.0
				6	0	23.15	24.0±1	1.0
				6	4	23.18	24.0±1	1.0
				6	9	23.13	24.0±1	1.0
				15	0	23.07	24.0±1	1.0
	132656	1778.4	QPSK	1	0	25.05	25.0±1	/
				1	8	25.04	25.0±1	/
				1	14	25.03	25.0±1	/
				6	0	24	25.0±1	1.0
				6	4	24.07	25.0±1	1.0
				6	9	24.03	25.0±1	1.0
				15	0	24.01	25.0±1	1.0
			16QAM	1	0	23.99	23.5±1	1.0
				1	8	23.95	23.5±1	1.0
				1	14	23.97	23.5±1	1.0
				8	0	23.03	23.5±1	1.0
				8	4	23.1	23.5±1	1.0
				8	9	23.07	23.5±1	1.0
				15	0	22.95	23.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
5MHz	131997	1712.5	QPSK	1	0	25.27	25.0±1	/
				1	49	25.43	25.0±1	/
				1	99	25.23	25.0±1	/
				12	0	24.35	25.0±1	1.0
				12	24	24.38	25.0±1	1.0
				12	49	24.36	25.0±1	1.0
				25	0	24.37	25.0±1	1.0
			16QAM	1	0	24.44	24.0±1	1.0
				1	49	24.55	24.0±1	1.0
				1	99	24.45	24.0±1	1.0
				12	0	23.39	24.0±1	1.0
				12	24	23.48	24.0±1	1.0
				12	49	23.44	24.0±1	1.0
				25	0	23.4	24.0±1	1.0
	132321	1744.9	QPSK	1	0	24.94	25.0±1	/
				1	49	25.06	25.0±1	/
				1	99	24.93	25.0±1	/
				12	0	24.01	25.0±1	1.0
				12	24	24.07	25.0±1	1.0
				12	49	24.05	25.0±1	1.0
				25	0	24.02	25.0±1	1.0
			16QAM	1	0	24.37	25.0±1	1.0
				1	49	24.52	25.0±1	1.0
				1	99	24.41	25.0±1	1.0
				12	0	23.14	24.0±1	1.0
				12	24	23.18	24.0±1	1.0
				12	49	23.18	24.0±1	1.0
				25	0	23.1	24.0±1	1.0
	132646	1777.4	QPSK	1	0	24.82	25.0±1	/
				1	49	25.02	24.5±1	/
				1	99	24.9	24.5±1	/
				12	0	23.93	24.5±1	1.0
				12	24	24.03	24.5±1	1.0
				12	49	23.99	24.5±1	1.0
				25	0	23.92	24.5±1	1.0
			16QAM	1	0	23.87	24.5±1	1.0
				1	49	24.04	24.5±1	1.0
				1	99	23.97	24.5±1	1.0
				12	0	22.95	23.0±1	1.0
				12	24	23.01	23.0±1	1.0
				12	49	23.01	23.0±1	1.0
				25	0	22.9	23.0±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
10MHz	132022	1715	QPSK	1	0	25.23	25.0±1	/
				1	49	25.38	25.0±1	/
				1	99	25.18	25.0±1	/
				25	0	24.27	25.0±1	1.0
				25	24	24.31	25.0±1	1.0
				25	49	24.28	25.0±1	1.0
				50	0	24.27	25.0±1	1.0
			16QAM	1	0	24.15	24.0±1	1.0
				1	49	24.31	24.0±1	1.0
				1	99	24.08	24.0±1	1.0
				25	0	23.32	24.0±1	1.0
				25	24	23.36	24.0±1	1.0
				25	49	23.35	24.0±1	1.0
				50	0	23.27	24.0±1	1.0
	132321	1744.9	QPSK	1	0	24.97	25.0±1	/
				1	49	25.17	25.0±1	/
				1	99	25	25.0±1	/
				25	0	24.02	25.0±1	1.0
				25	24	24.02	25.0±1	1.0
				25	49	24.05	25.0±1	1.0
				50	0	24.04	25.0±1	1.0
			16QAM	1	0	24.28	24.0±1	1.0
				1	49	24.44	24.0±1	1.0
				1	99	24.32	24.0±1	1.0
				25	0	23.05	24.0±1	1.0
				25	24	23.06	24.0±1	1.0
				25	49	23.07	24.0±1	1.0
				50	0	23.04	24.0±1	1.0
	132621	1774.9	QPSK	1	0	24.9	24.5±1	/
				1	49	25.14	24.5±1	/
				1	99	24.99	24.5±1	/
				25	0	23.92	24.5±1	1.0
				25	24	23.94	24.5±1	1.0
				25	49	24	24.5±1	1.0
				50	0	23.96	23.5±1	1.0
			16QAM	1	0	23.84	23.5±1	1.0
				1	49	23.98	23.5±1	1.0
				1	99	23.94	23.5±1	1.0
				25	0	22.98	23.5±1	1.0
				25	24	23.04	23.5±1	1.0
				25	49	23.07	23.5±1	1.0
				50	0	22.99	23.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
15MHz	132097	1722.5	QPSK	1	0	25.14	25.0±1	/
				1	49	25.23	25.0±1	/
				1	99	25.05	25.0±1	/
				36	0	24.28	25.0±1	1.0
				36	24	24.32	25.0±1	1.0
				36	49	24.3	25.0±1	1.0
				75	0	24.3	25.0±1	1.0
			16QAM	1	0	24.09	24.0±1	1.0
				1	49	24.12	24.0±1	1.0
				1	99	23.96	24.0±1	1.0
				36	0	23.23	24.0±1	1.0
				36	24	23.28	24.0±1	1.0
				36	49	23.27	24.0±1	1.0
				75	0	23.28	24.0±1	1.0
	132321	1744.9	QPSK	1	0	24.87	25.0±1	/
				1	49	24.99	25.0±1	/
				1	99	24.85	25.0±1	/
				36	0	24.04	25.0±1	1.0
				36	24	24.07	25.0±1	1.0
				36	49	24.06	25.0±1	1.0
				75	0	24.03	25.0±1	1.0
			16QAM	1	0	24.18	24.0±1	1.0
				1	49	24.29	24.0±1	1.0
				1	99	24.21	24.0±1	1.0
				36	0	23.03	24.0±1	1.0
				36	24	23.06	24.0±1	1.0
				36	49	23.06	24.0±1	1.0
				75	0	23.03	24.0±1	1.0
	132546	1767.4	QPSK	1	0	24.84	25.0±1	/
				1	49	24.97	25.0±1	/
				1	99	24.88	25.0±1	/
				36	0	24.01	25.0±1	1.0
				36	24	24.03	25.0±1	1.0
				36	49	24.02	25.0±1	1.0
				75	0	24.03	25.0±1	1.0
			16QAM	1	0	24.18	23.5±1	1.0
				1	49	24.23	23.5±1	1.0
				1	99	24.16	23.5±1	1.0
				36	0	22.92	23.5±1	1.0
				36	24	22.94	23.5±1	1.0
				36	49	22.95	23.5±1	1.0
				75	0	22.97	23.5±1	1.0

BW(MHz)	Ch	Freq(MHz)	Mode	UL RB Allocation	UL RB Offset	Average Power (dbm)	Tune up limited(dBm)	MPR (dB)
20MHz	132072	1720	QPSK	1	0	24.94	25.0±1	/
				1	49	25.24	25.0±1	/
				1	99	24.78	25.0±1	/
				50	0	24.12	25.0±1	1.0
				50	24	24.11	25.0±1	1.0
				50	49	24.06	25.0±1	1.0
				100	0	24.12	25.0±1	1.0
			16QAM	1	0	24.41	23.5±1	1.0
				1	49	24.72	23.5±1	1.0
				1	99	24.25	23.5±1	1.0
				50	0	23.16	23.5±1	1.0
				50	24	23.19	23.5±1	1.0
				50	49	23.11	23.5±1	1.0
				100	0	23.15	23.5±1	1.0
	132321	1744.9	QPSK	1	0	24.66	25.0±1	/
				1	49	25.17	25.0±1	/
				1	99	24.68	25.0±1	/
				50	0	23.91	25.0±1	1.0
				50	24	23.97	25.0±1	1.0
				50	49	23.97	25.0±1	1.0
				100	0	23.9	25.0±1	1.0
			16QAM	1	0	24.02	23.5±1	1.0
				1	49	24.43	23.5±1	1.0
				1	99	24.1	23.5±1	1.0
				50	0	22.95	23.5±1	1.0
				50	24	22.99	23.5±1	1.0
				50	49	22.98	23.5±1	1.0
				100	0	22.96	23.5±1	1.0
	132471	1759.9	QPSK	1	0	24.55	25.0±1	/
				1	49	25.02	25.0±1	/
				1	99	24.6	25.0±1	/
				50	0	23.89	25.0±1	1.0
				50	24	23.89	25.0±1	1.0
				50	49	23.95	25.0±1	1.0
				100	0	23.89	25.0±1	1.0
			16QAM	1	0	23.95	23.5±1	1.0
				1	49	24.32	23.5±1	1.0
				1	99	23.99	23.5±1	1.0
				50	0	22.87	23.5±1	1.0
				50	24	22.87	23.5±1	1.0
				50	49	22.9	23.5±1	1.0
				100	0	22.93	23.5±1	1.0

ERP and EIRP**LTE Band 2**

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 24E	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 2 Channel 18607 – 1.4MHz – QPSK										
1850.7	87.30	240	1.3	H	13.33	0.31	10.40	23.42	33	-9.58
1850.7	87.12	161	2.2	V	13.84	0.31	10.40	23.93	33	-9.07
LTE Band 2 Channel 18900 – 1.4MHz – QPSK										
1880	87.01	167	2.3	H	13.16	0.31	10.40	23.25	33	-9.75
1880	87.44	73	1.6	V	14.32	0.31	10.40	24.41	33	-8.59
LTE Band 2 Channel 19193 – 1.4MHz – QPSK										
1909.3	87.06	217	1.6	H	13.33	0.32	10.40	23.41	33	-9.59
1909.3	87.18	242	1.1	V	14.22	0.32	10.40	24.30	33	-8.70
LTE Band 2 Channel 18607 – 1.4MHz – 16QAM										
1850.7	86.95	165	1.0	H	12.98	0.31	10.40	23.07	33	-9.93
1850.7	87.49	132	2.1	V	14.21	0.31	10.40	24.30	33	-8.70
LTE Band 2 Channel 18900 – 1.4MHz – 16QAM										
1880	87.01	303	1.1	H	13.16	0.31	10.40	23.25	33	-9.75
1880	87.07	242	2.3	V	13.95	0.31	10.40	24.04	33	-8.96
LTE Band 2 Channel 19193 – 1.4MHz – 16QAM										
1909.3	86.98	127	2.5	H	13.25	0.32	10.40	23.33	33	-9.67
1909.3	87.20	335	1.4	V	14.24	0.32	10.40	24.32	33	-8.68
LTE Band 2 Channel 18615 – 3MHz – QPSK										
1851.5	87.34	44	2.3	H	13.37	0.31	10.40	23.46	33	-9.54
1851.5	87.40	234	2.3	V	14.12	0.31	10.40	24.21	33	-8.79
LTE Band 2 Channel 18900 – 3MHz – QPSK										
1880	87.45	343	1.3	H	13.60	0.31	10.40	23.69	33	-9.31
1880	87.57	2	1.7	V	14.45	0.31	10.40	24.54	33	-8.46
LTE Band 2 Channel 19185 – 3MHz – QPSK										
1908.5	87.27	20	1.8	H	13.54	0.32	10.40	23.62	33	-9.38
1908.5	87.40	42	2.4	V	14.44	0.32	10.40	24.52	33	-8.48
LTE Band 2 Channel 18615 – 3MHz – 16QAM										
1851.5	87.03	86	2.5	H	13.06	0.31	10.40	23.15	33	-9.85
1851.5	87.28	40	2.0	V	14.00	0.31	10.40	24.09	33	-8.91

LTE Band 2 Channel 18900 – 3MHz – 16QAM										
1880	87.10	300	1.5	H	13.25	0.31	10.40	23.34	33	-9.66
1880	87.29	229	1.8	V	14.17	0.31	10.40	24.26	33	-8.74
LTE Band 2 Channel 19185 – 3MHz – 16QAM										
1908.5	87.20	311	1.3	H	13.47	0.32	10.40	23.55	33	-9.45
1908.5	87.25	107	1.3	V	14.29	0.32	10.40	24.37	33	-8.63
LTE Band 2 Channel 18625 – 5MHz – QPSK										
1852.5	86.91	239	1.3	H	12.94	0.31	10.40	23.03	33	-9.97
1852.5	87.29	139	1.6	V	14.01	0.31	10.40	24.10	33	-8.90
LTE Band 2 Channel 18900 – 5MHz – QPSK										
1880	87.23	143	2.3	H	13.38	0.31	10.40	23.47	33	-9.53
1880	87.73	318	1.9	V	14.61	0.31	10.40	24.70	33	-8.30
LTE Band 2 Channel 19175 – 5MHz – QPSK										
1907.5	87.26	96	1.0	H	13.53	0.32	10.40	23.61	33	-9.39
1907.5	87.21	305	2.4	V	14.25	0.32	10.40	24.33	33	-8.67
LTE Band 2 Channel 18625 – 5MHz – 16QAM										
1852.5	86.91	43	2.2	H	12.94	0.31	10.40	23.03	33	-9.97
1852.5	86.97	205	2.4	V	13.69	0.31	10.40	23.78	33	-9.22
LTE Band 2 Channel 18900 – 5MHz – 16QAM										
1880	87.20	297	1.2	H	13.35	0.31	10.40	23.44	33	-9.56
1880	87.38	203	1.0	V	14.26	0.31	10.40	24.35	33	-8.65
LTE Band 2 Channel 19175 – 5MHz – 16QAM										
1907.5	87.44	292	2.0	H	13.71	0.32	10.40	23.79	33	-9.21
1907.5	87.46	345	1.9	V	14.50	0.32	10.40	24.58	33	-8.42
LTE Band 2 Channel 18650 – 10MHz – QPSK										
1855	87.60	236	2.4	H	13.63	0.31	10.40	23.72	33	-9.28
1855	87.14	237	1.5	V	13.86	0.31	10.40	23.95	33	-9.05
LTE Band 2 Channel 18900 – 10MHz – QPSK										
1880	87.62	343	2.2	H	13.77	0.31	10.40	23.86	33	-9.14
1880	87.37	186	1.6	V	14.25	0.31	10.40	24.34	33	-8.66
LTE Band 2 Channel 19150 – 10MHz – QPSK										
1905	87.02	131	1.2	H	13.29	0.32	10.40	23.37	33	-9.63
1905	87.29	58	1.1	V	14.33	0.32	10.40	24.41	33	-8.59
LTE Band 2 Channel 18650 – 10MHz – 16QAM										

1855	87.22	63	1.8	H	13.25	0.31	10.40	23.34	33	-9.66
1855	87.12	261	1.6	V	13.84	0.31	10.40	23.93	33	-9.07
LTE Band 2 Channel 18900 – 10MHz – 16QAM										
1880	87.29	214	1.5	H	13.44	0.31	10.40	23.53	33	-9.47
1880	87.13	246	1.6	V	14.01	0.31	10.40	24.10	33	-8.90
LTE Band 2 Channel 19150 – 10MHz – 16QAM										
1905	87.15	89	1.4	H	13.42	0.32	10.40	23.50	33	-9.50
1905	87.54	339	1.7	V	14.58	0.32	10.40	24.66	33	-8.34
LTE Band 2 Channel 18675 – 15MHz – QPSK										
1857.5	87.22	306	2.2	H	13.25	0.31	10.40	23.34	33	-9.66
1857.5	87.31	3	1.5	V	14.03	0.31	10.40	24.12	33	-8.88
LTE Band 2 Channel 18900 – 15MHz – QPSK										
1880	87.18	349	2.5	H	13.33	0.31	10.40	23.42	33	-9.58
1880	87.63	28	1.9	V	14.51	0.31	10.40	24.60	33	-8.40
LTE Band 2 Channel 19125 – 15MHz – QPSK										
1902.5	87.16	20	1.3	H	13.43	0.32	10.40	23.51	33	-9.49
1902.5	87.14	282	1.6	V	14.18	0.32	10.40	24.26	33	-8.74
LTE Band 2 Channel 18675 – 15MHz – 16QAM										
1857.5	87.57	329	2.2	H	13.60	0.31	10.40	23.69	33	-9.31
1857.5	87.26	92	1.5	V	13.98	0.31	10.40	24.07	33	-8.93
LTE Band 2 Channel 18900 – 15MHz – 16QAM										
1880	87.37	49	1.8	H	13.52	0.31	10.40	23.61	33	-9.39
1880	87.53	131	2.1	V	14.41	0.31	10.40	24.50	33	-8.50
LTE Band 2 Channel 19125 – 15MHz – 16QAM										
1902.5	87.08	153	2.3	H	13.35	0.32	10.40	23.43	33	-9.57
1902.5	87.27	7	1.2	V	14.31	0.32	10.40	24.39	33	-8.61
LTE Band 2 Channel 18700 – 20MHz – QPSK										
1860	88.96	358	1.6	H	14.99	0.31	10.40	25.08	33	-7.92
1860	88.45	97	1.7	V	15.17	0.31	10.40	25.26	33	-7.74
LTE Band 2 Channel 18900 – 20MHz – QPSK										
1880	88.92	61	2.1	H	15.07	0.31	10.40	25.16	33	-7.84
1880	88.41	279	1.2	V	15.29	0.31	10.40	25.38	33	-7.62
LTE Band 2 Channel 19100 – 20MHz – QPSK										
1900	88.95	107	1.2	H	15.22	0.32	10.40	25.30	33	-7.70

1900	88.14	318	1.9	V	15.18	0.32	10.40	25.26	33	-7.74
LTE Band 2 Channel 18670 – 20MHz – 16QAM										
1860	88.93	179	2.4	H	14.96	0.31	10.40	25.05	33	-7.95
1860	88.20	262	2.1	V	14.92	0.31	10.40	25.01	33	-7.99
LTE Band 2 Channel 18900 – 20MHz – 16QAM										
1880	88.94	221	1.8	H	15.09	0.31	10.40	25.18	33	-7.82
1880	88.36	313	1.7	V	15.24	0.31	10.40	25.33	33	-7.67
LTE Band 2 Channel 19100 – 20MHz – 16QAM										
1900	88.97	103	2.2	H	15.24	0.32	10.40	25.32	33	-7.68
1900	88.25	141	2.0	V	15.29	0.32	10.40	25.37	33	-7.63

LTE Band 4

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 4 Channel 19957 – 1.4MHz – QPSK										
1710.7	89.00	92	1.8	H	14.89	0.30	9.40	23.99	30	-6.01
1710.7	89.02	116	2.2	V	15.49	0.30	9.40	24.59	30	-5.41
LTE Band 4 Channel 20175 – 1.4MHz – QPSK										
1732.5	89.00	232	2.5	H	14.89	0.30	9.40	23.99	30	-6.01
1732.5	88.81	264	2.4	V	15.28	0.30	9.40	24.38	30	-5.62
LTE Band 4 Channel 20393 – 1.4MHz – QPSK										
1754.3	89.07	278	1.3	H	14.96	0.30	9.40	24.06	30	-5.94
1754.3	88.96	129	2.0	V	15.43	0.30	9.40	24.53	30	-5.47
LTE Band 4 Channel 19957 – 1.4MHz – 16QAM										
1710.7	89.23	251	1.9	H	15.12	0.30	9.40	24.22	30	-5.78
1710.7	88.64	84	1.8	V	15.11	0.30	9.40	24.21	30	-5.79
LTE Band 4 Channel 20175 – 1.4MHz – 16QAM										
1732.5	89.04	50	1.9	H	14.93	0.30	9.40	24.03	30	-5.97
1732.5	89.09	7	1.8	V	15.56	0.30	9.40	24.66	30	-5.34
LTE Band 4 Channel 20393 – 1.4MHz – 16QAM										
1754.3	89.05	358	2.4	H	14.94	0.30	9.40	24.04	30	-5.96
1754.3	89.07	331	1.1	V	15.54	0.30	9.40	24.64	30	-5.36
LTE Band 4 Channel 19965 – 3MHz – QPSK										
1711.5	89.06	160	2.0	H	14.95	0.30	9.40	24.05	30	-5.95
1711.5	89.13	226	2.2	V	15.60	0.30	9.40	24.70	30	-5.30
LTE Band 4 Channel 20175 – 3MHz – QPSK										
1732.5	89.04	117	1.3	H	14.93	0.30	9.40	24.03	30	-5.97
1732.5	88.90	20	1.7	V	15.37	0.30	9.40	24.47	30	-5.53
LTE Band 4 Channel 20385 – 3MHz – QPSK										
1753.5	89.03	140	1.7	H	14.92	0.30	9.40	24.02	30	-5.98
1753.5	88.98	154	1.8	V	15.45	0.30	9.40	24.55	30	-5.45
LTE Band 4 Channel 19965 – 3MHz – 16QAM										
1711.5	89.45	269	1.6	H	15.34	0.30	9.40	24.44	30	-5.56
1711.5	88.77	23	1.2	V	15.24	0.30	9.40	24.34	30	-5.66

LTE Band 4 Channel 20175 – 3MHz – 16QAM										
1732.5	89.16	310	1.4	H	15.05	0.30	9.40	24.15	30	-5.85
1732.5	88.89	151	1.1	V	15.36	0.30	9.40	24.46	30	-5.54
LTE Band 4 Channel 20385 – 3MHz – 16QAM										
1753.5	89.04	130	2.4	H	14.93	0.30	9.40	24.03	30	-5.97
1753.5	89.05	141	2.1	V	15.52	0.30	9.40	24.62	30	-5.38
LTE Band 4 Channel 19975 – 5MHz – QPSK										
1712.5	89.21	143	1.1	H	15.10	0.30	9.40	24.20	30	-5.80
1712.5	89.08	115	1.2	V	15.55	0.30	9.40	24.65	30	-5.35
LTE Band 4 Channel 20175 – 5MHz – QPSK										
1732.5	88.89	216	2.4	H	14.78	0.30	9.40	23.88	30	-6.12
1732.5	89.00	200	2.2	V	15.47	0.30	9.40	24.57	30	-5.43
LTE Band 4 Channel 20375 – 5MHz – QPSK										
1752.5	89.00	310	1.2	H	14.89	0.30	9.40	23.99	30	-6.01
1752.5	88.96	338	2.4	V	15.43	0.30	9.40	24.53	30	-5.47
LTE Band 4 Channel 19975 – 5MHz – 16QAM										
1712.5	88.87	215	1.4	H	14.76	0.30	9.40	23.86	30	-6.14
1712.5	88.70	264	2.2	V	15.17	0.30	9.40	24.27	30	-5.73
LTE Band 4 Channel 20175 – 5MHz – 16QAM										
1732.5	88.88	178	2.2	H	14.77	0.30	9.40	23.87	30	-6.13
1732.5	88.91	77	2.0	V	15.38	0.30	9.40	24.48	30	-5.52
LTE Band 4 Channel 20375 – 5MHz – 16QAM										
1752.5	89.33	226	1.6	H	15.22	0.30	9.40	24.32	30	-5.68
1752.5	89.01	34	1.2	V	15.48	0.30	9.40	24.58	30	-5.42
LTE Band 4 Channel 20000 – 10MHz – QPSK										
1715	88.88	266	1.2	H	14.77	0.30	9.40	23.87	30	-6.13
1715	89.03	341	1.6	V	15.50	0.30	9.40	24.60	30	-5.40
LTE Band 4 Channel 20175 – 10MHz – QPSK										
1732.5	88.72	197	1.6	H	14.61	0.30	9.40	23.71	30	-6.29
1732.5	88.91	242	1.4	V	15.38	0.30	9.40	24.48	30	-5.52
LTE Band 4 Channel 20350 – 10MHz – QPSK										
1750	88.85	172	1.1	H	14.74	0.30	9.40	23.84	30	-6.16
1750	89.41	220	1.3	V	15.88	0.30	9.40	24.98	30	-5.02
LTE Band 4 Channel 20000 – 10MHz – 16QAM										

1715	89.02	3	1.5	H	14.91	0.30	9.40	24.01	30	-5.99
1715	89.04	118	1.7	V	15.51	0.30	9.40	24.61	30	-5.39
LTE Band 4 Channel 20175 – 10MHz – 16QAM										
1732.5	89.05	213	1.0	H	14.94	0.30	9.40	24.04	30	-5.96
1732.5	89.21	350	1.7	V	15.68	0.30	9.40	24.78	30	-5.22
LTE Band 4 Channel 20350 – 10MHz – 16QAM										
1750	88.86	86	1.3	H	14.75	0.30	9.40	23.85	30	-6.15
1750	89.02	349	2.3	V	15.49	0.30	9.40	24.59	30	-5.41
LTE Band 4 Channel 20025 – 15MHz – QPSK										
1717.5	89.16	190	1.7	H	15.05	0.30	9.40	24.15	30	-5.85
1717.5	88.64	170	1.1	V	15.11	0.30	9.40	24.21	30	-5.79
LTE Band 4 Channel 20175 – 15MHz – QPSK										
1732.5	89.18	246	2.3	H	15.07	0.30	9.40	24.17	30	-5.83
1732.5	89.15	247	1.5	V	15.62	0.30	9.40	24.72	30	-5.28
LTE Band 4 Channel 20325 – 15MHz – QPSK										
1747.5	88.83	71	1.7	H	14.72	0.30	9.40	23.82	30	-6.18
1747.5	89.30	76	2.1	V	15.77	0.30	9.40	24.87	30	-5.13
LTE Band 4 Channel 20025 – 15MHz – 16QAM										
1717.5	89.27	276	2.1	H	15.16	0.30	9.40	24.26	30	-5.74
1717.5	89.20	48	1.9	V	15.67	0.30	9.40	24.77	30	-5.23
LTE Band 4 Channel 20175 – 15MHz – 16QAM										
1732.5	89.10	192	2.2	H	14.99	0.30	9.40	24.09	30	-5.91
1732.5	88.59	195	1.8	V	15.06	0.30	9.40	24.16	30	-5.84
LTE Band 4 Channel 20325 – 15MHz – 16QAM										
1747.5	88.90	331	1.7	H	14.79	0.30	9.40	23.89	30	-6.11
1747.5	89.04	38	2.3	V	15.51	0.30	9.40	24.61	30	-5.39
LTE Band 4 Channel 20050 – 20MHz – QPSK										
1720	90.12	62	1.5	H	16.01	0.30	9.40	25.11	30	-4.89
1720	90.35	307	2.0	V	16.82	0.30	9.40	25.92	30	-4.08
LTE Band 4 Channel 20175 – 20MHz – QPSK										
1732.5	90.14	87	2.1	H	16.03	0.30	9.40	25.13	30	-4.87
1732.5	90.45	64	1.7	V	16.92	0.30	9.40	26.02	30	-3.98
LTE Band 4 Channel 20300 – 20MHz – QPSK										
1745	90.66	72	1.7	H	16.55	0.30	9.40	25.65	30	-4.35

1745	90.41	152	1.0	V	16.88	0.30	9.40	25.98	30	-4.02
LTE Band 4 Channel 20050 – 20MHz – 16QAM										
1720	90.78	358	1.8	H	16.67	0.30	9.40	25.77	30	-4.23
1720	90.42	351	1.5	V	16.89	0.30	9.40	25.99	30	-4.01
LTE Band 4 Channel 20175 – 20MHz – 16QAM										
1732.5	90.73	15	1.3	H	16.62	0.30	9.40	25.72	30	-4.28
1732.5	90.35	158	1.6	V	16.82	0.30	9.40	25.92	30	-4.08
LTE Band 4 Channel 20300 – 20MHz – 16QAM										
1745	90.74	234	1.2	H	16.63	0.30	9.40	25.73	30	-4.27
1745	90.32	204	2.3	V	16.79	0.30	9.40	25.89	30	-4.11

LTE Band 5

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 22H	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 5 Channel 20407 – 1.4MHz – QPSK										
824.7	83.12	245	1.2	H	16.01	0.30	9.40	25.11	38.45	-13.34
824.7	82.78	7	2.0	V	15.25	0.30	9.40	24.35	38.45	-14.10
LTE Band 5 Channel 20525 – 1.4MHz – QPSK										
836.5	83.23	226	2.5	H	16.12	0.30	9.40	25.22	38.45	-13.23
836.5	83.16	299	2.4	V	15.63	0.30	9.40	24.73	38.45	-13.72
LTE Band 5 Channel 20643 – 1.4MHz – QPSK										
848.3	83.22	266	2.1	H	16.11	0.30	9.40	25.21	38.45	-13.24
848.3	83.27	146	1.1	V	15.74	0.30	9.40	24.84	38.45	-13.61
LTE Band 5 Channel 20407 – 1.4MHz – 16QAM										
824.7	83.03	9	2.2	H	15.92	0.30	9.40	25.02	38.45	-13.43
824.7	83.55	283	1.5	V	16.02	0.30	9.40	25.12	38.45	-13.33
LTE Band 5 Channel 20525 – 1.4MHz – 16QAM										
836.5	83.21	351	2.3	H	16.10	0.30	9.40	25.20	38.45	-13.25
836.5	83.25	358	2.2	V	15.72	0.30	9.40	24.82	38.45	-13.63
LTE Band 5 Channel 20643 – 1.4MHz – 16QAM										
848.3	83.09	150	1.9	H	15.98	0.30	9.40	25.08	38.45	-13.37
848.3	82.79	105	2.0	V	15.26	0.30	9.40	24.36	38.45	-14.09
LTE Band 5 Channel 20415 – 3MHz – QPSK										
825.5	83.35	128	1.3	H	16.24	0.30	9.40	25.34	38.45	-13.11
825.5	83.01	185	1.3	V	15.48	0.30	9.40	24.58	38.45	-13.87
LTE Band 5 Channel 20525 – 3MHz – QPSK										
836.5	83.13	291	2.3	H	16.02	0.30	9.40	25.12	38.45	-13.33
836.5	82.82	224	2.4	V	15.29	0.30	9.40	24.39	38.45	-14.06
LTE Band 5 Channel 20635 – 3MHz – QPSK										
847.5	83.21	48	2.4	H	16.10	0.30	9.40	25.20	38.45	-13.25
847.5	83.24	41	2.2	V	15.71	0.30	9.40	24.81	38.45	-13.64
LTE Band 5 Channel 20415 – 3MHz – 16QAM										
825.5	82.68	228	1.3	H	15.57	0.30	9.40	24.67	38.45	-13.78
825.5	82.81	328	2.4	V	15.28	0.30	9.40	24.38	38.45	-14.07
LTE Band 5 Channel 20525 – 3MHz – 16QAM										
836.5	83.45	299	1.8	H	16.34	0.30	9.40	25.44	38.45	-13.01
836.5	83.03	201	2.4	V	15.50	0.30	9.40	24.60	38.45	-13.85
LTE Band 5 Channel 20635 – 3MHz – 16QAM										
847.5	83.08	53	1.8	H	15.97	0.30	9.40	25.07	38.45	-13.38
847.5	83.36	24	2.2	V	15.83	0.30	9.40	24.93	38.45	-13.52

LTE Band 5 Channel 20425 – 5MHz – QPSK										
826.5	83.04	222	2.3	H	15.93	0.30	9.40	25.03	38.45	-13.42
826.5	83.08	215	2.2	V	15.55	0.30	9.40	24.65	38.45	-13.80
LTE Band 5 Channel 20525 – 5MHz – QPSK										
836.5	83.01	223	2.2	H	15.90	0.30	9.40	25.00	38.45	-13.45
836.5	83.13	242	1.5	V	15.60	0.30	9.40	24.70	38.45	-13.75
LTE Band 5 Channel 20625 – 5MHz – QPSK										
846.5	83.26	21	2.1	H	16.15	0.30	9.40	25.25	38.45	-13.20
846.5	83.14	165	2.0	V	15.61	0.30	9.40	24.71	38.45	-13.74
LTE Band 5 Channel 20425 – 5MHz – 16QAM										
826.5	83.14	124	1.9	H	16.03	0.30	9.40	25.13	38.45	-13.32
826.5	82.80	352	1.6	V	15.27	0.30	9.40	24.37	38.45	-14.08
LTE Band 5 Channel 20525 – 5MHz – 16QAM										
836.5	83.24	202	1.5	H	16.13	0.30	9.40	25.23	38.45	-13.22
836.5	83.32	222	1.2	V	15.79	0.30	9.40	24.89	38.45	-13.56
LTE Band 5 Channel 20625 – 5MHz – 16QAM										
846.5	82.90	241	1.5	H	15.79	0.30	9.40	24.89	38.45	-13.56
846.5	83.16	109	1.3	V	15.63	0.30	9.40	24.73	38.45	-13.72
LTE Band 5 Channel 20450 – 10MHz – QPSK										
829	84.15	324	2.1	H	17.04	0.30	9.40	26.14	38.45	-12.31
829	85.32	222	1.3	V	17.79	0.30	9.40	26.89	38.45	-11.56
LTE Band 5 Channel 20525 – 10MHz – QPSK										
836.5	84.12	300	1.0	H	17.01	0.30	9.40	26.11	38.45	-12.34
836.5	85.26	205	1.3	V	17.73	0.30	9.40	26.83	38.45	-11.62
LTE Band 5 Channel 20600 – 10MHz – QPSK										
844	84.10	223	2.5	H	16.99	0.30	9.40	26.09	38.45	-12.36
844	85.23	106	1.9	V	17.70	0.30	9.40	26.80	38.45	-11.65
LTE Band 5 Channel 20450 – 10MHz – 16QAM										
829	84.06	239	1.7	H	16.95	0.30	9.40	26.05	38.45	-12.40
829	85.16	140	2.3	V	17.63	0.30	9.40	26.73	38.45	-11.72
LTE Band 5 Channel 20525 – 10MHz – 16QAM										
836.5	84.02	225	2.3	H	16.91	0.30	9.40	26.01	38.45	-12.44
836.5	85.11	69	2.1	V	17.58	0.30	9.40	26.68	38.45	-11.77
LTE Band 5 Channel 20600 – 10MHz – 16QAM										
844	84.01	319	2.5	H	16.90	0.30	9.40	26.00	38.45	-12.45
844	85.03	210	1.3	V	17.50	0.30	9.40	26.60	38.45	-11.85

LTE Band 12

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 12 Channel 23017 – 1.4MHz – QPSK										
699.7	95.00	280	2.0	H	24.00	0.20	0.00	23.80	34.77	-10.97
699.7	95.22	289	1.6	V	22.94	0.20	0.00	22.74	34.77	-12.03
LTE Band 12 Channel 23095 – 1.4MHz – QPSK										
707.5	95.09	171	1.4	H	24.09	0.20	0.00	23.89	34.77	-10.88
707.5	94.97	150	1.9	V	22.69	0.20	0.00	22.49	34.77	-12.28
LTE Band 12 Channel 23173 – 1.4MHz – QPSK										
715.3	95.18	28	2.3	H	24.18	0.20	0.00	23.98	34.77	-10.79
715.3	94.92	263	1.3	V	22.64	0.20	0.00	22.44	34.77	-12.33
LTE Band 12 Channel 23017 – 1.4MHz – 16QAM										
699.7	94.87	131	1.3	H	23.87	0.20	0.00	23.67	34.77	-11.10
699.7	94.92	294	2.1	V	22.64	0.20	0.00	22.44	34.77	-12.33
LTE Band 12 Channel 23095 – 1.4MHz – 16QAM										
707.5	95.21	108	1.7	H	24.21	0.20	0.00	24.01	34.77	-10.76
707.5	95.38	148	1.2	V	23.10	0.20	0.00	22.90	34.77	-11.87
LTE Band 12 Channel 23173 – 1.4MHz – 16QAM										
715.3	95.16	64	2.2	H	24.16	0.20	0.00	23.96	34.77	-10.81
715.3	95.26	233	1.0	V	22.98	0.20	0.00	22.78	34.77	-11.99
LTE Band 12 Channel 23025 – 3MHz – QPSK										
700.5	94.91	281	1.1	H	23.91	0.20	0.00	23.71	34.77	-11.06
700.5	95.08	4	1.7	V	22.80	0.20	0.00	22.60	34.77	-12.17
LTE Band 12 Channel 23095 – 3MHz – QPSK										
707.5	95.08	224	1.1	H	24.08	0.20	0.00	23.88	34.77	-10.89
707.5	95.14	200	1.6	V	22.86	0.20	0.00	22.66	34.77	-12.11
LTE Band 12 Channel 23165 – 3MHz – QPSK										
714.5	95.12	280	1.7	H	24.12	0.20	0.00	23.92	34.77	-10.85
714.5	94.71	132	1.3	V	22.43	0.20	0.00	22.23	34.77	-12.54
LTE Band 12 Channel 23025 – 3MHz – 16QAM										
700.5	95.43	328	2.0	H	24.43	0.20	0.00	24.23	34.77	-10.54
700.5	95.17	253	2.1	V	22.89	0.20	0.00	22.69	34.77	-12.08
LTE Band 12 Channel 23095 – 3MHz – 16QAM										
707.5	95.02	232	1.9	H	24.02	0.20	0.00	23.82	34.77	-10.95
707.5	94.96	324	1.1	V	22.68	0.20	0.00	22.48	34.77	-12.29
LTE Band 12 Channel 23165 – 3MHz – 16QAM										
714.5	94.78	209	2.4	H	23.78	0.20	0.00	23.58	34.77	-11.19

714.5	94.69	80	2.5	V	22.41	0.20	0.00	22.21	34.77	-12.56
LTE Band 12 Channel 23035 – 5MHz – QPSK										
701.5	94.93	174	2.1	H	23.93	0.20	0.00	23.73	34.77	-11.04
701.5	94.94	252	2.0	V	22.66	0.20	0.00	22.46	34.77	-12.31
LTE Band 12 Channel 23095 – 5MHz – QPSK										
707.5	95.44	356	2.4	H	24.44	0.20	0.00	24.24	34.77	-10.53
707.5	95.31	243	1.1	V	23.03	0.20	0.00	22.83	34.77	-11.94
LTE Band 12 Channel 23155 – 5MHz – QPSK										
713.5	94.88	190	1.3	H	23.88	0.20	0.00	23.68	34.77	-11.09
713.5	95.33	182	1.0	V	23.05	0.20	0.00	22.85	34.77	-11.92
LTE Band 12 Channel 23035 – 5MHz – 16QAM										
701.5	95.10	145	2.0	H	24.10	0.20	0.00	23.90	34.77	-10.87
701.5	94.89	39	2.0	V	22.61	0.20	0.00	22.41	34.77	-12.36
LTE Band 12 Channel 23095 – 5MHz – 16QAM										
707.5	95.18	101	1.2	H	24.18	0.20	0.00	23.98	34.77	-10.79
707.5	94.64	6	1.1	V	22.36	0.20	0.00	22.16	34.77	-12.61
LTE Band 12 Channel 23155 – 5MHz – 16QAM										
713.5	95.23	66	2.4	H	24.23	0.20	0.00	24.03	34.77	-10.74
713.5	94.89	91	1.3	V	22.61	0.20	0.00	22.41	34.77	-12.36
LTE Band 12 Channel 23060 – 10MHz – QPSK										
704	96.00	55	1.5	H	25.00	0.20	0.00	24.80	34.77	-9.97
704	97.25	253	2.0	V	24.97	0.20	0.00	24.77	34.77	-10.00
LTE Band 12 Channel 23095 – 10MHz – QPSK										
707.5	96.10	21	2.0	H	25.10	0.20	0.00	24.90	34.77	-9.87
707.5	97.32	291	2.0	V	25.04	0.20	0.00	24.84	34.77	-9.93
LTE Band 12 Channel 23130 – 10MHz – QPSK										
711	96.08	229	1.3	H	25.08	0.20	0.00	24.88	34.77	-9.89
711	97.33	240	1.3	V	25.05	0.20	0.00	24.85	34.77	-9.92
LTE Band 12 Channel 23060 – 10MHz – 16QAM										
704	96.01	59	1.1	H	25.01	0.20	0.00	24.81	34.77	-9.96
704	97.35	169	1.7	V	25.07	0.20	0.00	24.87	34.77	-9.90
LTE Band 12 Channel 23095 – 10MHz – 16QAM										
707.5	96.14	57	1.9	H	25.14	0.20	0.00	24.94	34.77	-9.83
707.5	97.34	77	1.2	V	25.06	0.20	0.00	24.86	34.77	-9.91
LTE Band 12 Channel 23130 – 10MHz – 16QAM										
711	96.20	173	1.3	H	25.20	0.20	0.00	25.00	34.77	-9.77
711	97.36	328	1.7	V	25.08	0.20	0.00	24.88	34.77	-9.89

LTE Band 17

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 17 Channel 23755 – 5MHz – QPSK										
706.5	95.10	73	2.0	H	24.10	0.20	0.00	23.90	34.77	-10.87
706.5	96.23	110	1.7	V	23.95	0.20	0.00	23.75	34.77	-11.02
LTE Band 17 Channel 23790 – 5MHz – QPSK										
710	95.11	243	2.3	H	24.11	0.20	0.00	23.91	34.77	-10.86
710	96.28	337	2.0	V	24.00	0.20	0.00	23.80	34.77	-10.97
LTE Band 17 Channel 23825 – 5MHz – QPSK										
713.5	95.47	242	1.2	H	24.47	0.20	0.00	24.27	34.77	-10.50
713.5	96.32	12	2.3	V	24.04	0.20	0.00	23.84	34.77	-10.93
LTE Band 17 Channel 23755 – 5MHz – 16QAM										
706.5	95.00	240	1.4	H	24.00	0.20	0.00	23.80	34.77	-10.97
706.5	95.67	40	2.5	V	23.39	0.20	0.00	23.19	34.77	-11.58
LTE Band 17 Channel 23790 – 5MHz – 16QAM										
710	95.04	140	1.1	H	24.04	0.20	0.00	23.84	34.77	-10.93
710	96.45	4	1.3	V	24.17	0.20	0.00	23.97	34.77	-10.80
LTE Band 17 Channel 23825 – 5MHz – 16QAM										
713.5	94.85	315	1.6	H	23.85	0.20	0.00	23.65	34.77	-11.12
713.5	96.47	171	1.6	V	24.19	0.20	0.00	23.99	34.77	-10.78
LTE Band 17 Channel 23780 – 10MHz – QPSK										
709	96.13	72	1.4	H	25.13	0.20	0.00	24.93	34.77	-9.84
709	96.69	267	2.1	V	24.41	0.20	0.00	24.21	34.77	-10.56
LTE Band 17 Channel 23790 – 10MHz – QPSK										
710	96.14	128	2.3	H	25.14	0.20	0.00	24.94	34.77	-9.83
710	96.72	84	2.5	V	24.44	0.20	0.00	24.24	34.77	-10.53
LTE Band 17 Channel 23800 – 10MHz – QPSK										
711	96.55	100	1.3	H	25.55	0.20	0.00	25.35	34.77	-9.42
711	96.98	42	1.7	V	24.70	0.20	0.00	24.50	34.77	-10.27
LTE Band 17 Channel 23780 – 10MHz – 16QAM										
709	96.86	129	1.5	H	25.86	0.20	0.00	25.66	34.77	-9.11
709	96.99	348	1.7	V	24.71	0.20	0.00	24.51	34.77	-10.26
LTE Band 17 Channel 23790 – 10MHz – 16QAM										

710	96.97	86	1.8	H	25.97	0.20	0.00	25.77	34.77	-9.00
710	97.12	39	1.8	V	24.84	0.20	0.00	24.64	34.77	-10.13
LTE Band 17 Channel 23800 – 10MHz – 16QAM										
711	97.05	123	2.4	H	26.05	0.20	0.00	25.85	34.77	-8.92
711	97.15	203	1.4	V	24.87	0.20	0.00	24.67	34.77	-10.10

LTE Band 66

Frequency	Receiver Reading	Turn table Angle	RX Antenna		Substituted			Absolute Level	Part 27	
			Height	Polar	SG Level	Cable	Antenna Gain		Limit	Margin
(MHz)	(dBμV)	Degree	(m)	(H/V)	(dBm)	(dB)	(dB)	(dBm)	(dBm)	(dB)
LTE Band 66 Channel 131979 – 1.4MHz – QPSK										
1710.7	90.20	195	1.6	H	16.20	0.30	9.40	25.30	30	-4.70
1710.7	92.50	310	1.6	V	17.22	0.30	9.40	26.32	30	-3.68
LTE Band 66 Channel 132321 – 1.4MHz – QPSK										
1744.9	90.23	322	1.4	H	16.23	0.30	9.40	25.33	30	-4.67
1744.9	92.56	142	2.2	V	17.28	0.30	9.40	26.38	30	-3.62
LTE Band 66 Channel 132664 – 1.4MHz – QPSK										
1779.2	90.46	73	1.8	H	16.35	0.30	9.40	25.45	30	-4.55
1779.2	92.58	142	2.2	V	17.39	0.30	9.40	26.49	30	-3.51
LTE Band 66 Channel 131979 – 1.4MHz – 16QAM										
1710.7	90.25	190	1.3	H	16.25	0.30	9.40	25.35	30	-4.65
1710.7	91.45	129	2.2	V	16.17	0.30	9.40	25.27	30	-4.73
LTE Band 66 Channel 132321 – 1.4MHz – 16QAM										
1744.9	90.26	272	2.4	H	16.26	0.30	9.40	25.36	30	-4.64
1744.9	91.46	87	1.4	V	16.18	0.30	9.40	25.28	30	-4.72
LTE Band 66 Channel 132664 – 1.4MHz – 16QAM										
1779.2	90.14	303	1.5	H	16.03	0.30	9.40	25.13	30	-4.87
1779.2	91.36	313	2.3	V	16.17	0.30	9.40	25.27	30	-4.73
LTE Band 66 Channel 131987 – 3MHz – QPSK										
1711.5	90.11	226	1.1	H	16.11	0.30	9.40	25.21	30	-4.79
1711.5	90.03	334	2.5	V	14.75	0.30	9.40	23.85	30	-6.15
LTE Band 66 Channel 132321 – 3MHz – QPSK										
1744.9	90.22	121	2.4	H	16.22	0.30	9.40	25.32	30	-4.68

1744.9	90.33	230	1.2	V	15.05	0.30	9.40	24.15	30	-5.85
LTE Band 66 Channel 132665 – 3MHz – QPSK										
1778.4	90.29	350	2.3	H	16.18	0.30	9.40	25.28	30	-4.72
1778.4	90.02	7	1.8	V	14.83	0.30	9.40	23.93	30	-6.07
LTE Band 66 Channel 131987 – 3MHz – 16QAM										
1711.5	90.17	7	2.3	H	16.17	0.30	9.40	25.27	30	-4.73
1711.5	90.34	281	1.1	V	15.06	0.30	9.40	24.16	30	-5.84
LTE Band 66 Channel 132321 – 3MHz – 16QAM										
1744.9	90.22	226	1.3	H	16.22	0.30	9.40	25.32	30	-4.68
1744.9	90.30	239	1.6	V	15.02	0.30	9.40	24.12	30	-5.88
LTE Band 66 Channel 132665 – 3MHz – 16QAM										
1778.4	90.18	114	2.4	H	16.07	0.30	9.40	25.17	30	-4.83
1778.4	90.29	248	2.2	V	15.10	0.30	9.40	24.20	30	-5.80
LTE Band 66 Channel 131997 – 5MHz – QPSK										
1712.5	90.23	145	1.2	H	16.23	0.30	9.40	25.33	30	-4.67
1712.5	89.98	64	1.6	V	14.70	0.30	9.40	23.80	30	-6.20
LTE Band 66 Channel 132321 – 5MHz – QPSK										
1744.9	89.85	311	1.8	H	15.85	0.30	9.40	24.95	30	-5.05
1744.9	90.26	173	2.4	V	14.98	0.30	9.40	24.08	30	-5.92
LTE Band 66 Channel 132646 – 5MHz – QPSK										
1777.4	90.13	5	1.3	H	16.02	0.30	9.40	25.12	30	-4.88
1777.4	90.08	287	1.1	V	14.89	0.30	9.40	23.99	30	-6.01
LTE Band 66 Channel 131997 – 5MHz – 16QAM										
1712.5	90.21	11	2.4	H	16.21	0.30	9.40	25.31	30	-4.69
1712.5	89.79	303	1.7	V	14.51	0.30	9.40	23.61	30	-6.39
LTE Band 66 Channel 132321 – 5MHz – 16QAM										
1744.9	90.17	92	1.4	H	16.17	0.30	9.40	25.27	30	-4.73
1744.9	90.36	278	1.5	V	15.08	0.30	9.40	24.18	30	-5.82
LTE Band 66 Channel 131997 – 5MHz – 16QAM										
1777.4	90.41	242	1.0	H	16.30	0.30	9.40	25.40	30	-4.60
1777.4	90.31	254	2.0	V	15.12	0.30	9.40	24.22	30	-5.78
LTE Band 66 Channel 132022 – 10MHz – QPSK										
1715	90.07	315	1.4	H	16.07	0.30	9.40	25.17	30	-4.83
1715	90.18	77	1.5	V	14.90	0.30	9.40	24.00	30	-6.00

LTE Band 66 Channel 132321 – 10MHz – QPSK										
1744.9	90.31	51	2.3	H	16.31	0.30	9.40	25.41	30	-4.59
1744.9	90.15	159	1.3	V	14.87	0.30	9.40	23.97	30	-6.03
LTE Band 66 Channel 132621 – 10MHz – QPSK										
1774.9	90.31	353	2.3	H	16.20	0.30	9.40	25.30	30	-4.70
1774.9	90.38	69	1.4	V	15.19	0.30	9.40	24.29	30	-5.71
LTE Band 66 Channel 132022 – 10MHz – 16QAM										
1715	90.08	286	1.1	H	16.08	0.30	9.40	25.18	30	-4.82
1715	89.84	275	1.2	V	14.56	0.30	9.40	23.66	30	-6.34
LTE Band 66 Channel 132321 – 10MHz – 16QAM										
1744.9	90.33	310	2.1	H	16.33	0.30	9.40	25.43	30	-4.57
1744.9	90.33	299	1.9	V	15.05	0.30	9.40	24.15	30	-5.85
LTE Band 66 Channel 132621 – 10MHz – 16QAM										
1774.9	90.13	321	1.2	H	16.02	0.30	9.40	25.12	30	-4.88
1774.9	90.10	313	2.2	V	14.91	0.30	9.40	24.01	30	-5.99
LTE Band 66 Channel 132097 – 15MHz – QPSK										
1722.5	90.06	227	1.3	H	16.06	0.30	9.40	25.16	30	-4.84
1722.5	90.11	163	2.5	V	14.83	0.30	9.40	23.93	30	-6.07
LTE Band 66 Channel 132321 – 15MHz – QPSK										
1744.9	89.76	331	1.7	H	15.76	0.30	9.40	24.86	30	-5.14
1744.9	90.22	168	1.4	V	14.94	0.30	9.40	24.04	30	-5.96
LTE Band 66 Channel 132546 – 15MHz – QPSK										
1767.4	90.24	177	1.5	H	16.13	0.30	9.40	25.23	30	-4.77
1767.4	90.28	203	2.5	V	15.09	0.30	9.40	24.19	30	-5.81
LTE Band 66 Channel 132097 – 15MHz – 16QAM										
1722.5	90.48	140	1.2	H	16.48	0.30	9.40	25.58	30	-4.42
1722.5	90.37	325	2.0	V	15.09	0.30	9.40	24.19	30	-5.81
LTE Band 66 Channel 132321 – 15MHz – 16QAM										
1744.9	90.26	82	1.9	H	16.26	0.30	9.40	25.36	30	-4.64
1744.9	90.39	57	1.1	V	15.11	0.30	9.40	24.21	30	-5.79
LTE Band 66 Channel 132546 – 15MHz – 16QAM										
1767.4	88.71	321	1.4	H	14.60	0.30	9.40	23.70	30	-6.30
1767.4	89.39	232	2.3	V	14.20	0.30	9.40	23.30	30	-6.70
LTE Band 66 Channel 132072 – 20MHz – QPSK										

1720	91.56	180	1.8	H	17.56	0.30	9.40	26.66	30	-3.34
1720	92.53	120	1.6	V	17.25	0.30	9.40	26.35	30	-3.65
LTE Band 66 Channel 132321 – 20MHz – QPSK										
1744.9	91.69	347	1.5	H	17.69	0.30	9.40	26.79	30	-3.21
1744.9	92.67	96	1.1	V	17.39	0.30	9.40	26.49	30	-3.51
LTE Band 66 Channel 132471 – 20MHz – QPSK										
1759.9	91.79	68	2.4	H	17.68	0.30	9.40	26.78	30	-3.22
1759.9	92.85	153	2.2	V	17.66	0.30	9.40	26.76	30	-3.24
LTE Band 66 Channel 132072 – 20MHz – 16QAM										
1720	91.89	117	2.3	H	17.89	0.30	9.40	26.99	30	-3.01
1720	92.89	118	1.2	V	17.61	0.30	9.40	26.71	30	-3.29
LTE Band 66 Channel 132321 – 20MHz – 16QAM										
1744.9	91.92	35	2.4	H	17.92	0.30	9.40	27.02	30	-2.98
1744.9	92.93	355	2.2	V	17.65	0.30	9.40	26.75	30	-3.25
LTE Band 66 Channel 132471 – 20MHz – 16QAM										
1759.9	91.99	12	2.2	H	17.88	0.30	9.40	26.98	30	-3.02
1759.9	92.98	110	1.7	V	17.79	0.30	9.40	26.89	30	-3.11

8 Peak-to-Average Ratio

Test Requirement:	24.232 (d), 27.50(d)
Test Method:	N/A
Test Mode:	TX transmitting


8.1 EUT Operation

Operating Environment :

Temperature:	22.5 °C
Humidity:	52.3% RH
Atmospheric Pressure:	101.2kPa

8.2 Test Procedure

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. Set EUT to transmit at maximum output power.
3. When the duty cycle is less than 98%, then signal gating will be implemented on the spectrum analyzer by triggering from the system simulator.
4. Set the CCDF (Complementary Cumulative Distribution Function) option of the spectrum analyzer. Record the maximum PAPR level associated with a probability of 0.1%.



8.3 Test Result

PASS

LTE Band

Please refer to the Appendix Band 2/4/5/12/17/66 LTE Peak to Average Ratio.

9 Bandwidth

Test Requirement:	FCC Part 2.1049, 22.917, 22.905, 24.238, 27.53(a); 90.691
Test Method:	ANSI C63.26:2015 ANSI/TIA-603-E:2016
Test Mode:	TX transmitting

9.1 EUT Operation


Operating Environment :

Temperature:	22.5 °C
Humidity:	52.3% RH
Atmospheric Pressure:	101.2kPa

9.2 Test Procedure

The RF output of the transmitter was connected to the wireless test set and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set in the range of 1 to 5 % of the anticipated OBW and the 26 dB & 99%bandwidth was recorded.



9.3 Test Result

LTE Band 2 (Part 24E):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	18607	1850.7	QPSK	1.08	1.26
			16QAM	1.08	1.26
1.4	18900	1880	QPSK	1.08	1.25
			16QAM	1.09	1.24
1.4	19193	1909.3	QPSK	1.09	1.26
			16QAM	1.08	1.26
3	18615	1851.5	QPSK	2.67	2.83
			16QAM	2.67	2.84
3	18900	1880	QPSK	2.68	2.84
			16QAM	2.68	2.84
3	19185	1908.5	QPSK	2.68	2.84
			16QAM	2.68	2.84
5	18625	1852.5	QPSK	4.49	4.79
			16QAM	4.49	4.77
5	18900	1880	QPSK	4.49	4.78
			16QAM	4.49	4.79
5	19175	1907.5	QPSK	4.48	4.78
			16QAM	4.49	4.78
10	18650	1855	QPSK	8.93	9.34
			16QAM	8.93	9.33
10	18900	1880	QPSK	8.92	9.32
			16QAM	8.91	9.28
10	19150	1905	QPSK	8.92	9.3
			16QAM	8.91	9.31
15	18675	1857.5	QPSK	13.47	14.24
			16QAM	13.46	14.23
15	18900	1880	QPSK	13.46	14.22
			16QAM	13.44	14.22
15	19125	1902.5	QPSK	13.43	14.22
			16QAM	13.43	14.22

20	18700	1860	QPSK	17.9	18.73
			16QAM	17.89	18.74
20	18900	1880	QPSK	17.88	18.74
			16QAM	17.88	18.75
20	19100	1900	QPSK	17.86	18.76
			16QAM	17.86	18.74

LTE Band 4 (Part 27):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	19957	1710.7	QPSK	1.08	1.25
			16QAM	1.08	1.26
1.4	2.175	1732.5	QPSK	1.09	1.25
			16QAM	1.09	1.24
1.4	20393	1754.3	QPSK	1.09	1.26
			16QAM	1.08	1.26
3	19965	1711.5	QPSK	2.67	2.83
			16QAM	2.67	2.82
3	2.175	1732.5	QPSK	2.68	2.84
			16QAM	2.68	2.85
3	2.385	1753.5	QPSK	2.68	2.84
			16QAM	2.67	2.84
5	19975	1712.5	QPSK	4.49	4.78
			16QAM	4.49	4.77
5	20175	1732.5	QPSK	4.49	4.79
			16QAM	4.49	4.78
5	20375	1752.5	QPSK	4.48	4.78
			16QAM	4.49	4.78
10	2000	1715	QPSK	8.93	9.34
			16QAM	8.92	9.32
10	20175	1732.5	QPSK	8.92	9.31
			16QAM	8.92	9.3
10	20350	1750	QPSK	8.93	9.31
			16QAM	8.92	9.32

15	20025	1717.5	QPSK	13.45	14.24
			16QAM	13.45	14.22
15	20175	1732.5	QPSK	13.47	14.23
			16QAM	13.45	14.22
15	20325	1747.5	QPSK	13.45	14.24
			16QAM	13.45	14.23
20	20050	1720	QPSK	17.88	18.73
			16QAM	17.88	18.74
20	20175	1732.5	QPSK	17.88	18.74
			16QAM	17.88	18.74
20	20300	1745	QPSK	17.88	18.76
			16QAM	17.89	18.75

LTE Band 5 (Part 22H):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	20407	824.7	QPSK	1.08	1.25
			16QAM	1.08	1.26
1.4	20525	836.5	QPSK	1.08	1.24
			16QAM	1.09	1.23
1.4	20643	848.3	QPSK	1.09	1.25
			16QAM	1.09	1.26
3	20415	825.5	QPSK	2.67	2.83
			16QAM	2.67	2.83
3	20525	836.5	QPSK	2.68	2.83
			16QAM	2.68	2.83
3	20635	847.5	QPSK	2.68	2.84
			16QAM	2.67	2.83
5	20425	826.5	QPSK	4.49	4.79
			16QAM	4.49	4.77
5	20525	836.5	QPSK	4.49	4.78
			16QAM	4.49	4.77
5	20625	846.5	QPSK	4.48	4.78
			16QAM	4.49	4.79

10	20450	829.0	QPSK	8.93	9.33
			16QAM	8.92	9.31
10	20525	836.5	QPSK	8.92	9.32
			16QAM	8.92	9.3
10	20600	844.0	QPSK	8.93	9.32
			16QAM	8.92	9.3

LTE Band 12 (Part 27):

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	23017	699.7	QPSK	1.08	1.25
			16QAM	1.08	1.27
1.4	23095	707.5	QPSK	1.08	1.25
			16QAM	1.09	1.24
1.4	23173	715.3	QPSK	1.09	1.25
			16QAM	1.08	1.26
3	23025	700.5	QPSK	2.67	2.83
			16QAM	2.67	2.83
3	23095	707.5	QPSK	2.68	2.83
			16QAM	2.68	2.83
3	23165	714.5	QPSK	2.68	2.83
			16QAM	2.68	2.84
5	23035	701.5	QPSK	4.49	4.88
			16QAM	4.49	4.85
5	23095	707.5	QPSK	4.49	4.89
			16QAM	4.49	4.87
5	23155	713.5	QPSK	4.48	4.84
			16QAM	4.49	4.87
10	23060	704	QPSK	8.94	9.43
			16QAM	8.93	9.43
10	23095	707.5	QPSK	8.93	9.36
			16QAM	8.93	9.37
10	23130	711	QPSK	8.91	9.35
			16QAM	8.91	9.37

LTE Band 17 (Part 27)


BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
5	23755	706.5	QPSK	4.5	4.9
			16QAM	4.49	4.87
5	23790	710	QPSK	4.49	4.86
			16QAM	4.49	4.88
5	23825	713.5	QPSK	4.48	4.86
			16QAM	4.49	4.87
10	23780	709	QPSK	8.92	9.38
			16QAM	8.92	9.37
10	23790	710	QPSK	8.91	9.35
			16QAM	8.91	9.33
10	23800	711	QPSK	8.91	9.34
			16QAM	8.9	9.36

LTE Band 66 (Part 27):


BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	131979	1701.7	QPSK	1.08	1.26
			16QAM	1.08	1.26
1.4	132321	1744.9	QPSK	1.08	1.25
			16QAM	1.09	1.24
1.4	132664	1779.2	QPSK	1.09	1.26
			16QAM	1.09	1.27
3	131987	1711.5	QPSK	2.68	2.83
			16QAM	2.67	2.83
3	132321	1744.9	QPSK	2.68	2.84
			16QAM	2.68	2.83
3	132656	1778.4	QPSK	2.68	2.83
			16QAM	2.68	2.84
5	131997	1712.5	QPSK	4.49	4.89
			16QAM	4.49	4.87
5	132321	1744.9	QPSK	4.49	4.9

			16QAM	4.49	4.89
5	132646	1777.4	QPSK	4.49	4.9
			16QAM	4.49	4.91
10	132022	1715	QPSK	8.93	9.42
			16QAM	8.93	9.42
10	132321	1744.9	QPSK	8.93	9.42
			16QAM	8.92	9.41
10	132621	1774.9	QPSK	8.93	9.43
			16QAM	8.92	9.44
15	132097	1722.5	QPSK	13.45	14.26
			16QAM	13.45	14.26
15	132321	1744.9	QPSK	13.47	14.27
			16QAM	13.45	14.27
15	132546	1767.4	QPSK	13.46	14.29
			16QAM	13.46	14.27
20	132072	1720	QPSK	17.89	18.77
			16QAM	17.88	18.77
20	132321	1744.9	QPSK	17.88	18.76
			16QAM	17.88	18.78
20	132471	1759.9	QPSK	17.9	18.8
			16QAM	17.9	18.77


Test Plots LTE Band 2 (Part 24E)




LTE band 2 - Low CH QPSK-1.4



LTE band 2 - Low CH 16QAM-1.4



LTE band 2 - Middle CH QPSK-1.4




LTE band 2 - Middle CH 16QAM-1.4



LTE band 2 - High CH QPSK-1.4





LTE band 2 - High CH 16QAM-1.4













LTE Band 4 (Part 27)







LTE band 4 - Low CH QPSK-3



LTE band 4 - Low CH 16QAM-3




LTE band 4 - Middle CH QPSK-3




LTE band 4 - Middle CH 16QAM-3




LTE band 4 - High CH QPSK-3




LTE band 4 - High CH 16QAM-3




LTE band 4 - Low CH QPSK-5




LTE band 4 - Low CH 16QAM-5



LTE band 4 - Middle CH QPSK-5



LTE band 4 - Middle CH 16QAM-5



LTE band 4 - High CH QPSK-5



LTE band 4 - High CH 16QAM-5



LTE band 4 - Low CH QPSK-10




LTE band 4 - Low CH 16QAM-10




LTE band 4 - Middle CH QPSK-10




LTE band 4 - Middle CH 16QAM-10




LTE band 4 - High CH QPSK-10




LTE band 4 - High CH 16QAM-10




LTE band 4 - Low CH QPSK-15




LTE band 4 - Low CH 16QAM-15



LTE band 4 - Middle CH QPSK-15



LTE band 4 - Middle CH 16QAM-15



LTE band 4 - High CH QPSK-15




LTE band 4 - High CH 16QAM-15



LTE band 4 - Low CH QPSK-20



LTE band 4 - Low CH 16QAM-20



LTE band 4 - Middle CH QPSK-20



LTE band 4 - Middle CH 16QAM-20




LTE band 4 - High CH QPSK-20




LTE band 4 - High CH 16QAM-20

LTE Band 5 (Part 22H)









LTE band 5 - Low CH QPSK-10



LTE band 5 - Low CH 16QAM-10



LTE band 5 - Middle CH QPSK-10



LTE band 5 - Middle CH 16QAM-10



LTE band 5 - High CH QPSK-10



LTE band 5 - High CH 16QAM-10

LTE Band 12 (Part 27)



LTE band 12 - Low CH QPSK-1.4



LTE band 12 - Low CH 16QAM-1.4



LTE band 12 - Middle CH QPSK-1.4



LTE band 12 - Middle CH 16QAM-1.4



LTE band 12 - High CH QPSK-1.4



LTE band 12 - High CH 16QAM-1.4

