













Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	3256.11	-39.75	≤-27	PASS
			5360~40000	39339.53	-32.51	≤-27	PASS
		5220	30~5140	3777.84	-38.26	≤-27	PASS
			5360~40000	39976.91	-32.4	≤-27	PASS
		5240	30~5140	3857.73	-40.55	≤-27	PASS
			5360~40000	38511.63	-32.96	≤-27	PASS
		5260	30~5140	3233.97	-41.04	≤-27	PASS
			5360~40000	39601.64	-34.86	≤-27	PASS
		5280	30~5140	3865.57	-39.86	≤-27	PASS
			5360~40000	38002.43	-32.83	≤-27	PASS
		5320	30~5140	3803.74	-40.7	≤-27	PASS
			5360~40000	38743.72	-32.49	≤-27	PASS
		5500	30~5460	5456.2	-38.73	≤-27	PASS
			5735~40000	37020.09	-32.44	≤-27	PASS
		5580	30~5460	3853.44	-39.96	≤-27	PASS
			5735~40000	39958.88	-32.86	≤-27	PASS
		5700	30~5460	3725.3	-39.4	≤-27	PASS
			5735~40000	38945.78	-31.33	≤-27	PASS
		5745	30~5650	3808.51	-38.45	≤-27	PASS
			5925~40000	38655.17	-32.34	≤-27	PASS
		5785	30~5650	3763.18	-38.2	≤-27	PASS
			5925~40000	39951.16	-31.98	≤-27	PASS
		5825	30~5650	3271.05	-38.79	≤-27	PASS
			5925~40000	37219.48	-31.88	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	5115.64	-40.22	≤-27	PASS
			5360~40000	38781.83	-32.01	≤-27	PASS
		5220	30~5140	3754.68	-38.52	≤-27	PASS
			5360~40000	38861.5	-32.19	≤-27	PASS
		5240	30~5140	3329.36	-39.62	≤-27	PASS
			5360~40000	39116.68	-32.03	≤-27	PASS
		5260	30~5140	3882.09	-39.65	≤-27	PASS
			5360~40000	38727.56	-32.46	≤-27	PASS
		5280	30~5140	3707.67	-40.46	≤-27	PASS
			5360~40000	38829.17	-32.27	≤-27	PASS

		5320	30~5140	3779.38	-40.67	≤-27	PASS
			5360~40000	38649.04	-32.97	≤-27	PASS
		5500	30~5460	3850.19	-39.59	≤-27	PASS
			5735~40000	38758.46	-32.11	≤-27	PASS
		5580	30~5460	3818.51	-38.62	≤-27	PASS
			5735~40000	38836.13	-32.62	≤-27	PASS
		5700	30~5460	3664.3	-39.68	≤-27	PASS
			5735~40000	39856.09	-30.8	≤-27	PASS
		5745	30~5650	3754.75	-39.32	≤-27	PASS
			5925~40000	38460.95	-31.47	≤-27	PASS
		5785	30~5650	3218.04	-38.52	≤-27	PASS
			5925~40000	38054.32	-31.31	≤-27	PASS
		5825	30~5650	4614.8	-38.97	≤-27	PASS
			5925~40000	39496.83	-31.74	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	5139.32	-39.36	≤-27	PASS
			5360~40000	39942.27	-32.61	≤-27	PASS
		5230	30~5140	3137.39	-39.97	≤-27	PASS
			5360~40000	36552.17	-31.98	≤-27	PASS
		5270	30~5140	3865.91	-40.13	≤-27	PASS
			5360~40000	39920.33	-32.69	≤-27	PASS
		5310	30~5140	3765.75	-40.1	≤-27	PASS
			5360~40000	39080.89	-32.89	≤-27	PASS
		5510	30~5460	3856.7	-38.09	≤-27	PASS
			5735~40000	38844.13	-32.87	≤-27	PASS
		5550	30~5460	3036.77	-40.48	≤-27	PASS
			5735~40000	39995.43	-31.63	≤-27	PASS
		5670	30~5460	3800.59	-39.74	≤-27	PASS
			5735~40000	38697.93	-31.94	≤-27	PASS
		5755	30~5650	3940.96	-39.38	≤-27	PASS
			5925~40000	39654.71	-31.69	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	3375.52	-40.27	≤-27	PASS
			5360~40000	38791.06	-31.78	≤-27	PASS
		5220	30~5140	3720.61	-39.98	≤-27	PASS
			5360~40000	39182.5	-32.43	≤-27	PASS
		5240	30~5140	3879.87	-40.26	≤-27	PASS
			5360~40000	39542.75	-32.09	≤-27	PASS
		5260	30~5140	3121.72	-40.82	≤-27	PASS
			5360~40000	38587.84	-32.66	≤-27	PASS

		5280	30~5140	3836.61	-40	≤-27	PASS
			5360~40000	38779.52	-31.91	≤-27	PASS
		5320	30~5140	3839.51	-40.44	≤-27	PASS
			5360~40000	39996.54	-32.74	≤-27	PASS
		5500	30~5460	3780.68	-38.57	≤-27	PASS
			5735~40000	38838.42	-31.98	≤-27	PASS
		5580	30~5460	3722.4	-39.82	≤-27	PASS
			5735~40000	38755.04	-32.13	≤-27	PASS
		5700	30~5460	3773.62	-39.53	≤-27	PASS
			5735~40000	39957.74	-32.49	≤-27	PASS
		5745	30~5650	3179.64	-38.67	≤-27	PASS
			5925~40000	39024.32	-32.05	≤-27	PASS
		5785	30~5650	3645.53	-39.04	≤-27	PASS
			5925~40000	38949.35	-31.44	≤-27	PASS
		5825	30~5650	3808.51	-39.15	≤-27	PASS
			5925~40000	39816	-30.87	≤-27	PASS
11AC40SISO	Ant1	5190	30~5140	5136.93	-37.26	≤-27	PASS
			5360~40000	38832.63	-32.49	≤-27	PASS
		5230	30~5140	3805.27	-39.32	≤-27	PASS
			5360~40000	38698.69	-31.92	≤-27	PASS
		5270	30~5140	3762	-39.75	≤-27	PASS
			5360~40000	38815.31	-32.28	≤-27	PASS
		5310	30~5140	3885.67	-40.46	≤-27	PASS
			5360~40000	39629.35	-32.32	≤-27	PASS
		5510	30~5460	3792.99	-39.56	≤-27	PASS
			5735~40000	38760.75	-31.82	≤-27	PASS
		5550	30~5460	3772.9	-38.07	≤-27	PASS
			5735~40000	38524.32	-32.26	≤-27	PASS
		5670	30~5460	3758.06	-40.11	≤-27	PASS
			5735~40000	38760.75	-31.58	≤-27	PASS
		5755	30~5650	3830.06	-38.63	≤-27	PASS
			5925~40000	39881.87	-31.6	≤-27	PASS
		5795	30~5650	3740.51	-39.12	≤-27	PASS
			5925~40000	39157.21	-31.99	≤-27	PASS
11AC80SISO	Ant1	5210	30~5140	5135.74	-33.39	≤-27	PASS
			5360~40000	38650.19	-32.16	≤-27	PASS
		5290	30~5140	3759.11	-39.87	≤-27	PASS
			5360~40000	39889.15	-32.68	≤-27	PASS
		5530	30~5460	5458.19	-36.23	≤-27	PASS
			5735~40000	39888.07	-32.02	≤-27	PASS

		5610	30~5460	3766.93	-39.76	≤-27	PASS
			5735~40000	39936.04	-31.4	≤-27	PASS
		5775	30~5650	5139.33	-39.25	≤-27	PASS
			5925~40000	38902.79	-32.2	≤-27	PASS

Test Graphs

