



11.2 -26 DB EMISSION BANDWIDTH


Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	25.34
NVNT	ANT1	802.11a	5200.00	25.07
NVNT	ANT1	802.11a	5240.00	25.87
NVNT	ANT1	802.11n(HT20)	5180.00	28.68
NVNT	ANT1	802.11n(HT20)	5200.00	27.96
NVNT	ANT1	802.11n(HT20)	5240.00	26.21
NVNT	ANT1	802.11ac(VHT20)	5180.00	36.11
NVNT	ANT1	802.11ac(VHT20)	5200.00	35.76
NVNT	ANT1	802.11ac(VHT20)	5240.00	35.86
NVNT	ANT1	802.11ax(HE20)	5180.00	27.53
NVNT	ANT1	802.11ax(HE20)	5200.00	24.69
NVNT	ANT1	802.11ax(HE20)	5240.00	25.88
NVNT	ANT1	802.11n(HT40)	5190.00	41.55
NVNT	ANT1	802.11n(HT40)	5230.00	41.92
NVNT	ANT1	802.11ac(VHT40)	5190.00	43.16
NVNT	ANT1	802.11ac(VHT40)	5230.00	43.15
NVNT	ANT1	802.11ax(HE40)	5190.00	45.92
NVNT	ANT1	802.11ax(HE40)	5230.00	39.96




-26dB_and_99%_Emission_Bandwidth_5_2GWiFi_NVNT_ANT1_802_11a_5200_20M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11a_5240_20M



-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11n(HT20)_5180_20M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11n(HT20)_5200_20M



-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11n(HT20)_5240_20M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ac(VHT20)_5180_20M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ac(VHT20)_5200_20M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ac(VHT20)_5240_20M



-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ax(HE20)_5180_20M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ax(HE20)_5200_20M



-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ax(HE20)_5240_20M



-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11n(HT40)_5190_40M



-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11n(HT40)_5230_40M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ac(VHT40)_5190_40M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ac(VHT40)_5230_40M



-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ax(HE40)_5190_40M




-26dB and 99% Emission Bandwidth 5_2GWiFi_NVNT_ANT1_802_11ax(HE40)_5230_40M



11.3 6DBM EMISSION BANDWIDTH


Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	LCH	5745.00	16.38	0.500	Pass
NVNT	ANT1	MCH	5785.00	16.39	0.500	Pass
NVNT	ANT1	HCH	5825.00	16.36	0.500	Pass
NVNT	ANT1	LCH	5745.00	17.61	0.500	Pass
NVNT	ANT1	MCH	5785.00	17.62	0.500	Pass
NVNT	ANT1	HCH	5825.00	17.65	0.500	Pass
NVNT	ANT1	LCH	5745.00	17.69	0.500	Pass
NVNT	ANT1	MCH	5785.00	17.64	0.500	Pass
NVNT	ANT1	HCH	5825.00	17.70	0.500	Pass
NVNT	ANT1	LCH	5745.00	18.96	0.500	Pass
NVNT	ANT1	MCH	5785.00	18.98	0.500	Pass
NVNT	ANT1	HCH	5825.00	18.96	0.500	Pass
NVNT	ANT1	LCH	5755.00	36.37	0.500	Pass
NVNT	ANT1	HCH	5795.00	36.37	0.500	Pass
NVNT	ANT1	LCH	5755.00	36.47	0.500	Pass
NVNT	ANT1	HCH	5795.00	36.53	0.500	Pass
NVNT	ANT1	LCH	5755.00	37.91	0.500	Pass
NVNT	ANT1	HCH	5795.00	37.90	0.500	Pass




-6dB_Emission_Bandwidth_5_8WiFi_802_11a_5785_20M




-6dB Emission Bandwidth 5_8WiFi 802_11a_5825_20M



-6dB Emission Bandwidth 5_8WiFi 802_11n(HT20)_5745_20M




-6dB Emission Bandwidth 5_8WiFi_802_11n(HT20)_5785_20M





-6dB Emission Bandwidth 5_8WiFi_802_11n(HT20)_5825_20M




-6dB Emission Bandwidth_5_8WiFi_802_11ac(VHT20)_5745_20M




-6dB Emission Bandwidth_5_8WiFi_802_11ac(VHT20)_5785_20M




-6dB Emission Bandwidth 5_8WiFi 802_11ax(HE20)_5745_20M




-6dB Emission Bandwidth 5 8WiFi 802_11ax(HE20)_5785_20M




-6dB Emission Bandwidth 5 8WiFi 802_11ax(HE20)_5825_20M




-6dB Emission Bandwidth 5_8WiFi_802_11n(HT40)_5755_40M




-6dB Emission Bandwidth 5_8WiFi_802_11n(HT40)_5795_40M




-6dB Emission Bandwidth 5_8WiFi 802_11ac(VHT40)_5755_40M




-6dB Emission Bandwidth 5_8WiFi 802_11ac(VHT40)_5795_40M



-6dB Emission Bandwidth 5 8WiFi 802_11ax(HE40)_5755_40M



-6dB Emission Bandwidth 5 8WiFi 802_11ax(HE40)_5795_40M




11.4 OUTPUT POWER

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	6.60	30	Pass
NVNT	ANT1	802.11a	5200.00	5.99	30	Pass
NVNT	ANT1	802.11a	5240.00	6.40	30	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	6.13	30	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	6.14	30	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	6.34	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	1.22	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	1.44	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	1.65	30	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	7.81	30	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	7.68	30	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	7.79	30	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	6.10	30	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	6.34	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	2.89	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	3.08	30	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	7.60	30	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	7.48	30	Pass


Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	3.16	30	Pass
NVNT	ANT1	802.11a	5785.00	3.23	30	Pass
NVNT	ANT1	802.11a	5825.00	2.93	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	2.95	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	3.27	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	3.07	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	0.52	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	0.96	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	0.77	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	4.79	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	4.78	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	4.39	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	3.62	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	3.02	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	3.10	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	2.63	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	4.96	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	4.26	30	Pass

11.5 BAND EDGE EMISSION


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5148.40	-38.14	-27	Pass
NVNT	ANT1	802.11a	5240.00	5353.20	-38.73	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5147.60	-37.64	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5377.20	-37.94	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5119.80	-38.25	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5356.00	-38.79	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5149.40	-37.04	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5356.60	-38.16	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.38	-33.86	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5401.20	-38.44	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5123.42	-38.41	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5390.60	-38.16	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5149.16	-33.20	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5371.80	-38.59	-27	Pass




Bandedge_5_2GWiFi_802_11a_5240_20M



Bandedge_5_2GWiFi_802_11n(HT20)_5240_20M




Bandedge_5_2GWiFi_802_11ac(VHT20)_5180_20M




Bandedge_5_2GWiFi_802_11ac(VHT20)_5240_20M




Bandedge_5_2GWiFi_802_11ax(HE20)_5180_20M




Bandedge_5_2GWiFi_802_11ax(HE20)_5240_20M




Bandedge_5_2GWiFi_802_11n(HT40)_5190_40M




Bandedge_5_2GWiFi_802_11n(HT40)_5230_40M




Bandedge_5_2GWiFi_802_11ac(VHT40)_5190_40M




Bandedge_5_2GWiFi_802_11ac(VHT40)_5230_40M



Bandedge_5_2GWiFi_802_11ax(HE40)_5190_40M







Bandedge_5_2GWiFi_802_11ax(HE40)_5230_40M




Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5652.210	-45.40	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5665.755	-45.55	-18.16	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5701.080	-45.55	10.30	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5723.285	-43.82	23.09	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5854.955	-44.57	15.70	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5873.640	-44.54	10.38	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5917.570	-44.72	-25.00	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5947.285	-38.89	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5639.070	-45.69	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5665.035	-45.88	-18.75	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5706.320	-45.15	11.77	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5723.815	-44.03	24.30	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5854.045	-44.78	17.78	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5873.600	-44.57	10.39	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5917.975	-45.05	-25.34	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5920.425	-40.19	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5631.330	-44.99	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5671.515	-45.66	-13.42	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5700.020	-45.86	10.01	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5720.305	-44.56	16.30	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5853.480	-44.22	19.07	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5872.140	-44.85	10.80	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5905.150	-45.03	-14.79	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5926.630	-39.98	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5652.030	-45.61	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5662.200	-45.78	-21.08	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5702.040	-45.37	10.57	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5722.280	-43.03	20.80	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5854.535	-44.59	16.66	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5874.580	-44.49	10.12	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5916.265	-45.02	-23.93	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5969.895	-41.18	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5634.420	-45.28	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5665.620	-45.31	-18.27	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5708.200	-44.14	12.30	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.360	-43.16	16.42	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.570	-44.60	16.58	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5874.440	-44.89	10.16	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5917.930	-44.65	-25.30	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5945.025	-40.52	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5651.940	-44.82	-27.00	Pass

NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5659.500	-45.45	-23.30	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5702.480	-44.86	10.69	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.110	-44.10	15.85	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.500	-44.17	16.74	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5873.020	-44.38	10.55	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5917.120	-44.99	-24.63	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5945.305	-41.28	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5633.340	-45.42	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5656.530	-45.40	-25.74	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5718.920	-43.04	15.30	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5720.790	-43.02	17.40	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5853.575	-44.16	18.85	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5867.140	-44.01	12.20	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5913.205	-45.02	-21.41	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5949.680	-39.69	-27.00	Pass







Bandedge_5_8WiFi_802_11ac(VHT20)_5745_20M




Bandedge_5_8GWiFi_802_11ac(VHT20)_5825_20M




Bandedge_5_8GWiFi_802_11ax(HE20)_5745_20M




Bandedge_5_8WiFi_802_11ax(HE20)_5825_20M




Bandedge_5_8WiFi_802_11n(HT40)_5755_40M




Bandedge_5_8WiFi_802_11n(HT40)_5795_40M





Bandedge_5_8WiFi_802_11ac(VHT40)_5755_40M



Bandedge_5_8WiFi_802_11ac(VHT40)_5795_40M



Bandedge_5_8WiFi_802_11ax(HE40)_5755_40M



11.6 FREQUENCY STABILITY

ANT1-802.11a- CH36

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	91	0.0176
40	120	80	0.0154
30	120	82	0.0158
20	120	76	0.0147
10	120	83	0.0160
0	120	90	0.0174
-10	120	71	0.0137
-20	120	74	0.0144
-30	120	79	0.0153

ANT1-802.11a- CH48

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	92	0.0175
40	120	72	0.0137
30	120	90	0.0173
20	120	73	0.0139
10	120	99	0.0189
0	120	93	0.0178
-10	120	89	0.0170
-20	120	89	0.0170
-30	120	76	0.0146

ANT1-802.11a- CH149

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	86	0.0149
40	120	94	0.0164
30	120	95	0.0166
20	120	98	0.0171
10	120	87	0.0151
0	120	96	0.0167
-10	120	74	0.0129
-20	120	83	0.0144
-30	120	89	0.0155

ANT1-802.11a- CH165

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	77	0.0132
40	120	82	0.0141
30	120	95	0.0162
20	120	95	0.0164

10	120	88	0.0151
0	120	98	0.0169
-10	120	76	0.0131
-20	120	74	0.0127
-30	120	86	0.0147

ANT1-802.11n20- CH36

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	77	0.0149
40	120	85	0.0164
30	120	78	0.0151
20	120	84	0.0162
10	120	88	0.0169
0	120	77	0.0149
-10	120	93	0.0179
-20	120	75	0.0144
-30	120	95	0.0184

ANT1-802.11n20- CH149

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	88	0.0153
40	120	87	0.0152
30	120	94	0.0163
20	120	75	0.0131
10	120	99	0.0172
0	120	82	0.0142
-10	120	98	0.0170
-20	120	72	0.0126
-30	120	86	0.0150

ANT1-802.11n20- CH165

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	89	0.0153
40	120	74	0.0127
30	120	75	0.0128
20	120	84	0.0145
10	120	83	0.0142
0	120	85	0.0146
-10	120	71	0.0122
-20	120	92	0.0159
-30	120	99	0.0170

ANT1-802.11n40- CH38

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)

50	120	82	0.0158
40	120	88	0.0170
30	120	84	0.0162
20	120	78	0.0150
10	120	74	0.0142
0	120	71	0.0137
-10	120	71	0.0138
-20	120	98	0.0188
-30	120	83	0.0160

ANT1-802.11n40- CH151

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	88	0.0154
40	120	85	0.0148
30	120	98	0.0171
20	120	75	0.0131
10	120	79	0.0137
0	120	78	0.0136
-10	120	83	0.0144
-20	120	74	0.0129
-30	120	91	0.0158

ANT1-802.11n40- CH159

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	86	0.0149
40	120	87	0.0149
30	120	96	0.0166
20	120	81	0.0140
10	120	100	0.0173
0	120	75	0.0129
-10	120	71	0.0122
-20	120	97	0.0168
-30	120	89	0.0153

ANT1-802.11ac20- CH36

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	73	0.0141
40	120	89	0.0172
30	120	84	0.0162
20	120	83	0.0160
10	120	85	0.0165
0	120	85	0.0164
-10	120	80	0.0154
-20	120	100	0.0192
-30	120	91	0.0175

ANT1-802.11ac20- CH149

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	91	0.0159
40	120	97	0.0168
30	120	98	0.0171
20	120	80	0.0139
10	120	93	0.0162
0	120	86	0.0150
-10	120	92	0.0161
-20	120	82	0.0143
-30	120	90	0.0157

ANT1-802.11ac20- CH165

Temperature (°C)	Voltage (AC:V)	Frequency Measure with time Elapsed	
		Fre. deviation value (Hz)	(ppm)
50	120	90	0.0155
40	120	81	0.0139
30	120	97	0.0166
20	120	73	0.0125
10	120	74	0.0127
0	120	71	0.0121
-10	120	84	0.0144
-20	120	72	0.0124
-30	120	72	0.0123

12. TEST SETUP PHOTO

Reference to the report No.: ZKT-221114L8450-01 for details.

13. EUT CONSTRUCTIONAL DETAILS

Reference to the report No.: ZKT-221114L8450-01 for details.

******* END OF REPORT *******