

User Manual

Painter Light WL001

Thank you for purchasing our products.

This product is suitable for home decoration, leisure and entertainment, and other occasions.

Packing List

Painter Light x 1

Adapter x 1

User Manual x 1

Product Specification

Power input: DC5V 4A

Light source: red light: 620-625nm, green light: 525-530nm,
blue light: 455-460nm, warm white: 2800-3000K

Light Coverage area (10 cm from the wall) : 3.5 * 2m

Control mode: Control box and APP


Ambient temperature: indoor room temperature

Adapter waterproof: IP44


Product net weight: 863g

Product size: light box 301 * 45 * 80 mm, control box 100 * 65 * 17 mm

Product Description



- ① Adapter
- ② Control box
- ③ Painter light
- ④ Light effect



- ⑤ DC 5V jack
- ⑥ Reset hole
- ⑦ Microphone
- ⑧ Timer indicator
- ⑨ Power indicator
- ⑩ Music rhythm button
- ⑪ Mode key
- ⑫ Timer button
- ⑬ Power button
- ⑭ Type-C port 1
- ⑮ Type-C port 2

Operation steps

1. Plugged in, connected to the control box and painter light.
At this point, the power indicator will always be blue light after power on.
2. Press the power button to turn on/off the painter light.
3. Press the mode key, you can change the lighting effect, a total of five light effects.
 - #1 rainbow color
 - #2 red, green, blue and red
 - #3 aurora color
 - #4 lavender sea
 - #5 warm white light
4. Press the music rhythm button to change the music rhythm mode, a total of four modes.
 - #1 breathing mode
 - #2 running light mode, low sensitivity
 - #3 running light mode, high sensitivity
 - #4 jumping mode
5. Press the timer button to enable or disable the "timer shutdown" function.
 - (1) After opening, the timer indicator will always be blue, and it will automatically shut down after 30 minutes by default.
 - (2) APP adjustable timing time.
6. Reset hole, long press this button light flashes three times, keep the light on and then release, restore factory settings.

Of course, you can also download the Woohlab APP on your mobile phone and control the painter light through the APP.

Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The distance between user and products should be no less than 20cm.

FCC ID:2A6UYWX001