

FCC Test Data

General Description of EUT	
Product Name:	Averia Collar
Test Model:	AC01
Sample ID:	202203_0164-02
Environmental Conditions	
Temperature:	25°C
Relative Humidity:	55%
Test Voltage:	DC 3.7V
Test Engineer:	Huangjianping
Note: For a more detailed features description, please refer to the report TBR-C-202203-0164-62	

Contents

FCC Test Data	1
1: Conducted output power Data	3
Test Result	3
2: Peak-to-Average Ratio(CCDF).....	5
Test Result	5
Test Graphs	6
3: 26dB Bandwidth and Occupied Bandwidth	10
Test Result	10
Test Graphs	11
4: Band Edge	16
Test Result	16
Test Graphs	17
5: Conducted Spurious Emission.....	20
Test Result	20
Test Graphs	22
6: Frequency Stability.....	38
Test Result	38

1: Conducted output power Data

Test Result

Band	Channel	PCL	Slot	Power(dBm)	Limit(dBm)	Verdict
GPRS850	128	3	1	33.12	38.5	PASS
GPRS850	128	3	2	32.84	38.5	PASS
GPRS850	128	3	3	28.46	38.5	PASS
GPRS850	128	3	4	26.53	38.5	PASS
GPRS850	190	3	1	33.61	38.5	PASS
GPRS850	190	3	2	33.50	38.5	PASS
GPRS850	190	3	3	28.45	38.5	PASS
GPRS850	190	3	4	26.55	38.5	PASS
GPRS850	251	3	1	33.47	38.5	PASS
GPRS850	251	3	2	33.36	38.5	PASS
GPRS850	251	3	3	28.24	38.5	PASS
GPRS850	251	3	4	26.35	38.5	PASS
GPRS1900	512	0	1	29.46	33	PASS
GPRS1900	512	0	2	29.17	33	PASS
GPRS1900	512	0	3	28.82	33	PASS
GPRS1900	512	0	4	27.15	33	PASS
GPRS1900	661	0	1	29.94	33	PASS
GPRS1900	661	0	2	28.81	33	PASS
GPRS1900	661	0	3	28.50	33	PASS
GPRS1900	661	0	4	28.09	33	PASS
GPRS1900	810	0	1	29.80	33	PASS
GPRS1900	810	0	2	29.68	33	PASS
GPRS1900	810	0	3	29.35	33	PASS
GPRS1900	810	0	4	27.95	33	PASS

Band	Channel	PCL	Slot	Power(dBm)	Limit(dBm)	Verdict
EGPRS850	128	8	1	26.97	38.5	PASS
EGPRS850	128	8	2	26.75	38.5	PASS
EGPRS850	128	8	3	26.05	38.5	PASS
EGPRS850	128	8	4	24.79	38.5	PASS
EGPRS850	190	8	1	27.00	38.5	PASS
EGPRS850	190	8	2	26.69	38.5	PASS
EGPRS850	190	8	3	25.99	38.5	PASS

EGPRS850	190	8	4	24.76	38.5	PASS
EGPRS850	251	8	1	26.83	38.5	PASS
EGPRS850	251	8	2	26.55	38.5	PASS
EGPRS850	251	8	3	25.97	38.5	PASS
EGPRS850	251	8	4	24.66	38.5	PASS
EGPRS1900	512	2	1	25.72	33	PASS
EGPRS1900	512	2	2	25.47	33	PASS
EGPRS1900	512	2	3	24.85	33	PASS
EGPRS1900	512	2	4	23.62	33	PASS
EGPRS1900	661	2	1	25.55	33	PASS
EGPRS1900	661	2	2	25.28	33	PASS
EGPRS1900	661	2	3	24.71	33	PASS
EGPRS1900	661	2	4	23.47	33	PASS
EGPRS1900	810	2	1	25.91	33	PASS
EGPRS1900	810	2	2	25.68	33	PASS
EGPRS1900	810	2	3	25.00	33	PASS
EGPRS1900	810	2	4	23.92	33	PASS

2: Peak-to-Average Ratio(CCDF)


Test Result

Band	Channel	PCL	Result(dB)	Limit(dB)	Verdict
GPRS850	128	3	2.64	13	PASS
GPRS850	190	3	2.66	13	PASS
GPRS850	251	3	2.68	13	PASS
EGPRS850	128	8	5.71	13	PASS
EGPRS850	190	8	5.72	13	PASS
EGPRS850	251	8	5.82	13	PASS
GPRS1900	512	0	2.79	13	PASS
GPRS1900	661	0	2.81	13	PASS
GPRS1900	810	0	2.81	13	PASS
EGPRS1900	512	2	5.77	13	PASS
EGPRS1900	661	2	5.8	13	PASS
EGPRS1900	810	2	5.76	13	PASS


Test Graphs




EGPRS850-128-8




EGPRS850-190-8




EGPRS850-251-8




GPRS1900-512-0




GPRS1900-661-0




GPRS1900-810-0




EGPRS1900-512-2



EGPRS1900-661-2



EGPRS1900-810-2




3: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Channel	PCL	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GPRS850	128	3	0.24354	0.3136	---	PASS
GPRS850	190	3	0.24366	0.3140	---	PASS
GPRS850	251	3	0.24388	0.3098	---	PASS
EGPRS850	128	8	0.25038	0.3082	---	PASS
EGPRS850	190	8	0.24423	0.3085	---	PASS
EGPRS850	251	8	0.24438	0.3086	---	PASS
GPRS1900	512	0	0.24487	0.3123	---	PASS
GPRS1900	661	0	0.24439	0.3131	---	PASS
GPRS1900	810	0	0.24697	0.3142	---	PASS
EGPRS1900	512	2	0.24724	0.2953	---	PASS
EGPRS1900	661	2	0.24190	0.3117	---	PASS
EGPRS1900	810	2	0.24769	0.3075	---	PASS

Test Graphs

GPRS850-128-3-0.3136



GPRS850-190-3-0.3140




GPRS850-251-3-0.3098




EGPRS850-128-8-0.3082



EGPRS850-190-8-0.3085



EGPRS850-251-8-0.3086




GPRS1900-512-0-0.3123



GPRS1900-661-0-0.3131



GPRS1900-810-0-0.3142




EGPRS1900-512-2-0.2953



EGPRS1900-661-2-0.3117



EGPRS1900-810-2-0.3075




4: Band Edge


Test Result

Band	Channel	PCL	Freq (MHz)	Result (dBm)	Limit(dBm)	Verdict
GPRS850	128	3	823.98	-22.20	-13	PASS
GPRS850	251	3	849.01	-23.27	-13	PASS
EGPRS850	128	8	823.95	-32.54	-13	PASS
EGPRS850	251	8	849.03	-30.46	-13	PASS
GPRS1900	512	0	1849.98	-24.68	-13	PASS
GPRS1900	810	0	1910.03	-25.82	-13	PASS
EGPRS1900	512	2	1849.98	-30.36	-13	PASS
EGPRS1900	810	2	1910.03	-32.18	-13	PASS


Test Graphs




EGPRS850-251-8




GPRS1900-512-0




GPRS1900-810-0



EGPRS1900-512-2



EGPRS1900-810-2



5: Conducted Spurious Emission


Test Result

Band	Channel	PCL	Frequency Range(MHz)	Max.Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GPRS850	128	3	0.009~0.15MHz	0.01	-51.65	-33	PASS
GPRS850	128	3	0.15~30MHz	0.19	-46.33	-13	PASS
GPRS850	128	3	30~1000MHz	519.75	-43.82	-13	PASS
GPRS850	128	3	1000~10000MHz	2546.2	-32.11	-13	PASS
GPRS850	190	3	0.009~0.15MHz	0.01	-52.24	-33	PASS
GPRS850	190	3	0.15~30MHz	0.17	-44.3	-13	PASS
GPRS850	190	3	30~1000MHz	939.47	-44.47	-13	PASS
GPRS850	190	3	1000~10000MHz	2546.5	-32.06	-13	PASS
GPRS850	251	3	0.009~0.15MHz	0.01	-54.19	-33	PASS
GPRS850	251	3	0.15~30MHz	0.15	-44.51	-13	PASS
GPRS850	251	3	30~1000MHz	370.21	-44.93	-13	PASS
GPRS850	251	3	1000~10000MHz	2546.5	-31.84	-13	PASS
EGPRS850	128	8	0.009~0.15MHz	0.01	-52.25	-33	PASS
EGPRS850	128	8	0.15~30MHz	0.15	-43.81	-13	PASS
EGPRS850	128	8	30~1000MHz	941.86	-44.74	-13	PASS
EGPRS850	128	8	1000~10000MHz	7384.6	-35.98	-13	PASS
EGPRS850	190	8	0.009~0.15MHz	0.01	-53.01	-33	PASS
EGPRS850	190	8	0.15~30MHz	0.15	-43.11	-13	PASS
EGPRS850	190	8	30~1000MHz	680.64	-44.67	-13	PASS
EGPRS850	190	8	1000~10000MHz	5619.4	-36.61	-13	PASS
EGPRS850	251	8	0.009~0.15MHz	0.01	-55	-33	PASS
EGPRS850	251	8	0.15~30MHz	0.15	-41.98	-13	PASS
EGPRS850	251	8	30~1000MHz	376.48	-43.9	-13	PASS
EGPRS850	251	8	1000~10000MHz	7427.8	-36.63	-13	PASS
GPRS1900	512	0	0.009~0.15MHz	0.01	-55.37	-43	PASS
GPRS1900	512	0	0.15~30MHz	0.16	-45.05	-23	PASS
GPRS1900	512	0	30~1000MHz	943.19	-45.72	-13	PASS
GPRS1900	512	0	1000~18000MHz	17720.07	-16.15	-13	PASS
GPRS1900	661	0	0.009~0.15MHz	0.01	-53.95	-43	PASS
GPRS1900	661	0	0.15~30MHz	0.16	-41.8	-23	PASS
GPRS1900	661	0	30~1000MHz	938.47	-44.75	-13	PASS
GPRS1900	661	0	1000~18000MHz	17023.63	-15.7	-13	PASS


GPRS1900	810	0	0.009~0.15MHz	0.01	-53.99	-43	PASS
GPRS1900	810	0	0.15~30MHz	0.16	-43.44	-23	PASS
GPRS1900	810	0	30~1000MHz	939.02	-43.93	-13	PASS
GPRS1900	810	0	1000~18000MHz	17075.77	-16	-13	PASS
EGPRS1900	512	2	0.009~0.15MHz	0.01	-54.19	-43	PASS
EGPRS1900	512	2	0.15~30MHz	0.15	-42.78	-23	PASS
EGPRS1900	512	2	30~1000MHz	647.44	-45.16	-13	PASS
EGPRS1900	512	2	1000~18000MHz	17836.23	-15.92	-13	PASS
EGPRS1900	661	2	0.009~0.15MHz	0.01	-53.93	-43	PASS
EGPRS1900	661	2	0.15~30MHz	0.15	-40.42	-23	PASS
EGPRS1900	661	2	30~1000MHz	510.18	-45.85	-13	PASS
EGPRS1900	661	2	1000~18000MHz	17732.53	-16.03	-13	PASS
EGPRS1900	810	2	0.009~0.15MHz	0.01	-54.32	-43	PASS
EGPRS1900	810	2	0.15~30MHz	0.15	-41.72	-23	PASS
EGPRS1900	810	2	30~1000MHz	959.62	-45.78	-13	PASS
EGPRS1900	810	2	1000~18000MHz	17826.03	-16.46	-13	PASS

Test Graphs


GPRS850-128-3-0.009~0.15MHz



GPRS850-128-3-0.15~30MHz




GPRS850-128-3-30~1000MHz




GPRS850-128-3-1000~10000MHz




GPRS850-190-3-0.009~0.15MHz



GPRS850-190-3-0.15~30MHz




GPRS850-190-3-30~1000MHz




GPRS850-190-3-1000~10000MHz




GPRS850-251-3-0.009~0.15MHz



GPRS850-251-3-0.15~30MHz




GPRS850-251-3-30~1000MHz




GPRS850-251-3-1000~10000MHz




EGPRS850-128-8-0.009~0.15MHz



EGPRS850-128-8-0.15~30MHz




EGPRS850-128-8-30~1000MHz




EGPRS850-128-8-1000~10000MHz




EGPRS850-190-8-0.009~0.15MHz



EGPRS850-190-8-0.15~30MHz




EGPRS850-190-8-30~1000MHz




EGPRS850-190-8-1000~10000MHz




EGPRS850-251-8-0.009~0.15MHz



EGPRS850-251-8-0.15~30MHz




EGPRS850-251-8-30~1000MHz




EGPRS850-251-8-1000~10000MHz




GPRS1900-512-0-0.009~0.15MHz



GPRS1900-512-0-0.15~30MHz




GPRS1900-512-0-30~1000MHz




GPRS1900-512-0-1000~18000MHz




GPRS1900-661-0-0.009~0.15MHz



GPRS1900-661-0-0.15~30MHz




GPRS1900-661-0-30~1000MHz




GPRS1900-661-0-1000~18000MHz




GPRS1900-810-0-0.009~0.15MHz



GPRS1900-810-0-0.15~30MHz




GPRS1900-810-0-30~1000MHz




GPRS1900-810-0-1000~18000MHz




EGPRS1900-512-2-0.009~0.15MHz



EGPRS1900-512-2-0.15~30MHz




EGPRS1900-512-2-30~1000MHz




EGPRS1900-512-2-1000~18000MHz




EGPRS1900-661-2-0.009~0.15MHz



EGPRS1900-661-2-0.15~30MHz



EGPRS1900-661-2-30~1000MHz




EGPRS1900-661-2-1000~18000MHz




EGPRS1900-810-2-0.009~0.15MHz




EGPRS1900-810-2-0.15~30MHz



EGPRS1900-810-2-30~1000MHz



EGPRS1900-810-2-1000~18000MHz



6: Frequency Stability

Test Result

Voltage								
Band	Channel	PCL	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GPRS850	128	3	VL	NT	12.24	0.014851	±2.5	PASS
GPRS850	128	3	VN	NT	15.14	0.018369	±2.5	PASS
GPRS850	128	3	VH	NT	17.31	0.021002	±2.5	PASS
GPRS850	190	3	VL	NT	12.40	0.014822	±2.5	PASS
GPRS850	190	3	VN	NT	12.01	0.014356	±2.5	PASS
GPRS850	190	3	VH	NT	12.56	0.015013	±2.5	PASS
GPRS850	251	3	VL	NT	8.01	0.009437	±2.5	PASS
GPRS850	251	3	VN	NT	6.78	0.007988	±2.5	PASS
GPRS850	251	3	VH	NT	14.88	0.017531	±2.5	PASS
EGPRS850	128	8	VL	NT	22.60	0.027421	±2.5	PASS
EGPRS850	128	8	VN	NT	25.89	0.031412	±2.5	PASS
EGPRS850	128	8	VH	NT	21.05	0.025540	±2.5	PASS
EGPRS850	190	8	VL	NT	24.86	0.029716	±2.5	PASS
EGPRS850	190	8	VN	NT	19.86	0.023739	±2.5	PASS
EGPRS850	190	8	VH	NT	20.44	0.024432	±2.5	PASS
EGPRS850	251	8	VL	NT	25.28	0.029783	±2.5	PASS
EGPRS850	251	8	VN	NT	16.98	0.020005	±2.5	PASS
EGPRS850	251	8	VH	NT	27.89	0.032858	±2.5	PASS
GPRS1900	512	0	VL	NT	13.50	0.007297	±2.5	PASS
GPRS1900	512	0	VN	NT	20.89	0.011291	±2.5	PASS
GPRS1900	512	0	VH	NT	12.43	0.006718	±2.5	PASS
GPRS1900	661	0	VL	NT	8.72	0.004638	±2.5	PASS

GPRS1900	661	0	VN	NT	4.10	0.002181	±2.5	PASS
GPRS1900	661	0	VH	NT	-9.59	-0.005101	±2.5	PASS
GPRS1900	810	0	VL	NT	5.23	0.002739	±2.5	PASS
GPRS1900	810	0	VN	NT	-0.55	-0.000288	±2.5	PASS
GPRS1900	810	0	VH	NT	8.43	0.004414	±2.5	PASS
EGPRS1900	512	2	VL	NT	17.69	0.009561	±2.5	PASS
EGPRS1900	512	2	VN	NT	23.73	0.012826	±2.5	PASS
EGPRS1900	512	2	VH	NT	19.63	0.010610	±2.5	PASS
EGPRS1900	661	2	VL	NT	14.04	0.007468	±2.5	PASS
EGPRS1900	661	2	VN	NT	9.56	0.005085	±2.5	PASS
EGPRS1900	661	2	VH	NT	10.30	0.005479	±2.5	PASS
EGPRS1900	810	2	VL	NT	10.11	0.005294	±2.5	PASS
EGPRS1900	810	2	VN	NT	2.29	0.001199	±2.5	PASS
EGPRS1900	810	2	VH	NT	14.08	0.007372	±2.5	PASS

Temperature								
Band	Channel	PCL	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GPRS850	128	3	NV	-30	16.95	0.020565	±2.5	PASS
GPRS850	128	3	NV	-20	10.20	0.012376	±2.5	PASS
GPRS850	128	3	NV	-10	10.56	0.012812	±2.5	PASS
GPRS850	128	3	NV	0	14.82	0.017981	±2.5	PASS
GPRS850	128	3	NV	10	12.46	0.015118	±2.5	PASS
GPRS850	128	3	NV	20	10.07	0.012218	±2.5	PASS
GPRS850	128	3	NV	30	10.82	0.013128	±2.5	PASS
GPRS850	128	3	NV	40	11.30	0.013710	±2.5	PASS
GPRS850	128	3	NV	50	13.11	0.015906	±2.5	PASS

GPRS850	190	3	NV	-30	10.46	0.012503	±2.5	PASS
GPRS850	190	3	NV	-20	12.46	0.014894	±2.5	PASS
GPRS850	190	3	NV	-10	12.79	0.015288	±2.5	PASS
GPRS850	190	3	NV	0	16.72	0.019986	±2.5	PASS
GPRS850	190	3	NV	10	13.17	0.015742	±2.5	PASS
GPRS850	190	3	NV	20	20.02	0.023930	±2.5	PASS
GPRS850	190	3	NV	30	15.17	0.018133	±2.5	PASS
GPRS850	190	3	NV	40	19.18	0.022926	±2.5	PASS
GPRS850	190	3	NV	50	18.27	0.021838	±2.5	PASS
GPRS850	251	3	NV	-30	14.01	0.016506	±2.5	PASS
GPRS850	251	3	NV	-20	8.20	0.009661	±2.5	PASS
GPRS850	251	3	NV	-10	10.30	0.012135	±2.5	PASS
GPRS850	251	3	NV	0	15.08	0.017766	±2.5	PASS
GPRS850	251	3	NV	10	9.65	0.011369	±2.5	PASS
GPRS850	251	3	NV	20	14.98	0.017648	±2.5	PASS
GPRS850	251	3	NV	30	10.94	0.012889	±2.5	PASS
GPRS850	251	3	NV	40	9.69	0.011416	±2.5	PASS
GPRS850	251	3	NV	50	9.46	0.011145	±2.5	PASS
EGPRS850	128	8	NV	-30	25.51	0.030951	±2.5	PASS
EGPRS850	128	8	NV	-20	25.31	0.030709	±2.5	PASS
EGPRS850	128	8	NV	-10	26.22	0.031813	±2.5	PASS
EGPRS850	128	8	NV	0	22.60	0.027421	±2.5	PASS
EGPRS850	128	8	NV	10	19.18	0.023271	±2.5	PASS
EGPRS850	128	8	NV	20	26.83	0.032553	±2.5	PASS
EGPRS850	128	8	NV	30	23.37	0.028355	±2.5	PASS
EGPRS850	128	8	NV	40	21.05	0.025540	±2.5	PASS
EGPRS850	128	8	NV	50	25.22	0.030599	±2.5	PASS

EGPRS85 0	190	8	NV	-30	24.86	0.029716	±2.5	PASS
EGPRS85 0	190	8	NV	-20	17.92	0.021420	±2.5	PASS
EGPRS85 0	190	8	NV	-10	17.56	0.020990	±2.5	PASS
EGPRS85 0	190	8	NV	0	15.24	0.018217	±2.5	PASS
EGPRS85 0	190	8	NV	10	15.40	0.018408	±2.5	PASS
EGPRS85 0	190	8	NV	20	18.89	0.022579	±2.5	PASS
EGPRS85 0	190	8	NV	30	23.41	0.027982	±2.5	PASS
EGPRS85 0	190	8	NV	40	15.76	0.018838	±2.5	PASS
EGPRS85 0	190	8	NV	50	19.66	0.023500	±2.5	PASS
EGPRS85 0	251	8	NV	-30	25.47	0.030007	±2.5	PASS
EGPRS85 0	251	8	NV	-20	21.95	0.025860	±2.5	PASS
EGPRS85 0	251	8	NV	-10	19.05	0.022443	±2.5	PASS
EGPRS85 0	251	8	NV	0	21.79	0.025672	±2.5	PASS
EGPRS85 0	251	8	NV	10	23.12	0.027238	±2.5	PASS
EGPRS85 0	251	8	NV	20	19.60	0.023091	±2.5	PASS
EGPRS85 0	251	8	NV	30	23.92	0.028181	±2.5	PASS
EGPRS85 0	251	8	NV	40	25.38	0.029901	±2.5	PASS
EGPRS85 0	251	8	NV	50	26.64	0.031385	±2.5	PASS
GPRS1900	512	0	NV	-30	19.92	0.010766	±2.5	PASS

GPRS1900	512	0	NV	-20	18.63	0.010069	±2.5	PASS
GPRS1900	512	0	NV	-10	4.33	0.002340	±2.5	PASS
GPRS1900	512	0	NV	0	13.59	0.007345	±2.5	PASS
GPRS1900	512	0	NV	10	14.75	0.007972	±2.5	PASS
GPRS1900	512	0	NV	20	8.75	0.004729	±2.5	PASS
GPRS1900	512	0	NV	30	6.78	0.003664	±2.5	PASS
GPRS1900	512	0	NV	40	16.89	0.009129	±2.5	PASS
GPRS1900	512	0	NV	50	6.72	0.003632	±2.5	PASS
GPRS1900	661	0	NV	-30	-9.10	-0.004840	±2.5	PASS
GPRS1900	661	0	NV	-20	4.10	0.002181	±2.5	PASS
GPRS1900	661	0	NV	-10	-9.27	-0.004931	±2.5	PASS
GPRS1900	661	0	NV	0	-9.30	-0.004947	±2.5	PASS
GPRS1900	661	0	NV	10	-0.10	-0.000053	±2.5	PASS
GPRS1900	661	0	NV	20	-3.26	-0.001734	±2.5	PASS
GPRS1900	661	0	NV	30	4.81	0.002559	±2.5	PASS
GPRS1900	661	0	NV	40	-2.13	-0.001133	±2.5	PASS
GPRS1900	661	0	NV	50	6.59	0.003505	±2.5	PASS
GPRS1900	810	0	NV	-30	-0.65	-0.000340	±2.5	PASS
GPRS1900	810	0	NV	-20	9.56	0.005006	±2.5	PASS
GPRS1900	810	0	NV	-10	-0.03	-0.000016	±2.5	PASS
GPRS1900	810	0	NV	0	-0.68	-0.000356	±2.5	PASS
GPRS1900	810	0	NV	10	8.01	0.004194	±2.5	PASS
GPRS1900	810	0	NV	20	4.42	0.002314	±2.5	PASS
GPRS1900	810	0	NV	30	4.68	0.002451	±2.5	PASS
GPRS1900	810	0	NV	40	13.50	0.007069	±2.5	PASS
GPRS1900	810	0	NV	50	9.36	0.004901	±2.5	PASS
EGPRS1900	512	2	NV	-30	10.85	0.005864	±2.5	PASS
EGPRS1900	512	2	NV	-20	14.79	0.007994	±2.5	PASS
EGPRS1900	512	2	NV	-10	7.75	0.004189	±2.5	PASS
EGPRS1900	512	2	NV	0	19.66	0.010626	±2.5	PASS
EGPRS1900	512	2	NV	10	13.04	0.007048	±2.5	PASS

EGPRS19 00	512	2	NV	20	7.43	0.004016	±2.5	PASS
EGPRS19 00	512	2	NV	30	19.47	0.010523	±2.5	PASS
EGPRS19 00	512	2	NV	40	10.59	0.005724	±2.5	PASS
EGPRS19 00	512	2	NV	50	12.49	0.006751	±2.5	PASS
EGPRS19 00	661	2	NV	-30	3.84	0.002043	±2.5	PASS
EGPRS19 00	661	2	NV	-20	8.68	0.004617	±2.5	PASS
EGPRS19 00	661	2	NV	-10	12.20	0.006489	±2.5	PASS
EGPRS19 00	661	2	NV	0	10.78	0.005734	±2.5	PASS
EGPRS19 00	661	2	NV	10	7.59	0.004037	±2.5	PASS
EGPRS19 00	661	2	NV	20	8.20	0.004362	±2.5	PASS
EGPRS19 00	661	2	NV	30	18.34	0.009755	±2.5	PASS
EGPRS19 00	661	2	NV	40	15.56	0.008277	±2.5	PASS
EGPRS19 00	661	2	NV	50	4.52	0.002404	±2.5	PASS
EGPRS19 00	810	2	NV	-30	10.07	0.005273	±2.5	PASS
EGPRS19 00	810	2	NV	-20	-2.20	-0.001152	±2.5	PASS
EGPRS19 00	810	2	NV	-10	13.59	0.007116	±2.5	PASS
EGPRS19 00	810	2	NV	0	13.40	0.007016	±2.5	PASS
EGPRS19 00	810	2	NV	10	12.43	0.006509	±2.5	PASS
EGPRS19 00	810	2	NV	20	0.29	0.000152	±2.5	PASS

00								
EGPRS19 00	810	2	NV	30	13.20	0.006912	±2.5	PASS
EGPRS19 00	810	2	NV	40	14.75	0.007723	±2.5	PASS
EGPRS19 00	810	2	NV	50	9.59	0.005021	±2.5	PASS