



Wireless charger

## QUAD



## QUAD


To replace or install an Apple Watch charger open the cover at the back of the NYTSTND. You can use a charger with USB-A or USB-C port.



## QUAD

Place the device on the charging pad with the battery centered.

Depending on the size of your phone it may hang over the edge of the dock.



**⚠** Put devices only in the active zone.



## QUAD

5-coil full surface charging area

Dual wireless charging. 10W quick charging optimized for iPhone (7.5W) and AirPods

MagSafe technology: Provide faster wireless charging for iPhone 12, iPhone 13 series.

Apple Watch charger

Lightning or USB-C port  
(depends on model) 5V/2A  
output

Power plug input



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. During the operation of device a distance of 15 cm surrounding the device and 20 cm above the top surface of the device must be respected.

FCC ID: 2A6YW-QUAD