



6. Band Edge

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	-54.31	<=-20	Pass
NVNT	b	2462	-54.58	<=-20	Pass
NVNT	g	2412	-41.56	<=-20	Pass
NVNT	g	2462	-50.78	<=-20	Pass
NVNT	n20	2412	-44.48	<=-20	Pass
NVNT	n20	2462	-49.5	<=-20	Pass




7. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	-46.05	<=-20	Pass
NVNT	b	2437	-45.52	<=-20	Pass
NVNT	b	2462	-42.43	<=-20	Pass
NVNT	g	2412	-44.89	<=-20	Pass
NVNT	g	2437	-44.75	<=-20	Pass
NVNT	g	2462	-44.96	<=-20	Pass
NVNT	n20	2412	-43.35	<=-20	Pass
NVNT	n20	2437	-44.29	<=-20	Pass
NVNT	n20	2462	-43.79	<=-20	Pass



Test Graphs



Tx. Spurious NVNT b 2412MHz Ref







Tx. Spurious NVNT b 2412MHz Emission














Tx. Spurious NVNT n20 2412MHz Ref




Tx. Spurious NVNT n20 2412MHz Emission



Tx. Spurious NVNT n20 2437MHz Ref



Tx. Spurious NVNT n20 2437MHz Emission



APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****