

### **TECHNICAL DATA SHEET**

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M



## Features:

- Frequency 868-928MHz
- Gain 1dBi
- Efficiency 70%
- Length 195mm straight
- Connectors:
  - W1063 RP-SMA Male
  - W1063M SMA Male
- RoHS Compliant

## **Applications:**

- Indoor use
- 868MHz and 915MHz ISM band radios
- IoT devices
- Security
- Sensors
- Monitoring

All dimensions are in mm

Issue: 1837

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



#### **TECHNICAL DATA SHEET**

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/ W1063M

## **ELECTRICAL SPECIFICATIONS**

Frequency 863-928 MHz

Nominal Impedance 50  $\Omega$ 

VSWR 2 Maximum

Radiation Pattern Omni
Gain 1 dBi
Efficiency 70 %

Polarization Linear

Power Withstanding 1 W

## **MECHANICAL SPECIFICATIONS**

Overall Length 195+/-2 mm

Weight 23.5 g

Antenna Color / Material Black

Connector type W1063 RP SMA Male

W1063M SMA Male

IP Rating IP20, Indoor use

## **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature  $-20 \,^{\circ}\text{C}$  /+65  $^{\circ}\text{C}$  Storage Temperature  $-30 \,^{\circ}\text{C}$  /+75  $^{\circ}\text{C}$ 






### **TECHNICAL DATA SHEET**

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

## **MECHANICAL DRAWING**



## All dimensions are in mm




### **TECHNICAL DATA SHEET**

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

## **TEST SETUP**





### **TECHNICAL DATA SHEET**


**Description: 868-928MHz Swivel Type** 

dipole antenna

PART NUMBER: W1063/W1063M

## **CHARTS**

## **VSWR**









### **TECHNICAL DATA SHEET**


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

### **CHARTS**

# Efficiency(%)







### **TECHNICAL DATA SHEET**


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

### **CHARTS**

# Peak Gain (dBi)









### **TECHNICAL DATA SHEET**


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

### **CHARTS**

## Free space radiation pattern







### **TECHNICAL DATA SHEET**


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

### **CHARTS**

# Free space radiation pattern







### **TECHNICAL DATA SHEET**


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

### **CHARTS**

## Free space radiation pattern





### **TECHNICAL DATA SHEET**

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/ W1063M

### **PACKAGING**

1PCS/PE BAG 250PCS/ carton box Carton box dimensions (MM): 460x235x140

