





Profile: 23A0637R	Page No.: 26
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5795MHz by 802.11ac (40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5766.340	71.016	36.143	-51.184	122.200	34.873	PK
2		5851.660	62.555	27.563	-55.859	118.414	34.992	PK
3		5858.140	63.662	28.660	-46.258	109.920	35.002	PK
4	*	5880.010	61.914	26.882	-39.564	101.478	35.032	PK


Profile: 23A0637R	Page No.: 27
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5775MHz by 802.11ac (80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5664.500	70.538	35.808	-8.425	78.964	34.730	PK
2		5710.500	70.336	35.541	-37.806	108.142	34.795	PK
3		5723.250	74.673	39.861	-43.538	118.211	34.812	PK
4		5839.750	71.580	36.604	-50.620	122.200	34.976	PK
5		5860.000	70.886	35.882	-38.512	109.398	35.004	PK
6		5887.500	64.341	29.299	-31.579	95.921	35.043	PK




Profile: 23A0637R	Page No.: 28
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5775MHz by 802.11ac (80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5678.000	67.532	32.783	-21.428	88.960	34.749	PK
2		5697.750	67.346	32.569	-36.196	103.542	34.777	PK
3		5719.500	70.425	35.618	-40.235	110.660	34.807	PK
4		5723.500	70.041	35.228	-48.740	118.781	34.813	PK
5		5730.250	74.609	39.787	-47.591	122.200	34.822	PK
6		5849.500	67.842	32.853	-54.358	122.200	34.989	PK
7		5852.250	65.660	30.667	-51.409	117.069	34.993	PK
8		5858.000	67.541	32.540	-42.417	109.959	35.001	PK
9		5886.250	62.664	27.623	-34.184	96.848	35.041	PK

Profile: 23A0637R	Page No.: 29
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:39
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5745MHz by 802.11ax (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.710	62.444	27.675	-36.644	99.088	34.769	PK
2		5711.070	66.523	31.727	-41.779	108.302	34.796	PK
3		5724.380	77.468	42.654	-43.319	120.787	34.814	PK
4		5727.570	85.221	50.403	-36.979	122.200	34.818	PK
5		5760.680	84.910	50.045	-37.290	122.200	34.865	PK

Profile: 23A0637R	Page No.: 30
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5745MHz by 802.11ax (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.140	61.508	26.737	-38.635	100.143	34.771	PK
2		5712.060	64.966	30.169	-43.613	108.579	34.797	PK
3		5723.280	69.965	35.153	-48.314	118.280	34.812	PK
4		5758.480	78.440	43.578	-43.760	122.200	34.862	PK

Profile: 23A0637R	Page No.: 31
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:43
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5785MHz by 802.11ax (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.560	61.538	26.770	-37.439	98.977	34.768	PK
2		5711.445	61.727	26.931	-46.680	108.407	34.796	PK
3		5723.745	63.560	28.747	-55.780	119.340	34.813	PK
4		5748.345	65.104	30.256	-57.096	122.200	34.848	PK
5		5820.710	65.653	30.704	-56.547	122.200	34.949	PK
6		5852.895	62.484	27.490	-53.114	115.598	34.994	PK
7		5862.325	63.093	28.086	-45.653	108.747	35.007	PK
8		5880.365	62.666	27.633	-38.549	101.215	35.033	PK

Profile: 23A0637R	Page No.: 32
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:44
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5785MHz by 802.11ax (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.455	61.283	26.509	-40.567	101.850	34.774	PK
2		5716.775	62.744	27.940	-47.155	109.898	34.804	PK
3		5721.900	60.981	26.171	-54.152	115.133	34.810	PK
4		5761.670	68.494	33.628	-53.706	122.200	34.866	PK
5		5852.895	62.913	27.919	-52.685	115.598	34.994	PK
6		5867.655	62.470	27.455	-44.784	107.254	35.015	PK
7	*	5883.030	62.887	27.851	-36.349	99.237	35.036	PK

Profile: 23A0637R	Page No.: 33
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:46
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5825MHz by 802.11ax (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5842.400	83.172	48.193	-39.028	122.200	34.979	PK
2		5851.600	69.983	34.991	-48.568	118.551	34.992	PK
3		5858.240	67.411	32.409	-42.481	109.892	35.002	PK
4		5866.560	64.944	29.931	-42.616	107.561	35.013	PK
5	*	5883.520	62.915	27.878	-35.958	98.873	35.037	PK

Profile: 23A0637R	Page No.: 34
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:47
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5825MHz by 802.11ax (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5840.240	76.324	41.348	-45.876	122.200	34.976	PK
2		5846.320	70.759	35.774	-51.441	122.200	34.985	PK
3		5851.840	64.486	29.493	-53.518	118.004	34.993	PK
4		5856.880	63.294	28.294	-46.979	110.273	35.000	PK
5	*	5880.400	62.178	27.145	-39.011	101.189	35.033	PK

Profile: 23A0637R	Page No.: 35
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:49
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5755MHz by 802.11ac (40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.180	68.111	33.336	-34.274	102.385	34.775	PK
2		5708.010	70.913	36.121	-36.533	107.445	34.792	PK
3		5723.740	78.636	43.823	-40.692	119.328	34.813	PK
4		5788.480	76.821	41.917	-45.379	122.200	34.904	PK

Profile: 23A0637R	Page No.: 36
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:51
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5755MHz by 802.11ac (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.890	62.721	27.952	-36.500	99.221	34.769	PK
2		5707.750	66.804	32.013	-40.568	107.372	34.791	PK
3		5724.130	73.014	38.201	-47.203	120.217	34.813	PK
4		5780.940	70.711	35.817	-51.489	122.200	34.894	PK

Profile: 23A0637R	Page No.: 37
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5795MHz by 802.11ax (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5767.825	78.344	43.469	-43.856	122.200	34.875	PK
2		5828.575	77.004	42.044	-45.196	122.200	34.960	PK
3		5853.685	67.543	32.548	-46.254	113.797	34.995	PK
4		5868.940	64.417	29.400	-42.478	106.895	35.017	PK
5	*	5883.115	61.983	26.946	-37.191	99.174	35.037	PK

Profile: 23A0637R	Page No.: 38
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:53
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5795MHz by 802.11ax (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5768.095	72.832	37.957	-49.368	122.200	34.875	PK
2		5824.525	71.250	36.296	-50.950	122.200	34.954	PK
3		5851.390	60.978	25.986	-58.052	119.030	34.992	PK
4		5866.780	62.159	27.145	-45.341	107.499	35.014	PK
5	*	5881.225	62.155	27.121	-38.421	100.576	35.034	PK

Profile: 23A0637R	Page No.: 39
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5775MHz by 802.11ax (80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5684.000	67.283	32.525	-26.113	93.395	34.758	PK
2		5718.500	73.132	38.326	-37.249	110.381	34.806	PK
3		5724.000	71.285	36.472	-48.636	119.921	34.813	PK
4		5852.000	64.606	29.613	-53.033	117.639	34.993	PK
5		5867.500	65.022	30.007	-42.276	107.298	35.015	PK
6		5889.500	61.921	26.876	-32.516	94.438	35.045	PK


Profile: 23A0637R	Page No.: 40
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:56
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5775MHz by 802.11ax (80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5674.250	62.796	28.052	-23.390	86.186	34.744	PK
2		5712.750	65.617	30.819	-43.155	108.772	34.798	PK
3		5723.750	65.854	31.041	-53.497	119.351	34.813	PK
4		5852.500	62.511	27.517	-53.988	116.499	34.994	PK
5		5868.750	62.240	27.223	-44.708	106.948	35.017	PK
6		5890.750	62.956	27.909	-30.555	93.511	35.047	PK


MIMO:5150-5725

Profile: 23A0637R	Page No.: 1
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11//21 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5147.910	68.287	34.112	-5.713	74.000	34.175	PK
2		5150.000	65.411	31.234	-8.589	74.000	34.177	PK

Profile: 23A0637R	Page No.: 2
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.080	16.903	-2.920	54.000	34.177	AV

Profile: 23A0637R	Page No.: 3
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 19:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	56.795	22.618	-17.205	74.000	34.177	PK

Profile: 23A0637R	Page No.: 4
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 19:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.637	6.460	-13.363	54.000	34.177	AV

Profile: 23A0637R	Page No.: 5
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	69.888	35.510	-4.112	74.000	34.378	PK
2	*	5350.500	71.437	37.059	-2.563	74.000	34.378	PK
3		5353.350	70.772	36.391	-3.228	74.000	34.381	PK
4		5354.100	70.426	36.044	-3.574	74.000	34.382	PK

Profile: 23A0637R	Page No.: 6
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.287	15.909	-3.713	54.000	34.378	AV

Profile: 23A0637R	Page No.: 7
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	59.959	25.581	-14.041	74.000	34.378	PK
2		5354.250	60.291	25.909	-13.709	74.000	34.382	PK
3	*	5355.600	60.428	26.044	-13.572	74.000	34.384	PK
4		5394.900	49.820	15.396	-24.180	74.000	34.424	PK

Profile: 23A0637R	Page No.: 8
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	42.618	8.240	-11.382	54.000	34.378	AV

Profile: 23A0637R	Page No.: 9
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.280	66.049	31.556	-7.951	74.000	34.493	PK
2		5460.000	65.222	30.729	-8.778	74.000	34.493	PK

Profile: 23A0637R	Page No.: 10
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.960	50.100	15.608	-3.900	54.000	34.492	AV
2		5460.000	48.891	14.398	-5.109	54.000	34.493	AV

Profile: 23A0637R	Page No.: 11
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.280	58.740	24.247	-15.260	74.000	34.493	PK
2		5460.000	56.978	22.485	-17.022	74.000	34.493	PK

Profile: 23A0637R	Page No.: 12
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	40.594	6.101	-13.406	54.000	34.493	AV

Profile: 23A0637R	Page No.: 13
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5149.290	70.946	36.770	-3.054	74.000	34.176	PK
2		5150.000	69.924	35.747	-4.076	74.000	34.177	PK

Profile: 23A0637R	Page No.: 14
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.223	17.046	-2.777	54.000	34.177	AV

Profile: 23A0637R	Page No.: 15
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5145.840	56.244	22.071	-17.756	74.000	34.173	PK
2	*	5150.000	58.649	24.472	-15.351	74.000	34.177	PK

Profile: 23A0637R	Page No.: 16
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.591	6.414	-13.409	54.000	34.177	AV

Profile: 23A0637R	Page No.: 17
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	70.329	35.951	-3.671	74.000	34.378	PK
2	*	5352.000	71.938	37.558	-2.062	74.000	34.380	PK
3		5359.650	68.020	33.632	-5.980	74.000	34.388	PK

Profile: 23A0637R	Page No.: 18
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	50.145	15.767	-3.855	54.000	34.378	AV
2	*	5352.150	50.516	16.136	-3.484	54.000	34.380	AV

Profile: 23A0637R	Page No.: 19
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	60.545	26.167	-13.455	74.000	34.378	PK
2	*	5352.450	61.446	27.066	-12.554	74.000	34.380	PK
3		5354.700	59.717	25.334	-14.283	74.000	34.383	PK

Profile: 23A0637R	Page No.: 20
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	44.175	9.797	-9.825	54.000	34.378	AV

Profile: 23A0637R	Page No.: 21
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.480	65.507	31.015	-8.493	74.000	34.492	PK
2		5460.000	62.979	28.486	-11.021	74.000	34.493	PK

Profile: 23A0637R	Page No.: 22
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.433	12.940	-6.567	54.000	34.493	AV

Profile: 23A0637R	Page No.: 23
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5450.480	54.750	20.267	-19.250	74.000	34.483	PK
2	*	5460.000	54.926	20.433	-19.074	74.000	34.493	PK

Profile: 23A0637R	Page No.: 24
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5457.520	40.212	5.721	-13.788	54.000	34.491	AV
2	*	5460.000	40.213	5.720	-13.787	54.000	34.493	AV

Profile: 23A0637R	Page No.: 25
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	72.226	38.049	-1.774	74.000	34.177	PK

Profile: 23A0637R	Page No.: 26
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.378	17.201	-2.622	54.000	34.177	AV

Profile: 23A0637R	Page No.: 27
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	59.746	25.569	-14.254	74.000	34.177	PK

Profile: 23A0637R	Page No.: 28
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	42.607	8.430	-11.393	54.000	34.177	AV

Profile: 23A0637R	Page No.: 29
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	70.520	36.142	-3.480	74.000	34.378	PK
2	*	5350.860	72.408	38.029	-1.592	74.000	34.379	PK
3		5355.960	71.208	36.824	-2.792	74.000	34.384	PK

Profile: 23A0637R	Page No.: 30
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	50.497	16.119	-3.503	54.000	34.378	AV
2	*	5351.030	51.530	17.151	-2.470	54.000	34.379	AV
3		5353.410	51.330	16.949	-2.670	54.000	34.381	AV

Profile: 23A0637R	Page No.: 31
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.847	27.469	-12.153	74.000	34.378	PK
2	*	5351.200	64.156	29.777	-9.844	74.000	34.379	PK

Profile: 23A0637R	Page No.: 32
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	43.467	9.089	-10.533	54.000	34.378	AV
2	*	5351.540	44.088	9.708	-9.912	54.000	34.380	AV

Profile: 23A0637R	Page No.: 33
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.460	69.345	34.854	-4.655	74.000	34.491	PK
2		5460.000	65.493	31.000	-8.507	74.000	34.493	PK

Profile: 23A0637R	Page No.: 34
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.540	48.434	13.942	-5.566	54.000	34.492	AV
2		5460.000	47.733	13.240	-6.267	54.000	34.493	AV

Profile: 23A0637R	Page No.: 35
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.020	60.081	25.592	-13.919	74.000	34.489	PK
2		5460.000	57.400	22.907	-16.600	74.000	34.493	PK

Profile: 23A0637R	Page No.: 36
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.000	41.741	7.250	-12.259	54.000	34.491	AV
2		5460.000	41.327	6.834	-12.673	54.000	34.493	AV

Profile: 23A0637R	Page No.: 37
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.797	31.620	-8.203	74.000	34.177	PK

Profile: 23A0637R	Page No.: 38
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.431	17.254	-2.569	54.000	34.177	AV

Profile: 23A0637R	Page No.: 39
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	55.338	21.161	-18.662	74.000	34.177	PK

Profile: 23A0637R	Page No.: 40
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	39.211	5.034	-14.789	54.000	34.177	AV

Profile: 23A0637R	Page No.: 41
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	67.388	33.010	-6.612	74.000	34.378	PK
2	*	5351.100	68.766	34.387	-5.234	74.000	34.379	PK

Profile: 23A0637R	Page No.: 42
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.137	16.759	-2.863	54.000	34.378	AV

Profile: 23A0637R	Page No.: 43
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	58.238	23.860	-15.762	74.000	34.378	PK
2	*	5351.850	60.719	26.339	-13.281	74.000	34.380	PK

Profile: 23A0637R	Page No.: 44
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	44.878	10.500	-9.122	54.000	34.378	AV

Profile: 23A0637R	Page No.: 45
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5451.760	62.422	27.937	-11.578	74.000	34.485	PK
2	*	5460.000	62.967	28.474	-11.033	74.000	34.493	PK


Profile: 23A0637R	Page No.: 46
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.520	15.027	-4.480	54.000	34.493	AV




Profile: 23A0637R	Page No.: 47
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.120	56.293	21.801	-17.707	74.000	34.492	PK
2		5460.000	54.858	20.365	-19.142	74.000	34.493	PK

Profile: 23A0637R	Page No.: 48
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	40.915	6.422	-13.085	54.000	34.493	AV

Profile: 23A0637R	Page No.: 49
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5141.840	67.279	33.109	-6.721	74.000	34.170	PK
2	*	5150.000	68.007	33.830	-5.993	74.000	34.177	PK

Profile: 23A0637R	Page No.: 50
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.911	16.734	-3.089	54.000	34.177	AV

Profile: 23A0637R	Page No.: 51
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5142.550	56.800	22.630	-17.200	74.000	34.170	PK
2	*	5150.000	57.183	23.006	-16.817	74.000	34.177	PK

Profile: 23A0637R	Page No.: 52
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.495	6.318	-13.505	54.000	34.177	AV

Profile: 23A0637R	Page No.: 53
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	65.802	31.424	-8.198	74.000	34.378	PK
2		5351.540	67.587	33.207	-6.413	74.000	34.380	PK
3	*	5354.090	67.694	33.312	-6.306	74.000	34.382	PK

Profile: 23A0637R	Page No.: 54
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.472	15.094	-4.528	54.000	34.378	AV
2	*	5350.690	50.726	16.347	-3.274	54.000	34.379	AV

Profile: 23A0637R	Page No.: 55
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	56.512	22.134	-17.488	74.000	34.378	PK
2	*	5351.200	58.444	24.065	-15.556	74.000	34.379	PK

Profile: 23A0637R	Page No.: 56
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	41.642	7.264	-12.358	54.000	34.378	AV

Profile: 23A0637R	Page No.: 57
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.660	65.555	31.066	-8.445	74.000	34.489	PK
2		5457.280	65.522	31.032	-8.478	74.000	34.490	PK
3		5460.000	64.517	30.024	-9.483	74.000	34.493	PK

Profile: 23A0637R	Page No.: 58
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.420	16.927	-2.580	54.000	34.493	AV

Profile: 23A0637R	Page No.: 59
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.020	57.017	22.528	-16.983	74.000	34.489	PK
2		5460.000	54.568	20.075	-19.432	74.000	34.493	PK

Profile: 23A0637R	Page No.: 60
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/21 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	43.666	9.173	-10.334	54.000	34.493	AV

Profile: 23A0637R	Page No.: 61
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5143.500	67.434	33.263	-6.566	74.000	34.171	PK
2		5150.000	65.792	31.615	-8.208	74.000	34.177	PK

Profile: 23A0637R	Page No.: 62
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5143.500	51.892	17.721	-2.108	54.000	34.171	AV
2		5150.000	51.180	17.003	-2.820	54.000	34.177	AV

Profile: 23A0637R	Page No.: 63
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5145.750	56.006	21.833	-17.994	74.000	34.173	PK
2		5150.000	53.795	19.618	-20.205	74.000	34.177	PK

Profile: 23A0637R	Page No.: 64
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.799	6.622	-13.201	54.000	34.177	AV

Profile: 23A0637R	Page No.: 65
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	63.929	29.551	-10.071	74.000	34.378	PK
2	*	5356.050	67.094	32.710	-6.906	74.000	34.384	PK

Profile: 23A0637R	Page No.: 66
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.814	15.436	-4.186	54.000	34.378	AV
2	*	5352.690	51.213	16.832	-2.787	54.000	34.381	AV

Profile: 23A0637R	Page No.: 67
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	55.205	20.827	-18.795	74.000	34.378	PK
2	*	5353.740	59.128	24.746	-14.872	74.000	34.382	PK

Profile: 23A0637R	Page No.: 68
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	44.548	10.170	-9.452	54.000	34.378	AV
2	*	5352.270	45.822	11.442	-8.178	54.000	34.380	AV

Profile: 23A0637R	Page No.: 69
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5446.140	68.783	34.304	-5.217	74.000	34.479	PK
2		5460.000	63.276	28.783	-10.724	74.000	34.493	PK

Profile: 23A0637R	Page No.: 70
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.476	17.983	-1.524	54.000	34.493	AV

Profile: 23A0637R	Page No.: 71
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5446.140	62.050	27.571	-11.950	74.000	34.479	PK
2		5460.000	56.127	21.634	-17.873	74.000	34.493	PK

Profile: 23A0637R	Page No.: 72
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.120	47.508	13.016	-6.492	54.000	34.492	AV
2		5460.000	45.786	11.293	-8.214	54.000	34.493	AV


Profile: 23A0637R	Page No.: 73
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	68.291	34.114	-5.709	74.000	34.177	PK




Profile: 23A0637R	Page No.: 74
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.521	15.344	-4.479	54.000	34.177	AV

Profile: 23A0637R	Page No.: 75
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	58.462	24.285	-15.538	74.000	34.177	PK

Profile: 23A0637R	Page No.: 76
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.844	4.667	-15.156	54.000	34.177	AV

Profile: 23A0637R	Page No.: 77
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	69.015	34.637	-4.985	74.000	34.378	PK
2		5353.950	68.916	34.534	-5.084	74.000	34.382	PK

Profile: 23A0637R	Page No.: 78
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.906	16.528	-3.094	54.000	34.378	AV

Profile: 23A0637R	Page No.: 79
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	59.393	25.015	-14.607	74.000	34.378	PK
2	*	5352.300	59.673	25.293	-14.327	74.000	34.380	PK

Profile: 23A0637R	Page No.: 80
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	42.198	7.820	-11.802	54.000	34.378	AV

Profile: 23A0637R	Page No.: 81
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5444.080	62.543	28.067	-11.457	74.000	34.476	PK
2	*	5460.000	62.596	28.103	-11.404	74.000	34.493	PK

Profile: 23A0637R	Page No.: 82
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.077	13.584	-5.923	54.000	34.493	AV

Profile: 23A0637R	Page No.: 83
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5458.000	53.358	18.867	-20.642	74.000	34.491	PK
2	*	5460.000	53.466	18.973	-20.534	74.000	34.493	PK

Profile: 23A0637R	Page No.: 84
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	40.484	5.991	-13.516	54.000	34.493	AV

Profile: 23A0637R	Page No.: 85
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5146.810	66.642	32.468	-7.358	74.000	34.174	PK
2	*	5150.000	68.307	34.130	-5.693	74.000	34.177	PK

Profile: 23A0637R	Page No.: 86
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.963	15.786	-4.037	54.000	34.177	AV

Profile: 23A0637R	Page No.: 87
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	57.285	23.108	-16.715	74.000	34.177	PK

Profile: 23A0637R	Page No.: 88
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.082	5.905	-13.918	54.000	34.177	AV

Profile: 23A0637R	Page No.: 89
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	66.194	31.816	-7.806	74.000	34.378	PK
2	*	5352.050	72.408	38.028	-1.592	74.000	34.380	PK

Profile: 23A0637R	Page No.: 90
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.994	15.616	-4.006	54.000	34.378	AV

Profile: 23A0637R	Page No.: 91
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	56.627	22.249	-17.373	74.000	34.378	PK
2	*	5351.540	63.355	28.975	-10.645	74.000	34.380	PK

Profile: 23A0637R	Page No.: 92
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	43.118	8.740	-10.882	54.000	34.378	AV

Profile: 23A0637R	Page No.: 93
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.900	66.604	32.112	-7.396	74.000	34.492	PK
2		5460.000	64.343	29.850	-9.657	74.000	34.493	PK

Profile: 23A0637R	Page No.: 94
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.080	52.473	17.981	-1.527	54.000	34.492	AV

Profile: 23A0637R	Page No.: 95
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5451.340	57.545	23.061	-16.455	74.000	34.484	PK
2		5460.000	55.783	21.290	-18.217	74.000	34.493	PK

Profile: 23A0637R	Page No.: 96
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.557	10.064	-9.443	54.000	34.493	AV

Profile: 23A0637R	Page No.: 97
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5145.000	67.716	33.544	-6.284	74.000	34.172	PK
2		5150.000	63.191	29.014	-10.809	74.000	34.177	PK

Profile: 23A0637R	Page No.: 98
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5145.750	51.416	17.243	-2.584	54.000	34.173	AV
2		5150.000	50.583	16.406	-3.417	54.000	34.177	AV

Profile: 23A0637R	Page No.: 99
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5139.000	55.647	21.480	-18.353	74.000	34.167	PK
2	*	5145.000	55.842	21.670	-18.158	74.000	34.172	PK
3		5150.000	53.070	18.893	-20.930	74.000	34.177	PK

Profile: 23A0637R	Page No.: 100
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	41.521	7.344	-12.479	54.000	34.177	AV

Profile: 23A0637R	Page No.: 101
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.460	28.082	-11.540	74.000	34.378	PK
2	*	5355.000	65.040	30.657	-8.960	74.000	34.383	PK
3		5364.450	64.970	30.578	-9.030	74.000	34.392	PK

Profile: 23A0637R	Page No.: 102
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.545	16.167	-3.455	54.000	34.378	AV

Profile: 23A0637R	Page No.: 103
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	54.431	20.053	-19.569	74.000	34.378	PK
2	*	5354.160	56.947	22.565	-17.053	74.000	34.382	PK

Profile: 23A0637R	Page No.: 104
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/22 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	43.999	9.621	-10.001	54.000	34.378	AV
2	*	5351.220	45.626	11.247	-8.374	54.000	34.379	AV