



Appendix D

RF Test Data for B1-B3WIFI(Conducted Measurement)

Product Name: Notebook computer

Trade Mark: Blackview

Test Model: AceBook 8

Environmental Conditions

Temperature:	25.5° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



Contents

	Page
COVER PAGE	
1 Duty Cycle	3
1.1 Test Result	3
1.2 Test Graphs	4
2 Maximum Conducted Output Power	11
2.1 Test Result	11
3 -26dB Bandwidth	12
3.1 Test Result	12
3.2 Test Graphs	13
4 Occupied Channel Bandwidth	20
4.1 Test Result	20
4.2 Test Graphs	21
5 Maximum Power Spectral Density Level	28
5.1 Test Result	28
5.2 Test Graphs	29
6 Frequency Stability	36
6.1 Test Result	36
7 Conducted RF Spurious Emission	40
7.1 Test Result	40
7.2 Test Graphs	41
8 Restrict Band	48
8.1 Test Result	48
8.2 Test Graphs	50




1 Duty Cycle


1.1 Test Result


Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
a	5180	Ant1	100	0	0
a	5200	Ant1	100	0	0
a	5240	Ant1	100	0	0
n20	5180	Ant1	100	0	0
n20	5200	Ant1	100	0	0
n20	5240	Ant1	100	0	0
n40	5190	Ant1	100	0	0
n40	5230	Ant1	100	0	0
ac20	5180	Ant1	100	0	0
ac20	5200	Ant1	100	0	0
ac20	5240	Ant1	100	0	0
ac40	5190	Ant1	100	0	0
ac40	5230	Ant1	100	0	0
ac80	5210	Ant1	100	0	0





1.2 Test Graphs

















2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	13.52	24	Pass
a	5200	Ant1	14.06	24	Pass
a	5240	Ant1	14.65	24	Pass
n20	5180	Ant1	13	24	Pass
n20	5200	Ant1	13.39	24	Pass
n20	5240	Ant1	14.15	24	Pass
n40	5190	Ant1	12.81	24	Pass
n40	5230	Ant1	13.64	24	Pass
ac20	5180	Ant1	12.92	24	Pass
ac20	5200	Ant1	13.39	24	Pass
ac20	5240	Ant1	14.16	24	Pass
ac40	5190	Ant1	12.71	24	Pass
ac40	5230	Ant1	13.67	24	Pass
ac80	5210	Ant1	12.81	24	Pass

Note:

The duty factor has been compensated into the result.




3 -26dB Bandwidth

3.1 Test Result


Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
a	5180	Ant1	20.73	0.5	Pass
a	5200	Ant1	21.906	0.5	Pass
a	5240	Ant1	21.372	0.5	Pass
n20	5180	Ant1	22.185	0.5	Pass
n20	5200	Ant1	22.239	0.5	Pass
n20	5240	Ant1	22.233	0.5	Pass
n40	5190	Ant1	41.826	0.5	Pass
n40	5230	Ant1	42.504	0.5	Pass
ac20	5180	Ant1	22.581	0.5	Pass
ac20	5200	Ant1	21.609	0.5	Pass
ac20	5240	Ant1	21.963	0.5	Pass
ac40	5190	Ant1	42.198	0.5	Pass
ac40	5230	Ant1	42.45	0.5	Pass
ac80	5210	Ant1	79.764	0.5	Pass

3.2 Test Graphs






-26dB Bandwidtha 5240MHz Ant1




-26dB Bandwidth n20 5180MHz Ant1






-26dB Bandwidth n20 5200MHz Ant1




-26dB Bandwidth n20 5240MHz Ant1






-26dB Bandwidth40 5190MHz Ant1




-26dB Bandwidth40 5230MHz Ant1







-26dB Bandwidth ac20 5180MHz Ant1




-26dB Bandwidth ac20 5200MHz Ant1




-26dB Bandwidth ac20 5240MHz Ant1




-26dB Bandwidthac40 5190MHz Ant1



-26dB Bandwidthac40 5230MHz Ant1



-26dB Bandwidthac80 5210MHz Ant1




4 Occupied Channel Bandwidth



4.1 Test Result

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5180	Ant1	16.636
a	5200	Ant1	16.63
a	5240	Ant1	16.765
n20	5180	Ant1	17.824
n20	5200	Ant1	17.797
n20	5240	Ant1	17.737
n40	5190	Ant1	36.332
n40	5230	Ant1	36.53
ac20	5180	Ant1	17.848
ac20	5200	Ant1	17.884
ac20	5240	Ant1	17.848
ac40	5190	Ant1	36.338
ac40	5230	Ant1	36.476
ac80	5210	Ant1	75.688




4.2 Test Graphs








OBW n20 5200MHz Ant1



OBW n20 5240MHz Ant1












OBW ac20 5240MHz Ant1




OBWac40 5190MHz Ant1



OBWac40 5230MHz Ant1



OBWac80 5210MHz Ant1



5 Maximum Power Spectral Density Level

5.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	-1.04	0	-1.04	11	Pass
a	5200	Ant1	-0.65	0	-0.65	11	Pass
a	5240	Ant1	0.51	0	0.51	11	Pass
n20	5180	Ant1	-2.26	0	-2.26	11	Pass
n20	5200	Ant1	-0.82	0	-0.82	11	Pass
n20	5240	Ant1	-0.54	0	-0.54	11	Pass
n40	5190	Ant1	-4.93	0	-4.93	11	Pass
n40	5230	Ant1	-3.75	0	-3.75	11	Pass
ac20	5180	Ant1	-1.69	0	-1.69	11	Pass
ac20	5200	Ant1	-0.94	0	-0.94	11	Pass
ac20	5240	Ant1	-0.18	0	-0.18	11	Pass
ac40	5190	Ant1	-5.07	0	-5.07	11	Pass
ac40	5230	Ant1	-3.86	0	-3.86	11	Pass
ac80	5210	Ant1	-6.43	0	-6.43	11	Pass

5.2 Test Graphs

