





# 1. Duty Cycle


## 1.1 Ant1

### 1.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
1M	SISO	2402	2.128	2.499	85.15	0.70	0.03
		2440	2.127	2.499	85.11	0.70	0.03
		2480	2.128	2.499	85.15	0.70	0.03

### 1.1.2 Test Graph







## 2. Bandwidth


### 2.1 OBW


#### 2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	1.036	/	Pass
		2440	1	1.035	/	Pass
		2480	1	1.035	/	Pass



### 2.1.2 Test Graph








## 2.2 6dB BW

### 2.2.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.663	$\geq 0.5$	Pass
		2440	1	0.665	$\geq 0.5$	Pass
		2480	1	0.664	$\geq 0.5$	Pass



### 2.2.2 Test Graph









### 3. Maximum Conducted Output Power


#### 3.1 Power


##### 3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	-2.80	<=30	Pass
		2440	-2.95	<=30	Pass
		2480	-2.24	<=30	Pass

Note1: Antenna Gain: Ant1: 1.01dBi;

### 3.1.2 Test Graph







#### 4. Maximum Power Spectral Density

##### 4.1 PSD


##### 4.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-19.10	<=8	Pass
		2440	-19.19	<=8	Pass
		2480	-18.51	<=8	Pass

Note1: Antenna Gain: Ant1: 1.01dBi;



### 4.1.2 Test Graph







## 5. Unwanted Emissions In Non-restricted Frequency Bands

### 5.1 Ref

#### 5.1.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	-3.15
		2440	1	-3.32
		2480	1	-2.63


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.





### 5.1.2 Test Graph








## 5.2 CSE

### 5.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	-3.15	-23.15	Pass
		2440	1	-3.32	-23.32	Pass
		2480	1	-2.63	-22.63	Pass
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.						




### 5.2.2 Test Graph





1M\_MCH\_2440MHz\_Ant1\_NTNV



1M\_HCH\_2480MHz\_Ant1\_NTNV

