



Appendix D

RF Test Data for B1-B3WIFI(Conducted Measurement)

Product Name: Mini PC

Trade Mark: Blackview

Test Model: MP60

Environmental Conditions

Temperature:	25.9℃
Relative Humidity:	52.2%
ATM Pressure:	101Kpa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



Contents

	Page
COVER PAGE	
1 Duty Cycle	3
1.1 Test Result	3
1.2 Test Graphs	4
2 Maximum Conducted Output Power	11
2.1 Test Result	11
3 -26dB Bandwidth	12
3.1 Test Result	12
3.2 Test Graphs	13
4 Occupied Channel Bandwidth	20
4.1 Test Result	20
4.2 Test Graphs	21
5 Maximum Power Spectral Density Level	28
5.1 Test Result	28
5.2 Test Graphs	29
6 Frequency Stability	36
6.1 Test Result	36
7 Conducted RF Spurious Emission	40
7.1 Test Result	40
7.2 Test Graphs	41
8 Restrict Band	48
8.1 Test Result	48
8.2 Test Graphs	50






1 Duty Cycle


1.1 Test Result



Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T(KHz)
a	5180	Ant2	100	0	0.01
a	5200	Ant2	100	0	0.01
a	5240	Ant2	100	0	0.01
n20	5180	Ant2	100	0	0.01
n20	5200	Ant2	100	0	0.01
n20	5240	Ant2	100	0	0.01
n40	5190	Ant2	100	0	0.01
n40	5230	Ant2	100	0	0.01
ac20	5180	Ant2	100	0	0.01
ac20	5200	Ant2	100	0	0.01
ac20	5240	Ant2	100	0	0.01
ac40	5190	Ant2	100	0	0.01
ac40	5230	Ant2	100	0	0.01
ac80	5210	Ant2	100	0	0.01


1.2 Test Graphs

















2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5180	Ant2	11.2	24	Pass
a	5200	Ant2	11.32	24	Pass
a	5240	Ant2	11.24	24	Pass
n20	5180	Ant2	10.78	24	Pass
n20	5200	Ant2	10.92	24	Pass
n20	5240	Ant2	11.09	24	Pass
n40	5190	Ant2	10.64	24	Pass
n40	5230	Ant2	10.53	24	Pass
ac20	5180	Ant2	10.85	24	Pass
ac20	5200	Ant2	10.88	24	Pass
ac20	5240	Ant2	11.04	24	Pass
ac40	5190	Ant2	10.52	24	Pass
ac40	5230	Ant2	12.3	24	Pass
ac80	5210	Ant2	9.96	24	Pass






3 -26dB Bandwidth



3.1 Test Result



Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
a	5180	Ant2	20.544	0.5	Pass
a	5200	Ant2	20.52	0.5	Pass
a	5240	Ant2	19.725	0.5	Pass
n20	5180	Ant2	21.246	0.5	Pass
n20	5200	Ant2	21.36	0.5	Pass
n20	5240	Ant2	20.865	0.5	Pass
n40	5190	Ant2	40.422	0.5	Pass
n40	5230	Ant2	39.828	0.5	Pass
ac20	5180	Ant2	21.291	0.5	Pass
ac20	5200	Ant2	20.943	0.5	Pass
ac20	5240	Ant2	21.336	0.5	Pass
ac40	5190	Ant2	40.356	0.5	Pass
ac40	5230	Ant2	40.53	0.5	Pass
ac80	5210	Ant2	79.404	0.5	Pass



3.2 Test Graphs






















4 Occupied Channel Bandwidth


4.1 Test Result


Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5180	Ant2	16.471
a	5200	Ant2	16.489
a	5240	Ant2	16.423
n20	5180	Ant2	17.641
n20	5200	Ant2	17.614
n20	5240	Ant2	17.662
n40	5190	Ant2	36.188
n40	5230	Ant2	36.248
ac20	5180	Ant2	17.65
ac20	5200	Ant2	17.713
ac20	5240	Ant2	17.728
ac40	5190	Ant2	36.182
ac40	5230	Ant2	36.206
ac80	5210	Ant2	75.436


4.2 Test Graphs





















5 Maximum Power Spectral Density Level

5.1 Test Result


Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
a	5180	Ant2	-2.99	0	-2.99	11	Pass
a	5200	Ant2	-2.37	0	-2.37	11	Pass
a	5240	Ant2	-2.5	0	-2.5	11	Pass
n20	5180	Ant2	-3.66	0	-3.66	11	Pass
n20	5200	Ant2	-3.93	0	-3.93	11	Pass
n20	5240	Ant2	-3.53	0	-3.53	11	Pass
n40	5190	Ant2	-6.54	0	-6.54	11	Pass
n40	5230	Ant2	-6.92	0	-6.92	11	Pass
ac20	5180	Ant2	-3.82	0	-3.82	11	Pass
ac20	5200	Ant2	-3.35	0	-3.35	11	Pass
ac20	5240	Ant2	-2.98	0	-2.98	11	Pass
ac40	5190	Ant2	-7.06	0	-7.06	11	Pass
ac40	5230	Ant2	-5.09	0	-5.09	11	Pass
ac80	5210	Ant2	-9.43	0	-9.43	11	Pass

5.2 Test Graphs



















6 Frequency Stability

6.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 120V	a	5180	Ant2	5180	0	0	25	Pass
20C 138V	a	5180	Ant2	5180	0	0	25	Pass
-20C 120V	a	5180	Ant2	5180	0	0	25	Pass
-10C 120V	a	5180	Ant2	5180	0	0	25	Pass
0C 120V	a	5180	Ant2	5180	0	0	25	Pass
10C 120V	a	5180	Ant2	5180.02	20000	3.86	25	Pass
30C 120V	a	5180	Ant2	5180	0	0	25	Pass
40C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
50C 120V	a	5180	Ant2	5180	0	0	25	Pass
20C 102V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 120V	a	5200	Ant2	5200	0	0	25	Pass
20C 138V	a	5200	Ant2	5199.96	-40000	-7.69	25	Pass
-20C 120V	a	5200	Ant2	5200	0	0	25	Pass
-10C 120V	a	5200	Ant2	5200	0	0	25	Pass
0C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
10C 120V	a	5200	Ant2	5200.02	20000	3.85	25	Pass
30C 120V	a	5200	Ant2	5200	0	0	25	Pass
40C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	a	5240	Ant2	5240	0	0	25	Pass
20C 120V	a	5240	Ant2	5240	0	0	25	Pass
20C 138V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-20C 120V	a	5240	Ant2	5240	0	0	25	Pass
-10C 120V	a	5240	Ant2	5240	0	0	25	Pass
0C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
10C 120V	a	5240	Ant2	5240	0	0	25	Pass
30C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
40C 120V	a	5240	Ant2	5240	0	0	25	Pass
50C 120V	a	5240	Ant2	5240	0	0	25	Pass
20C 102V	n20	5180	Ant2	5180	0	0	25	Pass
20C 120V	n20	5180	Ant2	5180	0	0	25	Pass
20C 138V	n20	5180	Ant2	5180	0	0	25	Pass
-20C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass



-10C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	n20	5180	Ant2	5180.02	20000	3.86	25	Pass
10C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
30C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
40C 120V	n20	5180	Ant2	5180	0	0	25	Pass
50C 120V	n20	5180	Ant2	5180.02	20000	3.86	25	Pass
20C 102V	n20	5200	Ant2	5200	0	0	25	Pass
20C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 138V	n20	5200	Ant2	5200	0	0	25	Pass
-20C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
-10C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
0C 120V	n20	5200	Ant2	5200	0	0	25	Pass
10C 120V	n20	5200	Ant2	5200	0	0	25	Pass
30C 120V	n20	5200	Ant2	5200.02	20000	3.85	25	Pass
40C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
50C 120V	n20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 120V	n20	5240	Ant2	5240	0	0	25	Pass
20C 138V	n20	5240	Ant2	5240	0	0	25	Pass
-20C 120V	n20	5240	Ant2	5240	0	0	25	Pass
-10C 120V	n20	5240	Ant2	5240	0	0	25	Pass
0C 120V	n20	5240	Ant2	5240	0	0	25	Pass
10C 120V	n20	5240	Ant2	5240	0	0	25	Pass
30C 120V	n20	5240	Ant2	5240	0	0	25	Pass
40C 120V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
50C 120V	n20	5240	Ant2	5240	0	0	25	Pass
20C 102V	n40	5190	Ant2	5190	0	0	25	Pass
20C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 138V	n40	5190	Ant2	5190	0	0	25	Pass
-20C 120V	n40	5190	Ant2	5190	0	0	25	Pass
-10C 120V	n40	5190	Ant2	5190.04	40000	7.71	25	Pass
0C 120V	n40	5190	Ant2	5190	0	0	25	Pass
10C 120V	n40	5190	Ant2	5190.04	40000	7.71	25	Pass
30C 120V	n40	5190	Ant2	5190.04	40000	7.71	25	Pass
40C 120V	n40	5190	Ant2	5190	0	0	25	Pass
50C 120V	n40	5190	Ant2	5190	0	0	25	Pass
20C 102V	n40	5230	Ant2	5230	0	0	25	Pass
20C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 138V	n40	5230	Ant2	5230	0	0	25	Pass
-20C 120V	n40	5230	Ant2	5230	0	0	25	Pass
-10C 120V	n40	5230	Ant2	5230.04	40000	7.65	25	Pass
0C 120V	n40	5230	Ant2	5230	0	0	25	Pass
10C 120V	n40	5230	Ant2	5230.04	40000	7.65	25	Pass



30C 120V	n40	5230	Ant2	5230	0	0	25	Pass
40C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
50C 120V	n40	5230	Ant2	5230	0	0	25	Pass
20C 102V	ac20	5180	Ant2	5180	0	0	25	Pass
20C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 138V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
-20C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
-10C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
10C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
30C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
40C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
50C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
20C 102V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 138V	ac20	5200	Ant2	5200	0	0	25	Pass
-20C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
-10C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
0C 120V	ac20	5200	Ant2	5200	0	0	25	Pass
10C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
30C 120V	ac20	5200	Ant2	5200	0	0	25	Pass
40C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
50C 120V	ac20	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	ac20	5240	Ant2	5240	0	0	25	Pass
20C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 138V	ac20	5240	Ant2	5240	0	0	25	Pass
-20C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-10C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
0C 120V	ac20	5240	Ant2	5240	0	0	25	Pass
10C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
30C 120V	ac20	5240	Ant2	5240	0	0	25	Pass
40C 120V	ac20	5240	Ant2	5240	0	0	25	Pass
50C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 102V	ac40	5190	Ant2	5190	0	0	25	Pass
20C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 138V	ac40	5190	Ant2	5190	0	0	25	Pass
-20C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
-10C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
0C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
10C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
30C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
40C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
50C 120V	ac40	5190	Ant2	5190	0	0	25	Pass



20C 102V	ac40	5230	Ant2	5230	0	0	25	Pass
20C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
20C 138V	ac40	5230	Ant2	5230.04	40000	7.65	25	Pass
-20C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
-10C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
0C 120V	ac40	5230	Ant2	5230.04	40000	7.65	25	Pass
10C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
30C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
40C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
50C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
20C 102V	ac80	5210	Ant2	5210	0	0	25	Pass
20C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
20C 138V	ac80	5210	Ant2	5210	0	0	25	Pass
-20C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
-10C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
0C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
10C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
30C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
40C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
50C 120V	ac80	5210	Ant2	5210	0	0	25	Pass




7 Conducted RF Spurious Emission



7.1 Test Result



Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
a	5180	Ant2	-31.44	-27	Pass
a	5200	Ant2	-31.63	-27	Pass
a	5240	Ant2	-31.63	-27	Pass
n20	5180	Ant2	-31.68	-27	Pass
n20	5200	Ant2	-30.94	-27	Pass
n20	5240	Ant2	-31.24	-27	Pass
n40	5190	Ant2	-31.59	-27	Pass
n40	5230	Ant2	-30.79	-27	Pass
ac20	5180	Ant2	-31.01	-27	Pass
ac20	5200	Ant2	-31.6	-27	Pass
ac20	5240	Ant2	-31.45	-27	Pass
ac40	5190	Ant2	-31.38	-27	Pass
ac40	5230	Ant2	-31.85	-27	Pass
ac80	5210	Ant2	-31.3	-27	Pass



7.2 Test Graphs







Tx. Spuriousa 5200MHz Ant2

















8 Restrict Band

8.1 Test Result

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
a	5180	Ant2	4500	-40.49	2.82	57.56	Peak	68.2	Pass
a	5180	Ant2	4500	-50.43	2.82	47.62	Average	54	Pass
a	5180	Ant2	5146.1	-36.88	2.82	61.17	Peak	68.2	Pass
a	5180	Ant2	4963.4	-47.41	2.82	50.64	Average	54	Pass
a	5180	Ant2	5150	-39.04	2.82	59.01	Peak	68.2	Pass
a	5180	Ant2	5150	-49.55	2.82	48.5	Average	54	Pass
a	5240	Ant2	5350	-41.38	2.82	56.67	Peak	68.2	Pass
a	5240	Ant2	5350	-49.64	2.82	48.41	Average	54	Pass
a	5240	Ant2	5452.08	-35.89	2.82	62.16	Peak	68.2	Pass
a	5240	Ant2	5447.76	-47.42	2.82	50.63	Average	54	Pass
a	5240	Ant2	5460	-40.71	2.82	57.34	Peak	68.2	Pass
a	5240	Ant2	5460	-49.08	2.82	48.97	Average	54	Pass
n20	5180	Ant2	4500	-40.28	2.82	57.77	Peak	68.2	Pass
n20	5180	Ant2	4500	-50.39	2.82	47.66	Average	54	Pass
n20	5180	Ant2	4576.3	-36.18	2.82	61.87	Peak	68.2	Pass
n20	5180	Ant2	4962.7	-47.41	2.82	50.64	Average	54	Pass
n20	5180	Ant2	5150	-40.22	2.82	57.83	Peak	68.2	Pass
n20	5180	Ant2	5150	-49.53	2.82	48.52	Average	54	Pass
n20	5240	Ant2	5350	-41.39	2.82	56.66	Peak	68.2	Pass
n20	5240	Ant2	5350	-49.62	2.82	48.43	Average	54	Pass
n20	5240	Ant2	5447.52	-36.64	2.82	61.41	Peak	68.2	Pass
n20	5240	Ant2	5446.8	-47.44	2.82	50.61	Average	54	Pass
n20	5240	Ant2	5460	-38.67	2.82	59.38	Peak	68.2	Pass
n20	5240	Ant2	5460	-49.09	2.82	48.96	Average	54	Pass
n40	5190	Ant2	4500	-39.4	2.82	58.65	Peak	68.2	Pass
n40	5190	Ant2	4500	-49.75	2.82	48.3	Average	54	Pass
n40	5190	Ant2	4927.78	-35.71	2.82	62.34	Peak	68.2	Pass
n40	5190	Ant2	4965.01	-46.38	2.82	51.67	Average	54	Pass
n40	5190	Ant2	5150	-37.24	2.82	60.81	Peak	68.2	Pass
n40	5190	Ant2	5150	-48.32	2.82	49.73	Average	54	Pass
n40	5230	Ant2	5350	-38.31	2.82	59.74	Peak	68.2	Pass
n40	5230	Ant2	5350	-49.08	2.82	48.97	Average	54	Pass
n40	5230	Ant2	5452.71	-36.85	2.82	61.2	Peak	68.2	Pass
n40	5230	Ant2	5448.39	-46.45	2.82	51.6	Average	54	Pass



n40	5230	Ant2	5460	-41.15	2.82	56.9	Peak	68.2	Pass
n40	5230	Ant2	5460	-48.53	2.82	49.52	Average	54	Pass
ac20	5180	Ant2	4500	-39.43	2.82	58.62	Peak	68.2	Pass
ac20	5180	Ant2	4500	-50.41	2.82	47.64	Average	54	Pass
ac20	5180	Ant2	4921.4	-37.01	2.82	61.04	Peak	68.2	Pass
ac20	5180	Ant2	4962.7	-47.41	2.82	50.64	Average	54	Pass
ac20	5180	Ant2	5150	-38.62	2.82	59.43	Peak	68.2	Pass
ac20	5180	Ant2	5150	-49.55	2.82	48.5	Average	54	Pass
ac20	5240	Ant2	5350	-38.95	2.82	59.1	Peak	68.2	Pass
ac20	5240	Ant2	5350	-49.65	2.82	48.4	Average	54	Pass
ac20	5240	Ant2	5448.24	-36.11	2.82	61.94	Peak	68.2	Pass
ac20	5240	Ant2	5446.8	-47.43	2.82	50.62	Average	54	Pass
ac20	5240	Ant2	5460	-40.71	2.82	57.34	Peak	68.2	Pass
ac20	5240	Ant2	5460	-49.11	2.82	48.94	Average	54	Pass
ac40	5190	Ant2	4500	-39.63	2.82	58.42	Peak	68.2	Pass
ac40	5190	Ant2	4500	-49.89	2.82	48.16	Average	54	Pass
ac40	5190	Ant2	5148.97	-36.16	2.82	61.89	Peak	68.2	Pass
ac40	5190	Ant2	4966.47	-46.66	2.82	51.39	Average	54	Pass
ac40	5190	Ant2	5150	-39.19	2.82	58.86	Peak	68.2	Pass
ac40	5190	Ant2	5150	-48.2	2.82	49.85	Average	54	Pass
ac40	5230	Ant2	5350	-41.55	2.82	56.5	Peak	68.2	Pass
ac40	5230	Ant2	5350	-49.31	2.82	48.74	Average	54	Pass
ac40	5230	Ant2	5452.98	-36.64	2.82	61.41	Peak	68.2	Pass
ac40	5230	Ant2	5447.58	-46.79	2.82	51.26	Average	54	Pass
ac40	5230	Ant2	5460	-40.18	2.82	57.87	Peak	68.2	Pass
ac40	5230	Ant2	5460	-48.24	2.82	49.81	Average	54	Pass
ac80	5210	Ant2	4500	-39.8	2.82	58.25	Peak	68.2	Pass
ac80	5210	Ant2	4500	-49.12	2.82	48.93	Average	54	Pass
ac80	5210	Ant2	5135.16	-35.93	2.82	62.12	Peak	68.2	Pass
ac80	5210	Ant2	4966.89	-46.34	2.82	51.71	Average	54	Pass
ac80	5210	Ant2	5150	-38.37	2.82	59.68	Peak	68.2	Pass
ac80	5210	Ant2	5150	-47.33	2.82	50.72	Average	54	Pass

8.2 Test Graphs

