



## 5.7 CONDUCTED RF SPURIOUS EMISSION



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-28.09	-27	Pass
NVNT	a	5785	Ant1	-27.95	-27	Pass
NVNT	a	5825	Ant1	-27.75	-27	Pass
NVNT	n20	5745	Ant1	-28.05	-27	Pass
NVNT	n20	5785	Ant1	-27.22	-27	Pass
NVNT	n20	5825	Ant1	-28.8	-27	Pass
NVNT	n40	5755	Ant1	-28.2	-27	Pass
NVNT	n40	5795	Ant1	-28.45	-27	Pass
NVNT	ac20	5745	Ant1	-27.54	-27	Pass
NVNT	ac20	5785	Ant1	-28.45	-27	Pass
NVNT	ac20	5825	Ant1	-27.99	-27	Pass
NVNT	ac40	5755	Ant1	-28.08	-27	Pass
NVNT	ac40	5795	Ant1	-28.2	-27	Pass
NVNT	ax20	5745	Ant1	-37.64	-27	Pass
NVNT	ax20	5785	Ant1	-27.75	-27	Pass
NVNT	ax20	5825	Ant1	-35.7	-27	Pass
NVNT	ax40	5755	Ant1	-28.15	-27	Pass
NVNT	ax40	5795	Ant1	-27.66	-27	Pass





























END OF REPORT