








## Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.813
NVNT	a	5785	Ant1	16.735
NVNT	a	5825	Ant1	16.873
NVNT	n20	5745	Ant1	17.836
NVNT	n20	5785	Ant1	18.01
NVNT	n20	5825	Ant1	17.872
NVNT	n40	5755	Ant1	36.518
NVNT	n40	5795	Ant1	36.548
NVNT	ac20	5745	Ant1	17.887
NVNT	ac20	5785	Ant1	18.034
NVNT	ac20	5825	Ant1	17.809
NVNT	ac40	5755	Ant1	36.512
NVNT	ac40	5795	Ant1	36.524
NVNT	ac80	5775	Ant1	75.52
NVNT	ax20	5745	Ant1	19.081
NVNT	ax20	5785	Ant1	19.216
NVNT	ax20	5825	Ant1	18.979
NVNT	ax40	5755	Ant1	37.892
NVNT	ax40	5795	Ant1	37.868
NVNT	ax80	5775	Ant1	77.44







































## Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-7.85	0.34	-7.51	30	Pass
NVNT	a	5785	Ant1	-7.83	0.34	-7.49	30	Pass
NVNT	a	5825	Ant1	-8.08	0.51	-7.57	30	Pass
NVNT	n20	5745	Ant1	-8.47	0.71	-7.76	30	Pass
NVNT	n20	5785	Ant1	-9.4	0.32	-9.08	30	Pass
NVNT	n20	5825	Ant1	-9.27	0.48	-8.79	30	Pass
NVNT	n40	5755	Ant1	-13.53	0.51	-13.02	30	Pass
NVNT	n40	5795	Ant1	-14.18	0.55	-13.63	30	Pass
NVNT	ac20	5745	Ant1	-8.9	0.71	-8.19	30	Pass
NVNT	ac20	5785	Ant1	-9.1	0.7	-8.4	30	Pass
NVNT	ac20	5825	Ant1	-8.71	0.43	-8.28	30	Pass
NVNT	ac40	5755	Ant1	-14.34	0.77	-13.57	30	Pass
NVNT	ac40	5795	Ant1	-14.46	0.72	-13.74	30	Pass
NVNT	ac80	5775	Ant1	-16.99	0.73	-16.26	30	Pass
NVNT	ax20	5745	Ant1	-10.25	0.81	-9.44	30	Pass
NVNT	ax20	5785	Ant1	-11.17	0.38	-10.79	30	Pass
NVNT	ax20	5825	Ant1	-10.92	1.01	-9.91	30	Pass
NVNT	ax40	5755	Ant1	-11.96	0.72	-11.24	30	Pass
NVNT	ax40	5795	Ant1	-12.54	0.39	-12.15	30	Pass
NVNT	ax80	5775	Ant1	-16.97	1.32	-15.65	30	Pass








































## Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-32.93	Pass
NVNT	a	5825	Ant1	-32.58	Pass
NVNT	n20	5745	Ant1	-32.59	Pass
NVNT	n20	5825	Ant1	-32.75	Pass
NVNT	n40	5755	Ant1	-32.69	Pass
NVNT	n40	5795	Ant1	-33.71	Pass
NVNT	ac20	5745	Ant1	-32.19	Pass
NVNT	ac20	5825	Ant1	-29.04	Pass
NVNT	ac40	5755	Ant1	-33.24	Pass
NVNT	ac40	5795	Ant1	-33.21	Pass
NVNT	ac80	5775	Ant1	-32.95	Pass
NVNT	ax20	5745	Ant1	-31.21	Pass
NVNT	ax20	5825	Ant1	-32.94	Pass
NVNT	ax40	5755	Ant1	-32.15	Pass
NVNT	ax40	5795	Ant1	-32.81	Pass
NVNT	ax80	5775	Ant1	-32.24	Pass


























## Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-33.81	-27	Pass
NVNT	a	5785	Ant1	-34.87	-27	Pass
NVNT	a	5825	Ant1	-34.62	-27	Pass
NVNT	n20	5745	Ant1	-34.02	-27	Pass
NVNT	n20	5785	Ant1	-34.58	-27	Pass
NVNT	n20	5825	Ant1	-33.91	-27	Pass
NVNT	n40	5755	Ant1	-34.62	-27	Pass
NVNT	n40	5795	Ant1	-35.6	-27	Pass
NVNT	ac20	5745	Ant1	-35.12	-27	Pass
NVNT	ac20	5785	Ant1	-34.15	-27	Pass
NVNT	ac20	5825	Ant1	-35.25	-27	Pass
NVNT	ac40	5755	Ant1	-35.49	-27	Pass
NVNT	ac40	5795	Ant1	-33.58	-27	Pass
NVNT	ac80	5775	Ant1	-34.54	-27	Pass
NVNT	ax20	5745	Ant1	-35.7	-27	Pass
NVNT	ax20	5785	Ant1	-35.5	-27	Pass
NVNT	ax20	5825	Ant1	-36.17	-27	Pass
NVNT	ax40	5755	Ant1	-35.24	-27	Pass
NVNT	ax40	5795	Ant1	-35.66	-27	Pass
NVNT	ax80	5775	Ant1	-35.79	-27	Pass



